

## DAFTAR PUSTAKA

- Aasim, F., Batra, M., CBS, G.M. and Kadambariambildhok, K.R., (2014) Oral habits and their implications. *Ann Medicus*. 1(4): 179-186.
- Ahmad, R.A., Indriani, C., Arisanti, R.R., Wahdi, A.E., Hertanti, N.S., (2020) *Buku Teks Epidemiologi Untuk Kesehatan Masyarakat*. Yogyakarta: Gadjah Mada University Press. <https://www.google.co.id/books> (23/04/2023).
- Arias, K.M., (2009) *Investigasi dan Pengendalian wabah di fasilitas pelayanan kesehatan, edisi bahasa Indonesia*. Jakarta: EGC.
- Arifin, R., Noviyandri, P.R., dan Lusmana, F.M., (2016) Hubungan usia dental dengan puncak pertumbuhan pada pasien usia 10-14 tahun di RSGM UNSYIAH. *J Syiah Kuala Dent Soc*. 1(2): 96-102.
- Arslan, S.S., İnal, Ö, Demir, N., Ölmez, M.S., Karaduman, A.A. (2017) Chewing side preference is associated with hemispheric laterality in healthy adults. *Somatosens Mot Res*. 34(2):92-95.
- Bae, J., Son, W.S., Kim, S.S., Park, S.B., Kim, Y.I., (2017) Comparison of masticatory efficiency according to Angle's classification of malocclusion. *Korean J Orthod*. 47(3):151-157.
- Balcioglu, H.A., Uyanikgil, Y., Yuruker, S., Tuna, H.S. and Karacayli, U., (2009) Volumetric assessment of lateral pterygoid muscle in unilateral chewing: a stereologic study. *J Craniofac Surg*. 20(5): 1364-1366.
- Barcellos, D.C., de Paiva Gonçalves, S.E., da Silva, M.A., Batista, G.R., Pleffken, P.R., Pucci, C.R., Borges, A.B. and Torres, C.R.G., (2011) Prevalence of chewing side preference in the deciduous, mixed and permanent dentitions. *J Contemp Dent Pract*. 339-342.
- Bernhardt, O., Krey, K.F., Daboul, A., Völzke, H., Splieth, C., Kocher, T., Schwahn, C., (2021) Association between coronal caries and malocclusion in an adult population. *J Orofac Orthop*. 82(5):295-312.
- Biswas, D., Szocs, C., Krishna, A., & Lehmann, D. (2014). Something to chew on: the effects of oral haptics on mastication, orosensory perception, and calorie estimation. *J Consum Res*. 41(2):261-273.
- Bramantoro, T., Irmalia, W.R., Santoso, C.M.A., Nor, N.A.M., Utomo, H., Ramadhani, A., Kristanti, R.A., Nugraha, A.P., (2023) The effect of caries on the chewing ability of children: a scoping review. *Eur J Dent*. 17(4):1012-1019.
- Cho, C., Maawadh, A. and Gerstner, G.E., (2015) Comparisons of chewing rhythm, craniomandibular morphology, body mass and height between mothers and their biological daughters. *Arch Oral Biol*. 60(11): 1667-1674.

- Diernberger, S., Bernhardt, O., Schwahn, C., Kordass, B. (2008) Self-reported chewing side preference and its associations with occlusal, temporomandibular and prosthodontic factors: results from the population-based Study of Health in Pomerania (SHIP-0). *J Oral Rehabil.* 35:613-620.
- Dinas Kesehatan Kabupaten Sleman (2022) *Profil Kesehatan Kabupaten Sleman tahun 2022*. <https://dinkes.slemankab.go.id/informasi-berkala> (19-03-2023).
- Eid, S. A., Khattab, N. M. A., Elheeny, A. A. H., (2020) Untreated dental caries prevalence and impact on the quality of life among 11 to 14-year-old Egyptian schoolchildren: a cross-sectional study. *BMC Oral Health.* 20: 83
- Fillingim, R.B., (2017) Individual differences in pain: understanding the mosaic that makes pain personal. *Pain.* 158 Suppl 1(Suppl 1): S11-S18.
- Goldstein, R.E., Chu, S.J., Lee, E.A. and Stappert, C.F., (2018) *Ronald E. Goldstein's Esthetics in Dentistry, 3<sup>rd</sup> edition*. John Wiley & Sons. New Jersey. Pp: 809-839.
- Gomes, S.G.F., Custodio, W., Jufer, J.S.M., Del Bel Cury, A.A., Garcia, R.C.M.R. (2010) Correlation of mastication and masticatory movements and effects of chewing side preference. *Braz Dent J.* 21(4):351-355.
- Graça, S.R., Albuquerque, T.S., Luis, H.S., Assunção, V.A., Malmqvist, S., Cuculescu, M., Slusanchi, O., Johannsen, G., Galuscan, A., Podariu, A.C., Johannsen, A., (2019) Oral health knowledge, perceptions, and habits of adolescents from Portugal, Romania, and Sweden: A comparative study. *J Int Soc Prevent Communit Dent.* 9: 470-480.
- Haralur, S.B., Majeed, M.I., Chaturvedi, S., Alqahtani, N.M., Alfarsi, M., (2019) Association between preferred chewing side and dynamic occlusion parameters. *Int J Med Res.* 47(5):1908-1915.
- Hardiyanti, S. dan Habar, E.H., (2020) Relationship of non-nutritive sucking habit towards to malocclusion to the children aged 3-5 years. *Makassar Dental Journal*, 9(1).
- Hargreaves, K.M. dan Berman, L.H., (2016) *Cohen's Pathways of The Pulp 11<sup>th</sup> edition*. Elsevier. St Louis.
- Hidaka, N., Kurose, S., Takao, N., Miyauchi, T., Nakajima, S., Yoshiuchi, S., Fujii, A., Takahashi, K., Tsutsumi, H., Habu, D. and Taniguchi, K., (2022) Masticatory behaviors and gender differences in people with obesity as measured via an earphone-style light-sensor-based mastication meter. *Nutrients.* 14(14):2990.
- Jeyasree, R.M. and Muthuraj, T. (2022) *An Insight into Classification, Diagnosis and Comprehensive Management of Food Impaction. In Periodontology- New Insights*. IntechOpen. Rijeka.

- Jiang, H., Liu, H., Liu, G., Jin, Z., Wang, L., Ma, J., Li, H., (2015) Analysis of brain activity involved in chewing-side preference during chewing: an fMRI study. *J Oral Rehabil.* 42:27-33.
- Kamus Besar Bahasa Indonesia (2022) (online) <https://kbbi.kemdikbud.go.id/> diakses pada 15/1/2023.
- Kaya, M.S., Akyuz, S., Guclu, D.D., Yarat, A., (2017) Masticatory parameters of children with and without clinically diagnosed caries in permanent dentition. *Eur J Paediatr Dent.* 18(1):116-120.
- Kementerian Kesehatan Republik Indonesia, (2019) *Laporan Nasional Riset Kesehatan Dasar (Riskesdas) 2018*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan. Jakarta.
- Kertiasih, N.L.P. dan Artawa, I.M.B., (2015) The function of saliva in caries prevention. *Jurnal Kesehatan Gigi.* 3(1): 56-60.
- Kumar, Brij, (2018) Oral Habits in 3 to 12 years old children: a burden on developing dentition. *Int J Sci Res.* 7(4): 36-38.
- Le Reverend, B.J.D., Edelson, L.R., Loret, C., (2014) Anatomical, functional, physiological and behavioural aspects of the development of mastication in early childhood. *Be J Nutr.* 111: 403-414.
- Lee, Y.R., Choi, J.S., Kim, H.E., (2018) Unilateral chewing as a risk factor for hearing loss: association between chewing habits and hearing acuity. *Tohoku J Exp Med.* 246(1): 45-50.
- Maffei, C., Garcia, P., de Biase, N.G., de Souza Camargo, E., Vianna-Lara, M.S., Grégio, A.M.T., Azevedo-Alanis, L.R., (2014) Orthodontic intervention combined with myofunctional therapy increases electromyographic activity of masticatory muscles in patients with skeletal unilateral posterior crossbite. *Acta Odontol Scand.* 72(4): 298-303.
- Mahendra, P.K., Wulandari, V.L., & Makmur, S.A. (2024). Pengaruh tingkat keparahan karies terhadap kebiasaan mengunyah satu sisi pada anak usia 12-14 tahun. *e-GiGi.* 13(1):22-26.
- Martins, F.L., Inete, M.B., Souza, Y.D., Costa, R.L., Gabbay, R.D., Moraes, T.M., Costa, V.V., Paracampo, C.C., Albuquerque, L.C., & Gomes, D.L., (2024). Association between Self-Perception of Chewing, Chewing Behavior, and the Presence of Gastrointestinal Symptoms in Candidates for Bariatric Surgery. *Nutrients.* 16(8):1096
- McDonnell, S.T., Hector, M.P. and Hannigan, A., (2004) Chewing side preferences in children. *J Oral Rehabil.* 31(9): 855-860.
- Motta, L.J., Alfaya, T.A., Marangoni, A.F., Mesquitta-Ferrari, R.A., Fernandes, K.P.S., Bussadori, S.K., (2012) Gender as risk factor for mouth breathing and other harmful oral habits in preschoolers. *Braz J Oral Sci.* 11(3): 377-380.

- Nangi, M. G., Yanti, F. and Lestari, S. A. (2019) *Dasar Epidemiologi*. Deepublish. Yogyakarta.
- Nayak, U.A., Sharma, R., Kashyap, N., Prajapati, D., Kappadi, D., Wadhwa, S., Gandotra, S. and Yadav, P., (2016) Association between chewing side preference and dental caries among deciduous, mixed and permanent dentition. *J Clin Diagn Res*. 10(9): ZC05.
- Nowak, A.J., Christensin, J.R., Mabry, T.R., Townsend, J.A., Wells, M.H., (2019) *Pediatric Dentistry: Infancy Through Adolescence, sixth edition*. Elsevier. Philadelphia. pp: 386.
- Paredes, S.O., de Nóbrega, R.F., Soares, T.S., Bezerra, M.E., de Aberu, M.H.N.G., Forte, F.D.S., (2021) Dental pain associated with untreated dental caries and sociodemographic factors in 5-year-old children. *J Clin Exp Dent*. 13(6): e552-e557.
- Park, S., dan Shin, W.S., (2015) Differences in eating behaviors and masticatory performances by gender and obesity status. *Physiol Behav*. 138: 69-74.
- Proffit, W.R., Fields, W.H., Larson, B.E., Sarver, D.M., (2019) *Contemporary Orthodontics 6<sup>th</sup> Edition*. Elsevier. Philadelphia.
- Rahardjo, P., (2016) *Orthodonti Dasar Edisi 2 Cetakan 2*. Airlangga University Press. Surabaya.
- Rahmawati, A.D., Arguni, E., Sutardjo, I., Pramono, D., (2020) Correlation between age, gender and bad oral habit of 7-9-year-old children in Karangjati Primary School, Kasihan, Bantul, Yogyakarta. *Journal Kedokteran Gigi*. 14(1): 9-15.
- Reena, M. (2015). Psychological changes during puberty - adolescent school girls. *Universal Journal of Psychology*. 3(3):65-68.
- Saleh, A.A. (2018) *Pengantar Psikologi*. Penerbit Aksara Timur. Makassar.
- Santana-Mora, U., Lopez-Cedrun, J., Mora, M.J., Otero, X.L., Santana-Penin, U., (2012) Temporomandibular Disorders: The Habitual Chewing Side Syndrome. *PLoS ONE*. 8(4): e59980.
- Shahraki, N., Yassaei, S., Moghadam, M.G., (2012) Abnormal Oral Habits: A Review, *J Dent Oral Hyg*. 4(2): 12-15.
- Shupe, G.E., Wilson, A. and Luckett, C.R., (2018) The Effect of Oral Tactile Sensitivity on Texture Perception and Mastication Behavior in Humans. *Journal of texture studies*, 50(4): 285-294.
- Tamura, K. dan Shiga, H. (2014) Gender differences in masticatory movement path and rhythm in dentate adults. *J Prosthodont Res*. 58:237-242.

- Tsai, C., Raphael, S., Agnew, C., McDonald, G. and Irving, M., (2020) Health promotion interventions to improve oral health of adolescents: A systematic review and meta-analysis. *Community dentistry and oral epidemiology*, 48(6): 549-560.
- Ved, V.P., Arora, A., Das, D., Kalra, D. (2017) The correlation of unilateral chewing habit with temporomandibular joint disorders. *Int J Sci Stud*. 5(1):1-4.
- Wang, Z., Feng, J., Wang, Q., Yang, Y., Xiao, J., (2021) Analysis of the correlation between malocclusion, bad oral habits, and the caries rate in adolescents, *Transl Pediatr*, 10(12): 3291-3300.
- World Health Organization. (2023) *Adolescent health*. [https://www.who.int/health-topics/adolescent-health#tab=tab\\_1](https://www.who.int/health-topics/adolescent-health#tab=tab_1) (23/4/2023)
- Yamasaki, Y., Kuwatsuru, R., Tsukiyama, Y., Oki, K., Koyano, K. (2016) Objective assessment of mastication predominance in healthy dentate subjects and patients with unilateral posterior missing teeth. *J Oral Rehabil*. 43(8):575-582.
- Zou, J., Meng, M., Law, C.S., Rao, Y., Zhou, X. (2018) Common dental diseases in children and malocclusion. *Int J Oral Sci*. 10:7.