

## DAFTAR PUSTAKA

- [1] Man Xu, Yarabahally R. Girish, Kadalipura P. Rakesh, Piye Wu, Honnayakanahalli M. Manukumar, Shayan M. Byrappa, Udayabhanu, dan Kullaiah Byrappa. "Recent advances and challenges in silicon carbide (SiC) ceramic nanoarchitectures and their applications." *Materials Today Communications*. vol. 28. hlm. 102533. Sep 2021, doi: 10.1016/j.mtcomm.2021.102533.
- [2] Ajay Kumar dan M. S. Aspilli. "SiC: AN ADVANCED SEMICONDUCTOR MATERIAL FOR POWER DEVICES." *International Journal of Research in Engineering and Technology*.
- [3] Krishna Chaitanya Kundeti. "The Properties of SiC Barrier Diodes Fabricated with Ti Schottky Contacts".
- [4] Gang Liu, Blair R. Tuttle, dan Sarit Dhar. "Silicon carbide: A unique platform for metal-oxide-semiconductor physics." *Applied Physics Reviews*. vol. 2, no. 2. hlm. 021307. Jun 2015, doi: 10.1063/1.4922748.
- [5] Filippo Di Giovanni. "Silicon Carbide: Physics, Manufacturing, and Its Role in Large-Scale Vehicle Electrification." *Chips*. vol. 2, no. 3. hlm. 209–222. Sep 2023, doi: 10.3390/chips2030013.
- [6] Bhuvaneshwari Ezhilmaran, Abhinandan Patra, Stenny Benny, Sreelakshmi M. R., Akshay V. V., S. Venkataprasad Bhat, dan Chandra Sekhar Rout. "Recent developments in the photodetector applications of Schottky diodes based on 2D materials." *J. Mater. Chem. C*. vol. 9, no. 19. hlm. 6122–6150. 2021, doi: 10.1039/D1TC00949D.
- [7] Bingkun Yang, Yun Chen, Wenkui Hao, Yu Han, Qiang Zhang, Yujie Li, Xiaofang Wang, Luyao Huang, dan Yiliang Lu. "The Corrosion Behavior of Different Silver Plating Layers as Electrical Contact Materials in Sulfur-Containing Environments." *Coatings*. vol. 13, no. 10. hlm. 1796. Okt 2023, doi: 10.3390/coatings13101796.
- [8] G. Pope, Owen James Guy, dan Philip Andrew Mawby. "Comparison of Different Surface Pre-Treatments to n-Type 4H-SiC and their Effect on the Specific Contact Resistance of Ni Ohmic Contacts." *MSF*. vol. 457–460. hlm. 833–836. Jun 2004, doi: 10.4028/www.scientific.net/MSF.457-460.833.
- [9] G. Pristavu, G. Brezeanu, R. Pascu, F. Draghici, M. Badila, dan I. Rusu. "Study on thermal sensitivity of highly inhomogeneous Ni/4H-SiC Schottky diode over a wide temperature range." dalam *2017 International Semiconductor Conference (CAS)*, Sinaia. Okt 2017. hlm. 255–256. doi: 10.1109/SMICND.2017.8101216.
- [10] G. Pristavu, G. Brezeanu, R. Pascu, F. Drăghici, dan M. Bădilă. "Characterization of non-uniform Ni/4H-SiC Schottky diodes for improved responsivity in high-temperature sensing." *Materials Science in Semiconductor Processing*. vol. 94. hlm. 64–69. Mei 2019, doi: 10.1016/j.mssp.2019.01.018.



- [11] Neetika, Sandeep Kumar, Amit Sanger, Hemant K. Chourasiya, Ashish Kumar, K. Asokan, Ramesh Chandra, dan V. K. Malik. "Influence of barrier inhomogeneities on transport properties of Pt/MoS<sub>2</sub> Schottky barrier junction." *Journal of Alloys and Compounds*. vol. 797. hlm. 582–588. Agu 2019, doi: 10.1016/j.jallcom.2019.05.028.
- [12] Junxue Ran, Rui He, Lulu Wang, Bingzhi Liu, Xiaoli Ji, Jingyu Sun, Junxi Wang, Jinmin Li, dan Tongbo Wei. "Improved barrier homogeneity in Pt/Al<sub>0.75</sub>Ga<sub>0.25</sub>N Schottky barrier diodes by graphene interlayer." *J. Phys. D: Appl. Phys.* vol. 55, no. 30. hlm. 304001. Jul 2022, doi: 10.1088/1361-6463/ac6c5f.
- [13] Ī. Orak. "The effect of annealing temperature on the electrical characterization of Co/n type GaP Schottky diode." *Materials Research Bulletin*. 2014.
- [14] Ferdinand Braun. "Ueber die Stromleitung durch Schwefelmetalle." *Annalen der Physik*. vol. 229, no. 12. hlm. 556–563. Jan 1875, doi: 10.1002/andp.18752291207.
- [15] J. Bardeen dan W. H. Brattain. "The Transistor, A Semi-Conductor Triode." American Physical Society (APS). 15 Juli 1948.
- [16] D. Kahng dan M. M. Atalla. "Silicon-Silicon Dioxide Surface Device." *IRE Device Research Conference*. 1960.
- [17] Fabrizio Roccaforte, Patrick Fiorenza, Giuseppe Greco, Raffaella Lo Nigro, Filippo Giannazzo, Ferdinando Iucolano, dan Mario Saggio. "Emerging trends in wide band gap semiconductors (SiC and GaN) technology for power devices." *Microelectronic Engineering*. vol. 187–188. hlm. 66–77. Feb 2018, doi: 10.1016/j.mee.2017.11.021.
- [18] Gary L. Harris. "Properties of Silicon Carbide." INSPEC. 1995.
- [19] Leon M. Tolbert, Burak Ozpineci, S. Kamrul Islam, dan Madhu S. Chinthavali. "Wide Bandgap Semiconductors For Utility Applications." *Konferensi IASTED*. 2003.
- [20] I. Vickridge, J. Ganem, Y. Hoshino, dan I. Trimaille. "Growth of SiO<sub>2</sub> on SiC by dry thermal oxidation: mechanisms." *J. Phys. D: Appl. Phys.* vol. 40, no. 20. hlm. 6254–6263. Okt 2007, doi: 10.1088/0022-3727/40/20/S10.
- [21] Jian H. Zhao, Kuang Sheng, dan Ramon C. Lebron-Velilla. "Silicon Carbide Schottky Barrier Diode." *International Journal of High Speed Electronics and Systems*. vol. 15, no. 4. hlm. 821–866. 2005, doi: 10.1142/S0129156405003430.
- [22] A. Itoh dan H. Matsunami. "Analysis of Schottky Barrier Heights of Metal/SiC Contacts and Its Possible Application to High-Voltage Rectifying Devices." *phys. stat. sol. (a)*. vol. 162, no. 1. hlm. 389–408. Jul 1997, doi: 10.1002/1521-396X(199707)162:1<389::AID-PSSA389>3.0.CO;2-X.
- [23] K. P. Schoen, J. M. Woodall, J. A. Cooper, dan M. R. Melloch. "Design considerations and experimental analysis of high-voltage SiC Schottky barrier rectifiers." *IEEE Trans. Electron Devices*. vol. 45, no. 7. hlm. 1595–1604. Jul 1998, doi: 10.1109/16.701494.
- [24] L. Kassamakova, A. Kakanakova-Georgieva, R. Kakanakov, Ts Marinova, I. Kassamakov, Tz Djambova, O. Noblanc, C. Arnodo, S. Cassette, dan C.



- Brylinski. "Thermostable Ti/Au/Pt/Ti Schottky contacts to n-type 4H-SiC." *Semicond. Sci. Technol.* vol. 13, no. 9. hlm. 1025–1030. Sep 1998, doi: 10.1088/0268-1242/13/9/010.
- [25] Uwe Zimmermann, Anders Hallén, dan Bo Breitholtz. "Current Voltage Characteristics of High-Voltage 4H Silicon Carbide Diodes." *MSF*. vol. 338–342. hlm. 1323–1326. Mei 2000, doi: 10.4028/www.scientific.net/MSF.338-342.1323.
- [26] Tom N. Oder, Krishna C. Kundeti, Nicholas Borucki, dan Sundar B. Isukapati. "Effects of deposition temperature on the electrical properties of Ti/SiC Schottky barrier diodes." *AIP Advances*. vol. 7, no. 12. hlm. 125311. Des 2017, doi: 10.1063/1.4985841.
- [27] In-Ho Kang, Sang-Cheol Kim, Jung-Hyeon Moon, Wook Bahng, dan Nam-Kyun Kim. "Fabrication of a 600-V/20-A 4H-SiC schottky barrier diode." *Journal of the Korean Physical Society*. vol. 64, no. 12. hlm. 1886–1891. Jun 2014, doi: 10.3938/jkps.64.1886.
- [28] S. K. Lee, C. M. Zetterling, dan M. Östling. "Schottky diode formation and characterization of titanium tungsten to *n* - and *p* -type 4H silicon carbide." *Journal of Applied Physics*. vol. 87, no. 11. hlm. 8039–8044. Jun 2000, doi: 10.1063/1.373494.
- [29] F. Roccaforte, F. La Via, V. Raineri, P. Musumeci, L. Calcagno, dan G. G. Condorelli. "Highly reproducible ideal SiC Schottky rectifiers: effects of surface preparation and thermal annealing on the Ni/6H-SiC barrier height." *Applied Physics A: Materials Science & Processing*. vol. 77, no. 6. hlm. 827–833. Nov 2003, doi: 10.1007/s00339-002-1981-8.
- [30] Tomoaki Hatayama, Kazuaki Kawahito, Hiroshi Kijima, Yukiharu Uraoka, dan Takashi Fuyuki. "Electrical Properties and Interface Reaction of Annealed Cu/4H-SiC Schottky Rectifiers." *MSF*. vol. 389–393. hlm. 925–928. Apr 2002, doi: 10.4028/www.scientific.net/MSF.389-393.925.
- [31] F. Nava, P. Vanni, C. Lanzieri, dan C. Canali. "Epitaxial silicon carbide charge particle detectors." *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*. vol. 437, no. 2–3. hlm. 354–358. Nov 1999, doi: 10.1016/S0168-9002(99)00756-1.
- [32] Tsunenobu Kimoto, Qamar-ul Wahab, Alexandre Ellison, Urban Forsberg, M. Tuominen, Rositza Yakimova, Anne Henry, dan Erik Janzén. "High Voltage (>2.5kV) 4H-SiC Schottky Rectifiers Processed on Hot-Wall CVD and High-Temperature CVD Layers." *MSF*. vol. 264–268. hlm. 921–924. Feb 1998, doi: 10.4028/www.scientific.net/MSF.264-268.921.
- [33] Q. Wahab, T. Kimoto, A. Ellison, C. Hallin, M. Tuominen, R. Yakimova, A. Henry, J. P. Bergman, dan E. Janzén. "A 3 kV Schottky barrier diode in 4H-SiC." *Applied Physics Letters*. vol. 72, no. 4. hlm. 445–447. Jan 1998, doi: 10.1063/1.120782.
- [34] V. Saxena, Jian Nong Su, dan A. J. Steckl. "High-voltage Ni- and Pt-SiC Schottky diodes utilizing metal field plate termination." *IEEE Trans. Electron Devices*. vol. 46, no. 3. hlm. 456–464. Mar 1999, doi: 10.1109/16.748862.



- [35] A. Kestle, S. P. Wilks, P. R. Dunstan, M. Pritchard, dan P. A. Mawby. "Improved Ni/SiC Schottky diode formation." *Electron. Lett.* vol. 36, no. 3. hlm. 267–268. Feb 2000, doi: 10.1049/el:20000244.
- [36] Qamar-ul Wahab, Alexandre Ellison, Jie Zhang, Urban Forsberg, E. Duranova, Anne Henry, Lynnette D. Madsen, dan Erik Janzén. "Designing, Physical Simulation and Fabrication of High-Voltage (3.85 kV) 4H-SiC Schottky Rectifiers Processed on Hot-Wall and Chimney CVD Films." *MSF.* vol. 338–342. hlm. 1171–1174. Mei 2000, doi: 10.4028/www.scientific.net/MSF.338-342.1171.
- [37] Kyoung Jin Choi, Sang Youn Han, dan Jong-Lam Lee. "Degradation mechanism of Schottky diodes on inductively coupled plasma-etched *n*-type 4H-SiC." *Journal of Applied Physics.* vol. 94, no. 3. hlm. 1765–1768. Agu 2003, doi: 10.1063/1.1581347.
- [38] S. Toumi, Z. Ouennoughi, dan R. Weiss. "Temperature analysis of the Gaussian distribution modeling the barrier height inhomogeneity in the Tungsten/4H-SiC Schottky diode." *Appl. Phys. A.* vol. 127, no. 9. hlm. 661. Sep 2021, doi: 10.1007/s00339-021-04787-0.
- [39] Jeongsoo Hong, Ki Hyun Kim, dan Kyung Hwan Kim. "Rectifying Characteristics of Thermally Treated Mo/SiC Schottky Contact." *Coatings.* vol. 9, no. 6. hlm. 388. Jun 2019, doi: 10.3390/coatings9060388.
- [40] J. R. Waldrop, R. W. Grant, Y. C. Wang, dan R. F. Davis. "Metal Schottky barrier contacts to alpha 6H-SiC." *Journal of Applied Physics.* vol. 72, no. 10. hlm. 4757–4760. Nov 1992, doi: 10.1063/1.352086.
- [41] Tsunenobu Kimoto dan James A. Cooper. *Fundamentals of Silicon Carbide Technology: Growth, Characterization, Devices, and Applications.* 1 ed. Wiley. 2014. doi: 10.1002/9781118313534.
- [42] <https://www.iue.tuwien.ac.at/phd/rescher/Introduction.html> (Diakses 24 Desember 2024).
- [43] G. R. Fisher dan P. Barnes. "Towards a unified view of polytypism in silicon carbide." *Philosophical Magazine B.* vol. 61, no. 2. hlm. 217–236. Feb 1990, doi: 10.1080/13642819008205522.
- [44] Jingxin Jian dan Jianwu Sun. "A Review of Recent Progress on Silicon Carbide for Photoelectrochemical Water Splitting." *Solar RRL.* vol. 4, no. 7. hlm. 2000111. Jul 2020, doi: 10.1002/solr.202000111.
- [45] Ruth Solomon. "FABRICATION AND CHARACTERIZATION OF Cu/4H-SiC SCHOTTKY DIODES." Thesis. Clemson University, Pickens dan Anderson County. 2007.
- [46] Magnus Willander, Milan Friesel, Qamar-ul Wahab, dan Boris Straumal. "High-Temperature Electronic Materials: Silicon Carbide and Diamond." dalam *Springer Handbook of Electronic and Photonic Materials*, S. Kasap dan P. Capper, Ed. Boston, MA: Springer US. 2006. hlm. 537–563. doi: 10.1007/978-0-387-29185-7\_24.
- [47] Krishna Chaitanya Kundeti. "The Properties of SiC Barrier Diodes Fabricated with Ti Schottky Contacts." Thesis. Youngstown State University, Youngstown. 2017.



- [48] Philip G. Neudeck dan Christian Fazi. "Positive Temperature Coefficient of Breakdown Voltage in 4H-SiC PN Junction Rectifiers".
- [49] S. Y. Wu dan R. B. Campbell. "Au SiC Schottky barrier diodes." *Solid-State Electronics*. vol. 17, no. 7. hlm. 683–687. Jul 1974, doi: 10.1016/0038-1101(74)90091-4.
- [50] admin. "Schottky Diode - The Amazing World of Electronics." 17 April 2021. <https://elamazing.com/2021/04/17/schottky-diode/> (diakses 16 Januari 2025).
- [51] R. M. Marston. *Modern TTL Circuits Manual*. Elsevier. 2013.
- [52] Ivana Capan. "4H-SiC Schottky Barrier Diodes as Radiation Detectors: A Review." *Electronics*. vol. 11, no. 4. hlm. 532. Feb 2022, doi: 10.3390/electronics11040532.
- [53] Donald A. Neamen. *Semiconductor Physics and Devices: Basic Principles*. 4th ed. New York, NY: McGraw-Hill. 2012.
- [54] "Keithley 4200A-SCS Parameter Analyzer | Tektronix." <https://www.tek.com/en/products/keithley/4200a-scs-parameter-analyzer> (diakses 6 Januari 2025).
- [55] K. Sugawara, M. Kawamura, Y. Abe, dan K. Sasaki. "Comparison of the agglomeration behavior of Ag(Al) films and Ag(Au) films." *Microelectronic Engineering*. vol. 84, no. 11. hlm. 2476–2480. Nov 2007, doi: 10.1016/j.mee.2007.05.050.
- [56] Linghui Chen, Yuxiao Zeng, Phucanh Nyugen, dan T. L. Alford. "Silver diffusion and defect formation in Si (1 1 1) substrate at elevated temperatures." *Materials Chemistry and Physics*. vol. 76, no. 3. hlm. 224–227. Sep 2002, doi: 10.1016/S0254-0584(01)00529-6.
- [57] M. Uda, A. Nakamura, T. Yamamoto, dan Y. Fujimoto. "Work function of polycrystalline Ag, Au and Al." *Journal of Electron Spectroscopy and Related Phenomena*. vol. 88–91. hlm. 643–648. Mar 1998, doi: 10.1016/S0368-2048(97)00236-3.
- [58] Seema Morab, Manickam Minakshi Sundaram, dan Almantas Pivrikas. "Influence of Traps and Lorentz Force on Charge Transport in Organic Semiconductors." *Materials*. vol. 16, no. 13. hlm. 4691. Jun 2023, doi: 10.3390/ma16134691.
- [59] Da-Wei Yan, Zhao-Min Zhu, Jian-Min Cheng, Xiao-Feng Gu, dan Hai Lu. "Forward Current Transport Mechanism and Schottky Barrier Characteristics of a Ni/Au Contact on n-GaN." *Chinese Phys. Lett.* vol. 29, no. 8. hlm. 087204. Agu 2012, doi: 10.1088/0256-307X/29/8/087204.

