

DAFTAR PUSTAKA

- Aalam, S. M., Sarvar, M., Sadiq, M., & Ali, J. (2024). A Highly Sensitive Surface-Modified Porous Carbon Nanotube-Based Sensor for Ammonia Gas Detection. *ACS Omega*, 9(4), 4486–4496. <https://doi.org/10.1021/acsomega.3c07244>
- Aarya, S., Kumar, Y., & Chahota, R. K. (2020). Recent Advances in Materials , Parameters, Performance and Technology in Ammonia Sensors: A Review. *Journal of Inorganic and Organometallic Polymers and Materials*, 30(2), 269–290. <https://doi.org/10.1007/s10904-019-01208-x>
- Aflaha, R., Afiyanti, H., Nur, Z., Khoirudin, H., Rianjanu, A., Kusumaatmaja, A., Roto, R., & Triyana, K. (2023). Improving ammonia sensing performance of quartz crystal microbalance (QCM) coated with nanofibers and polyaniline (PANi) overlay. *Biosensors and Bioelectronics: X*, 13(October 2022), 100300. <https://doi.org/10.1016/j.biosx.2022.100300>
- Aflaha, R., Sari, N. L. I., Katriani, L., As'ari, A. H., Kusumaatmaja, A., Rianjanu, A., Roto, R., Wasisto, H. S., & Triyana, K. (2023). Maltodextrin-overlaid polyvinyl acetate nanofibers for highly sensitive and selective room-temperature ammonia sensors. *Microchemical Journal*, 193(February), 109237. <https://doi.org/10.1016/j.microc.2023.109237>
- Ahmadi, M., Zabihi, O., Masoomi, M., & Naebe, M. (2016). Synergistic effect of MWCNTs functionalization on interfacial and mechanical properties of multi-scale UHMWPE fibre reinforced epoxy composites. *Composites Science and Technology*, 134, 1–11. <https://doi.org/10.1016/j.compscitech.2016.07.026>
- Alanazi, N., Almutairi, M., & Alodhayb, A. N. (2023). A Review of Quartz Crystal Microbalance for Chemical and Biological Sensing Applications. *Sensing and Imaging*, 24(1), 10. <https://doi.org/10.1007/s11220-023-00413-w>
- Alimohammady, M., Jahangiri, M., Kiani, F., & Tahermansouri, H. (2019). Preparation and characterization of functionalized MWCNTs-COOH with 3-amino-5-phenylpyrazole as an adsorbent and optimization study using central composite design. *Carbon Letters*, 29(1), 1–20. <https://doi.org/10.1007/s42823-019-00001-7>
- Amirjani, A., & Fatmehsari, D. H. (2018). Colorimetric detection of ammonia using smartphones based on localized surface plasmon resonance of silver nanoparticles. *Talanta*, 176(April 2017), 242–246. <https://doi.org/10.1016/j.talanta.2017.08.022>
- Anh, V., Anh, L., Quang, T., Ngoc, V., Quy, N. Van, Minh, V. A., Tuan, L. A., Huy, T. Q., Hung, V. N., & Quy, N. Van. (2013). Enhanced NH₃ gas sensing properties of a QCM sensor by increasing the length of vertically orientated

- ZnO nanorods. *Applied Surface Science*, 265, 458–464. <https://doi.org/10.1016/j.apsusc.2012.11.028>
- Arévalo-Fester, J., & Briceño, A. (2023). Insights into Selective Removal by Dye Adsorption on Hydrophobic vs Multivalent Hydrophilic Functionalized MWCNTs. *ACS Omega*, 8(12), 11233–11250. <https://doi.org/10.1021/acsomega.2c08203>
- Ayad, M. M., & Torad, N. L. (2010). Quartz crystal microbalance sensor for detection of aliphatic amines vapours. *Sensors & Actuators: B. Chemical*, 147(2), 481–487. <https://doi.org/10.1016/j.snb.2010.03.064>
- Azeman, N. H., Bakar, M. H. A., Nazri, N. A. A., Mobarak, N. N., Khushaini, M. A. A., Aziz, T. H. T. A., Zain, A. R. M., & Bakar, A. A. A. (2022). Carboxymethyl chitosan/graphene oxide/silver nanotriangles nanohybrid as the sensing materials for the enhancement of ammonia localized surface plasmon resonance sensor. *Optics and Laser Technology*, 148(November 2021), 107789. <https://doi.org/10.1016/j.optlastec.2021.107789>
- Berouaken, M., Talbi, L., Yaddadene, C., Maoudj, M., Menari, H., Alkama, R., & Gabouze, N. (2020). Room temperature ammonia gas sensor based on V2O5 nanoplatelets/Quartz crystal microbalance. *Applied Physics A*, 126(12), 949. <https://doi.org/10.1007/s00339-020-04129-6>
- Bist, R. B., Subedi, S., Chai, L., & Yang, X. (2023). Ammonia emissions, impacts, and mitigation strategies for poultry production: A critical review. *Journal of Environmental Management*, 328(August 2022), 116919. <https://doi.org/10.1016/j.jenvman.2022.116919>
- Buttry, D. A., & Ward, M. D. (1992). Measurement of interfacial processes at electrode surfaces with the electrochemical quartz crystal microbalance. *Chemical Reviews*, 92(6), 1355–1379. <https://doi.org/10.1021/cr00014a006>
- Cai, J., Yan, Y., Wang, W., Ma, Y., Cai, L., & Wu, L. (2021). Detection of formic acid and acetic acid gases by a QCM sensor coated with an acidified multi-walled carbon nanotube membrane. *Environmental Technology*, 0(0), 1–11. <https://doi.org/10.1080/09593330.2021.1983025>
- Cao, R., Chen, Z., Chen, Y., Idrees, K. B., Hanna, S. L., Wang, X., Goetjen, T. A., Sun, Q., Islamoglu, T., & Farha, O. K. (2020). Benign integration of a Zn-Azolate metal-organic framework onto textile fiber for ammonia capture. *ACS Applied Materials and Interfaces*, 12(42), 47747–47753. <https://doi.org/10.1021/acsaami.0c14316>
- Chaloeipote, G., Prathumwan, R., Subannajui, K., Wisitsoraat, A., & Wongchoosuk, C. (2021). 3D printed CuO semiconducting gas sensor for ammonia detection at room temperature. *Materials Science in Semiconductor Processing*, 123(June 2020), 105546. <https://doi.org/10.1016/j.mssp.2020.105546>

- Chem, J. M., Schiavo, S. Lo, Cardiano, P., Donato, N., & Neri, G. (2011). A dirhodium (II,II) complex as a highly selective molecular material for ammonia detection: QCM studies. *Journal of Materials Chemistry*, *21*, 18034–18041. <https://doi.org/10.1039/c1jm12586a>
- Chen, H.-I., Hsiao, C.-Y., Chen, W.-C., Chang, C.-H., Chou, T.-C., Liu, I.-P., Lin, K.-W., & Liu, W.-C. (2018). Characteristics of a Pt/NiO thin film-based ammonia gas sensor. *Sensors and Actuators B: Chemical*, *256*, 962–967. <https://doi.org/10.1016/j.snb.2017.10.032>
- Chianella, I. (2023). QCM Strategies for Fundamental and Applied Measurements on Particles and Formulations. Dalam P. Lieberzeit (Ed.), *Piezoelectric Sensors* (hlm. 79–104). Springer, Cham. https://doi.org/10.1007/5346_2023_35
- Chiang, K., & Mintz, T. (2008). Gravimetric techniques. *Techniques for Corrosion Monitoring*, 247–264. <https://doi.org/10.1533/9781845694050.2.247>
- Chimowa, G., Matsoso, B., Coville, N. J., Ray, S. S., Flahaut, E., Hungria, T., Datas, L., & Mwakikunga, B. W. (2017). Preferential adsorption of NH₃ gas molecules on MWCNT defect sites probed using in situ Raman spectroscopy. *physica status solidi (a)*, *214*(10). <https://doi.org/10.1002/pssa.201600930>
- Chourasia, N. K., Rawat, A., Chourasia, R. K., Singh, H., Kulriya, R. K., Singh, V., & Kulriya, P. K. (2023). Unveiling the potential of Ti₃C₂T_x MXene for gas sensing: recent developments and future perspectives. *Materials Advances*, *4*(23), 5948–5973. <https://doi.org/10.1039/d3ma00631j>
- Das, R., Bandyopadhyay, R., & Pramanik, P. (2019). Stereo-regulated Schiff base siloxane polymer coated QCM sensor for amine vapor detection. *Materials Chemistry and Physics*, *226*(January), 214–219. <https://doi.org/10.1016/j.matchemphys.2019.01.023>
- de Vries, W. (2021). Impacts of nitrogen emissions on ecosystems and human health: A mini review. *Current Opinion in Environmental Science and Health*, *21*(x), 100249. <https://doi.org/10.1016/j.coesh.2021.100249>
- Debabhuti, N., Sharma, P., Hossain Sk, U., Tudu, B., Bhattacharyya, N., & Bandyopadhyay, R. (2023). Development of a portable, low-cost QCM sensor-based device for detecting α -pinene in Indian cardamom. *Microchemical Journal*, *195*, 109378. <https://doi.org/10.1016/j.microc.2023.109378>
- Desiraju, G. R. (2002). Hydrogen Bridges in Crystal Engineering: Interactions Without Borders. *ChemInform*, *33*(38), 297–297. <https://doi.org/10.1002/chin.200238297>
- Dey, A. (2018). Semiconductor metal oxide gas sensors: A review. *Materials Science and Engineering: B*, *229*(December 2017), 206–217. <https://doi.org/10.1016/j.mseb.2017.12.036>

- Diltemiz, S. E., & Ecevit, K. (2019). High-performance formaldehyde adsorption on CuO/ZnO composite nanofiber coated QCM sensors. *Journal of Alloys and Compounds*, 783, 608–616. <https://doi.org/10.1016/j.jallcom.2018.12.237>
- Dubey, R., Dutta, D., Sarkar, A., & Chattopadhyay, P. (2021). Functionalized carbon nanotubes: synthesis, properties and applications in water purification, drug delivery, and material and biomedical sciences. *Nanoscale Advances*, 3(20), 5722–5744. <https://doi.org/10.1039/d1na00293g>
- Dyke, C. A., & Tour, J. M. (2004). Overcoming the Insolubility of Carbon Nanotubes Through High Degrees of Sidewall Functionalization. *Chemistry – A European Journal*, 10(4), 812–817. <https://doi.org/10.1002/chem.200305534>
- Febrina, M., Rianjanu, A., Rajak, A., Mukti, R. R., & Djamal, M. (2022). Electrospun Polyacrylonitrile Nanofibers Mixed with Citric Acid as a Quartz Crystal Microbalance Ammonia Vapor Sensor. *ChemistrySelect*, 7(1), e202103615. <https://doi.org/10.1002/slct.202103615>
- Ferrari, A. C. (2007). Raman spectroscopy of graphene and graphite: Disorder, electron–phonon coupling, doping and nonadiabatic effects. *Solid State Communications*, 143(1–2), 47–57. <https://doi.org/10.1016/j.ssc.2007.03.052>
- Fisher, T. R., Zhou, G., Shi, Y., & Huang, L. (2020). How does hydrogen bond network analysis reveal the golden ratio of water–glycerol mixtures? *Physical Chemistry Chemical Physics*, 22(5), 2887–2907. <https://doi.org/10.1039/C9CP06246G>
- Fouzia, H. B. (2019). *Monitoring of Marine Pollution*. <https://doi.org/10.5772/intechopen.76739>
- Gao, Z., Hu, G., Wang, H., & Zhu, B. (2019). Characterization and assessment of volatile organic compounds (VOCs) emissions from the typical food manufactures in Jiangsu province , China. *Atmospheric Pollution Research*, 10(2), 571–579. <https://doi.org/10.1016/j.apr.2018.10.010>
- Graham, D. Y., & Miftahussurur, M. (2018). Helicobacter pylori urease for diagnosis of Helicobacter pylori infection: A mini review. *Journal of Advanced Research*, 13, 51–57. <https://doi.org/10.1016/j.jare.2018.01.006>
- Gupta, N., Gupta, S. M., & Sharma, S. K. (2019). Carbon nanotubes: synthesis, properties and engineering applications. *Carbon Letters*, 29(5), 419–447. <https://doi.org/10.1007/s42823-019-00068-2>
- Heising, R. A. (1946). *Quartz Crystals for Electrical Circuits*. D. Van Nostrand Company.
- Hochreiter, S. (2007). Bioinformatics III Structural Bioinformatics and Genome Analysis. Dalam *Bioinformatics* (Vol. 2007, Nomor April).
- Hollevoet, L., Jardali, F., Gorbanev, Y., Creel, J., Bogaerts, A., & Martens, J. A. (2020). Towards Green Ammonia Synthesis through Plasma-Driven Nitrogen

- Oxidation and Catalytic Reduction. *Angewandte Chemie*, 132(52), 24033–24037. <https://doi.org/10.1002/ange.202011676>
- Hou, L., Xu, X., Zhong, Z., Tian, F., Wang, L., & Xu, Y. (2024). Bimetallic MOF-Based Sensor for Highly Sensitive Detection of Ammonia Gases. *ACS Applied Materials & Interfaces*, 16(10), 13191–13201. <https://doi.org/10.1021/acsami.3c16745>
- Huang, J., Jiang, D., Zhou, J., Ye, J., Sun, Y., & Li, X. (2021). Visible light-activated room temperature NH₃ sensor base on CuPc-loaded ZnO nanorods. *Sensors & Actuators: B. Chemical*, 327(September 2020), 128911. <https://doi.org/10.1016/j.snb.2020.128911>
- Humairah, N. A., Nurijal, I., Sofa, S. A., Chaerunnisa, A., Roto, R., Kusumaatmaja, A., Sujiono, E. H., & Triyana, K. (2023). Molecularly imprinted polyvinyl acetate doped with boric acid for sensitivity and selectivity of ammonia sensing by QCM. *Biosensors and Bioelectronics: X*, 13(100320), 1–9. <https://doi.org/10.1016/j.biosx.2023.100320>
- Insausti, M., Timmis, R., Kinnersley, R., & Rufino, M. C. (2020). Advances in sensing ammonia from agricultural sources. *Science of the Total Environment*, 706, 135124. <https://doi.org/10.1016/j.scitotenv.2019.135124>
- Jayawardena, S., Siriwardena, H. D., Rajapakse, R. M. G., & Kubono, A. (2019). Fabrication of a quartz crystal microbalance sensor based on graphene oxide/TiO₂ composite for the detection of chemical vapors at room temperature. *Applied Surface Science*, 493(June), 250–260. <https://doi.org/10.1016/j.apsusc.2019.06.280>
- Jia, Y., Yu, H., Cai, J., Li, Z., & Dong, F. (2017). Explore on the quantitative analysis of specific surface area on sensitivity of polyacrylic acid-based QCM ammonia sensor. *Sensors & Actuators: B. Chemical*, 243, 1042–1045. <https://doi.org/10.1016/j.snb.2016.12.090>
- Joseph Sekhar, S., Said Ahmed Al-Shahri, A., Glivin, G., Le, T. H. T., & Mathimani, T. (2024). A critical review of the state-of-the-art green ammonia production technologies- mechanism, advancement, challenges, and future potential. *Fuel*, 358(PB), 130307. <https://doi.org/10.1016/j.fuel.2023.130307>
- Kaur, B., & Juglan, K. C. (2013). Acoustic parameter investigation of polyvinyl acetate with acetic acid using ultrasonic technique. *Journal of Polymer Engineering*, 33(9), 851–856. <https://doi.org/10.1515/polyeng-2013-0125>
- Knowles, R. R., & Jacobsen, E. N. (2010). Attractive noncovalent interactions in asymmetric catalysis: Links between enzymes and small molecule catalysts. *Proceedings of the National Academy of Sciences of the United States of America*, 107(48), 20678–20685. <https://doi.org/10.1073/pnas.1006402107>
- Ko, K. Y., Park, K., Lee, S., Kim, Y., Woo, W. J., Kim, D., Song, J. G., Park, J., & Kim, H. (2018). Recovery Improvement for Large-Area Tungsten Diselenide

- Gas Sensors. *ACS Applied Materials and Interfaces*, 10(28), 23910–23917. <https://doi.org/10.1021/acsami.8b07034>
- Kolter, K., Dashevsky, A., Irfan, M., & Bodmeier, R. (2013). Polyvinyl acetate-based film coatings. *International Journal of Pharmaceutics*, 457(2), 470–479. <https://doi.org/10.1016/j.ijpharm.2013.08.077>
- Krishnan, S. T., Devadhasan, J. P., & Kim, S. (2017). Recent analytical approaches to detect exhaled breath ammonia with special reference to renal patients. *Analytical and Bioanalytical Chemistry*, 409(1), 21–31. <https://doi.org/10.1007/s00216-016-9903-3>
- Kumar, A., Brunet, J., Varenne, C., Ndiaye, A., Pauly, A., Penza, M., & Alvisi, M. (2015). Tetra-tert-butyl copper phthalocyanine-based QCM sensor for toluene detection in air at room temperature. *Sensors and Actuators B: Chemical*, 210, 398–407. <https://doi.org/10.1016/j.snb.2015.01.010>
- Kwak, D., Lei, Y., & Maric, R. (2019). Ammonia gas sensors : A comprehensive review. *Talanta*, 204(March), 713–730. <https://doi.org/10.1016/j.talanta.2019.06.034>
- Lee, S. K., Chang, D., & Kim, S. W. (2014). Gas sensors based on carbon nanoflake/tin oxide composites for ammonia detection. *Journal of Hazardous Materials*, 268, 110–114. <https://doi.org/10.1016/j.jhazmat.2013.12.049>
- Li, D., Xu, X., Li, Z., Wang, T., & Wang, C. (2020). Detection methods of ammonia nitrogen in water: A review. *TrAC - Trends in Analytical Chemistry*, 127, 115890. <https://doi.org/10.1016/j.trac.2020.115890>
- Limeres, J., Garcez, J. F., Marinho, J. S., Loureiro, A., Diniz, M., & Diz, P. (2017). A breath ammonia analyser for monitoring patients with end-stage renal disease on haemodialysis. *British Journal of Biomedical Science*, 74(1), 24–29. <https://doi.org/10.1080/09674845.2016.1239886>
- Lin, Zuxuan., Yip, C. M., Joseph, I. Scott., & Ward, M. D. (1993). Operation of an ultrasensitive 30-MHz quartz crystal microbalance in liquids. *Analytical Chemistry*, 65(11), 1546–1551. <https://doi.org/10.1021/ac00059a011>
- Liyana, N., Hekiem, L., Aini, A., Akmal, M., Ahmad, F. B., Nurashikin, A., Ab, R., Lukman Hekiem, N. L., Md Ralib, A. A., Mat Hattar, M. A. bt, B. Ahmad, F., Nordin, A. N., Rahim, R. A., & Za'bah, N. F. (2021). Advanced vapour sensing materials : Existing and latent to acoustic wave sensors for VOCs detection as the potential exhaled breath biomarkers for lung cancer. *Sensors and Actuators A: Physical*, 329, 112792. <https://doi.org/10.1016/j.sna.2021.112792>
- Ly, T. N., & Park, S. (2018). Highly sensitive ammonia sensor for diagnostic purpose using reduced graphene oxide and conductive polymer. *Scientific Reports*, 8(1), 1–12. <https://doi.org/10.1038/s41598-018-36468-z>
- Maric, S., Lörngen, J. W., Herrmann, U., Schramm, U., & Bargon, J. (2004). A new method to reduce the desorption time of a QCM sensor, using a halogen spot

- for heating. *Sensors and Actuators B: Chemical*, 101(1–2), 265–267. <https://doi.org/10.1016/j.snb.2004.02.026>
- Mettai, B., Mekki, A., Merdj, F., Sayah, Z. B. D., Soumia, K. M., Safiddine, Z., Mahmoud, R., & Chehimi, M. M. (2018). In situ chemical deposition of PPy/NDSA and PPy/DBSA layers on QCM electrodes: synthesis, structural, morphological and ammonia sensing performances study. *Journal of Polymer Research*, 25(4), 95. <https://doi.org/10.1007/s10965-018-1500-z>
- Naderi, H., Hajati, S., Ghaedi, M., Dashtian, K., & Sabzehmeidani, M. M. (2020). Sensitive, selective and rapid ammonia-sensing by gold nanoparticle-sensitized V2O5/CuWO4 heterojunctions for exhaled breath analysis. *Applied Surface Science*, 501(October 2019), 144270. <https://doi.org/10.1016/j.apsusc.2019.144270>
- Naief, M. F., Mohammed, S. N., Ahmed, Y. N., & Mohammed, A. M. (2023). Synthesis and characterisation of MWCNTCOOH and investigation of its potential as gas sensor. *Inorganic Chemistry Communications*, 157, 111338. <https://doi.org/10.1016/j.inoche.2023.111338>
- Nawaz, M. A., Blay-Roger, R., Saif, M., Meng, F., González-Arias, J., Miao, B., Bobadilla, L. F., Ramirez-Reina, T., & Odriozola, J. A. (2023). Enroute to the Carbon-Neutrality Goals via the Targeted Development of Ammonia as a Potential Nitrogen-Based Energy Carrier. *ACS Catalysis*, 13(21), 14415–14453. <https://doi.org/10.1021/acscatal.3c02410>
- Nguyen, T. A., Lee, J. U., Yoon, D., & Cheong, H. (2014). Excitation energy dependent raman signatures of ABA- and ABC-stacked few-layer graphene. *Scientific Reports*, 4, 1–5. <https://doi.org/10.1038/srep04630>
- Norizan, M. N., Moklis, M. H., Ngah Demon, S. Z., Halim, N. A., Samsuri, A., Mohamad, I. S., Knight, V. F., & Abdullah, N. (2020). Carbon nanotubes: Functionalisation and their application in chemical sensors. *RSC Advances*, 10(71), 43704–43732. <https://doi.org/10.1039/d0ra09438b>
- Nugroho, D. B., Rianjanu, A., Triyana, K., Kusumaatmaja, A., & Roto, R. (2019). Quartz crystal microbalance-coated cellulose acetate nanofibers overlaid with chitosan for detection of acetic anhydride vapor. *Results in Physics*, 15(August), 102680. <https://doi.org/10.1016/j.rinp.2019.102680>
- Pairas, G. N., & Tsoungas, P. G. (2016). H -Bond: The Chemistry-Biology H -Bridge. *ChemistrySelect*, 1(15), 4520–4532. <https://doi.org/10.1002/slct.201600770>
- Park, J. Y., Lee, I. H., & Bea, G. N. (2008). Optimization of the electrospinning conditions for preparation of nanofibers from polyvinylacetate (PVAc) in ethanol solvent. *Journal of Industrial and Engineering Chemistry*, 14(6), 707–713. <https://doi.org/10.1016/j.jiec.2008.03.006>

- Parra, R. D., & Ohlssen, J. (2008). Cooperativity in intramolecular bifurcated hydrogen bonds: An ab initio study. *Journal of Physical Chemistry A*, *112*(15), 3492–3498. <https://doi.org/10.1021/jp711956u>
- Ping, S., Yadong, J., & Guangzhong, X. (2011). Layer-by-layer assembly carbon nanotubes thin film based gas sensors for ammonia detection. *Science China Information Sciences*, *54*(12), 2680–2686. <https://doi.org/10.1007/s11432-011-4279-7>
- Punetha, D., & Pandey, S. K. (2019). Optimization in NH₃ gas response of WO₃ nanorods based sensor array. *Proceedings of IEEE Sensors, 2019-October*, 1–4. <https://doi.org/10.1109/SENSORS43011.2019.8956896>
- Rianjanu, A., Fauzi, F., Triyana, K., & Wasisto, H. S. (2021). Electrospun Nanofibers for Quartz Crystal Microbalance Gas Sensors: A Review. *ACS Applied Nano Materials*, *4*(10), 9957–9975. <https://doi.org/10.1021/acsanm.1c01895>
- Rianjanu, A., Hasanah, S. A., Nugroho, D. B., Kusumaatmaja, A., Roto, R., & Triyana, K. (2019). Polyvinyl Acetate Film-Based Quartz Crystal Microbalance for the Detection of Benzene, Toluene, and Xylene Vapors in Air. *Chemosensors*, *7*(2), 20. <https://doi.org/10.3390/chemosensors7020020>
- Rianjanu, A., Nugroho, D. B., Kusumaatmaja, A., Roto, R., & Triyana, K. (2019). A study of quartz crystal microbalance modified with polyvinyl acetate nanofiber to differentiate short-chain alcohol isomers. *Sensing and Bio-Sensing Research*, *25*(July), 100294. <https://doi.org/10.1016/j.sbsr.2019.100294>
- Rianjanu, A., Nurfani, E., Arif, M. F., & Triyana, K. (2021). Stability evaluation of quartz crystal microbalances coated with polyvinyl acetate nanofibrous mats as butanol vapor sensors. *Materials Today Communications*, *26*(October 2020), 101770. <https://doi.org/10.1016/j.mtcomm.2020.101770>
- Rodahl, M., & Kasemo, B. (1996). Frequency and dissipation-factor responses to localized liquid deposits on a QCM electrode. *Sensors and Actuators, B: Chemical*, *37*(1–2), 111–116. [https://doi.org/10.1016/S0925-4005\(97\)80077-9](https://doi.org/10.1016/S0925-4005(97)80077-9)
- Rositawati, D. N., Widiyanto, E., Suprpto, Sujitno, T., Absor, M. A. U., Sholihun, Triyana, K., & Santoso, I. (2024). Enhancing thermoelectric properties of multilayer graphene with Au deposition. *Materials Chemistry and Physics*, *319*(October 2023), 129295. <https://doi.org/10.1016/j.matchemphys.2024.129295>
- Roto, R., Rianjanu, A., Fatyadi, I. A., Kusumaatmaja, A., Triyana, K., Amaliya, I., Kusumaatmaja, A., & Triyana, K. (2020). Enhanced sensitivity and selectivity of ammonia sensing by QCM modified with boric acid-doped PVAc nanofiber. *Sensors & Actuators: A. Physical*, *304*(November 2019), 111902. <https://doi.org/10.1016/j.sna.2020.111902>

- Roto, R., Rianjanu, A., Rahmawati, A., Fatyadi, I. A., Yulianto, N., Majid, N., Syamsu, I., Wasisto, H. S., & Triyana, K. (2020). Quartz Crystal Microbalances Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing. *ACS Applied Nano Materials*, 3(6), 5687–5697. <https://doi.org/10.1021/acsnm.0c00896>
- Saadatuddaraen. (2024). *Korban Keracunan Pabrik Es, 11 Jiwa Masih Terkapar*. RRI. <https://www.rri.co.id/kesehatan/549193/korban-keracunan-pabrik-es-11-jiwa-masih-terkapar>
- Saigusa, Y. (2010). Quartz-based piezoelectric materials. Dalam *Advanced Piezoelectric Materials: Science and Technology*. Woodhead Publishing Limited. <https://doi.org/10.1533/9781845699758.1.171>
- Shooshtari, M., Salehi, A., & Vollebregt, S. (2021). Effect of Humidity on Gas Sensing Performance of Carbon Nanotube Gas Sensors Operated at Room Temperature. *IEEE Sensors Journal*, 21(5), 5763–5770. <https://doi.org/10.1109/JSEN.2020.3038647>
- Sianipar, M., Kim, S. H., Khoiruddin, Iskandar, F., & Wenten, I. G. (2017). Functionalized carbon nanotube (CNT) membrane: Progress and challenges. *RSC Advances*, 7(81), 51175–51198. <https://doi.org/10.1039/c7ra08570b>
- Sienkiewicz, A., Rusinek, I., Siatecka, A., & Losada-Barreiro, S. (2019). Flower Color Change Demonstration as a Visualization of Potential Harmful Effects Associated with Ammonia Gas on Living Organisms. *Journal of Chemical Education*, 96(9), 1982–1987. <https://doi.org/10.1021/acs.jchemed.9b00001>
- Song, G., Jiang, D., Wu, J., Sun, X., Deng, M., Wang, L., Hao, C., Shi, J., Liu, H., Tian, Y., & Chen, M. (2022). An ultrasensitive fluorescent breath ammonia sensor for noninvasive diagnosis of chronic kidney disease and helicobacter pylori infection. *Chemical Engineering Journal*, 440(December 2021), 135979. <https://doi.org/10.1016/j.cej.2022.135979>
- Suehiro, J., Zhou, G., & Hara, M. (2003). Fabrication of a carbon nanotube-based gas sensor using dielectrophoresis and its application for ammonia detection by impedance spectroscopy. *Journal of Physics D: Applied Physics*, 36(21), L109–L114. <https://doi.org/10.1088/0022-3727/36/21/L01>
- Sun, X., Shi, Y., Wang, H., Shao, X., Yang, L., Li, X., & Wang, M. (2024). Research progress on moisture resistance of gas sensors. *CLEAN – Soil, Air, Water*, 52(1). <https://doi.org/10.1002/clen.202300086>
- Tavoli, F., & Alizadeh, N. (2013). Optical ammonia gas sensor based on nanostructure dye-doped polypyrrole. *Sensors & Actuators: B. Chemical*, 176, 761–767. <https://doi.org/10.1016/j.snb.2012.09.013>
- Tokura, Y., Nakada, G., Moriyama, Y., Oaki, Y., Imai, H., & Shiratori, S. (2017). Ultrasensitive Detection of Methylmercaptan Gas Using Layered Manganese Oxide Nanosheets with a Quartz Crystal Microbalance Sensor. *Analytical*

- Chemistry*, 89(22), 12123–12130.
<https://doi.org/10.1021/acs.analchem.7b02738>
- Triyana, K., Rianjanu, A., Nugroho, D. B., As'ari, A. H., Kusumaatmaja, A., Roto, R., Suryana, R., & Wasisto, H. S. (2019). A highly sensitive saffrole sensor based on polyvinyl acetate (PVAc) nanofiber-coated QCM. *Scientific Reports*, 9(1), 15407. <https://doi.org/10.1038/s41598-019-51851-0>
- Vajtai, R. (2013). Springer Handbook of Nanomaterials. Dalam R. Vajtai (Ed.), *Springer Handbook of Nanomaterials*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-20595-8>
- Varudkar, H. A., Umadevi, G., Nagaraju, P., Dargad, J. S., & Mote, V. D. (2020). Fabrication of Al-doped ZnO nanoparticles and their application as a semiconductor-based gas sensor for the detection of ammonia. *Journal of Materials Science: Materials in Electronics*, 31(15), 12579–12585. <https://doi.org/10.1007/s10854-020-03808-7>
- Veerabhadraiah, A., Ramakrishna, S., Angadi, G., Venkatram, M., Kanivebagilu Ananthapadmanabha, V., Hebbale NarayanaRao, N. M., & Munishamaiah, K. (2017). Development of polyvinyl acetate thin films by electrospinning for sensor applications. *Applied Nanoscience (Switzerland)*, 7(7), 355–363. <https://doi.org/10.1007/s13204-017-0576-9>
- Vennelakanti, V., Qi, H. W., Mehmood, R., & Kulik, H. J. (2021). When are two hydrogen bonds better than one? Accurate first-principles models explain the balance of hydrogen bond donors and acceptors found in proteins. *Chemical Science*, 12(3), 1147–1162. <https://doi.org/10.1039/d0sc05084a>
- Wang, K., Smith, D., & Zheng, Y. (2018). Electron-driven heterogeneous catalytic synthesis of ammonia: Current states and perspective. *Carbon Resources Conversion*, 1(1), 2–31. <https://doi.org/10.1016/j.crcon.2018.06.004>
- Wang, L., & Song, J. (2020). Enhanced NH₃ sensing properties of carboxyl functionalized carbon nanocoil. *Materials Research Express*, 7, 075014.
- Wang, L., Xu, J., Wang, X., Cheng, Z., & Xu, J. (2019). Facile preparation of N-rich functional polymer with porous framework as QCM sensing material for rapid humidity detection. *Sensors and Actuators B: Chemical*, 288, 289–297. <https://doi.org/10.1016/j.snb.2019.02.058>
- Wei, X., Wang, M.-S., Bando, Y., & Golberg, D. (2011). Thermal stability of carbon nanotubes probed by anchored tungsten nanoparticles. *Science and Technology of Advanced Materials*, 12(4), 044605. <https://doi.org/10.1088/1468-6996/12/4/044605>
- Wu, M., He, M., Hu, Q., Wu, Q., Sun, G., Xie, L., Zhang, Z., Zhu, Z., & Zhou, A. (2019). Ti₃C₂ MXene-Based Sensors with High Selectivity for NH₃ Detection at Room Temperature. *ACS Sensors*, 4(10), 2763–2770. <https://doi.org/10.1021/acssensors.9b01308>

- Xu, Z., Inoue, T., Nishina, Y., & Kobayashi, Y. (2022). Stacking order reduction in multilayer graphene by inserting nanospacers. *Journal of Applied Physics*, 132(17). <https://doi.org/10.1063/5.0103826>
- Yu, X., Chen, X., Chen, X., Zhao, X., Yu, X., & Ding, X. (2020). Digital ammonia gas sensor based on quartz resonator tuned by interdigital electrode coated with polyaniline film. *Organic Electronics*, 76(April 2019), 105413. <https://doi.org/10.1016/j.orgel.2019.105413>
- Zardini, H. Z., Amiri, A., Shanbedi, M., Maghrebi, M., & Baniadam, M. (2012). Enhanced antibacterial activity of amino acids-functionalized multi walled carbon nanotubes by a simple method. *Colloids and Surfaces B: Biointerfaces*, 92, 196–202. <https://doi.org/10.1016/j.colsurfb.2011.11.045>
- Zhang, B., Li, Z., Li, C., Li, M., Fu, C., Tao, R., Zha, X. hu, Li, H., & Luo, J. (2023). High-sensitive ppb-level ammonia QCM sensor based on sulfur doped Ti3C2Tx MXene. *Sensors and Actuators A: Physical*, 350(December 2022), 114138. <https://doi.org/10.1016/j.sna.2022.114138>
- Zhang, D., Jiang, C., & Sun, Y. (2017). Room-temperature high-performance ammonia gas sensor based on layer-by-layer self-assembled molybdenum disulfide/zinc oxide nanocomposite film. *Journal of Alloys and Compounds*, 698, 476–483. <https://doi.org/10.1016/j.jallcom.2016.12.222>
- Zhang, D., Kang, Z., Liu, X., Guo, J., & Yang, Y. (2022). Highly sensitive ammonia sensor based on PSS doped ZIF-8-derived porous carbon/polyaniline hybrid film coated on quartz crystal microbalance. *Sensors and Actuators: B. Chemical*, 357(January), 131419. <https://doi.org/10.1016/j.snb.2022.131419>
- Zhang, X., Liao, X., Wu, Y., Xiong, W., Du, J., Tu, Z., Yang, W., & Wang, D. (2022). A sensitive electrochemical immunosensing interface for label-free detection of aflatoxin B1 by attachment of nanobody to MWCNTs-COOH@black phosphorene. *Analytical and Bioanalytical Chemistry*, 414(2), 1129–1139. <https://doi.org/10.1007/s00216-021-03738-1>
- Zhao, Z., Yang, Z., Hu, Y., Li, J., & Fan, X. (2013). Multiple functionalization of multi-walled carbon nanotubes with carboxyl and amino groups. *Applied Surface Science*, 276, 476–481. <https://doi.org/10.1016/j.apsusc.2013.03.119>
- Zhou, D., Kang, Z., Liu, X., Yan, W., Cai, H., & Xu, J. (2023). High sensitivity ammonia QCM sensor based on ZnO nanoflower assisted cellulose acetate-polyaniline composite nanofibers. *Sensors and Actuators: B. Chemical*, 392(April), 134072. <https://doi.org/10.1016/j.snb.2023.134072>
- Zhu, J., Kim, J., Peng, H., Margrave, J. L., Khabashesku, V. N., & Barrera, E. V. (2003). Improving the Dispersion and Integration of Single-Walled Carbon Nanotubes in Epoxy Composites through Functionalization. *Nano Letters*, 3(8), 1107–1113. <https://doi.org/10.1021/nl0342489>