

DAFTAR PUSTAKA

- [1] Mengutip: L. Zou and V. Cvetkovic, "Disposal of high-level radioactive waste in crystalline rock: On coupled processes and site development," *Rock Mechanics Bulletin*, vol. 2, no. 3, p. 100061, Jul. 2023, doi: 10.1016/J.ROCKMB.2023.100061.
- [2] Mengutip: J. P. Turner, T. W. Berry, M. J. Bowman, and N. A. Chapman, "Role of the geosphere in deep nuclear waste disposal – An England and Wales perspective," *Earth Sci Rev*, vol. 242, p. 104445, Jul. 2023, doi: 10.1016/J.EARSCIREV.2023.104445.
- [3] Mengutip: Sucipta and H. A. Pratama, "Planning and concept of borehole disposal technology for disposal of disused sealed radiation sources from using in health and industry," *J Phys Conf Ser*, vol. 1436, no. 1, p. 012033, Jan. 2020, doi: 10.1088/1742-6596/1436/1/012033.
- [4] Mengutip: W. Wu, M. Tong, L. Xiao, and J. Wang, "Porosity Sensitivity Study Of The Compensated Neutron Logging Tool," *J Pet Sci Eng*, vol. 108, pp. 10–13, Aug. 2019, doi: 10.1016/j.petrol.2013.04.020.
- [5] M. Kheradmand Saadi and N. Hatefi Moadab, "Optimization of an Am-Be neutron source shield design by advanced materials using MCNP code," *Radiation Physics and Chemistry*, vol. 158, pp. 109–114, May 2019, doi: 10.1016/j.radphyschem.2019.01.026.
- [6] Yu, Huawei, Wang, Zhe Xue, Zhibo, Shang, Xiu sheng, Zhang, Qianwen, Zhang, Li, "Corrections of fast neutron inelastic scattering effects on D-T neutron porosity logging," *Applied Radiation and Isotopes*, vol. 190, Dec. 2022, doi: 10.1016/j.apradiso.2022.110486.
- [7] E. Tóth, E. Hrabovszki, F. Schubert, and T. M. Tóth, "Discrete fracture network (DFN) modelling of a high-level radioactive waste repository host rock and the effects on its hydrogeological behaviour," *J Struct Geol*, vol. 156, p. 104556, Mar. 2022, doi: 10.1016/J.JSG.2022.104556.
- [8] Chen, Guangyao, Dang, Lixia, Cai, Wenyan, Li, Jian, Dong, Junjie, Chen and Zhanglong, "Study on Monitoring Reservoir Gas Density by Pulsed Neutron Logging," *Int J Energy Res*, vol. 2023, pp. 1–8, Feb. 2023, doi: 10.1155/2023/1363145.
- [9] E. Tóth, E. Hrabovszki, and T. M. Tóth, "Using geophysical log data to predict the fracture density in a claystone host rock for storing high-level nuclear waste," *Acta Geodaetica et Geophysica*, vol. 58, no. 1, pp. 35–51, Mar. 2023, doi: 10.1007/s40328-023-00407-w.
- [10] Lee, Jongyoul, Kim, Kwangil, Kim, Inyoung, Jeong and Jongtae, "High-efficiency deep geological repository system for spent nuclear fuel in Korea



- with optimized decay heat in a disposal canister and increased thermal limit of bentonite,” *Nuclear Engineering and Technology*, vol. 55, no. 4, pp. 1540–1554, Apr. 2023, doi: 10.1016/J.NET.2023.02.031.
- [11] A. Jamekhorshid and R. Azin, “Application of life cycle assessment on enhanced oil recovery processes,” *Challenges and Recent Advances in Sustainable Oil and Gas Recovery and Transportation*, pp. 227–242, Jan. 2023, doi: 10.1016/B978-0-323-99304-3.00013-3.
 - [12] “IAEA Safety Standards for protecting people and the environment Specific Safety Guide No. SSG-57 Radiation Safety in Well Logging,” 2003. [Online]. Available: <https://www.iaea.org/resources/safety-standards>
 - [13] J. P. Turner, T. W. Berry, M. J. Bowman, and N. A. Chapman, “Role of the geosphere in deep nuclear waste disposal – An England and Wales perspective,” *Earth Sci Rev*, vol. 242, p. 104445, Jul. 2023, doi: 10.1016/J.EARSCIREV.2023.104445.
 - [14] Weijun Guo, “Porosity measurement in oil-well logging using a pulsed-neutron tool,” in *AIP Conference Proceedings*, American Institute of Physics Inc., Oct. 2019. doi: 10.1063/1.5127694.
 - [15] S. O. Olayiwola and M. Dejam, “A comprehensive review on interaction of nanoparticles with low salinity water and surfactant for enhanced oil recovery in sandstone and carbonate reservoirs,” *Fuel*, vol. 241. Elsevier Ltd, pp. 1045–1057, Apr. 01, 2019. doi: 10.1016/j.fuel.2018.12.122.
 - [16] B. Gal, Z. Poros, and E. Ortega, “Using Fluid Inclusion Salinity Data to Reduce Uncertainty in Petrophysical S_w Calculation — New Application of an Old Technique in Unconventional Reservoirs,” American Association of Petroleum Geologists AAPG/Datapages, Aug. 2020. doi: 10.15530/urtec-2020-2472.
 - [17] H. Yu, Q. Z. L. Zhang, and S. Li, “Corrections of fast neutron inelastic scattering effects on D-T neutron porosity logging,” *Applied Radiation and Isotopes*, vol. 190, p. 110486, Dec. 2022, doi: 10.1016/J.APRADISO.2022.110486.
 - [18] Z. Juntao Liu O., “A method to improve the sensitivity of neutron porosity measurement based on D-T source,” *J Nat Gas Sci Eng*, vol. 33, pp. 879–884, Jul. 2016, doi: 10.1016/j.jngse.2016.06.028.
 - [19] F. Piscitelli, G. Mauri, A. Laloni, and R. Hall-Wilton, “Verification of ^3He proportional counters’ fast neutron sensitivity through a comparison with ^4He detectors: ^3He and ^4He proportional counters’ fast neutron sensitivity and evaluation of the cosmic neutron fluxes at ESS,” *Eur Phys J Plus*, vol. 135, no. 7, Jul. 2020, doi: 10.1140/epjp/s13360-020-00600-8.
 - [20] M. Oraby, Verghese, and R. P. K. Gardner, “Investigation of an improved-sensitivity neutron-porosity oil-well logging tool,” *Nucl Instrum Methods*



- Phys Res A*, vol. 299, no. 1–3, pp. 674–681, Dec. 1990, doi: 10.1016/0168-9002(90)90868-7.
- [21] Weijun Guo, “Porosity measurement in oil-well logging using a pulsed-neutron tool,” in *AIP Conference Proceedings*, American Institute of Physics Inc., Oct. 2019. doi: 10.1063/1.5127694.
 - [22] Yukiya Amano, “IAEA Safety Standards Disposal of Radioactive Waste for protecting people and the environment,” 2011. [Online]. Available: <http://www-ns.iaea.org/standards/>
 - [23] Sucipta dan Hendra Adhi Pratama, “Studi calon tapak disposal limbah radioaktif operasi PLTN di Bangka Belitung,” *Prosiding Seminar Nasional Teknologi Pengelolaan Limbah XII Pusat Teknologi Limbah Radioaktif-BATAN*, Dec. 2022.
 - [24] WS-G 6.1, “IAEA SAFETY STANDAR SERIES STORAGE OF RADIOAKTIVE WASTE,” *Safety Guide - IAEA*, pp. 7–25, 2020.
 - [25] IAEA-TECDOC-1208, “Monitoring of geological repositories for high level radioactive waste,” A-1400 Vienna, Austria, Apr. 2001.
 - [26] International Atomic Energy Agency., *Development of specifications for radioactive waste packages*. International Atomic Energy Agency, 2006.
 - [27] T. Cywicka-Jakiel and T. Zorski, “Monte Carlo simulations of the spectrometric n-gamma well logging. Comparison of simulations and measurements for the SO-5-90 logging tool,” 2020. [Online]. Available: www.ifj.edu.pl/reports/2004.htmlKraków,
 - [28] H. Q. Fang Ying-dong, Xie Zhong-sheng, and Yin Banghua, “Application and Development of Numerical Simulating Methods in Nuclear Well Logging,” *Nuclear Physics*, 2021, Accessed: Jan. 27, 2024. [Online]. Available: doi: 10.11804/NuclPhysRev.12.03.048
 - [29] T. Anniyev, M. Vasilyev, V. Khabashesku, and F. Inanc, “High-Temperature Diamond Detector for Neutron Generator Output Monitoring in Well Logging Applications,” *IEEE Trans Nucl Sci*, vol. 67, no. 8, pp. 1885–1892, Aug. 2020, doi: 10.1109/TNS.2020.3007125.
 - [30] Ali Al Muraikhi, “Optimization of A Combined Carbon/Oxygen And Neutron Porosity Oil Well Logging Tool Recommended Citation,” UEA, May 2017. [Online]. Available: https://scholarworks.uaeu.ac.ae/all_thesesTheses.624https://scholarworks.uaeu.ac.ae/all_theses/624
 - [31] C. R. Peebles, M. Mickael, and R. P. Gardner, “On replacing Am-Be neutron sources in compensated porosity logging tools,” *Applied Radiation and Isotopes*, vol. 68, no. 4–5, pp. 926–931, Apr. 2010, doi: 10.1016/j.apradiso.2009.11.042.



- [32] G. Mauri, F. Messi, K. Kanaki, R. Hall-Wilton, and F. Piscitelli, “EPJ Techniques and Instrumentation Fast neutron sensitivity for ^3He detectors and comparison with Boron-10 based neutron detectors,” 2019. [Online]. Available: <https://doi.org/epjti/s40485-019-0052-x>
- [33] Chong, Su Ann, Riedel, Richard, Funk, Loren, Visscher, Theodore, Donahue, Cornelius, Hannan and Bruce ., “The development of a ^6Li -based pixelated neutron detector for neutron reflectometry at the Spallation Neutron Source,” *Nucl Instrum Methods Phys Res A*, vol. 1039, p. 167052, Sep. 2022, doi: 10.1016/J.NIMA.2022.167052.
- [34] C. M. Frankle and G. E. Dale, “Unconventional neutron sources for oil well logging,” *Nucl Instrum Methods Phys Res A*, vol. 723, pp. 24–29, 2013, doi: 10.1016/j.nima.2013.05.012.
- [35] G. Nelson and D. Rewy, “Gamma-Ray Interactions with Matter,” 2019.
- [36] M. Pinilla, I. Hellinger., and A. Bahadori, “Design studies using MCNP6® for an oil well logging prototype tool and a test facility,” *Radiation Physics and Chemistry*, vol. 167, p. 108393, Feb. 2020, doi: 10.1016/J.RADPHYSICHEM.2019.108393.
- [37] M. Maqbool, “Interaction of Gamma Rays and X-Rays with Matter,” in *An Introduction to Medical Physics*, 2017, pp. 43–61. doi: 10.1007/978-3-319-61540-0_3.
- [38] Y. M. Verzilov, F. Maekawa, Y. Oyama, and Y. Ikeda, “Measurements of the $^{32}\text{S}(n,p)^{32}\text{P}$ and $^{35}\text{Cl}(n,\alpha)^{32}\text{P}$ reaction cross sections in the energy range of 13.3–14.9 MeV and their integral test below 14 MeV,” *Fusion Engineering and Design*, vol. 37, no. 1, pp. 95–105, Aug. 1997, doi: 10.1016/S0920-3796(97)00036-7.
- [39] Gandhi, A. Sharma, Aman, Singh, Namrata, Patil, Prashant N. . “Neutron capture reaction cross section measurement for iodine nucleus with detailed uncertainty quantification,” *Eur Phys J Plus*, vol. 136, no. 8, Aug. 2021, doi: 10.1140/epjp/s13360-021-01824-y.
- [40] R. K. Tripathi, J. W. Wilson, and F. A. Cucinotta, “Accurate universal parameterization of absorption cross sections II neutron absorption cross sections,” *Nucl Instrum Methods Phys Res B*, vol. 129, no. 1, pp. 11–15, Jun. 1997, doi: 10.1016/S0168-583X(97)00121-3.
- [41] N. T. Hien, N. Van Do, G. Kim, H. Naik, and P. D. Khue, “Measurement of neutron capture cross sections for the $^{174}\text{Yb}(n,\gamma)^{175}\text{Yb}$ reaction at thermal and epithermal energies,” *Radiation Physics and Chemistry*, vol. 205, p. 110738, Apr. 2023, doi: 10.1016/J.RADPHYSICHEM.2022.110738.
- [42] N. , Tsoulfanidis and S. Landsberger, “Measurement and Detection of Radiation (4th ed.). CRC Press.,” *Engineering & Technology, Medicine*,



- Dentistry, Nursing & Allied Health, Physical Sciences*, Mar. 2015, Accessed: Jan. 27, 2024. [Online]. Available: [Scienceshttps://doi.org/10.1201/b18203](https://doi.org/10.1201/b18203)
- [43] Prassides, K.Kroto, H. W. Taylor, R.Walton, D. R.M. *et al.*, “Fullerenes and fullerides in the solid state: Neutron scattering studies,” *Carbon N Y*, vol. 30, no. 8, pp. 1277–1286, Jan. 1992, doi: 10.1016/0008-6223(92)90068-8.
 - [44] J. Terrell and I. Os Alaraos, “Distributions of Fission Neutron Numbers,” Los Alaraos, New Mexico, 1957.
 - [45] T. Crane and M. P. Baker, “Neutron Detector Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,” 2020.
 - [46] D. Rezaei-Ochbelagh, “Comparison of ^3He and BF_3 neutron detectors used to detect hydrogenous material buried in soil,” *Radiation Physics and Chemistry*, vol. 81, no. 4, pp. 379–382, Apr. 2020, doi: 10.1016/J.RADPHYSICHEM.2011.12.031.
 - [47] O. K. Harling, “Detector time jitter in ^3He and BF_3 proportional counters,” *Nuclear Instruments and Methods*, vol. 34, no. C, pp. 141–145, Apr. 1965, doi: 10.1016/0029-554X(65)90274-0.
 - [48] Thomas Oakes, Ugorowski, P, Shultis, J. K.Caruso, A. N. *et al.*, “An accurate and portable solid state neutron rem meter,” *Nucl Instrum Methods Phys Res A*, vol. 719, pp. 6–12, Aug. 2013, doi: 10.1016/J.NIMA.2013.03.060.
 - [49] M. Shahriari and M. Sohrabpour, “Borehole parametric study for neutron induced capture γ -ray spectrometry using the MCNP code,” *Applied Radiation and Isotopes*, vol. 52, no. 1, pp. 127–135, Jan. 2000, doi: 10.1016/S0969-8043(99)00058-5.
 - [50] R. F. Barth, A. H. Soloway, and R. G. Fairchild, “Boron neutron capture therapy for cancer,” *Sci Am*, vol. 263, no. 4, pp. 100–106, 1990, doi: 10.1038/scientificamerican1090-100.
 - [51] W. Wu, M. Tong, L. Xiao, and J. Wang, “Porosity sensitivity study of the compensated neutron logging tool,” *J Pet Sci Eng*, vol. 108, pp. 10–13, Aug. 2013, doi: 10.1016/J.PETROL.2013.04.020.
 - [52] Ito, Hiroshi, Wada, Kohei, Yano, Takatomi, Hino, Yota, Ommura, Yuga, Harada, Masayuki., “Analyzing the neutron and γ -ray emission properties of an americium–beryllium tagged neutron source,” *Nucl Instrum Methods Phys Res A*, vol. 1057, p. 168701, Dec. 2023, doi: 10.1016/J.NIMA.2023.168701.
 - [53] S.T. Park, “Neutron energy spectra of ^{252}Cf , Am-Be source and of the $\text{D(d,n)}\ ^3\text{He}$ reaction,” 2003.
 - [54] Andola, Sanjay Chandra, Nirnanjan, Ram, Srivastava, Rohit, Vidyasagar and Devulapalli ., “Active single-shot interrogation of natural uranium in industrial radioactive waste using plasma focus device,” *Nucl Instrum*



- Methods Phys Res A*, vol. 1004, p. 165362, Jul. 2021, doi: 10.1016/J.NIMA.2021.165362.
- [55] Czako, Tomáš, Košťál, Michal, Zmeškal, Marek, Novák, Evžen., “The characterization of D–T neutron generators in precise neutron experiments,” *Nucl Instrum Methods Phys Res A*, vol. 1034, p. 166837, Jul. 2022, doi: 10.1016/J.NIMA.2022.166837.
- [56] X. Yang and A. Razzaq, “Electrical and optical properties of zinc oxide for scintillator applications,” 2014. [Online]. Available: <https://www.researchgate.net/publication/228640572>
- [57] Mauri and Giacomo, “Development and characterization of detectors for large area application in neutron scattering and small area application in neutron reflectometry,” May 2019, [Online]. Available: <http://arxiv.org/abs/1905.12311>
- [58] M. N. Alatas, “Pengaruh Sumber Neutron, Boron-Lining, dan Keberadaan Parafin dalam Sumur Bor terhadap Sensitivitas Pengukuran Porositas Formasi Tanah Menggunakan Metode CNL (Compensated Neutron Log,” *Skripsi, Program Studi Teknik Nuklir, Departemen Teknik Nuklir dan Teknik Fisika, Fakultas Teknik, Universitas Gadjah, Yogyakarta.*, 2021.
- [59] Mengutip: G. Antariksa, H. Danusaputra, and T. Yulianto, “ANALISIS POROSITAS DAN SATURASI AIR DALAM INTEGRASI PETROPHYSICS DAN SEISMIC MULTIATTRIBUTES UNTUK KARAKTERISASI RESERVOIR,” 2016.
- [60] Muhammad Fauzan, “Analisis pengaruh parameter sumur bor terhadap sensitivitas pengukuran porositas menggunakan metode compensated neutron logging,” *Skripsi, Program Studi Teknik Nuklir, Departemen Teknik Nuklir dan Teknik Fisika, Fakultas Teknik, Universitas Gadjah, Yogyakarta.*, 2021.
- [61] Julian. M. S. M. S. Darwin. V. Ellis “Book, Well Logging for Earth Scientists,” Springer Netherlands, 2007. Accessed: Jan. 28, 2024. [Online]. Available: <https://books.google.co.id/books?id=2CvFxbGjFqEC>
- [62] S. Olukotun *et al.*, “The effect of incorporated recycled low density polyethylene (LDPE) on the fast neutron shielding behaviour (FNSB) of clay matrix using MCNP and PHITS Monte Carlo codes,” *Radiation Physics and Chemistry*, vol. 182, p. 109351, May 2021, doi: 10.1016/J.RADPHYSICHEM.2021.109351.
- [63] Cywicka-Jakiel T, WoŹnicka U, and Zorski T, “THE USE OF THE MCNP CODE FOR THE QUANTITATIVE ANALYSIS OF ELEMENTS IN GEOLOGICAL FORMATIONS,” Krakow, Poland, Sep. 2005.



- [64] Y. T. Sato, S. Y. Iwamoto, T. Hashimoto, T. .Ogawa, S. Furuta, and T. Abe, "PHITS, Particle and Heavy Ion Transport code System Ver. 2.52 User's Manual," Japan, 2018.
- [65] O. Serra, A.G. COLLINS, W.H.FERTL, A.P. SZILAS, C.E.B. CONYBEARE, and T.F. YEN and G.V. CHILINGARIAN, "Fundamental of Well log interpretation. The acquisition of logging data," Pau, France, 1984.
- [66] Umar Amin Haq, "Perbandingan Sensitivitas Dalam Metode *Compensated Neutron Log* (CNL) dari Detektor ^3He , BF_3 , GS20 untuk Menentukan Porositas limestone Menggunakan Simulasi PHITS," *Skripsi, Program Studi Teknik Nuklir, Departemen Teknik Nuklir dan Teknik Fisika, Fakultas Teknik, Universitas Gadjah, Yogyakarta.*, 2021, Jun. 2023.
- [67] P. W. J. Glover, "Petrophysics," Department of Geology and Petroleum Geology University of Aberdeen UK. Petrophysics MSc "Course Notes on Clay/Shale Effects on Porosity and Resistivity" Logs P," 2000.
- [68] Metwally, W. M. Mabrouk, and B. Chikiban, "Formation evaluation utilizing a new petrophysical automation tool and subsurface mapping of the Upper Cretaceous carbonate reservoirs, the southern periphery of the Abu-Gharadig basin, Western Desert, Egypt," *Journal of African Earth Sciences*, vol. 205, p. 104977, Sep. 2023, doi: 10.1016/J.JAFREARSCI.2023.104977.

