

## REFERENCES

- Achermann, Y., Goldstein, E. J. C., Coenye, T., and Shirtliff, M. E., 2014, *Propionibacterium Acnes*: From Commensal to Opportunistic Biofilm Associated Implant Pathogen, *Clin. Microbiol. Rev.*, 27(3), 419–440.
- Aghajani, J., Farnia, P., Farnia, P., Ghanavi, J., and Velayati, A. A., 2022, Molecular Dynamic Simulations and Molecular Docking as a Potential Way for Designed New Inhibitor Drug without Resistance, *Tanaffos.*, 21(1), 1–14.
- Agu, P. C., Afiukwa, C. A., Orji, O. U., Ezech, E. M., Ofoke, I. H., Ogbu, C. O., Ugwuja, E. I., and Aja, P. M., 2023, Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management, *Sci. Rep.*, 13, 13398.
- Alder, B. and Wainwright, T., 1957, Phase transition for a hard sphere system, *J. Chem. Phys.*, 27 (5), 1208–1209.
- Alshehri, M. M., Quispe, C., Herrera-Bravo, J., Sharifi-Rad, J., Tutuncu, S., Aydar, E. F., Topkaya, C., and Mertdinc, Z., 2022, A Review of Recent Studies on the Antioxidant and Anti-Infectious Properties of Senna Plants, *Oxid. Med. Cell. Longev.*, 1–38.
- Ardhany, S. D., Putra, C. D., and Novaryatiin, S., 2021, Modification of Anti-acne Bawang Dayak (*Eleutherine bulbosa* (Mill.) Urb.) Cream to *Propionibacterium acnes*, *J. Adv. Pharm. Tech. Res.*, 12(1), 94–98.
- Arisanti, C. I. S., Paramita, N. L. P. V., and Laksmiani, N. P. L., 2019, Brazilain from secang (*Caesalpinia sappan* L.) as an anti-acne agent using in silico study, *Int. Conf. Proc.*, 729–735.
- Baldwin, H., Webster, G., Stein Gold, L., Callender, V., Cook-Bolden, F.E., and Guenin, E., 2021, 50 Years of topical retinoids for acne: evolution of treatment, *Am. J. Clin. Dermatol.*, 22, 315–327.
- Brooijmans, N. 2009, *Structural Bioinformatics*, 2nd ed, vol. 11, Wiley-Blackwell, New Jersey.
- Calderón-Montaño, J.M., Burgos-Morón, E., Pérez-Guerrero, C., and López Lázaro, M., 2011, A review on the dietary flavonoid kaempferol, *Mini Rev. Med. Chem.*, 11(4), 298–344.
- Cardoso, W.B. and Mendanha, S.A., 2021, Molecular dynamics simulation of docking structures of SARS-CoV-2 main protease and HIV protease inhibitors, *J. Mol. Struct.*, 1225.
- Carugo, O. and Pongor, S., 2001, A normalized rootmean-square distance for comparing protein three-dimensional structures, *Protein Sci.*, 10(7), 1470–1473.

- Chen, J., Xu, J., Huang, P., Luo, Y., Shi, Y., and Ma, P., 2022, The potential applications of traditional Chinese medicine in Parkinson's disease: A new opportunity, *Biomed. Pharmacother.*, vol. 149, 112866.
- Cheon, D., Kim, J., Jeon, D., Shin, H. C., and Kim, Y., 2019, Target Proteins of Phloretin for Its Anti-Inflammatory and Antibacterial Activities Against Propionibacterium acnes-Induced Skin Infection, *Mol.*, 24(7), 1319.
- Christensen, A.S., Kubař, T., Cui, Q., and Elstner, M., 2016, Semiempirical Quantum Mechanical Methods for Noncovalent Interactions for Chemical and Biochemical Applications, *Chem. Rev.*, 116(9), 5301-5337.
- Čiřmárová, B., Hubková, B., Tomečková, V., and Birková, A., 2023, Flavonoids as promising natural compounds in the prevention and treatment of selected skin diseases, *Int. J. Mol. Sci.*, 24(7), 6324.
- Cob-Calan, N.N., Chi-Uluac, L.A., Ortiz-Chi, F., Cerqueda-Garcia, D., Navarrete Vazquez, G., Ruiz-Sanchez, E., and Hernandez-Nunez, E., 2019, Molecular docking and dynamics simulation of protein beta-tubulin and antifungal cyclic lipopeptides, *Mol.*, 24(18), 3387.
- Darusman, F. and Fakih, T. M., 2021, Comprehensive In Silico Analysis of Christinin Molecular Behaviour from Ziziphus spina-christi Leaves on Propionibacterium acnes, *Pharm. Sci. Res.*, 8(1), 2021, 55 – 64
- Devi, K.P., Malara, D.S., Nabavi, S.F., Sureda, A., Xiao, J., Nabavi, S.M., and Daglia, M., 2015, Kaempferol and inflammation: From chemistry to medicine, *Pharmacol. Res.*, 99, 1-10.
- Dewar, M.J.S., Zoebisch, E.G., Healy, E.F., and Stewart, J.J.P., 1985, AM1: A New General Purpose Quantum Mechanical Molecular Model, *J. Am. Chem. Soc.*, 107(13), 3902-3909.
- Ding, B.T., Yu, Y.D., Geng, S., Liu, B.G., Hao, Y.J., and Liang, G.Z., 2022, Computational methods for the interaction between cyclodextrins and natural compounds: technology, benefits, limitations, and trends, *J. Agric. Food Chem.*, 70 (8), 2466–2482.
- Dréno, B., Pécastaings, S., Corvec, S., Veraldi, S., Khammari, A., and Roques, C., 2018, Cutibacterium acnes (Propionibacterium acnes) and acne vulgaris: a brief look at the latest updates, *J. Eur. Acad. Dermatol. Venereol.*, 32(2), 5–14.
- Ferreira, L. G., Dos Santos, R. N., Oliva, G., and Andricopulo, A. D., 2015, Molecular docking and structure-based drug design strategies, *In Mol.*, 20(7), 13384- 13421.
- Fischer, E., 1894. Einfluss der Configuration auf die Wirkung der Enzyme, *Ber. Dtsch. Chem. Ges.*, 27 (3), 2985–2993.

- Frimayanti, N., Lukman, A., and Nathania, L. 2021, Studi molecular docking senyawa 1,5-benzothiazepine sebagai inhibitor dengue DEN-2 NS2B/NS3 serine protease, *Chempublish J.*, 6(1), 54–62.
- Fujiwara, S. and Amisaki, T., 2006, Molecular dynamics study of conformational changes in human serum albumin by binding of fatty acids, *Pro.*, 64, 730 - 739.
- García, P., Lorenzo, P., and de Lera, A.R., 2020, *Methods in Enzymology vol. 637*, Academic Press, Cambridge.
- Gautam, B., 2021, *Homology Molecular Modeling - Perspectives and Applications*, IntechOpen, London.
- Ghahremanian, S., Rashidi, M.M., Raeisi, K., and Toghraie, D., 2022, Molecular dynamics simulation approach for discovering potential inhibitors against SARS-CoV-2: A structural review, *J. Mol. Liq.*, 354, 118901.
- Gholam, G. M. and Firdausy, I. A., 2022, Molecular docking study of natural compounds from red betel (*Piper crocatum* Ruiz & Pav) as inhibitor of secreted aspartic proteinase 5 (Sap 5) in *Candida albicans*, *Sasambo J. Pharm.*, 3(2), 97- 104.
- Granchi, C., Capecci, A., Del Frate, G., Martinelli, A., Macchia, M., Minutolo, F., and Tuccinardi, T., 2015, Development and validation of a docking based virtual screening platform for the identification of new lactate dehydrogenase inhibitors, *Mol.*, 20(5), 8772–8790.
- Gupta, V.P., 2016, *Principles and Applications of Quantum Chemistry*, Academic Press, Cambridge.
- Hata, H., Tran, D. P., Sobeh, M. M., and Kitao, A., 2021, Binding free energy of protein/ligand complexes calculated using dissociation Parallel Cascade Selection Molecular Dynamics and Markov state model, *Biophys. Physicobiol.*, 18, 305-316.
- Heath, D.E. and Cooper, S.L. 2013, *Biomaterials Science, 3rd ed*, Academic Press, Cambridge.
- Hollingsworth, S. A. And Dror, R. O., 2018, Molecular Dynamics Simulation for All, *Neuron.*, 99(6):1129 -1143.
- Jhinjharia, D., Kaushik, A.C., and Sahi, S. 2021, *Chemoinformatics and Bioinformatics in the Pharmaceutical Sciences*, Academic Press, Cambridge.
- Jiang, Z., You, L., Dou, W., Sun, T., and Xu, P., 2019, Effects of an electric field on the conformational transition of the protein: a molecular dynamics simulation study, *Polym.*, 11(2), 282.

- Khan, H., Amin, S., and Patel, S., 2018, Targeting BDNF modulation by plant glycosides as a novel therapeutic strategy in the treatment of depression, *Life Sci.*, 196, 18–27.
- Krieger, E. and Vriend, G., 2014, YASARA View – Molecular graphics for all devices From smartphones to work stations, *Bioinform.*, 30, 2981–2982.
- Krieger, E. and Vriend, G., 2015, New ways to boost molecular dynamics simulations, *J. Comput. Chem.*, 36(13), 996-1007.
- Lauridsen, J.M.V., Kragh, R.R., and Lee, J. W., 2022, *Comprehensive Heterocyclic Chemistry IV*, Elsevier, Amsterdam.
- Lewis, D.W., 2001, *Encyclopedia of Materials: Science and Technology*, Elsevier, Amsterdam.
- Lim, Y.H., Kim, I.H., and Seo, J.J., 2007, In vitro activity of kaempferol isolated from the Impatiens balsamina alone and in combination with erythromycin or clindamycin against Propionibacterium acnes, *J. Microbiol.*, 45(5), 473-477.
- Ma, Q. and Tang, Y., 2023, *Recovery Improvement Vol. 3*, Gulf Professional Publishing, Houston.
- Mahmud, S., Uddin, M. A. R., Zaman, M., Sujon, K. M., Rahman, M. E., Shehab, M. N., Islam, A., Alom, M. W., Amin, A., Akash, A. S., and Saleh, M.A., 2021, Molecular docking and dynamics study of natural compound for potential inhibition of main protease of SARS-CoV-2, *J. Biomol. Struct. Dyn.*, 39(16), 6281-6289.
- Mateescu, M.A., Ispas-Szabo, P., and Assaad, E. 2015, *Controlled Drug Delivery*, Woodhead Publishing, Cambridge.
- Nakatsuji, T., Liu, Y.-T., Huang, C.-P., Gallo, R.L., and Huang, C.-M., 2008, Vaccination targeting a surface sialidase of P. acnes: Implication for new treatment of acne vulgaris, *PLoS ONE*, 3(2), e1551.
- Nuzul Wahyuning Diyah, Indriani, D.A., Dessidianti, R., and Siswandono, S., 2024, In silico analysis of luteolin derivatives as antibacterial agents targeting DNA gyrase and CTX-M-15 extended-spectrum  $\beta$ -lactamase of Escherichia coli, *J. Adv. Pharm. Technol. Res.*, 15(1), 29-36.
- Parida, P. K., Paul, D., and Chakravorty, D., 2020, The natural way forward: molecular dynamics simulation analysis of phytochemicals from Indian medicinal plants as potential inhibitors of SARS-CoV-2 targets, *Phytother. Res.*, 34(12), 3420 -3433.
- Patel, C. N., Goswami, D., Jaiswal, D. G., Parmar, R. M., Solanki, H. A., and Pandya, H. A., 2021, Pinpointing the potential hits for hindering interaction of SARS CoV-2 S-protein with ACE2 form the pool of

antiviral phytochemicals utilizing molecular docking and molecular dynamics (MD) simulations, *J. Mol. Graph. Model.*, 105, 107874.

Periferakis, A., Periferakis, K., Badarau, I.A., Petran, E.M., Popa, D.C., Caruntu, A., Costache, R.S., Scheau, C., Caruntu, C., and Costache, D.O., 2022, Kaempferol: Antimicrobial properties, sources, clinical, and traditional applications, *Int. J. Mol. Sci.*, 23(23), 15054.

Platsidaki, E. and Dessinioti, C., 2018, Recent Advances in Understanding Propionibacterium Acnes (Cutibacterium Acnes) Acne [Version 1; Referees: 2 Approved], *F1000Research.*, 7(0), 1-12.

Pranowo, H.D. dan Hetadi, A.K.R., 2011, *Pengantar Kimia Komputasi*, Penerbit Lubuk Agung, Bandung.

Rahaman, M.S., Siraj, M.A., Islam, M.A., Shanto, P.C., Islam, O., Islam, M.A., and Simal-Gandara, J., 2022, Crosstalk between xanthine oxidase (XO) inhibiting and cancer chemotherapeutic properties of comestible flavonoids – a comprehensive update, *J. Nutr. Biochem.*, 110, 109147.

Riziotis, I.G., Ribeiro, A.J.M., Borkakoti, N., and Thornton, J.M., 2022, Conformational variation in enzyme catalysis: a structural study on catalytic residues, *J. Mol. Biol.*, 434 (7), 167517

Roy, K., Kar, S., and Das, R.N., 2015, *Understanding the Basics of QSAR for Applications in Pharmaceutical Sciences and Risk Assessment*, Academic Press, Cambridge.

Rudin, A. and Choi, P., 2013, *The Elements of Polymer Science & Engineering 3<sup>rd</sup> ed*, Academic Press, Cambridge.

Sarkar, I. and Sen, A., 2020, In-silico screening predicts common cold drug Dextromethorphan along with Prednisolone and Dexamethasone can be effective against novel Coronavirus disease (COVID-19), *J. Biomol. Struct.Dyn.*, 40(8), 3706-3710.

Sarvagalla, S., Syed, S.B., and Coumar, M.S., 2019, *In Silico Drug Design*, Academic Press, Cambridge.

Scholz, C.F. and Kilian, M., 2016, The natural history of cutaneous propionibacteria, and reclassification of selected species within the genus Propionibacterium to the proposed novel genera Acidipropionibacterium gen. nov., Cutibacterium gen. nov. and Pseudopropionibacterium gen. nov., *Int. J. Syst. Evol. Microbiol.*, 66, 4422–4432.

Shields, M., 2017, *Pharmacognosy*, Academic Press, Cambridge.

Shivalingaiah, Thoyojaksha, Chakith, S.M.R., Pradeep, S., Pallavi, K.S., Kavana, C.P., Navyashree, B., Guru Kumar, D., Girish, M.S., Srinivasa, C., Kollur, S.P., and Shivamallu, C., 2022, In-silico evaluation of anti-acne

property of *Syzygium (S.) aromaticum*, *Int. J. Food Nutr. Sci.*, 11(3), 4577-4589.

- Shofiyana, N. P and Yaqin, A. N., 2023, Inverse Docking and Identification of Target Protein for Secondary Metabolic of *Senna siamea* Against *Propionibacterium acnes*, *PBEC.*, 20(1), 41-44.
- Sigh, A. P., Arya, H., Singh, V., Kumar, P., and Gautam, H., 2022, Identification of natural inhibitors to inhibit *C. acnes* lipase through docking and simulation studies, *J. Mol. Model.*, 28: 281, 1-28.
- Silva, R.L., Barberino, R.S., and de Matos, M.H.T., 2023, Impact of antioxidant supplementation during in vitro culture of ovarian preantral follicles: A review, *Theriogenology.*, 207, 110-122.
- Sinha, P. and Yadav, A. K., 2023, In silico identification and molecular dynamic simulations of derivatives of 6,6-dimethyl-3-azabicyclo[3.1.0]hexane-2-carboxamide against main protease 3CLpro of SARS-CoV-2 viral infection, *J. Mol. Model.*, 29, 130.
- Skariyachan, S. and Garka, S., 2018, *Graphenes and Nanotubes*, William Andrew Publishing, Norwich.
- Smith, M. D., Rao, J. S., Segelken, E., and Cruz, L., 2015, Force-Field Induced Bias in the Structure of A $\beta$ 21-30: A Comparison of OPLS, AMBER, CHARMM, and GROMOS Force Fields, *J. Chem. Inf. Model.*, 55(12), 2587–2595.
- Smolinske, S.C., Daubert, G.P., and Spoerke, D.G., 2007, *Haddad and Winchester's Clinical Management of Poisoning and Drug Overdose*, 4th ed, W.B. Saunders, Philadelphia.
- Tripathi, N., Goel, B., Bhardwaj, N., Sahu, B., Kumar, H., and Jain, S. K., 2020, Virtual screening and molecular simulation study of natural products database for lead identification of novel coronavirus main protease inhibitors, *J. Biomol. Struct. Dyn.*, 40(8):3655-3667.
- Trott, O. and Olson, A.J., 2010, AutoDock Vina, Improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading, *J. Comput. Chem.*, 31(2), 455-461.
- Vasam, M., Korutla, S., and Bohara, R.A., 2023, Acne vulgaris: A review of the pathophysiology, treatment, and recent nanotechnology-based advances, *Biochem. Biophys. Rep.*, 36, 101578.
- Wang, Y., Liu, T., Xie, J., Cheng, M., Sun, L., Zhang, S., Xin, J., and Zhang, N., 2022, A review on application of molecular simulation technology in food molecules interaction, *Curr. Res. Food Sci.*, 5, 1873-1881.
- Watford, M. and Wu, G., 2018, Protein, *Adv. nutr.*, 9(5), 651–653

- Yamagishi, J., Okimoto, N., Morimoto, G., and Taiji, M., 2014, A new set of atomic radii for accurate estimation of solvation free energy by Poisson-Boltzmann solvent model, *J. Comput. Chem.*, 35(29), 2132–2139.
- Yu, A.C.Y., Volkers, G., Jongkees, S.A.K., Worrall, L.J., Withers, S.G., and Strynadka, N.C.J., 2022, Crystal structure of the Propionibacterium acnes surface sialidase, a drug target for P. acnes-associated diseases, *Glycobiology.*, 32(2), 162-170.