UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Absor, M. A. U. (2015). *Density-functional Theory Based Calculation of Spin-orbit Interaction in ZnO*. Kanazawa University.

Absor, M. A. U., & Ishii, F. (2021). Large band splitting with tunable spin polarization in the two-dimensional ferroelectric GaXY family (X=Se,Te; Y=Cl,Br, I). *Physical Review B*, *103*(4). https://doi.org/10.1103/PhysRevB.103.045119

Absor, M. A. U., Lukmantoro, A., & Santoso, I. (2022). Full-zone persistent spin textures with giant spin splitting in two-dimensional group IV-V compounds. *Journal of Physics Condensed Matter*, *34*(44). https://doi.org/10.1088/1361-648X/ac8c14

Absor, Moh. A. U., Santoso, I., & Harsojo. (2024). Strong unidirectional Rashba state induced by extended vacancy line defects in a $1{T}^{\ensuremath{'}}\text{\ensuremath{-}}{\mathrm{WTe}}_{2}$ monolayer. *Physical Review B*, *109*(11), 115141. https://doi.org/10.1103/PhysRevB.109.115141

Absor, Moh. A. U., Santoso, I., Harsojo, Abraha, K., Kotaka, H., Ishii, F., & Saito, M. (2018). Strong Rashba effect in the localized impurity states of halogen-doped monolayer ${\mathrm{PtSe}}_{2}$. *Physical Review B*, *97*(20), 205138. https://doi.org/10.1103/PhysRevB.97.205138

Affandi, Y., & Absor, M. A. U. (2019). Electric field-induced anisotropic Rashba splitting in two dimensional tungsten dichalcogenides WX2 (X: S, Se, Te): A first-principles study. *Physica E: Low-dimensional Systems and Nanostructures*, *114*, 113611. https://doi.org/https://doi.org/10.1016/j.physe.2019.113611

Ahn, E. C. (2020). 2D materials for spintronic devices. Dalam *npj 2D Materials and Applications* (Vol. 4, Nomor 1). Nature Research. https://doi.org/10.1038/s41699-020-0152-0

Awschalom, D., & Samarth, N. (2009). Spintronics without magnetism. *Physics*, *2*. https://doi.org/10.1103/physics.2.50

Bernevig, B. A., Orenstein, J., & Zhang, S.-C. (2006). Exact SU(2) Symmetry and Persistent Spin Helix in a Spin-Orbit Coupled System. *Phys. Rev. Lett.*, *97*, 236601. https://doi.org/10.1103/PhysRevLett.97.236601

Bihlmayer, G. (2014). *Relativistic Effects in Solids*. Peter Grunberg Institute.

UNIVERSITAS GADJAH MADA
Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian Komputasional Berbasis Density Functional Theory dan Model Efektif k.p
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Bychkov, Y. A., & Rashba, E. I. (1984). Properties of a 2D Electron Gas with Lifted Spectral Degeneracy. *JETP Lett.*, *39*, 78–81.

Chen, J., Wu, K., Hu, W., & Yang, J. (2021). Spin–Orbit Coupling in 2D Semiconductors: A Theoretical Perspective. Dalam *Journal of Physical Chemistry Letters* (Vol. 12, Nomor 51, hlm. 12256–12268). American Chemical Society. https://doi.org/10.1021/acs.jpclett.1c03662

Datta, S., & Das, B. (1990). Electronic analog of the electro-optic modulator. *Applied Physics Letters*, *56*(7), 665–667. https://doi.org/10.1063/1.102730

Ding, J. Y., Liu, Z. T., Huang, Z., Jiang, Z. C., Yang, Y. C., Liu, Z. H., Liu, J. S., Guo, Y. F., & Shen, D. W. (2023). Investigation of the room-temperature photoelectron spectroscopy of type-II Weyl semimetal candidate WTe2. *Tungsten*, *5*(3), 350–356. https://doi.org/10.1007/s42864-023-00209-1

Dreizler, R. M., & Gross, E. K. U. (1990). *Density Functional Theory: An Approach to the Quantum Many-Body Problem*. Springer. https://doi.org/10.1007/978-3-642-74690-6

Dresselhaus, G. (1955). Spin-Orbit Coupling Effects in Zinc Blende Structures. *Phys. Rev.*, *100*(2), 580–586. https://doi.org/10.1103/PhysRev.100.580

Dresselhaus, M. S., Dresselhaus, G., & Jorio, A. (2008). *Group Theory: Application to the Physics of Condensed Matter* (First Edition). Springer.

Dyakonov, M. I., & Perel, V. (1972). Spin Relaxation of Conduction Electron in Non-Centrosymmetric Semiconductor. *Sov. Phys. Solid State*, *13*, 3023–3026.

Friedrich, B., & Herschbach, D. (2003). Stern and Gerlach: How a Bad Cigar Helped Reorient Atomic Physics. *Physics Today*, *56*(12), 53–59. https://doi.org/10.1063/1.1650229

Garcia, J. H., Vila, M., Hsu, C. H., Waintal, X., Pereira, V. M., & Roche, S. (2020). Canted Persistent Spin Texture and Quantum Spin Hall Effect in WTe2. *Physical Review Letters*, *125*(25). https://doi.org/10.1103/PhysRevLett.125.256603

Geim, A. K., & Novoselov, K. S. (2007). The rise of graphene. *Nature Materials*, *6*(3), 183–191. https://doi.org/10.1038/nmat1849

Griffiths, D. J. (2005). *Quantum Mechanics* (2nd ed.). Pearson Education.

Guo, S., Fu, J., Zhang, P., Zhu, C., Yao, H., Xu, M., An, B., Wang, X., Tang, B., Deng, Y., Salim, T., Du, H., Dunin-Borkowski, R. E., Xu, M., Zhou, W., Tay, B. K., Zhu, C., He, Y., Hofmann, M., … Liu, Z. (2022). Direct growth of single-metal-atom chains. *Nature Synthesis*, *1*(3), 245–253. https://doi.org/10.1038/s44160-022-00038-z

UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Han, Z., Wei, T., Xiao, Q., Zhong, X., Xiang, D., & Liu, T. (2022). Fabrication of patternable Janus transition-metal dichalcogenides assisted by electron beam irradiation. *Applied Physics Letters*, *120*(22), 221901. https://doi.org/10.1063/5.0095650

Hirohata, A., Yamada, K., Nakatani, Y., Prejbeanu, I.-L., Diény, B., Pirro, P., & Hillebrands, B. (2020). Review on spintronics: Principles and device applications. *Journal of Magnetism and Magnetic Materials*, *509*, 166711. https://doi.org/10.1016/j.jmmm.2020.166711

Hohenberg, P., & Kohn, W. (1964). Inhomogeneous Electron Gas. *Phys. Rev.*, *136*(3B), B864–B871. https://doi.org/10.1103/PhysRev.136.B864

Jameel, M. H., Roslan, M. S. bin, Mayzan, M. Z. H. Bin, Shaaban, I. A., Rizvi, S. Z. H., Agam, M. A. Bin, Saleem, S., & Assiri, M. A. (2024). A Comparative DFT Study of Bandgap Engineering and Tuning of Structural, Electronic, and Optical Properties of 2D WS2, PtS2, and MoS2 between WSe2, PtSe2, and MoSe2 Materials for Photocatalytic and Solar Cell Applications. *Journal of Inorganic and Organometallic Polymers and Materials*, *34*(1), 322–335. https://doi.org/10.1007/s10904-023-02828-0

Ji, J., Lou, F., Yu, R., Feng, J. S., & Xiang, H. J. (2022). Symmetry-protected full-space persistent spin texture in two-dimensional materials. *Phys. Rev. B*, *105*(4), L041404. https://doi.org/10.1103/PhysRevB.105.L041404

Kato, Y. K., Myers, R. C., Gossard, A. C., & Awschalom, D. D. (2004). Observation of the Spin Hall Effect in Semiconductors. *Science*, *306*(5703), 1910–1913. https://doi.org/10.1126/science.1105514

Katsura, T., & Tange. (2019). A Simple Derivation of the Birch–Murnaghan Equations of State (EOSs) and Comparison with EOSs Derived from Other Definitions of Finite Strain. *Minerals*, *9*, 745. https://doi.org/10.3390/min9120745

Kepenekian, M., Robles, R., Katan, C., Sapori, D., Pedesseau, L., & Even, J. (2015). Rashba and Dresselhaus Effects in Hybrid Organic Inorganic Perovskites: From Basic to Devices. *ACS Nano*, *9*(12), 11557–11567. https://doi.org/10.1021/acsnano.5b04409

Kohn, W., & Sham, L. J. (1965). Self-Consistent Equations Including Exchange and Correlation Effects. *Phys. Rev.*, *140*(4A), A1133–A1138. https://doi.org/10.1103/PhysRev.140.A1133

Kotaka, H., Ishii, F., & Saito, M. (2013). Rashba Effect on the Structure of the Bi One-Bilayer Film: Fully Relativistic First Principles Calculation. *Jpn. J. Appl. Phys.*, *52*, 35204. https://doi.org/10.7567/JJAP.52.035204

UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee, S., & Kwon, Y. K. (2020). Unveiling giant hidden Rashba effects in two-dimensional Si2Bi2. *npj 2D Materials and Applications*, *4*(1). https://doi.org/10.1038/s41699-020-00180-2

Li, H., Chen, A., Wang, L., Ren, W., Lu, S., Yang, B., Jiang, Y. P., & Li, F. Sen. (2020). Molecular beam epitaxy growth and strain-induced bandgap of monolayer 1T′-WTe2on SrTiO3(001). *Applied Physics Letters*, *117*(16). https://doi.org/10.1063/5.0020804

Li, X., Zhang, S., Huang, H., Hu, L., Liu, F., & Wang, Q. (2019). Unidirectional Spin-Orbit Interaction Induced by the Line Defect in Monolayer Transition Metal Dichalcogenides for High-Performance Devices. *Nano Letters*, *19*(9), 6005–6012. https://doi.org/10.1021/acs.nanolett.9b01812

Lima, E. N., Schmidt, T. M., & Nunes, R. W. (2016). Topologically protected metallic states induced by a one-dimensional extended defect in the bulk of a 2D topological insulator. *Nano Letters*, *16*(7), 4025–4031. https://doi.org/10.1021/acs.nanolett.6b00521

Liu, L., Richardella, A., Garate, I., Zhu, Y., Samarth, N., & Chen, C.-T. (2015). Spin-polarized tunneling study of spin-momentum locking in topological insulators. *Phys. Rev. B*, *91*(23), 235437. https://doi.org/10.1103/PhysRevB.91.235437

Lukmantoro, A., & Absor, M. A. U. (2023). Anisotropic Rashba splitting dominated by out-of-plane spin polarization in two-dimensional Janus XA2Y (A= Si, Sn, Ge; X,Y= Sb, Bi) with surface imperfection. *Physical Review Materials*, *7*(10). https://doi.org/10.1103/PhysRevMaterials.7.104005

Lundstrom, M. S., & Alam, M. A. (2022). Moore's law: The journey ahead. *Science*, *378*(6621), 722–723. https://doi.org/10.1126/science.ade2191

Lygo, A. C., Guo, B., Rashidi, A., Huang, V., Cuadros-Romero, P., & Stemmer, S. (2023). Two-Dimensional Topological Insulator State in Cadmium Arsenide Thin Films. *Phys. Rev. Lett.*, *130*(4), 46201. https://doi.org/10.1103/PhysRevLett.130.046201

Maekawa, S., Valenzuela, O. S., Saitoh, E., & Kimura, T. (2012). *Spin Current* (First Edition). Oxford Science Publications.

Manzeli, S., Ovchinnikov, D., Pasquier, D., Yazyev, O. V, & Kis, A. (2017a). 2D transition metal dichalcogenides. *Nature Reviews Materials*, *2*(8), 17033. https://doi.org/10.1038/natrevmats.2017.33

Manzeli, S., Ovchinnikov, D., Pasquier, D., Yazyev, O. V, & Kis, A. (2017b). 2D transition metal dichalcogenides. *Nature Reviews Materials*, *2*(8), 17033. https://doi.org/10.1038/natrevmats.2017.33

UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Martin, R. M. (2004a). *Electronic Structure: Basic Theory and Practical Methods* (1st ed.). Cambridge University Press. https://doi.org/10.1017/CBO9780511805769

Martin, R. M. (2004b). *Electronic Structure: Basic Theory and Practical Methods* (First Edition). Cambridge University Press.

Mihalyuk, A. N., Chou, J. P., Eremeev, S. V, Zotov, A. V, & Saranin, A. A. (2020). One-dimensional Rashba states in Pb atomic chains on a semiconductor surface. *Physical Review B*, *102*(3), 35442. https://doi.org/10.1103/PhysRevB.102.035442

Nitta, J., Akazaki, T., Takayanagi, H., & Enoki, T. (1997a). Gate Control of Spin-Orbit Interaction in an Inverted I${\mathrm{n}}_{0.53}$G${\mathrm{a}}_{0.47}$As/I${\mathrm{n}}_{0.52}$A${\mathrm{l}}_{0.48}$As Heterostructure. *Physical Review Letters*, *78*(7), 1335–1338. https://doi.org/10.1103/PhysRevLett.78.1335

Nitta, J., Akazaki, T., Takayanagi, H., & Enoki, T. (1997b). Gate Control of Spin-Orbit Interaction in an Inverted In_0.53Ga_0.47As/In_0.52Al_0.48As Heterostructure. *Phys. Rev. Lett.*, *78*, 1335–1338. https://doi.org/10.1103/PhysRevLett.78.1335

Ozaki, T. (2003). Variationally Optimized Atomic Orbitals for Large-Scale Electronic Structures. *Phys. Rev. B*, *67*(15), 155108. https://doi.org/10.1103/PhysRevB.67.155108

Ozaki, T. (2007). *Non-Collinear Spin Density Functional: Ver. 1.0 Technical Notes on OpenMX*.

Ozaki, T., & Kino, H. (2004). Numerical Atomic Basis Orbitals from H to Kr. *Phys. Rev. B*, *69*(19), 195113. https://doi.org/10.1103/PhysRevB.69.195113

Ozaki, T., Kino, H., Yu, J., Han, M. J., Kobayashi, N., Ohfuti, M., Ishii, F., Ohwaki, T., Weng, H., & Terakura, K. (2009). *OpenMX*.

Ozden, B., Zhang, T., Liu, M., Fest, A., Pearson, D. A., Khan, E., Uprety, S., Razon, J. E., Cherry, J., Fujisawa, K., Liu, H., Perea-López, N., Wang, K., Isaacs-Smith, T., Park, M., & Terrones, M. (2023). Engineering Vacancies for the Creation of Antisite Defects in Chemical Vapor Deposition Grown Monolayer MoS2 and WS2 via Proton Irradiation. *ACS Nano*, *17*(24), 25101–25117. https://doi.org/10.1021/acsnano.3c07752

Park, J., Jung, S. W., Jung, M.-C., Yamane, H., Kosugi, N., & Yeom, H. W. (2013). Self-Assembled Nanowires with Giant Rashba Split Bands. *Physical Review Letters*, *110*(3), 36801. https://doi.org/10.1103/PhysRevLett.110.036801

UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Perdew, J. P., Burke, K., & Ernzerhof, M. (1996). Generalized Gradient Approximation Made Simple. *Phys. Rev. Lett.*, *77*(18), 3865–3868. https://doi.org/10.1103/PhysRevLett.77.3865

Sasmito, S. A., Anshory, M., Jihad, I., & Absor, M. A. U. (2021a). Reversible spin textures with giant spin splitting in two-dimensional Ga X Y (X= Se, Te; Y= Cl, Br, I) compounds for a persistent spin helix. *Physical Review B*, *104*(11), 115145.

Sasmito, S. A., Anshory, M., Jihad, I., & Absor, Moh. A. U. (2021b). Reversible spin textures with giant spin splitting in two-dimensional Ga X Y (X= Se, Te; Y= Cl, Br, I) compounds for a persistent spin helix. *Physical Review B*, *104*(11), 115145. https://doi.org/10.1103/PhysRevB.104.115145

Schliemann, J. (2017). Colloqium: Persistent Spin Texture in Semiconductor Nanostructure. *Rev. Mod. Phys.*, *89*, 11001. https://doi.org/10.1103/RevModPhys.89.011001

Schliemann, J., Egues, J. C., & Loss, D. (2003). Nonballistic Spin-Field-Effect Transistor. *Phys. Rev. Lett.*, *90*, 146801. https://doi.org/10.1103/PhysRevLett.90.146801

Sławińska, J., Cerasoli, F. T., Wang, H., Postorino, S., Supka, A., Curtarolo, S., Fornari, M., & Buongiorno Nardelli, M. (2019). Giant spin Hall effect in two-dimensional monochalcogenides. *2D Materials*, *6*(2). https://doi.org/10.1088/2053-1583/ab0146

Song, P. H., & Kim, K. W. (2002). Spin relaxation of conduction electrons in bulk III-V semiconductors. *Physical Review B*, *66*(3), 35207. https://doi.org/10.1103/PhysRevB.66.035207

Takase, K., Ashikawa, Y., Zhang, G., & others. (2017). Highly gate-tuneable Rashba spin-orbit interaction in a gate-all-around InAs nanowire metal-oxide-semiconductor field-effect transistor. *Scientific Reports*, *7*, 930. https://doi.org/10.1038/s41598-017-01080-0

Tang, S., Zhang, C., Wong, Di., Pedramrazi, Z., Tsai, H. Z., Jia, C., Moritz, B., Claassen, M., Ryu, H., Kahn, S., Jiang, J., Yan, H., Hashimoto, M., Lu, D., Moore, R. G., Hwang, C. C., Hwang, C., Hussain, Z., Chen, Y., … Shen, Z. X. (2017). Quantum spin Hall state in monolayer 1T'-WTe 2. *Nature Physics*, *13*(7), 683–687. https://doi.org/10.1038/nphys4174

Tao, L. L., & Tsymbal, E. Y. (2018). Persistent Spin Texture Enforced by Symmetry. *Nat. Commun.*, *9*, 2763. https://doi.org/10.1038/s41467-018-05137-0

Trier, F., Vaz, D. C., Bruneel, P., Noël, P., Fert, A., Vila, L., Attané, J.-P., Barthélémy, A., Gabay, M., Jaffrès, H., & Bibes, M. (2020). Electric-Field Control of Spin

UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Current Generation and Detection in Ferromagnet-Free SrTiO3-Based Nanodevices. *Nano Letters*, *20*(1), 395–401. https://doi.org/10.1021/acs.nanolett.9b04079

Troullier, N., & Martins, J. L. (1991). Efficient Pseudopotentials for Plane-Wave Calculations. *Phys. Rev. B*, *43*(3), 1993–2006. https://doi.org/10.1103/PhysRevB.43.1993

Vajna, S., Simon, E., Szilva, A., Palotas, K., Ujfalussy, B., & Szunyogh, L. (2012). Higher-Order Contributions to the Rashba-Bychkov Effect with Application to the Bi/Ag(111) Surface. *Phys. Rev. B*, *85*, 75404. https://doi.org/10.1103/PhysRevB.85.075404

Wolf, S. A., Awschalom, D. D., Buhrman, R. A., Daughton, J. M., Von Molnár, S., Roukes, M. L., Chtchelkanova, A. Y., & Treger, D. M. (2001). Spintronics: A spin-based electronics vision for the future. Dalam *Science* (Vol. 294, Nomor 5546, hlm. 1488–1495). https://doi.org/10.1126/science.1065389

Zakaryan, H. A., Kvashnin, A. G., & Oganov, A. R. (2017). Stable reconstruction of the (110) surface and its role in pseudocapacitance of rutile-like RuO2. *Scientific Reports*, *7*(1), 10357. https://doi.org/10.1038/s41598-017-10331-z

Zhang, S., Guo, S., Huang, Y., Zhu, Z., Cai, B., Xie, M., Zhou, W., & Zeng, H. (2016). Two-dimensional {SiP}: an unexplored direct band-gap semiconductor. *2D Materials*, *4*(1), 15030. https://doi.org/10.1088/2053-1583/4/1/015030

Zhang, W., Yin, J., Ding, Y., Jiang, Y., & Zhang, P. (2018). Strain-engineering tunable electron mobility of monolayer IV–V group compounds. *Nanoscale*, *10*(35), 16750–16758. https://doi.org/10.1039/C8NR04186E

Zhang, Y., Ugeda, M. M., Jin, C., Shi, S.-F., Bradley, A. J., Martín-Recio, A., Ryu, H., Kim, J., Tang, S., Kim, Y., Zhou, B., Hwang, C., Chen, Y., Wang, F., Crommie, M. F., Hussain, Z., Shen, Z.-X., & Mo, S.-K. (2016). Electronic Structure, Surface Doping, and Optical Response in Epitaxial WSe2 Thin Films. *Nano Letters*, *16*(4), 2485–2491. https://doi.org/10.1021/acs.nanolett.6b00059

Zhao, W., Runburg, E., Fei, Z., Mutch, J., Malinowski, P., Sun, B., Huang, X., Pesin, D., Cui, Y. T., Xu, X., Chu, J. H., & Cobden, D. H. (2021). Determination of the Spin Axis in Quantum Spin Hall Insulator Candidate Monolayer WTe2. *Physical Review X*, *11*(4). https://doi.org/10.1103/PhysRevX.11.041034

Zhong, K., Bu, R., Jiao, F., Liu, G., & Zhang, C. (2022). Toward the defect engineering of energetic materials: A review of the effect of crystal defects on the sensitivity. *Chemical Engineering Journal*, *429*. https://doi.org/10.1016/j.cej.2021.132310

UNIVERSITAS
GADJAH MADA
**Pengaruh Ketidaksempurnaan Permukaan Pada Karateristik Spintronik Pada Sistem 2D Si2Bi2 : Kajian
Komputasional Berbasis Density Functional Theory dan Model Efektif k.p**
Arif Lukmantoro, Moh. Adhib Ulil Absor, S.Si., M.Sc., Ph.D. ; Dr. Edi Suprayoga, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Žutić, I., Fabian, J., & Das Sarma, S. (2004). Spintronics: Fundamentals and applications. *Reviews of Modern Physics*, *76*(2), 323–410. https://doi.org/10.1103/RevModPhys.76.323