

DAFTAR PUSTAKA

- [1] S. Sorrenti, V. Dolcetti, M. Radziņa, M. Bellini, F. Frezza, and K. e. a. Munir, “Artificial intelligence for thyroid nodule characterization: where are we standing?” *Cancers*, vol. 14, no. 14, p. 3357, 2022. [Online]. Available: <https://doi.org/10.3390/cancers14143357>
- [2] I. Celletti, D. Fresilli, C. Vito, M. Bononi, S. Cardaccio, and A. e. a. Cozzolino, “Tirads, sre and swe in indeterminate thyroid nodule characterization: which has better diagnostic performance?” *La Radiologia Medica*, vol. 126, no. 9, pp. 1189–1200, 2021. [Online]. Available: <https://doi.org/10.1007/s11547-021-01349-5>
- [3] Z. Sahli, A. Sharma, J. Canner, F. Karipineni, O. Ali, and S. e. a. Kawamoto, “Tirads interobserver variability among indeterminate thyroid nodules: a single-institution study,” *Journal of Ultrasound in Medicine*, vol. 38, no. 7, pp. 1807–1813, 2018. [Online]. Available: <https://doi.org/10.1002/jum.14870>
- [4] D. Liu, “Fully-automatic detection and diagnosis system for thyroid nodules based on ultrasound video sequences by artificial intelligence,” *Journal of Multidisciplinary Healthcare*, vol. 17, pp. 1641–1651, 2024. [Online]. Available: <https://doi.org/10.2147/jmdh.s439629>
- [5] K. Zhao, S. Ma, Z. Sun, X. Liu, Y. Zhu, and Y. e. a. Xu, “Effect of ai-assisted software on inter- and intra-observer variability for preschool children x-ray bone age assessment,” 2022. [Online]. Available: <https://doi.org/10.21203/rs.3.rs-1737407/v2>
- [6] F. Yang, S. Angara, S. Rajaraman, A. Aquilina, Z. Xue, and S. e. a. Jaeger, “Assessing inter-annotator agreement for medical image segmentation,” *IEEE Access*, vol. 11, pp. 21 300–21 312, 2023. [Online]. Available: <https://doi.org/10.1109/access.2023.3249759>
- [7] A. Muhammed, R. Singh, S. Suhaimi, and N. Latar, “Surgeon performed ultrasound in assessing thyroid nodule using american college of radiology tirads and total malignancy score (tms): a validation cross sectional study,” *Iium Medical Journal Malaysia*, vol. 20, no. 3, 2021. [Online]. Available: <https://doi.org/10.31436/imjm.v20i3.1832>
- [8] T. Solymosi, S. Bonnema, A. Frasoldati, L. Jám bor, G. Kova cs, and E. e. a. Papini, “Ultrasound-based indications for thyroid fine-needle aspiration: outcome of a tirads-based approach versus operators’ expertise,” *European Thyroid Journal*, vol. 10, no. 5, pp. 416–424, 2020. [Online]. Available: <https://doi.org/10.1159/000511183>
- [9] S. Schenke, R. Klett, P. Seifert, M. Kreißl, R. Görges, and M. Zimny, “Diagnostic performance of different thyroid imaging reporting and data systems (kwak-tirads, eu-tirads and acr ti-rads) for risk stratification of small thyroid nodules (≤ 10 mm),” *Journal of Clinical Medicine*, vol. 9, no. 1, p. 236, 2020. [Online]. Available: <https://doi.org/10.3390/jcm9010236>
- [10] D. Nguyen, T. Pham, G. Batchuluun, H. Yoon, and K. Park, “Artificial intelligence-based thyroid nodule classification using information from spatial and frequency domains,” *Journal of Clinical Medicine*, vol. 8, no. 11, p. 1976, 2019. [Online]. Available: <https://doi.org/10.3390/jcm8111976>
- [11] J. Chi, E. Walia, P. Babyn, J. Wang, G. Groot, and M. Eramian, “Thyroid nodule classification in ultrasound images by fine-tuning deep convolutional neural network,”

- Journal of Digital Imaging*, vol. 30, no. 4, pp. 477–486, 2017. [Online]. Available: <https://doi.org/10.1007/s10278-017-9997-y>
- [12] S. Wang, J. Xu, A. Tahmasebi, K. Daniels, J. Liu, and J. e. a. Curry, “Incorporation of a machine learning algorithm with object detection within the thyroid imaging reporting and data system improves the diagnosis of genetic risk,” *Frontiers in Oncology*, vol. 10, 2020. [Online]. Available: <https://doi.org/10.3389/fonc.2020.591846>
- [13] V. Vadhiraj, V. Vyas, A. Simpkin, J. O’Connell, N. S. Ospina, S. Maraka, and D. T. O’Keeffe, “Ultrasound image classification of thyroid nodules using machine learning techniques,” *Medicina*, vol. 57, no. 6, p. 527, 2021. [Online]. Available: <https://doi.org/10.3390/medicina57060527>
- [14] K. Dobruch-Sobczak, Z. Adamczewski, M. Dedecjus, A. Lewiński, B. Migda, and M. e. a. Ruchala, “Summary of meta-analyses of studies involving tirads classifications (eu-tirads, acr-tirads, and k-tirads) in evaluating the malignant potential of focal lesions of the thyroid gland,” *Journal of Ultrasonography*, vol. 22, no. 89, pp. 121–129, 2022. [Online]. Available: <https://doi.org/10.15557/jou.2022.0020>
- [15] M. Petersen, S. Schenke, J. Firla, R. Croner, and M. Kreißl, “Shear wave elastography and thyroid imaging reporting and data system (tirads) for the risk stratification of thyroid nodules—results of a prospective study,” *Diagnostics*, vol. 12, no. 1, p. 109, 2022. [Online]. Available: <https://doi.org/10.3390/diagnostics12010109>
- [16] R. Tappouni, J. Itri, T. McQueen, N. Lalwani, and J. Ou, “ACR TI-RADS: pitfalls, solutions, and future directions,” *Radiographics*, vol. 39, no. 7, pp. 2040–2052, 2019.
- [17] H. Alyousif, M. Ahmed, A. Saeed, A. Hussein, and I. Musa, “Diagnostic reliability of the american college of radiology thyroid imaging reporting and data system in royal commission hospital, kingdom of saudi arabia,” *Open Access Macedonian Journal of Medical Sciences*, vol. 10, no. 1, pp. 114–118, 2022. [Online]. Available: <https://doi.org/10.3889/oamjms.2022.9000>
- [18] A. Pires, A. Mustafá, and M. Magalhães, “The 2017 acr ti-rads: pictorial essay,” *Radiologia Brasileira*, vol. 55, no. 1, pp. 47–53, 2022.
- [19] J. Alyami *et al.*, “Interobserver variability in ultrasound assessment of thyroid nodules,” *Medicine*, vol. 101, no. 41, p. e31106, 2022.
- [20] J. Wang, P. Babyn, G. Groot, and R. Otani, “Electronic synoptic reporting of thyroid nodules: potential for reduction in number of patients undergoing thyroid nodule biopsies,” *Open Journal of Radiology*, vol. 6, no. 3, pp. 233–242, 2016.
- [21] S. Lalchan *et al.*, “Role of the american college of radiology – thyroid imaging reporting and data system (acr ti-rads) in differentiating benign and malignant thyroid nodules,” *Nepal Journal of Medical Sciences*, vol. 7, no. 2, pp. 5–12, 2022.
- [22] G. Grani *et al.*, “Interobserver agreement of various thyroid imaging reporting and data systems,” *Endocrine Connections*, vol. 7, no. 1, pp. 1–7, 2018.
- [23] Z. Jin *et al.*, “Ultrasound computer-aided diagnosis (cad) based on the thyroid imaging reporting and data system (ti-rads) to distinguish benign from malignant thyroid nodules and the diagnostic performance of radiologists with different diagnostic experience,” *Medical Science Monitor*, vol. 26, pp. 1–10, 2020.

- [24] A. Verma, “Integrated use of contrast-enhanced and grey-scale ultrasound in assigning american college of radiology thyroid imaging–reporting and data system scores for characterisation of thyroid nodules: a prospective observational study,” *Ultrasound*, vol. 32, no. 3, pp. 140–149, 2024.
- [25] J. Yang *et al.*, “Suggested amendment of ti-rads classification of thyroid nodules by shear wave elastography,” *Acta Radiologica*, vol. 61, no. 8, pp. 1026–1033, 2019.
- [26] G. Russ *et al.*, “Prospective evaluation of thyroid imaging reporting and data system on 4550 nodules with and without elastography,” *Acta Endocrinologica*, vol. 168, no. 5, pp. 649–655, 2013.
- [27] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 770–778, Jun 2016.
- [28] O. Ronneberger, P. Fischer, and T. Brox, “U-net: Convolutional networks for biomedical image segmentation,” in *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9351, 2015, pp. 234–241.
- [29] M. Livne *et al.*, “A u-net deep learning framework for high performance vessel segmentation in patients with cerebrovascular disease,” *Frontiers in Neuroscience*, vol. 13, 2019.
- [30] M. Aydin *et al.*, “A deep learning model for automated segmentation of fluorescence cell images,” in *Journal of Physics: Conference Series*, vol. 2191, no. 1, 2022, p. 012003.
- [31] Z. Wang *et al.*, “Non-local u-nets for biomedical image segmentation,” in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, no. 4, 2020, pp. 6315–6322.
- [32] N. Siddique, P. Sidike, C. Elkin, and V. Devabhaktuni, “U-net and its variants for medical image segmentation: A review of theory and applications,” *IEEE Access*, vol. 9, pp. 82 031–82 057, 2021.
- [33] Z. Liu *et al.*, “A deep learning method for prediction of three-dimensional dose distribution of helical tomotherapy,” *Medical Physics*, vol. 46, no. 5, pp. 1972–1983, 2019.
- [34] F. Zabihollahy *et al.*, “Ensemble u-net-based method for fully automated detection and segmentation of renal masses on computed tomography images,” *Medical Physics*, vol. 47, no. 9, pp. 4032–4044, 2020.
- [35] T. Zheng *et al.*, “Segmentation of thyroid glands and nodules in ultrasound images using the improved u-net architecture,” *BMC Medical Imaging*, vol. 23, no. 1, p. 56, Apr 2023.
- [36] H. Zhang *et al.*, “Resnest: Split-attention networks,” *arXiv.org*, Dec 2020, <https://arxiv.org/abs/2004.08955v2> (accessed Nov. 05, 2023).
- [37] A. Humeau-Heurtier, “Texture feature extraction methods: A survey,” *IEEE Access*, vol. 7, pp. 8975–9000, 2019.
- [38] S. Bhattacharjee *et al.*, “Review on histopathological slide analysis using digital microscopy,” *International Journal of Advanced Science and Technology*, vol. 62, pp. 65–96, 2014.



- [39] S. Öztürk and B. Akdemir, "Application of feature extraction and classification methods for histopathological image using glcm, lbp, lbgldm, glrlm and sfta," *Procedia computer science*, vol. 132, pp. 40–46, 2018.
- [40] T. Mapayi, J. Tapamo, and S. Viriri, "Retinal vessel segmentation: A comparative study of fuzzy c-means and sum entropy information on phase congruency," *International Journal of Advanced Robotic Systems*, vol. 12, no. 9, p. 133, 2015.
- [41] A. Oprisan, "Bounds for haralick features in synthetic images with sinusoidal gradients," *Frontiers in Signal Processing*, vol. 3, 2023.
- [42] Y. Chen and F. Yang, "Analysis of image texture features based on gray level co-occurrence matrix," *Applied Mechanics and Materials*, vol. 204–208, pp. 4746–4750, 2012.
- [43] H. Jaber, "Classification of hyperspectral remote sensing for production minerals mapping using geological map and geomatics techniques," *International Journal of Engineering & Technology*, vol. 7, no. 4.20, pp. 480–484, 2018.
- [44] S. Nair and J. Bindhu, "Supervised techniques and approaches for satellite image classification," *International Journal of Computer Applications*, vol. 134, no. 16, pp. 1–6, 2016.
- [45] P. Thamilselvan and J. Sathiaselvan, "A comparative study of data mining algorithms for image classification," *International Journal of Education and Management Engineering*, vol. 5, no. 2, pp. 1–9, 2015.
- [46] E. Kaur, "Enhancement of satellite images using aco and dnn approach," *International Journal for Research in Applied Science and Engineering Technology*, vol. 6, no. 7, pp. 632–640, 2018.
- [47] A. Dhabhai and Y. Gupta, "Empirical study of image classification techniques to classify the image using svm: A review," *International Journal of Innovative Research in Computer and Communication Engineering*, vol. 4, no. 10, pp. 17 128–17 133, 2016.
- [48] D. Vijayasekar *et al.*, "Survey on detection of glaucoma in fundus image by segmentation and classification," *International Journal of Engineering Research And*, vol. 4, no. 9, 2015.
- [49] Y. Shah *et al.*, "Support vector machine classification of arterial volume-weighted arterial spin tagging images," *Brain and Behavior*, vol. 6, no. 12, 2016.
- [50] B. Dong and G. Ren, "A new scene classification method based on local gabor features," *Mathematical Problems in Engineering*, vol. 2015, pp. 1–14, 2015.
- [51] M. Véstias, "A survey of convolutional neural networks on edge with reconfigurable computing," *Algorithms*, vol. 12, no. 8, p. 154, 2019.
- [52] X. Han, J. Tan, and Y. He, "Deep learning algorithm-based mri image in the diagnosis of diabetic macular edema," *Contrast Media & Molecular Imaging*, vol. 2022, 2022.
- [53] Y. Kim *et al.*, "Using natural language processing to identify low back pain in imaging reports," *Applied Sciences*, vol. 12, no. 24, p. 12521, 2022.
- [54] M. Zhang *et al.*, "Deep-learning detection of cancer metastases to the brain on mri," *Journal of Magnetic Resonance Imaging*, vol. 52, no. 4, pp. 1227–1236, 2020.