

Daftar Pustaka

- Abate, H., Letta, S., Worku, T., Tesfaye, D., Amare, E., & Mechal, A. (2023). Shiftwork sleep disorder and associated factors among nurses working at public hospitals in Harari Regional state and Dire Dawa Administration, Eastern Ethiopia: a cross-sectional study. *BMC Nursing*, 22(1), 1–9. <https://doi.org/10.1186/s12912-023-01257-1>
- Agririsky, I. A. C., & Adiputra, I. N. (2018). Gambaran Kualitas Tidur Perawat Dengan Shift Kerja di Ruang Rawat Inap Anak RSUP Sanglah Denpasar Tahun 2016. *E-Jurnal Medika*, 7(11), 1–8.
- Akbari V, Hajian A, Mirhashemi MS. Evaluating of Sleep Quality in Shift Work Nurses; Iran. *J Sleep Disorders Ther*. 2016;5(1):225.
- Albakri U, Drotos E, & Meertens R (2021). Sleep health promotion interventions and their effectiveness: An umbrella review. *International Journal of Environmental Research and Public Health*, 18(11). 10.3390/ijerph18115533
- Al-Awaisi, H., Al-Harthy, S., & Jeyaseelan, L. (2022). Prevalence and Factors Affecting Difficult Intravenous Access in Children in Oman: A Cross-sectional Study. *Oman Medical Journal*, 37(4). <https://doi.org/10.5001/omj.2022.76>
- Alameddine, M., Dainty, K. N., Deber, R., & Sibbald, W. J. (Bill. (2009). The intensive care unit work environment: Current challenges and recommendations for the future. *Journal of Critical Care*, 24(2), 243–248. <https://doi.org/10.1016/j.jcrc.2008.03.038>

- Alameri, R. A., Almulla, H. A., Al Swyan, A. H., & Hammad, S. S. (2024). Sleep quality and fatigue among nurses working in high-acuity clinical settings in Saudi Arabia: a cross-sectional study. *BMC Nursing*, 23(1), 1–7. <https://doi.org/10.1186/s12912-023-01693-z>
- Alfonsi, V., Scarpelli, S., Gorgoni, M., Pazzaglia, M., Giannini, A. M., & De Gennaro, L. (2021). Sleep-Related Problems in Night Shift Nurses: Towards an Individualized Interventional Practice. *Frontiers in Human Neuroscience*, 15(March), 1–8. <https://doi.org/10.3389/fnhum.2021.644570>
- Anies, T. (2021). "Faktor-faktor yang Mempengaruhi Kualitas Tidur." *Jurnal Kesehatan*.
- Anies, (2009). Pengaruh Radiasi Elektromagnetik Ponsel dan Berbagai peralatan Elektronik. Elex Media Komputindo: Jakarta.
- Amelia, R., et al. (2014). "Manfaat Kualitas Tidur yang Optimal." *Jurnal Kesehatan dan Kinerja*.
- Azwar, A. et al. (2018) "Impact of Work-related and Non-work-related Factors on Fatigue in Production/Shift Workers," *KnE Life Sciences*, 4(5), hal. 213. doi: 10.18502/cls.v4i5.2554.
- Barrett KE, et al - Ganong's Review of Medical Physiology [26th ed, 2019]
- Beebe, D., Chang, J. J., Kress, K., & Mattfeldt-Beman, M. (2017). Diet quality and sleep quality among day and night shift nurses. *Journal of Nursing Management*, 25(7), 549–557. <https://doi.org/10.1111/jonm.12492>

- Boivin, D. B., Boudreau, P., & Kosmadopoulos, A. (2022). Disturbance of the Circadian System in Shift Work and Its Health Impact. *Journal of Biological Rhythms*, 37(1), 3–28.
<https://doi.org/10.1177/07487304211064218>
- Booker, L. A., Magee, M., Rajaratnam, S., Sletten, T. L., and Howard, M. E. (2018). Individual vulnerability to insomnia, excessive sleepiness and shift work disorder amongst healthcare shift workers. A systematic review. *Sleep Med. Rev.* 41, 220–233. doi: 10.1016/j.smr.2018.03.005
- Buyse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., Kupfer, D. J. (1989) The Pittsburgh Sleep Quality Index: A New Instrument For Psychiatric Practice And Research. *Psychiatry Research*, 28(2), 193–213. Diakses pada tanggal 31 Maret 2018. [Http : www.ncbi.nlm.nih.gov/pubmed/274877](http://www.ncbi.nlm.nih.gov/pubmed/274877)
- Chang, W. P., & Li, H. B. (2022). Influence of shift work on rest-activity rhythms, sleep quality, and fatigue of female nurses. *Chronobiology International*, 39(4), 557–568.
<https://doi.org/10.1080/07420528.2021.2005082>
- Curcio, G. et al. (2012). Validity of the Italian Version of the Pittsburgh Sleep Quality Index (PSQI). *Neurol Sci*, 34, 511-519.
- Carol S. The Pittsburgh Sleep Quality Index (PSQI). 2007. Diakses tanggal 25 Januari 2013. http://consultgerim.org/uploads/File/trythis/try_this_6_1.pdf
- Chang, H. E. (2024). Sleep quality and hours of nurses according to shift type and schedule: A cross-sectional study. *Chronobiology*



International, 41(12), 1591–1599.
<https://doi.org/10.1080/07420528.2024.2434165>

Destina Kurniati, Y., Sari, L. A., & Dian, O. (2022). Hubungan Lama Penggunaan Gawai dengan Gangguan Pola Tidur pada Siswa Siswi di SMA Negeri Kota Jambi. *Jurnal Ilmiah Ners Indonesia*, 3(1), 8–17.

Di Muzio, M., Diella, G., Di Simone, E., Novelli, L., Alfonsi, V., Scarpelli, S., Annarumma, L., Salfi, F., Pazzaglia, M., Giannini, A. M., & De Gennaro, L. (2020). Nurses and Night Shifts: Poor Sleep Quality Exacerbates Psychomotor Performance. *Frontiers in Neuroscience*, 14(October), 1–7. <https://doi.org/10.3389/fnins.2020.579938>

Dong, H., Zhang, Q., Zhu, C., & Lv, Q. (2020). Sleep quality of nurses in the emergency department of public hospitals in China and its influencing factors: A cross-sectional study. *Health and Quality of Life Outcomes*, 18(1), 1–9.
<https://doi.org/10.1186/s12955-020-01374-4>

Dos Santos, M. A., Pereira, F. H., De Souza Caliari, J., Oliveira, H. C., Ceolim, M. F., & Andrechuk, C. R. S. (2022). Sleep and Professional Burnout in Nurses, Nursing Technicians, and Nursing Assistants during the COVID-19 Pandemic. *Journal of Nursing Research*, 30(4), E218.
<https://doi.org/10.1097/jnr.0000000000000501>

Feldman, R. (2012). *Understanding Psychology*. McGraw-Hill Education.

Garcia TG, Martinez MR, Gallego CF, Madrid JA, Rol MA, Madrid MJM, Casbas TM. Nurses' sleep quality, work environment and quality of care in the Spanish National Health System: observational study among different shifts. *BMJ Open*. 2016;6

Gifkins, Jane., Amy Johnston, Rebecca Loudoun, A. T. (2020). Fatigue and recovery in shiftworking nurses: A scoping literature review. *International Journal of Nursing Studies*, 11.
<https://doi.org/10.1016/j.ijnurstu.2020.103710>.(<https://www.sciencedirect.com/science/article/pii/S0020748920301966>)

Han K, Trinkoff AM, Geiger-Brown J. Factors associated with work-related fatigue and recovery in hospital nurses working 12-hour shifts. *Workplace health & safety* 2014; 62 (10): 409-414.

Hidayat AA. (2009). *Kebutuhan Dasar Manusia*. Jakarta: Salemba Medika.

Hidayat, A., & Uliyah, M. (2015). *Pengantar Kebutuhan Dasar Manusia* (T. Utami (ed.); kedua). Salemba Medika.

Hirshkowitz, M. et al. (2015). National Sleep Foundation's sleep time duration recommendations: methodology and results summary. *Sleep Health. Journal of the National Sleep Foundation*, 1(1), 40–43.
<https://doi.org/10.1016/j.sleh.2014.12.010>

Huang, Q., Tian, C., & Zeng, X. T. (2021). Poor Sleep Quality in Nurses Working or Having Worked Night Shifts: A Cross-Sectional Study. *Frontiers in Neuroscience*, 15(August), 1–10.
<https://doi.org/10.3389/fnins.2021.638973>

Indrawati B, Nova. 2012. "Perbandingan Kualitas Tidur Mahasiswa yang Mengikuti UKM dan Tidak Mengikuti UKM pada Mahasiswa

RegulerFUI". Universitas Indonesia. Depok.

Iskandar, Japardi. 2002. *Gangguan Tidur [Thesis]*. Medan:Universitas Sumatera Utara.

Junsatitanon, P. (2021). Depression and sleep quality among nurses in a tertiary hospital in Bangkok. *Chulalongkorn Medical Journal*, 65(2), 147–153. <https://doi.org/10.58837/chula.cmj.65.2.6>

Kentischer, F., Kleinknecht-Dolf, M., Spirig, R., Frei, I. A., & Huber, E. (2018). Patient-related complexity of care: a challenge or overwhelming burden for nurses – a qualitative study. *Scandinavian Journal of Caring Sciences*, 32(1), 204–212. <https://doi.org/10.1111/scs.12449>

Krystal, A. D., & Edinger, J. D. (2008). Measuring sleep quality. *Sleep medicine*, 9 Suppl 1, S10–S17. [https://doi.org/10.1016/S1389-9457\(08\)70011-X](https://doi.org/10.1016/S1389-9457(08)70011-X)

Kolo, E. S., Ahmed, A. O., Hamisu, A., Ajiya, A., & Akhiwu, B. I. (2017). Sleep health of healthcare workers in Kano, Nigeria. *Nigerian Journal of Clinical Practice*, 20(4), 479–483. <https://doi.org/10.4103/1119-3077.204378>

Kronos, S. (2018). "Dampak Kualitas Tidur Terhadap Kesalahan Medis." *Journal of Clinical Safet*

Kumar, A., Pore, P., Gupta, S., & Wani, A. O. (2016). Level of stress and its determinants among Intensive Care Unit staff. *Indian Journal of*

Occupational and Environmental Medicine, 20(3), 129–132.

<https://doi.org/10.4103/0019->

5278.203137

Landry, G. J., Best, J. R., & Liu-Ambrose, T. (2015). Measuring sleep quality in older adults: a comparison using subjective and objective methods. *Frontiers in aging neuroscience*, 7, 166. <https://doi.org/10.3389/fnagi.2015.00166>

Lebet, R. M., Hasbani, N. R., Sisko, M. T., Agus, M. S. D., Nadkarni, V. M., Wypij, D., & Curley, M. A. Q. (2021). Nurses' Perceptions of Workload Burden in Pediatric Critical Care. *American Journal of Critical Care*, 30(1), 27–35. <https://doi.org/10.4037/ajcc2021725>

Lientje Setyawati Maurits dan Imam Djati Widodo. Faktor Dan Penjadualan Shift Kerja (Teknoin, Volume 13, Nomor 2, Desember 2008, 11-22ISSN: 0853-8697)

Littner, M., Kushida, C. A., Anderson, W. M., Bailey, D., Berry, R. B., Davila, D. G., Hirshkowitz, M., Kapen, S., Kramer, M., Loubé, D., Wise, M., Johnson, S. F., & Standards of Practice Committee of the American Academy of Sleep Medicine (2003). Practice parameters for the role of actigraphy in the study of sleep and circadian rhythms: an update for 2002. *Sleep*, 26(3), 337–341. <https://doi.org/10.1093/sleep/26.3.337>

Martin, C. V., Joyce-McCoach, J., Peddle, M., & East, C. E. (2023). Sleep deprivation and medication administration errors in registered

nurses—A scoping review. *Journal of Clinical Nursing*, August 2023, 859–873. <https://doi.org/10.1111/jocn.16912>

McDowall, K., Murphy, E., & Anderson, K. (2017). The impact of shift work on sleep quality among nurses. *Occupational Medicine*, 67(8), 621–625. <https://doi.org/10.1093/occmed/kqx152>

Mubarok,W & Chayatin,M. 2007. Buku Ajar Kebutuhan Dasar Manusia: Teori&Aplikasi dalam Praktik. Jakarta:EGC

National Sleep Foundation. (2013). Healthy Sleep Tips. Diperoleh tanggal 28 Desember 2021, dari <http://www.sleepfoundation.org/article/sleeptopics/healthy-sleep-tips>

Nazatul, S. M., Saimy, I., Moy, F. M., & Nabila, A. S. (2008). Prevalence of sleep disturbance among nurses in a malaysian government Hospital and its association with work characteristics. *Journal of Health and Translational Medicine*, 11(2), 66–71.

Nuraini. (2018). Hubungan Shif kerja dengan Kelelahan Kerja Pada Perawat di Instalasi Rawat

Olana, D. D., Ayana, A. M., & Abebe, S. T. (2020). Sleep quality and its associated factors among nurses in jimma zone public hospitals,



southwestEthiopia, 2018. *Sleep and Hypnosis*, 21(4), 271–280. <https://doi.org/10.37133/Sleep.Hypn.2019.21.0197>

Oliveira A.Sleep Quality of Elders Living in Long Term Care Institutions.
2010. Diakses tanggal 25 Januari 2013.
http://www.scielo.br/pdf/reeusp/v44n3/e_n_10.pdf

Park, E., Lee, H. Y., & Park, C. S. Y. (2018). Association between sleep quality and nurse productivity among Korean clinical nurses. *Journal of Nursing Management*, 26(8), 1051–1058.
<https://doi.org/10.1111/jonm.12634>

Peng, J., Zhang, J., Wang, B., He, Y., Lin, Q., Fang, P., & Wu, S. (2023). The relationship between sleep quality and occupational well-being in employees: The mediating role of occupational self-efficacy. *Frontiers in Psychology*, 14(January), 1–8.
<https://doi.org/10.3389/fpsyg.2023.1071232>

Potter & Perry 2005,Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik, Edisi 4 Volume 2. Alih Bahasa: Renata Komalasari, dkk,EGC, Jakarta

Pieter, Herri Z, Bethsaida J, Marti S. 2011. Pengantar Psikopatologi Untuk

Keperawatan. Jakarta: Kencana

Puerta, Y., García, M., Heras, E., López-Herce, J., Fernández, S. N., & Mencía, S. (2017). Sleep characteristics of the staffworking in a pediatric intensive care unit based on a survey. *Frontiers in Pediatrics*, 5(December), 1–7. <https://doi.org/10.3389/fped.2017.00288>

Rafknowlegde. 2004. *Insomnia dan Gangguan Tidur Lainnya*. Jakarta: PT Elex Media Komputindo.

Redeker NS, Caruso CC, Hashmi SD, Mullington JM, Grandner M, & Morgenthaler TI (2019). Workplace interventions to promote sleep health and an alert, healthy workforce. *Journal of Clinical Sleep Medicine*, 15(4), 649– 657.

Rhamdani, I., & Wartono, M. (2019). Hubungan Antara Shift Kerja, Kelelahan Kerja Dengan Stres Kerja Pada Perawat. *Jurnal Biomedika Dan Kesehatan*, 2(3), 104–110

Robins, L. N., et al. (1988). "The Composite International Diagnostic Interview: an epidemiologic instrument suitable for use in conjunction with different diagnostic systems and in different cultures." *Archives of general psychiatry* 45(12): 1069-1077.

Rosa, D., Terzoni, S., Dellafiore, F., and Destrebecq, A. (2019). Systematic review of shift work and nurses' health. *Occup. Med.* 69, 237–243.
doi: 10.1093/occmed/kqz063

Sadock, B.J. dan V.A. Sadock. 2010. *Handbook of Clinical Psychiatry*.
Edisi Kelima. Lippincot Williams and Wilkins. Philadelphia: 278–280.

Saputri, Dian. (2009). Hubungan Antara Sleep Hygiene dengan Kualitas Tidur pada Lanjut Usia di Dusun Sendowo, Kelurahan Sinduadi, Mlati, Sleman, Yogyakarta. Skripsi. Fakultas Kedokteran, Program Studi Ilmu Keperawatan. Yogyakarta: Universitas Gadjah Mada.

Sardo, P. M. G., Macedo, R. P. A., Alvarelhão, J. J. M., Simões, J. F. L., Guedes, J. A. D., Simões, C. J., & Príncipe, F. (2023). Nursing workload assessment in an intensive care unit: A retrospective observational study using the Nursing Activities Score. *Nursing in Critical Care*, 28(2), 288–297. <https://doi.org/10.1111/nicc.12854>

Sherwood L. *Fisiologi Manusia dari Sel ke Sistem*. Edisi ke-6. Jakarta: Penerbit Buku Kedokteran EGC; 2012

Segon, T., Kerebih, H., Gashawu, F., Tesfaye, B., Nakie, G., & Anbesaw, T. (2022). Sleep quality and associated factors among nurses working at

comprehensive specialized hospitals in Northwest, Ethiopia.

Frontiers in Psychiatry, 13(August), 1–10.

<https://doi.org/10.3389/fpsyt.2022.931588>

Stimpfel, A. W., Fatehi, F., & Kovner, C. (2020). Nurses' sleep, work hours, and

patient care quality, and safety. *Sleep health*, 6(3), 314–320.

<https://doi.org/10.1016/j.sleh.2019.11.001> Nurses' sleep, work hours, and

patient care quality, and safety. *Sleep health*, 6(3), 314–320.

<https://doi.org/10.1016/j.sleh.2019.11.001>

Seunghwa, S., & Kim, S.H. (2020). Influence of night shift work and

sleep efficiency on fatigue, depression and turnover intention among

hospital nurses.

Sun Q., Ji X., Zhou W., Liu J. (2019). Sleep problems in shift nurses: a brief

review and recommendations at both individual and institutional

levels. *J. Nurs. Manag.* 27 10–18. [10.1111/jonm.12656](https://doi.org/10.1111/jonm.12656)

Saifullah, M. (2017). Hubungan Penggunaan Gadget Terhadap Pola

Tidur Anak Sekolah di UPT SDN Gadingrejo II Pasuruan.

Thayeb. (2016). Gambaran Kualitas Tidur Pada Perawat Dinas Malam Rsup
Prof. Jurnal E-Clinic (ECI), 3(3).

Van Nguyen, T., & Liu, H. E. (2022). A cross-sectional study on sleep



disturbances and associated factors among nurses. *BMC Psychiatry*, 22(1), 1–8. <https://doi.org/10.1186/s12888-022-03748-y>

Zhang, H., Wang, J., Zhang, S., Tong, S., Hu, J., Che, Y., Zhuo, L., Wang, P., Geng, R., Zhou, Y., Wang, P., Zhan, S., & Li, B. (2023). Relationship between night shift and sleep problems, risk of metabolic abnormalities of nurses: a 2 years follow-up retrospective analysis in the National Nurse Health Study (NNHS). *International Archives of Occupational and Environmental Health*, 96(10), 1361–1371. <https://doi.org/10.1007/s00420-023-02014-2>