

## DAFTAR PUSTAKA

- [1] G. A. van Kleef and S. Côté, “The social effects of emotions,” *Annual Review of Psychology*, vol. 73, no. 1, pp. 629–658, Jul. 2021.
- [2] A. Mehrabian and J. A. Russell, *An Approach to Environmental Psychology*. Cambridge, MA: The MIT Press, 1974.
- [3] A. Barman and P. Dutta, “Influence of shape and texture features on facial expression recognition,” *IET Image Processing*, vol. 13, no. 8, pp. 1349–1363, Jun. 2019. [Online]. Available: <https://doi.org/10.1049/iet-ipr.2018.5481>
- [4] X. Guo, Y. Zhang, S. Lu, and Z. Lu, “Facial expression recognition: a review,” *Multimedia Tools and Applications*, vol. 83, pp. 23 689–23 735, 2024.
- [5] IBM, “What are convolutional neural networks?” Accessed: Nov. 27, 2024. [Online]. Available: <https://www.ibm.com/topics/convolutional-neural-networks>.
- [6] J. C. Hung, K.-C. Lin, and N.-X. Lai, “Recognizing learning emotion based on convolutional neural networks and transfer learning,” *Applied Soft Computing*, vol. 84, Nov. 2019.
- [7] IBM, “What is transfer learning?” Accessed: Nov. 27, 2024. [Online]. Available: <https://www.ibm.com/topics/transfer-learning>, Feb. 2024.
- [8] B. Naderalvojud and T. Hernandez-Boussard, “Improving machine learning with ensemble learning on observational healthcare data,” in *AMIA Annual Symposium Proceedings*, vol. 2023, 2023, pp. 521–529.
- [9] O. Aouedi, K. Piamrat, and B. Parrein, “Ensemble-based deep learning model for network traffic classification,” *IEEE Transactions on Network and Service Management*, pp. 1–12, Jul. 2022.
- [10] Z. Fang, Y. Wang, L. Peng, and H. Hong, “A comparative study of heterogeneous ensemble-learning techniques for landslide susceptibility mapping,” *International Journal of Geographical Information Science*, vol. 35, no. 2, pp. 321–347, 2021.
- [11] E. G. Mounq, C. C. Wooi, M. M. Sufian, C. K. On, and J. A. Dargham, “Ensemble-based face expression recognition approach for image sentiment analysis,” *International Journal of Electrical and Computer Engineering*, vol. 12, no. 3, pp. 2588–2600, June. 2022.
- [12] J. X. Yu, K. M. Lim, and C. P. Lee, “Move-cnns: Model averaging ensemble of convolutional neural networks for facial expression recognition,” *IAENG International Journal of Computer Science*, vol. 48, no. 3, pp. 1–5, 2021.
- [13] G. K. Sahoo, S. K. Das, and P. Singh, “Performance comparison of facial emotion recognition: A transfer learning-based driver assistance framework for in-vehicle applications,” *Circuits, Systems, and Signal Processing*, vol. 42, no. 8, pp. 4292–4319, 2023.

- [14] G.-C. Lee, Z.-Y. Li, and T.-W. Li, "Ensemble algorithm of convolution neural networks for enhancing facial expression recognition," in *2022 IEEE 5th International Conference on Knowledge Innovation and Invention (ICKII)*, 2022, pp. 111–115.
- [15] H. Meng, F. Yuan, Y. Wu, and T. Yan, "Facial expression recognition algorithm based on fusion of transformed multilevel features and improved weighted voting svm," *Mathematical Problems in Engineering*, vol. 2021, pp. 1–17, Apr. 2021.
- [16] R. A. R. and B. Annappa, "An ensemble approach using a frequency-based and stacking classifiers for effective facial expression recognition," *Multimedia Tools and Applications*, vol. 82, pp. 14 689–14 712, 2023.
- [17] G. Perveen, S. F. Ali, J. Ahmad, S. Shahab, M. Adnan, M. Anjum, and I. Khosa, "Multi-stream deep convolution neural network with ensemble learning for facial micro-expression recognition," *IEEE Access*, vol. 11, pp. 118 474–118 489, Jan. 2023.
- [18] S. Nayar, "Image Formation," in *Monograph FPCV-1-1, First Principles of Computer Vision*, Columbia University, New York, Feb 2022.
- [19] —, "Image Processing i," in *Monograph FPCV-1-4, First Principles of Computer Vision*, Columbia University, New York, Mar 2022.
- [20] P. Ekman and W. V. Friesen, "Constants across cultures in the face and emotion," *Journal of Personality and Social Psychology*, vol. 17, no. 2, pp. 124–129, 1971.
- [21] R. E. Jack, O. G. B. Garrod, H. Yu, R. Caldara, and P. G. Schyns, "Facial expressions of emotion are not culturally universal," *Proceedings of the National Academy of Sciences*, vol. 109, no. 19, pp. 7241–7244, Apr. 2012.
- [22] J. Jiang and W. Deng, "Boosting facial expression recognition by a semi-supervised progressive teacher," *IEEE Transactions on Affective Computing*, vol. 14, no. 3, pp. 2402–2414, 2021.
- [23] I. H. Sarker, "Machine learning: Algorithms, real-world applications and research directions," *SN Computer Science*, vol. 2, no. 160, pp. 1–21, Mar. 2021.
- [24] S. Badillo, B. Banfai, F. Birzele, I. I. Davydov, L. Hutchinson, T. Kam-Thong, J. Siebourg-Polster, B. Steiert, and J. D. Zhang, "An introduction to machine learning," *Clinical Pharmacology & Therapeutics*, vol. 107, no. 4, pp. 871–885, 2020.
- [25] D. A. Roberts, S. Yaida, and B. Hanin, *The Principles of Deep Learning Theory*. Cambridge University Press, May. 2022.
- [26] A. Muniasamy, S. Tabassam, M. A. Hussain, H. Sultana, V. Muniasamy, and R. Bhatnagar, "Deep learning for predictive analytics in healthcare," in *Advances in Intelligent Systems and Computing*. Springer, Mar. 2019, pp. 32–42.
- [27] E. S. Olivas, J. D. M. Guerrero, M. Martinez-Sober, J. R. Magdalena-Benedito, and A. J. S. López, Eds., *Handbook of Research on Machine Learning Applications and Trends: Algorithms, Methods, and Techniques*. IGI Global, 2010.

- [28] P. Mahajan, S. Uddin, F. Hajati, and M. A. Moni, "Ensemble learning for disease prediction: A review," *Healthcare*, vol. 11, no. 12, Jun. 2023.
- [29] IBM, "Ensemble learning," Accessed: Dec. 12, 2024. [Online]. Available: <https://www.ibm.com/think/topics/ensemble-learning>, Mar. 2024.
- [30] T. Wu, W. Zhang, X. Jiao, W. Guo, and Y. A. Hamoud, "Evaluation of stacking and blending ensemble learning methods for estimating daily reference evapotranspiration," *Computers and Electronics in Agriculture*, vol. 184, p. 106039, 2021.
- [31] S. Yu, "Stacking and blending — an intuitive explanation," [https://medium.com/@stevenyu530\\_73989/stacking-and-blending-intuitive-explanation-of-advanced-ensemble-methods-46b295da413c](https://medium.com/@stevenyu530_73989/stacking-and-blending-intuitive-explanation-of-advanced-ensemble-methods-46b295da413c), Oct. 2019.
- [32] X. Zhao, L. Wang, Y. Zhang, X. Han, M. Deveci, and M. Parmar, "A review of convolutional neural networks in computer vision," *Artificial Intelligence Review*, vol. 57, no. 99, Mar. 2024.
- [33] V. Phung and E. Rhee, "A deep learning approach for classification of cloud image patches on small datasets," *Journal of Information and Communication Convergence Engineering*, vol. 16, no. 3, pp. 173–178, 2018.
- [34] Jorgecardete, "Convolutional neural networks: A comprehensive guide," [Online]. Available: <https://medium.com/thedeephub/convolutional-neural-networks-a-comprehensive-guide-5cc0b5eae175>, Feb. 2024.
- [35] M. Yani, S. B. Irawan, and S. T. C. Setiningsih, "Application of transfer learning using convolutional neural network method for early detection of terry's nail," *Journal of Physics: Conference Series*, vol. 1201, 2019.
- [36] M. Mali, D. Mishra, and M. Vijayalakshmi, "MF-RISE: Benchmarking for multifaceted recommender system engine," *Research Square (preprint)*, Jan. 2023. [Online]. Available: <https://doi.org/10.21203/rs.3.rs-2400377/v1>
- [37] D. Sarkar, *Text Analytics with Python*. Apress, 2016.
- [38] M. Ramchandani, H. Khandare, P. Singh, P. Rajak, N. Suryawanshi, A. S. Jangde, L. Arya, P. Kumar, and M. Sahu, "Survey: Tensorflow in machine learning," *Journal of Physics: Conference Series*, vol. 2273, Feb. 2022.
- [39] K. Team, "Keras documentation: About keras 3," Accessed: Nov. 27, 2024. [Online]. Available: <https://keras.io/about>.
- [40] K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," *arXiv preprint arXiv:1409.1556*, 2014, [Online]. Available: <https://arxiv.org/abs/1409.1556>.
- [41] M. Loukidakis, J. Cano, and M. O'Boyle, "Accelerating deep neural networks on low power heterogeneous architectures," in *Proceedings of the 11th International Workshop on Programmability and Architectures for Heterogeneous Multicores (MULTIPROG-2018)*, August 2018.

- [42] S. O. Avcı and O. Akay, "Employment and investigation of various cnn models and datasets for facial expression recognition and classification," in *2023 14th International Conference on Electrical and Electronics Engineering (ELECO)*, 2023, pp. 1–5.
- [43] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.
- [44] M. A. H. Akhand, S. Roy, N. Siddique, M. A. S. Kamal, and T. Shimamura, "Facial emotion recognition using transfer learning in the deep cnn," *Electronics*, vol. 10, no. 9, Apr. 2021.
- [45] C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens, and Z. Wojna, "Rethinking the inception architecture for computer vision," in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 2818–2826.
- [46] C. Szegedy, S. Ioffe, V. Vanhoucke, and A. Alemi, "Inception-v4, inception-resnet and the impact of residual connections on learning," *AAAI*, vol. 31, no. 1, Feb. 2017.
- [47] M. Tan and Q. V. Le, "Efficientnet: Rethinking model scaling for convolutional neural networks," *arXiv preprint arXiv:1905.11946*, 2020. [Online]. Available: <http://arxiv.org/abs/1905.11946>
- [48] S. Hisaria, P. Sharma, R. Gupta, and K. Sumalatha, "An analysis of multi-criteria performance in deep learning-based medical image classification: A comprehensive review," *Research Square (preprint)*, Mar. 2024. [Online]. Available: <https://doi.org/10.21203/rs.3.rs-4125301/v1>
- [49] M. Tan and Q. V. Le, "Efficientnetv2: Smaller models and faster training," *arXiv preprint arXiv:2104.00298*, 2021. [Online]. Available: <https://doi.org/10.48550/arXiv.2104.00298>
- [50] P. Utami, R. Hartanto, and I. Soesanti, "The efficientnet performance for facial expressions recognition," in *2022 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, Dec. 2022.
- [51] I. N. Alam, I. H. Kartowisastro, and P. Wicaksono, "Transfer learning technique with efficientnet for facial expression recognition system," *Revue d'Intelligence Artificielle*, vol. 36, no. 4, pp. 543–552, Aug. 2022. [Online]. Available: <https://doi.org/10.18280/ria.360405>
- [52] G. Huang, Z. Liu, L. V. D. Maaten, and K. Q. Weinberger, "Densely connected convolutional networks," in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Jul. 2017, pp. 2261–2269. [Online]. Available: <https://doi.org/10.1109/cvpr.2017.243>
- [53] A. Patwal, M. Diwakar, A. Joshi, and P. Singh, "Facial expression recognition using densenet," in *2022 International Conference on Opto-Electronics and Applied Sciences (OCIT)*, Dec. 2022. [Online]. Available: <https://doi.org/10.1109/ocit56763.2022.00107>



UNIVERSITAS  
GADJAH MADA

**Analisis Kinerja Blending dan Voting pada Transfer Learning Convolutional Neural Network untuk Klasifikasi Ekspresi Wajah**

Irharsy Tara Prasetya, Dr. Indah Soesanti, S.T., M.T. ; Dr. Ir. Rudy Hartanto, M.T., IPM.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- [54] S. Nurdianti, M. K. Najib, F. Bukhari, R. Revina, and F. N. Salsabila, "Performance comparison of gradient-based convolutional neural network optimizers for facial expression recognition," *Barekeng Jurnal Ilmu Matematika dan Terapan*, vol. 16, no. 3, pp. 927–938, Sep. 2022. [Online]. Available: <https://doi.org/10.30598/barekengvol16iss3pp927-938>