

DAFTAR PUSTAKA

- Abbasi, A. R., Sohail, M., Minhas, M. U., Khaliq, T., Kousar, M., Khan, S., ... Munir, A. (2020). Bioinspired sodium alginate based thermosensitive hydrogel membranes for accelerated wound healing. *International Journal of Biological Macromolecules*, 155, 751–765. <https://doi.org/10.1016/j.ijbiomac.2020.03.248>
- Aderibigbe, B. A., & Buyana, B. (2018). Alginate in Wound Dressings. *Pharmaceutics*, 10(2), 42. <https://doi.org/10.3390/pharmaceutics10020042>
- Alavi, A., Sibbald, R. G., Mayer, D., Goodman, L., Botros, M., Armstrong, D. G., ... Kirsner, R. S. (2014). Diabetic foot ulcers. *Journal of the American Academy of Dermatology*, 70(1), 1.e1–1.e18. <https://doi.org/10.1016/j.jaad.2013.06.055>
- Alven, S., Peter, S., Mbese, Z., & Aderibigbe, B. A. (2022). Polymer-Based Wound Dressing Materials Loaded with Bioactive Agents: Potential Materials for the Treatment of Diabetic Wounds. *Polymers*, 14(4), 724. <https://doi.org/10.3390/polym14040724>
- Aminanto, S. (2015). *Efektivitas Gel Aloe Vera Sebagai Primary Dressing pada Luka Diabetes Melitus di Praktik Perawatan Luka*. Retrieved from <https://digilib.unisayogya.ac.id/231/1/Naskah%20Publikasidocx.pdf>
- Andréa C.K. Bierhalz, Westin, C. B., & Moraes, Â. M. (2016). Comparison of the properties of membranes produced with alginate and chitosan from mushroom and from shrimp. *International Journal of Biological*

Macromolecules, 91, 496–504.

<https://doi.org/10.1016/j.ijbiomac.2016.05.095>

Ashok Sharma, S. S., Bashir, S., Kasi, R., & Subramaniam, R. T. (2022). The significance of graphene based composite hydrogels as smart materials: A review on the fabrication, properties, and its applications. *FlatChem*, 33, 100352. <https://doi.org/10.1016/j.flatc.2022.100352>

ASTM. (2023). Test Methods for Gravimetric Determination of Water Vapor Transmission Rate of Materials. *ASTM International*, 04.06. https://doi.org/10.1520/e0096_e0096m-22ae01

Baltzis, D., Eleftheriadou, I., & Veves, A. (2014). Pathogenesis and Treatment of Impaired Wound Healing in Diabetes Mellitus: New Insights. *Advances in Therapy*, 31(8), 817–836. <https://doi.org/10.1007/s12325-014-0140-x>

Baysal, K., Aroguz, A. Z., Adiguzel, Z., & Baysal, B. M. (2013). Chitosan/alginate crosslinked hydrogels: Preparation, characterization and application for cell growth purposes. *International Journal of Biological Macromolecules*, 59, 342–348. <https://doi.org/10.1016/j.ijbiomac.2013.04.073>

Berger, J., Reist, M., Mayer, J. M., Felt, O., & Gurny, R. (2004). Structure and interactions in chitosan hydrogels formed by complexation or aggregation for biomedical applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 57(1), 35–52. [https://doi.org/10.1016/s0939-6411\(03\)00160-7](https://doi.org/10.1016/s0939-6411(03)00160-7)

Bialik-Wąs, K., Pluta, K., Malina, D., Barczewski, M., Malarz, K., & Mrozek-Wilczkiewicz, A. (2021). Advanced SA/PVA-based hydrogel matrices with prolonged release of Aloe vera as promising wound dressings. *Materials Science and Engineering: C*, *120*, 111667.
<https://doi.org/10.1016/j.msec.2020.111667>

Burgess, J. L., Wyant, W. A., Abdo Abujamra, B., Kirsner, R. S., & Jozic, I. (2021). Diabetic Wound-Healing Science. *Medicina*, *57*(10), 1072.
<https://doi.org/10.3390/medicina57101072>

Cao, J., Li, J., Chen, Y., Zhang, L., & Zhou, J. (2018). Dual Physical Crosslinking Strategy to Construct Moldable Hydrogels with Ultrahigh Strength and Toughness. *Advanced Functional Materials*, *28*(23), 1800739.
<https://doi.org/10.1002/adfm.201800739>

Çaykara, T., & Demirci, S. (2006). Preparation and Characterization of Blend Films of Poly(Vinyl Alcohol) and Sodium Alginate. *Journal of Macromolecular Science, Part A*, *43*(7), 1113–1121.
<https://doi.org/10.1080/10601320600740389>

Darge, H. F., Andrgie, A. T., Tsai, H.-C., & Lai, J.-Y. (2019). Polysaccharide and polypeptide based injectable thermo-sensitive hydrogels for local biomedical applications. *International Journal of Biological Macromolecules*, *133*, 545–563.
<https://doi.org/10.1016/j.ijbiomac.2019.04.131>

- Dhand, A. P., Galarraga, J. H., & Burdick, J. A. (2020). Enhancing Biopolymer Hydrogel Functionality through Interpenetrating Networks. *Trends in Biotechnology*, 39(5). <https://doi.org/10.1016/j.tibtech.2020.08.007>
- Enoch, K., Rakavi C.S, & Anbumozhi Angayarkanni Somasundaram. (2024). Thixotropic chitosan hydrogels for biomedical applications: Unravelling the effect of chitosan concentration on the mechanical behaviour. *Surfaces and Interfaces*, 50, 104475–104475. <https://doi.org/10.1016/j.surfin.2024.104475>
- Fahmy, A., Kamoun, E. A., El-Eisawy, R., El-Fakharany, E. M., Taha, T. H., El-Damhougy, B. K., & Abdelhai, F. (2015). Poly(vinyl alcohol)-hyaluronic Acid Membranes for Wound Dressing Applications: Synthesis and in vitro Bio-Evaluations. *Journal of the Brazilian Chemical Society*, 26, 1466–1474. <https://doi.org/10.5935/0103-5053.20150115>
- Figuroa-Pizano, M. D., Vélaz, I., Peñas, F. J., Zavala-Rivera, P., Rosas-Durazo, A. J., Maldonado-Arce, A. D., & Martínez-Barbosa, M. E. (2018). Effect of freeze-thawing conditions for preparation of chitosan-poly (vinyl alcohol) hydrogels and drug release studies. *Carbohydrate Polymers*, 195, 476–485. <https://doi.org/10.1016/j.carbpol.2018.05.004>
- Galante, R., Pinto, T. J. A., Colaço, R., & Serro, A. P. (2017). Sterilization of hydrogels for biomedical applications: A review. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 106(6), 2472–2492. <https://doi.org/10.1002/jbm.b.34048>

- Glover, K., Stratakos, A. Ch., Varadi, A., & Lamprou, D. A. (2021). 3D scaffolds in the treatment of diabetic foot ulcers: New trends vs conventional approaches. *International Journal of Pharmaceutics*, 599, 120423. <https://doi.org/10.1016/j.ijpharm.2021.120423>
- Greenhalgh, D. G. (2003). Wound healing and diabetes mellitus. *Clinics in Plastic Surgery*, 30(1), 37–45. [https://doi.org/10.1016/s0094-1298\(02\)00066-4](https://doi.org/10.1016/s0094-1298(02)00066-4)
- Holl, J., Kowalewski, C., Zimek, Z., Fiedor, P., Kaminski, A., Oldak, T., ... Eljaszewicz, A. (2021). Chronic Diabetic Wounds and Their Treatment with Skin Substitutes. *Cells*, 10(3), 655. <https://doi.org/10.3390/cells10030655>
- Hu, X., Sun, C., Peng, B., & Yu, Z. (2016). Swelling property of PVA hydrogels with different concentration and specifications and its influencing factors. *International Journal of Clinical and Experimental Medicine*, 9(2), 708–716. Retrieved from https://www.researchgate.net/publication/300040509_Swelling_property_of_PVA_hydrogels_with_different_concentration_and_specifications_and_its_influencing_factors
- Huang, Q., Zou, Y., Arno, M. C., Chen, S., Wang, T., Gao, J., ... Du, J. (2017). Hydrogel scaffolds for differentiation of adipose-derived stem cells. *Chemical Society Reviews*, 46(20), 6255–6275. <https://doi.org/10.1039/C6CS00052E>
- Jantrawut, P., Bunrueangtha, J., Suerthong, J., & Kantrong, N. (2019). Fabrication and Characterization of Low Methoxyl Pectin/Gelatin/Carboxymethyl

Cellulose Absorbent Hydrogel Film for Wound Dressing Applications.

Materials, 12(10), 1628. <https://doi.org/10.3390/ma12101628>

Kakkar, R., Kalpana Madgula, Y. V. Saritha Nehru, & Kakkar, J. (2015). Polyvinyl alcohol-melamine formaldehyde films and coatings with silver nanoparticles as wound dressings in diabetic foot disease. *European Chemical Bulletin*, 4(2), 98–105. <https://doi.org/10.17628/ecb.2015.4.98-105>

Kamoun, E. A., Kenawy, E.-R. S., Tamer, T. M., El-Meligy, M. A., & Mohy Eldin, M. S. (2015). Poly (vinyl alcohol)-alginate physically crosslinked hydrogel membranes for wound dressing applications: Characterization and bio-evaluation. *Arabian Journal of Chemistry*, 8(1), 38–47. <https://doi.org/10.1016/j.arabjc.2013.12.003>

Kamoun, E. A., Loutfy, S. A., Hussein, Y., & Kenawy, E.-R. S. (2021). Recent advances in PVA-polysaccharide based hydrogels and electrospun nanofibers in biomedical applications: A review. *International Journal of Biological Macromolecules*, 187, 755–768. <https://doi.org/10.1016/j.ijbiomac.2021.08.002>

Karri, V. V. S. R., Kuppusamy, G., Talluri, S. V., Yamjala, K., Mannemala, S. S., & Malayandi, R. (2016). Current and emerging therapies in the management of diabetic foot ulcers. *Current Medical Research and Opinion*, 32(3), 519–542. <https://doi.org/10.1185/03007995.2015.1128888>

- Kaur, P., Gondil, V. S., & Chhibber, S. (2019). A novel wound dressing consisting of PVA-SA hybrid hydrogel membrane for topical delivery of bacteriophages and antibiotics. *International Journal of Pharmaceutics*, 572, 118779. <https://doi.org/10.1016/j.ijpharm.2019.118779>
- Kosimaningrum, W. E., Barleany, D. R., Sako, V. N., & Ristiyanti, R. (2020). Preparation of Gelatin-Chitosan-Honey-Based Hydrogel for Potential Active Material of Wound Care Dressing Application. *Materials Science Forum*, 988, 162–168. <https://doi.org/10.4028/www.scientific.net/msf.988.162>
- Kuchaiyaphum, P., Chotichayapong, C., Butwong, N., & Bua-ngern, W. (2020). Silk Fibroin/Poly (vinyl alcohol) Hydrogel Cross-Linked with Dialdehyde Starch for Wound Dressing Applications. *Macromolecular Research*. <https://doi.org/10.1007/s13233-020-8110-4>
- Li, X., Peng, X., Li, R., Zhang, Y., Liu, Z., Huang, Y., ... Li, H. (2020). Multiple Hydrogen Bonds–Reinforced Hydrogels with High Strength, Shape Memory, and Adsorption Anti-Inflammatory Molecules. *Macromolecular Rapid Communications*, 41(14), 2000202. <https://doi.org/10.1002/marc.202000202>
- Liu, S., Liu, X., Ren, J., Wang, P.-H., Pu, Y., Yang, R., ... Wang, P. (2020). Mussel-Inspired Dual-Cross-linking Hyaluronic Acid/ ϵ -Polylysine Hydrogel with Self-Healing and Antibacterial Properties for Wound Healing. *ACS Applied*

Materials & Interfaces, 12(25), 27876–27888.

<https://doi.org/10.1021/acsami.0c00782>

Liu, X., Duan, L., & Gao, G. (2017). Rapidly self-recoverable and fatigue-resistant hydrogels toughened by chemical crosslinking and hydrophobic association.

European Polymer Journal, 89, 185–194.

<https://doi.org/10.1016/j.eurpolymj.2017.02.025>

Lu, C.-H., Yu, C.-F., & Yeh, Y.-C. (2021). Engineering nanocomposite hydrogels using dynamic bonds. *Acta Biomaterialia*, 130, 66–79.

<https://doi.org/10.1016/j.actbio.2021.05.055>

M.J. Tommalieh, Ibrahim, H. A., Awwad, N. S., & A.A. Menazea. (2020). Gold nanoparticles doped Polyvinyl Alcohol/Chitosan blend via laser ablation for electrical conductivity enhancement. *Journal of Molecular Structure*, 1221, 128814–128814.

<https://doi.org/10.1016/j.molstruc.2020.128814>

Mihajlovic, M., Staropoli, M., Marie-Sousai Appavou, Wyss, H. M., Wim Pyckhout-Hintzen, & Sijbesma, R. P. (2017). Tough Supramolecular Hydrogel Based on Strong Hydrophobic Interactions in a Multiblock Segmented Copolymer. *Macromolecules*, 50(8), 3333–3346.

<https://doi.org/10.1021/acs.macromol.7b00319>

Monteiro-Soares, M., Boyko, E. J., Jeffcoate, W., Mills, J. L., Russell, D., Morbach, S., & Game, F. (2020). Diabetic foot ulcer classifications: A critical review.

Diabetes/Metabolism Research and Reviews, 36(S1).

<https://doi.org/10.1002/dmrr.3272>

- Mostafa Saberian, Raha Safari Roudsari, Haghshenas, N., Rousta, A., & Alizadeh, S. (2024). How the combination of alginate and chitosan can fabricate a hydrogel with favorable properties for wound healing. *Heliyon*, *10*(11), e32040–e32040. <https://doi.org/10.1016/j.heliyon.2024.e32040>
- Moura, L. I. F., Dias, A. M. A., Carvalho, E., & de Sousa, H. C. (2013). Recent advances on the development of wound dressings for diabetic foot ulcer treatment—A review. *Acta Biomaterialia*, *9*(7), 7093–7114. <https://doi.org/10.1016/j.actbio.2013.03.033>
- Nicodemus, G. D., & Bryant, S. J. (2008). Cell Encapsulation in Biodegradable Hydrogels for Tissue Engineering Applications. *Tissue Engineering Part B: Reviews*, *14*(2), 149–165. <https://doi.org/10.1089/ten.teb.2007.0332>
- Ningrum, D. R., Hanif, W., Mardhian, D. F., & Asri, L. A. T. W. (2023). In Vitro Biocompatibility of Hydrogel Polyvinyl Alcohol/Moringa oleifera Leaf Extract/Graphene Oxide for Wound Dressing. *Polymers*, *15*(2), 468. <https://doi.org/10.3390/polym15020468>
- Pinto, C., Leidi Méndez, Camacho-Rodríguez, B., & Silva-Cote, I. (2023). Antibacterial PVA/Chitosan/alginate/Meropenem-based hydrogel as a potential therapeutic strategy for chronic ulcers infections. *International Journal of Polymeric Materials and Polymeric Biomaterials*, *73*(12), 1–13. <https://doi.org/10.1080/00914037.2023.2243363>
- Putro, P. A., Sulaeman, A. S., & Erizal. (2019). Synthesis and characterization of swelling properties superabsorbent Hydrogel Carboxymethylcellulose-g-

Poly (Acrylic Acid)/Natrium Alginate cross-linked by gamma-ray irradiation technique. *Journal of Physics: Conference Series*, 1171, 012011.

<https://doi.org/10.1088/1742-6596/1171/1/012011>

Rowe, R. C. (2009). *Handbook of pharmaceutical excipients* (6th ed.). London: Apha, (Php) Pharmaceutical Press, C.

S. A. Bento, C., Gaspar, M. C., Coimbra, P., de Sousa, H. C., & E. M. Braga, M. (2023). A review of conventional and emerging technologies for hydrogels sterilization. *International Journal of Pharmaceutics*, 634, 122671.

<https://doi.org/10.1016/j.ijpharm.2023.122671>

Sánchez-Cid, P., Jiménez-Rosado, M., Romero, A., & Pérez-Puyana, V. (2022). Novel Trends in Hydrogel Development for Biomedical Applications: A Review. *Polymers*, 14(15), 3023. <https://doi.org/10.3390/polym14153023>

Saric, M., Eisoldt, L., Döring, V., & Scheibel, T. (2021). Interplay of Different Major Ampullate Spidroins during Assembly and Implications for Fiber Mechanics. *Advanced Materials*, 33(9), 2006499.

<https://doi.org/10.1002/adma.202006499>

Savić Gajić, I. M., Savić, I. M., & Svirčev, Z. (2023). Preparation and Characterization of Alginate Hydrogels with High Water-Retaining Capacity. *Polymers*, 15(12), 2592. <https://doi.org/10.3390/polym15122592>

Shah, P., Inturi, R., Anne, D., Jadhav, D., Viswambharan, V., Khadilkar, R., ... Shahi, S. (2022). Wagner's Classification as a Tool for Treating Diabetic

Foot Ulcers: Our Observations at a Suburban Teaching Hospital. *Cureus*, 14(1). <https://doi.org/10.7759/cureus.21501>

Silvestre, J., Delattre, C., Michaud, P., & de Baynast, H. (2021). Optimization of Chitosan Properties with the Aim of a Water Resistant Adhesive Development. *Polymers*, 13(22), 4031. <https://doi.org/10.3390/polym13224031>

Sim, P., Strudwick, X. L., Song, Y., Cowin, A. J., & Garg, S. (2022). Influence of Acidic pH on Wound Healing In Vivo: A Novel Perspective for Wound Treatment. *International Journal of Molecular Sciences*, 23(21), 13655. <https://doi.org/10.3390/ijms232113655>

Smitha, B., Sridhar, S., & Khan, A. A. (2005). Chitosan–sodium alginate polyion complexes as fuel cell membranes. *European Polymer Journal*, 41(8), 1859–1866. <https://doi.org/10.1016/j.eurpolymj.2005.02.018>

Su, J., Li, J., Liang, J., Zhang, K., & Li, J. (2021). Hydrogel Preparation Methods and Biomaterials for Wound Dressing. *Life*, 11(10), 1016. <https://doi.org/10.3390/life11101016>

Sweeney, P., Vaughn, K., & Ji, H. (2021). Minireview on Highly Stretchable Hydrogels for Wound Healing Applications. *J Dermatol & Skin Sci*, 3(1), 1–13. Retrieved from <https://www.dermatoljournal.com/articles/minireview-on-highly-stretchable-hydrogels-for-wound-healing-application.pdf>

- Tavakoli, S., & Klar, A. S. (2020). Advanced Hydrogels as Wound Dressings. *Biomolecules*, *10*(8), 1169. <https://doi.org/10.3390/biom10081169>
- Wang, J., Wang, L., Wu, C., Pei, X., Cong, Y., Zhang, R., & Fu, J. (2020). Antibacterial Zwitterionic Polyelectrolyte Hydrogel Adhesives with Adhesion Strength Mediated by Electrostatic Mismatch. *ACS Applied Materials & Interfaces*, *12*(41), 46816–46826. <https://doi.org/10.1021/acsami.0c14959>
- Xiao, J., Zhou, Y., Ye, M., An, Y., Wang, K., Wu, Q., ... Wu, J. (2020). Freeze-Thawing Chitosan/Ions Hydrogel Coated Gauzes Releasing Multiple Metal Ions on Demand for Improved Infected Wound Healing. *Advanced Healthcare Materials*, *10*(6), 2001591. <https://doi.org/10.1002/adhm.202001591>
- Xu, R., Xia, H., He, W., Li, Z., Zhao, J., Liu, B., ... Wu, J. (2016). Controlled water vapor transmission rate promotes wound-healing via wound re-epithelialization and contraction enhancement. *Scientific Reports*, *6*(1), 24596. <https://doi.org/10.1038/srep24596>
- Yazdanpanah, L., Nasiri, M., & Adarvishi, S. (2015). Literature review on the management of diabetic foot ulcer. *World Journal of Diabetes*, *6*(1), 37. <https://doi.org/10.4239/wjd.v6.i1.37>
- Yazdi, M. K., Vatanpour, V., Taghizadeh, A., Taghizadeh, M., Ganjali, M. R., Munir, M. T., ... Ghaedi, M. (2020). Hydrogel membranes: A review.

Materials Science and Engineering: C, 114, 111023.

<https://doi.org/10.1016/j.msec.2020.111023>

Ye, L., Zhang, Y., Wang, Q., Zhou, X., Yang, B., Ji, F., ... Yao, F. (2016). Physical Cross-Linking Starch-Based Zwitterionic Hydrogel Exhibiting Excellent Biocompatibility, Protein Resistance, and Biodegradability. *ACS Applied Materials & Interfaces*, 8(24), 15710–15723.

<https://doi.org/10.1021/acsami.6b03098>

Zhang, C., Liu, K., He, Y., Chang, R., Guan, F., & Yao, M. (2023). A multifunctional hydrogel dressing with high tensile and adhesive strength for infected skin wound healing in joint regions. *Journal of Materials Chemistry B*, 11(46), 11135–11149. <https://doi.org/10.1039/d3tb01384g>

Zhang, M., Wang, G., Wang, D., Zheng, Y., Li, Y., Meng, W., ... Lee, S. (2021). Ag@MOF-loaded chitosan nanoparticle and polyvinyl alcohol/sodium alginate/chitosan bilayer dressing for wound healing applications. *International Journal of Biological Macromolecules*, 175, 481–494.

<https://doi.org/10.1016/j.ijbiomac.2021.02.045>

Zhang, N., Li, R., Zhang, L., Chen, H., Wang, W., Liu, Y., ... Gao, J. (2011). Actuator materials based on graphene oxide/polyacrylamide composite hydrogels prepared by in situ polymerization. *Soft Matter*, 7(16), 7231.

<https://doi.org/10.1039/c1sm05498h>

Zhang, W., Liu, L., Cheng, H., Zhu, J., Li, X., Ye, S., & Li, X. (2024). Hydrogel-Based Dressings Designed to Facilitate Wound Healing. *Materials Advances*, 5(4), 1364–1394. <https://doi.org/10.1039/d3ma00682d>

Zhao, Y., Wang, X., Qi, R., & Yuan, H. (2023). Recent Advances of Natural-Polymer-Based Hydrogels for Wound Antibacterial Therapeutics. *Polymers*, 15(15), 3305–3305. <https://doi.org/10.3390/polym15153305>