

DAFTAR PUSTAKA

- Adelberg, Melnick and Jawetz, 2001, *Mikrobiologi kedokteran*, Alih bahasa Nugroho Edi, Maulany RF. Ed. 20, EGC, Jakarta.
- Ali F, Silvy TN, Hossain TJ, Uddin MK, Uddin MS, 2021 Prevalence and antimicrobial resistance phenotypes of *Salmonella* species recovered at various stages of broiler operations in Hathazari, Bangladesh, *Int J One Health*, 7(2):158–164. 10.14202/IJOH.2021.
- Allison, D., & Gilbert, P., 2004, Bacteria, in Denyer, S.P., Hodges, N.A., & Gorman, S.P. (Eds.), *Hugo and Russell's Pharmaceutical Microbiology*, 7th Ed., Blackwell Science, Masssachusetts, USA.
- Amirta, R., Angi, E.M., Ramadhan, R., Kusuma, I.W., Wiati, C.B., Haqiqi, M.T., 2017, *Potensi Pemanfaatan Macaranga*, 6, Mulawarman University Press, Samarinda.
- Anonim, 1984, Ebenaceae, <https://p2k.stekom.ac.id/ensiklopedia/Ebenaceae>, 9 Januari 2025.
- Anonim, 1998, Methods for the determination of susceptibility of bacteria to antimicrobial agents. Terminology, *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*, 4(5), 291.
- Armbruster C.R., Parsek M.R, 2018, *New insight into the early stages of biofilm formation*. Proc. Natl. Acad. Sci, USA, 2018;115:4317–4319, doi: 10.1073/pnas.1804084115.
- Barua, C.C., Yasmin, N., & Buragohain, L., 2018, A review update on *Dillenia indica*, its morphology, phytochemistry and pharmacological activity with reference to its anticancer activity, *MOJ Bioequivalence & Bioavailability Research*, 5(5), 244–254, <https://doi.org/10.15406/mojbb.2018.05.00110>.
- Bauer, Mikael, 2023, *Artocarpus integer* (Thunb.) Merr. observed in Indonesia by Mikael Bauer, iNaturalist Research-grade Observations, iNaturalist.org. Occurrence dataset <https://doi.org/10.15468/ab3s5x> accessed via GBIF.org <https://www.gbif.org/occurrence/3018083657>.

- Berry, P. E., 2023, Malpighiales, *Encyclopedia Britannica*, <https://www.britannica.com/plant/Malpighiales>.
- Bonev B, Hooper J, Parisot J, 2008, Principles of assessing bacterial susceptibility to antibiotics using the agar diffusion method, *The J Antimicrob Chemother*, 61(6):1295–1301. 10.1093/jac/dkn090.
- Bowen W., Burne R., Wu H., Koo H, 2017, *Oral biofilms: Pathogens, matrix, and polymicrobial interactions in microenvironments*, Trends Microbiol, 2018;26:229–242, doi: 10.1016/j.tim.2017.09.008.
- Bijmoer, R., Scherrenberg, M., & Creuwels, J., 2023, *Naturalis Biodiversity Center (NL) - Botany*, Naturalis Biodiversity Center, occurrence dataset <https://doi.org/10.15468/ib5ypt> diakses melalui <https://www.gbif.org>.
- Caiazza N.C., O'Toole G.A, 2004, SadB is required for the transition from reversible to irreversible attachment during biofilm formation by *Pseudomonas aeruginosa* PA14, *J. Bacteriol*, 2004;186:4476–4485, doi: 10.1128/JB.186.14.4476-4485.2004.
- Cheng, J., Jacquin, J., Conan, P., Pujo-Pay, M., Barbe, V., George, M., ... & Ghiglione, J. F, 2021, *Relative influence of plastic debris size and shape, chemical composition and phytoplankton-bacteria interactions in driving seawater plastisphere abundance, diversity and activity*, Frontiers in Microbiology, 11, 610231.
- Copsey-Mawer S, Scotford S, Copsey-Mawer B, Davis C, Perry M, Morris T, Hughes H, 2019, *Fastidious anaerobe agar (FAA) as a suitable medium for antimicrobial susceptibility testing (AST) of anaerobes by agar dilution*, Access Microbiol, 2019;1(7):4. 10.1099/acmi.afm2019.po0003.32974496
- Costerton, J. W, 1995, Overview of microbial biofilms, *Journal of Industrial Microbiology and Biotechnology*, 15(3), 137-140.
- Coradin, L., Giannasi, D.E., & Prance, G.T., 1985, *Chemosystematic studies in the Chrysobalanaceae. I. Flavonoids in Parinari*, Brittonia, 169-178.
- Cowan MM, 1999, *Plant products as antimicrobial agents*, Clin Microbiol Rev, 1999;12(4):564–582.
- Daly, D. & Harley, M. & Martínez, María & Weeks, Andrea., 2010, *Burseraceae*,

10.1007/978-3-642-14397-7_7.

- Davey, M.E. and O'Toole, G.A, 2000, *Microbial biofilms: from ecology to molecular genetics*, Microbiol Mol Biol Rev 64, 847–867.
- Deligianni, Elena & Pattison, Sally & Berrar, Daniel & Ternan, Nigel & Haylock, Richard & Moore, John & Elborn, Joseph & Dooley, James, 2010, *Pseudomonas aeruginosa Cystic Fibrosis isolates of similar RAPD genotype exhibit diversity in biofilm forming ability in vitro*, BMC microbiology, 10. 38. 10.1186/1471-2180-10-38.
- Donlan, R.M, 2002, *Biofilms: microbial life on surfaces*, Emerg Infect Dis 8, 881–890.
- Gandhi, D., & Priti, M., 2013, *Dillenia indica* Linn and *Dillenia pentagyna* Roxb.: Pharmacognostic, phytochemical and therapeutic aspect, *Journal of Applied Pharmaceutical Science*, 3(11), 134-142.
- Ganiswarna, S., 1995, *Farmakologi dan Terapi, edisi IV*, 271-288 dan 800-810, Bagian Farmakologi Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Gummadi SB, Belvotagi VAR, Kommidi DR, Bobbala RK, Achanta VNAR, Sterner O, 2021, *Steroidal glycosides from Caralluma pauciflora*, Phytochem Lett 41: 43-48, DOI: 10.1016/j.phytol.2020.10.016.
- Gustafson, K.R., 2011, *Flavonoids from eight tropical plant species that inhibit the multidrug resistance transporter ABCG2*, J. Nat. Prod., 74:262-264.
- Hamsidar, H., Soekamto, N.H., Syah, Y.M., Firdaus, 2019, *Determination of Secondary Metabolites, Toxicity And Antioxidant Activities Of Bark Extracts of Artocarpus lanceifolius Roxb.*, Int. Res. J. Pharm, 10(2):1-4.
- Hamsidar, H., Soekamto, N.H., Syah, Y.M., Firdaus, Elvira, 2019, *Prenylated flavon and antibacterial activities of Artocarpus lanceifolius Roxb bark*, J. Phys.: Conf. ser., 1341 072014.
- Hamzah, L., Nunuk, H.S., Firdaus, 2019, *PHYTOCHEMICAL TEST AND ANTIBACTERIAL BIOACTIVITY OF EXTRACTS FROM Artocarpus integer (Thunb.) Merr Stem Bark*, Indonesia Chimica Acta, 12(2):84-90.
- Hadriyati, Armini, Medi, A., & Anggelia Pratiwi, 2020, *Studi Etnobotani di Hutan Harapan Suku Anak Dalam Batin Sembilan Desa Bungku Kecamatan*

- Bajubang Batanghari Provinsi Jambi, *Journal of Healthcare Technology and Medicine*, 6(2):861-871.
- Heyne, K., 1987, *Tumbuhan berguna Indonesia*, Jilid 2, Departemen kehutanan, Jakarta Indonesia: 668-683.
- Hobley L., Harkins C., MacPhee C., Stanley-Wall N, 2015, *Giving structure to the biofilm matrix: An overview of individual strategies and emerging common themes*, FEMS Microbiol, Rev. 2015;39:649–669, doi: 10.1093/femsre/fuv015.
- Horváth, G., Jámbo, N., Kocsis, E., Böszörményi, A., Lemberkovics, E., Héthelyi, E., Kovács, K., & Kocsis, B, 2011, Role of direct bioautographic method for detection of antistaphylococcal activity of essential oils, *Natural product communications*, 6(9), 1379–1384.
- Hossain T. J, 2024, Methods for screening and evaluation of antimicrobial activity: A review of protocols, advantages, and limitations, *European journal of microbiology & immunology*, 14(2), 97–115, <https://doi.org/10.1556/1886.2024.00035>
- Hutchinson, J., 1967, *The genera of flowering plants (Angiospermae)*, Volume II, Oxford University Press, London.
- Intra, J., Sarto, C., Mazzola, S., Fania, C., Tiberti, N., & Brambilla, P, 2019, In Vitro Activity of Antifungal Drugs Against *Trichophyton rubrum* and *Trichophyton mentagrophytes* spp. by E-Test Method and Non-supplemented Mueller-Hinton Agar Plates, *Mycopathologia*, 184(4), 517–523. <https://doi.org/10.1007/s11046-019-00360-9>.
- Irianto, K, 2006, *Mikrobiologi: Mengungkap Dunia Mikroorganisme Jilid 2*, CV. Yrama Widya, Bandung.
- Irnawati, I., Purba, M., Mujadilah, R., & Sarnayani, S., 2017, Penetapan kadar vitamin C dan uji aktivitas antioksidan sari buah songi (*Dillenia serrata* Thunb) terhadap radikal DPPH, *Parmacon Jurnal Ilmiah Farmasi-UNSRAT*, 6(2), 40-44.
- J. Golus, R. Sawicki, J. Widelski, G. Ginalska, 2016, The agar microdilution method – a new method for antimicrobial susceptibility testing for essential

- oils and plant extracts, *Journal of Applied Microbiology*, Volume 121, Issue 5, Pages 1291–1299, <https://doi.org/10.1111/jam.13253>
- Jamal M., Ahmad W., Andleeb S., Jalil F., Imran M., Nawaz M.A., Hussain T., Ali M., Rafiq M., Kamil M.A, 2018, *Bacterial biofilm and associated infections. J. Chin. Med. Assoc*, 2018;81:7–11. doi: 10.1016/j.jcma.2017.07.012.
- Jawetz, E., Melnick, J.L. & Adelberg, E.A., 2005, *Mikrobiologi Kedokteran*, diterjemahkan oleh Mudihardi, E., Kuntaman, Wasito, E. B., Mertaniasih, N.M., Harsono, S., Alimsardjono, L., Edisi XXII, 327-335, 362-363, Penerbit Salemba Medika, Jakarta.
- Jeha, F.D.P., Mark, L.G.D., Agnes, T.A., Roland, A.R.M., Clint, K.C., Mark A.J.T., Muhmin, M.E.M., Cesar, G.D., 2019, *Assessment of Antimicrobial, Antioxidant and Cytotoxic Properties of the Ethanolic Extract from Dracontomelon dao (Blanco) Merr. & Rolfe*, *Pharmacophore*, 10(2):18-29.
- Jang, D.S., Cuendet, M., Hawthorne, M.E., Kardono, L.B.S., Kawanishi, K., Fong, H.H.S., Mehta RG, Pezzuto JM, Kinghorn AD, 2002, *Prenylated flavonoids of the leaves of Macaranga conifera with inhibitory activity against cyclooxygenase-2*, *Phytochemistry*, 61:867-872.
- Kuspradini H., Rosamah E., Sukaton E., Arung E. T., Kusuma I. W., 2016, *Pengenalan Jenis Getah : Gum-Lateks-Resin*, Mulawarman University Press, Samarinda
- Kusumaningtyas, E., Astuti, E., & Darmono, 2008, Sensitivitas Metode Bioutografi Kontak dan Agar Overlay dalam Penentuan Senyawa Antikapang, *Jurnal Ilmu Kefarmasian Indonesia*, 6 (2), 75-79.
- Kim J. S., Lee E. G., Chun B. C, 2022, Epidemiologic characteristics and case fatality rate of *Vibrio vulnificus* infection: analysis of 761 cases from 2003 to 2016 in Korea, *J. Korean. Med. Sci.* 37, e79, doi: 10.3346/jkms.2022.37.e79
- Katzung, B. G., 2004, *Farmakologi Dasar dan Klinik. Edisi XIII. Buku 3*, Translation of Basic and Clinical Pharmacology Eight Edition Alih bahasa oleh Bagian Farmakologi Fakultas kedokteran Universitas Airlangga, Salemba Medika, Jakarta.

- Khan, M.R., & Omoloso, A.D., 2002, *Antibacterial and antifungal activities of Dracontomelon dao*, *Fitoterapia*, 73(4):327–330.
- Khezripour, A. R., Sour, D., Tavafi, H., & Ghabooli, M, 2019, Serial dilution bioassay for the detection of antibacterial potential of ZnSe quantum dots and their Fourier transform infra-red spectroscopy, *Measurement*, 148, 106939.
- Ko, H.H., Yang, S.Z., Lin, C.N., 2000, *Helvetica Chimica Acta*, 83: 3000-3005.
- Kosanić, M., & Ranković, B, 2019, Lichen secondary metabolites as potential antibiotic agents, *Lichen secondary metabolites: bioactive properties and pharmaceutical potential*, 99-127.
- Koudou, J., Edou, P., Obame, L. C., Bassolé, I. H., Figueredo, G., Agnani, H., dkk., 2008, Volatile components, antioxidant and antimicrobial properties of the essential oil of *Dacryodes edulis* G. Don from Gabon, *Journal of Applied Sciences*, 8(19), 3532–3535.
- Lemmens, R.H.M.J., Soerjanegara, I., and Wong, W.C., 1995, Plant resources of South East Asia 5(2), *Timbers Trees: Minor commercial timbers*, *Prosea Foundation*, Bogor, Indonesia.
- Lisdiani, L., Susanto, D., & Manurung, H., 2022, Phytochemical screening and antioxidant activity of methanol extract of *Dillenia excelsa* leaf, *Biodiversitas Journal of Biological Diversity*, 23(7):3827-3835.
- Lu, Y., Lin, C.N., Ko, H.H., Yang, S.Z., Tsao, L.T., Wang, J.P., 2002, *Two novel and antiinflammatory constituents of Artocarpus rigidus*, *Helvetica Chimica Acta*, 85: 1626-1632.
- Lu, Y., Lin, C.N., Ko, H.H., Yang, S.Z., Tsao, L.T., Wang, J.P., 2003, *Novel antiinflammatory constituents of Artocarpus rigida*, *Helvetica Chimica Acta*, 86: 2566-2572.
- Madigan, MT, J. Martinko & J. Parker, 2003, *Brock biologi mikroorganisme*, edisi ke-10, Prentice Hall International, Inc., New Jersey: xix + 1097 hlm.
- Masyita, A., Mustika Sari, R., Dwi Astuti, A., Yasir, B., Rahma Rumata, N., Emran, T. B., Nainu, F., & Simal-Gandara, J, 2022, Terpenes and terpenoids as main bioactive compounds of essential oils, their roles in human health and potential application as natural food preservatives, *Food chemistry: X*, 13,

100217, <https://doi.org/10.1016/j.fochx.2022.100217>

- Nuthan, B. R., Rakshith, D., Marulasiddaswamy, K. M., Rao, H. C. Y., Ramesha, K. P., Mohana, N. C., Siddappa, S., Darshan, D., Kumara, K. K. S., & Satish, S., 2020, Application of Optimized and Validated Agar Overlay TLC-Bioautography Assay for Detecting the Antimicrobial Metabolites of Pharmaceutical Interest, *Journal of chromatographic science*, 58(8), 737–746, <https://doi.org/10.1093/chromsci/bmaa045>
- Papagianni, M., Avramidis, N., Filioussis, G., Dasiou, D., & Ambrosiadis, I., 2006, Determination of bacteriocin activity with bioassays carried out on solid and liquid substrates: assessing the factor "indicator microorganism", *Microbial cell factories*, 5, 30, <https://doi.org/10.1186/1475-2859-5-30>
- Parker, Sybil, P., 1984, *McGraw-Hill Dictionary of Biology*, McGraw-Hill Company, hlm. 112.
- Patil AS, Paikrao HM, Kale AS, Manik SR. A TLC-direct bioautography method for detection of antiurolithiatic metabolites. *J Chromatogr Sci*. 2017;55(5):578–585. 10.1093/chromsci/bmx002.
- Peter E. Wall, 2005, *Thin-layer Chromatography A Modern Practical Approach*, The Royal Society of Chemistry, UK.
- Petrova O.E., Sauer K, 2012, Sticky situations: Key components that control bacterial surface attachment, *J. Bacteriol*, 2012;194:2413–2425, doi: 10.1128/JB.00003-12.
- Preda V.G., Săndulescu O, 2019, *Communication is the key: Biofilms, quorum sensing, formation and prevention*, *Discoveries*, 2019;7:e100, doi: 10.15190/d.2019.13.
- Rabin N., Zheng Y., Opoku T.C., Du Y.X., Bonsu F., Sintim H.O, 2015, *Biofilm formation mechanisms and targets for developing antibiofilm agents*, *Future Med. Chem*, 2015;7:493–512, doi: 10.4155/fmc.15.6.
- Ramli, F., Rahmani, M., Kassim, N.K., Hashim, N.M., Sukari, A.M., Akim, A.M., Go, R., 2013, *New diprenylated dihydrochalcones from leaves of *Artocarpus elasticus**, *Phytochem. Lett.*, 6:582–585.
- Ranita K.D., 2024, *Skrining Bahan Aktif Penyembuhan Luka Beberapa Ekstrak*

- Tumbuhan Wilayah Kalimantan Berdasarkan Aktivitas Antibakteri Terhadap *Staphylococcus Aureus*, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Ristiati, N. P., 2000, *Pengantar Mikrobiologi Umum*, Proyek Pengembangan sekolah menengah IBRD Loan Direktorat Jendral Pendidikan Tinggi: Departemen Pendidikan Nasional.
- Robbani MH, Wahjono HD, 2019, Identifikasi Teknologi Pencegahan Pembentukan Biofilm Di Permukaan Sensor Yang Digunakan Pada Teknologi Onlino, *Jurnal Air Indonesia*, 2019;10(1).
- Rumbaugh K.P., Sauer K, 2020, *Biofilm dispersion*, Nat. Rev. Microbiol, 2020;18:571–586. doi: 10.1038/s41579-020-0385-0.
- Samrot AV, Abubakar Mohamed A, Faradjeva E, 2021, *Mechanisms and Impact of Biofilms and Targeting of Biofilms Using Bioactive Compounds-A Review*. Medicina (Kaunas). 2021;57(8):839, Published 2021 Aug 18, doi:10.3390/medicina57080839.
- Smith W. D., Bardin E., Cameron L., Edmondson C. L., Farrant K. V., Martin I., 2017, *Current and future therapies for Pseudomonas aeruginosa infection in patients with cystic fibrosis*, FEMS Microbiol, Lett. 364, fnx121, doi: 10.1093/femsle/fnx121.
- Stuardo, M., & San Martín, R, 2008, Antifungal properties of quinoa (*Chenopodium quinoa* Willd) alkali treated saponins against *Botrytis cinerea*, *Industrial crops and products*, 27(3), 296-302.
- Suleimana, M. M., McGaw, L. J., Naidoo, V., & Eloff, J. N, 2009, Detection of antimicrobial compounds by bioautography of different extracts of leaves of selected South African tree species, *African journal of traditional, complementary, and alternative medicines : AJTCAM*, 7(1), 64–78, <https://doi.org/10.4314/ajtcam.v7i1.57269>
- Urbain A, Simões-Pires CA, 2006, *Thin-layer chromatography for the detection and analysis of bioactive natural products*, Encyclopedia Anal Chem Appl Theor Instrumentation, 2006:1–29.
- Varela, N. P., Friendship, R., Dewey, C., & Valdivieso, A, 2008, Comparison of agar dilution and E-test for antimicrobial susceptibility testing of

- Campylobacter* coil isolates recovered from 80 Ontario swine farms, *Canadian journal of veterinary research = Revue canadienne de recherche veterinaire*, 72(2), 168–174.
- Verheij, E.W.M dan R.E. Coronel., 1997, *Sumber Daya Nabati Asia Tenggara 2: buah-buahan yang dapat dimakan*, Gramedia Pustaka Utama, Jakarta.
- Vestby L.K., Grønseth T., Simm R., Nesse L.L, 2020, *Bacterial biofilm and its role in the pathogenesis of disease*, *Antibiotics*, 2020;9:59, doi: 10.3390/antibiotics9020059.
- Wagner, H., Bladt, S., & Zgainski, E.M., 1984, *Plant Drug Analysis: A Thin Layer Chromatography Atlas*, Springer-Verlag, Berlin.
- Weinstein, M. P., & Lewis, J. S., 2020, The Clinical and Laboratory Standards Institute Subcommittee on Antimicrobial Susceptibility Testing: Background, Organization, Functions, and Processes, *Journal of clinical microbiology*, 58(3), e01864-19, <https://doi.org/10.1128/JCM.01864-19>
- Wilking, J. N., Zaburdaev, V., De Volder, M., Losick, R., Brenner, M. P., & Weitz, D. A, 2013, Liquid transport facilitated by channels in *Bacillus subtilis* biofilms, *Proceedings of the National Academy of Sciences of the United States of America*, 110(3), 848–852. <https://doi.org/10.1073/pnas.1216376110>
- Wiegand, I., Hilpert, K., & Hancock, R. E, 2008, Agar and broth dilution methods to determine the minimal inhibitory concentration (MIC) of antimicrobial substances, *Nature protocols*, 3(2), 163–175, <https://doi.org/10.1038/nprot.2007.521>
- Wilkinson JM, 2006, *Methods for testing the antimicrobial activity of extracts*, In: *Modern phytomedicine*, John Wiley & Sons, Ltd; 2006:157–171.
- Yazan, L. S., & Armania, N., 2014, Dilleniasespecies: A review of the traditional uses, active constituents and pharmacological properties from pre-clinical studies, *Pharm Biol*, 52, 890–897.
- Yosephine, A. D., Wulanjati, M. P., Saifullah, T. N., & Astuti, P., 2013, Formulasi Mouthwash Minyak Atsiri Daun Kemangi (*Ocimum basilicum* L.) Serta Uji Antibakteri Dan Antibiofilm terhadap Bakteri *Streptococcus mutans* Secara In Vitro, *Trad. Med. J.*, 18 (2), 95-102.

Zakaria, 2019, *Fitokimia Tumbuhan Artocarpus*, Cetakan I, Sahifah, Aceh.