

## Daftar Pustaka

- Aguiar, J., Estevinho, B.N., Santos, L., 2016. Microencapsulation of natural antioxidants for food application – The specific case of coffee antioxidants – A review. *Trends Food Sci Technol.* <https://doi.org/10.1016/j.tifs.2016.10.012>
- Ahmad Bhawani, S., Fong, S.S. and Mohamad Ibrahim, M.N. (2015). Spectrophotometric Analysis of Caffeine. *International Journal of Analytical Chemistry*, 2015(170239), pp.1–7. [doi:<https://doi.org/10.1155/2015/170239>](https://doi.org/10.1155/2015/170239)
- Aini, N. L., Mulyono, M. and Hanudin, E. (2016) ‘Mineral Mudah Lapuk material Piroklastik Merapi Dan potensi Keharannya Bagi tanaman’, *Planta Tropika: Journal of Agro Science*, 4(2), pp. 84–94. [doi:10.18196/pt.2016.060.84-94](https://doi.org/10.18196/pt.2016.060.84-94).
- Alonso-Salces, R.M., Serra, F., Reniero, F. and HÉbergerKa. (2009). Botanical and Geographical Characterization of Green Coffee (*Coffea arabica* and *Coffea canephora*): Chemometric Evaluation of Phenolic and Methylxanthine Contents. *Journal of Agricultural and Food Chemistry*, 57(10), pp.4224–4235. [doi:<https://doi.org/10.1021/jf8037117>](https://doi.org/10.1021/jf8037117).
- Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* 25: 3389-3402.
- Álvarez-Martín, P., Flórez, A.B., Hernández-Barranco, A. and Mayo, B. (2008). Interaction between dairy yeast and lactic acid bacteria strains during milk fermentation. *Food Control*, 19(1), pp.62–70. [doi:<https://doi.org/10.1016/j.foodcont.2007.02.003>](https://doi.org/10.1016/j.foodcont.2007.02.003).
- Ashihara, H., Sano, H., Crozier, A., 2008. Caffeine and related purine alkaloids: Biosynthesis, catabolism, function and genetic engineering. *Phytochemistry* 69, 841–856. <https://doi.org/10.1016/j.phytochem.2007.10.029>
- Arellano-González, M.A., Ramírez-Coronel, M.A., Torres-Mancera, M.T., Pérez-Morales, G.G. and Saucedo-Castañeda, G., 2011. Antioxidant activity of fermented and nonfermented coffee (*Coffea arabica*) pulp extracts. *Food Technology and Biotechnology*, 49(3), pp.374-378.
- Avallone, S., Brillouet, J.M., Guyot, B., Olguin, E., Guiraud, J.P., 2002. Involvement of pectolytic micro-organisms in coffee fermentation. *Int J Food Sci Technol* 37, 191–198. <https://doi.org/10.1046/j.1365-2621.2002.00556.x>

Banti, M., Abraham, E., 2021. Coffee Processing Methods, Coffee Quality and Related Environmental Issues. *Journal of Food and Nutrition Sciences* 9, 144. <https://doi.org/10.11648/j.jfns.20210906.12>

Barbosa, J.N., Borem, F.M., Cirillo, M.A., Malta, M.R., Alvarenga, A.A., Alves, H.M.R., 2012. Coffee Quality and Its Interactions with Environmental Factors in Minas Gerais, Brazil. *Journal of Agricultural Science* 4. <https://doi.org/10.5539/jas.v4n5p181>

Bautista-Rosales, P.U., Calderon-Santoyo, M., Servín-Villegas, R., Ochoa-Álvarez, N.A., Ragazzo-Sánchez, J.A., 2013. Action mechanisms of the yeast Meyerozyma caribbica for the control of the phytopathogen Colletotrichum gloeosporioides in mangoes. *Biological Control* 65, 293–301. <https://doi.org/10.1016/j.biocontrol.2013.03.010>

Bel-Rhlid, R., Thapa, D., Krahenbuehl, K., Hansen, C., Fischer, L., 2013. Biotransformation of caffeoyl quinic acids from green coffee extracts by *Lactobacillus johnsonii* NCC 533. *AMB Express* 3, 28. <https://doi.org/10.1186/2191-0855-3-28>

Boonamnuayvitaya, V., Sae-Ung, S., Tanthapanichakoon, W., 2005. Preparation of activated carbons from coffee residue for the adsorption of formaldehyde. *Sep Purif Technol* 42, 159–168. <https://doi.org/10.1016/j.seppur.2004.07.007>

Bressani, A.P.P., Martinez, S.J., Batista, N.N., Simão, J.B.P., Dias, D.R., Schwan, R.F., 2021. Co-inoculation of yeast starters: A strategy to improve quality of low altitude Arabica coffee. *Food Chem* 361, 130133. <https://doi.org/10.1016/j.foodchem.2021.130133>

Bressani, A.P.P., Martinez, S.J., Evangelista, S.R., Dias, D.R. and Schwan, R.F. (2018). Characteristics of fermented coffee inoculated with yeast starter cultures using different inoculation methods. *LWT*, [online] 92, pp.212–219. doi:<https://doi.org/10.1016/j.lwt.2018.02.029>.

Brizuela, N., Tymczyszyn, E.E., Semorile, L.C., Valdes La Hens, D., Delfederico, L., Hollmann, A., Bravo-Ferrada, B., 2019. *Lactobacillus plantarum* as a malolactic starter culture in winemaking: A new (old) player? *Electronic Journal of Biotechnology* 38, 10–18. <https://doi.org/10.1016/j.ejbt.2018.12.002>

Buffo, R.A., Cardelli-Freire, C., 2004. Coffee flavour: An overview. *Flavour Fragr J.* <https://doi.org/10.1002/ffj.1325>

- Carvalho, J., Matheus, Maciel, L. and Líbia Diniz Santos (2023). Coffee fermentation process: A review. *Food Research International*, pp.112793–112793. [doi:<https://doi.org/10.1016/j.foodres.2023.112793>](https://doi.org/10.1016/j.foodres.2023.112793).
- Cassimiro, D.M. de J., Batista, N.N., Fonseca, H.C., Naves, J.A.O., Dias, D.R. and Schwan, R.F. (2022). Coinoculation of lactic acid bacteria and yeast's increases the quality of wet fermented Arabica coffee. *International Journal of Food Microbiology*, [online] 369, p.109627. [doi:<https://doi.org/10.1016/j.ijfoodmicro.2022.109627>](https://doi.org/10.1016/j.ijfoodmicro.2022.109627).
- Chen, C., Xiong, Y., Xie, Y., Zhang, H., Jiang, K., Pang, X.-N. and Huang, M. (2022). Metabolic characteristics of lactic acid bacteria and interaction with yeast isolated from light-flavor Baijiu fermentation. *Food Bioscience*, 50, pp.102102–102102. [doi:<https://doi.org/10.1016/j.fbio.2022.102102>](https://doi.org/10.1016/j.fbio.2022.102102).
- Clifford, M.N., 2000. Chlorogenic acids and other cinnamates - nature, occurrence, dietary burden, absorption and metabolism. *J Sci Food Agric* 80, 1033–1043. [https://doi.org/10.1002/\(SICI\)1097-0010\(20000515\)80:7<1033::AID-JSFA595<3.0.CO;2-T](https://doi.org/10.1002/(SICI)1097-0010(20000515)80:7<1033::AID-JSFA595<3.0.CO;2-T)
- Clifford, M.N., Willson, K.C. (Eds.), 1985a. Coffee. Springer US, Boston, MA. <https://doi.org/10.1007/978-1-4615-6657-1>
- Constantino, L.V., Zeffa, D.M., Koltun, A., Urbano, M.R., Sanzovo, A.W.S., Nixdorf, S.L., 2020. Extraction of Soluble Sugars from Green Coffee Beans Using Hot Water and Quantification by a Chromatographic Method without an Organic Solvent. *Acta Chromatogr* 32, 242–246. <https://doi.org/10.1556/1326.2020.00704>
- Coste, R., Cambrony, H. and Tindall, H.D. (1993) *Coffee: The plant and the product*. London: Macmillan.
- Crépin, L., Nidelet, T., Sanchez, I., Dequin, S., Camarasa, C., 2012. Sequential Use of Nitrogen Compounds by *Saccharomyces cerevisiae* during Wine Fermentation: a Model Based on Kinetic and Regulation Characteristics of Nitrogen Permeases. *Appl Environ Microbiol* 78, 8102–8111. <https://doi.org/10.1128/AEM.02294-12>
- Cruz-O'Byrne, R., Piraneque-Gambasica, N. and Aguirre-Forero, S. (2021). Microbial diversity associated with spontaneous coffee bean fermentation process and specialty coffee production in northern Colombia. *International Journal of Food Microbiology*, 354, p.109282. [doi:<https://doi.org/10.1016/j.ijfoodmicro.2021.109282>](https://doi.org/10.1016/j.ijfoodmicro.2021.109282).



Dash, S.S. and Gummadi, S.N. (2006). Catabolic pathways and biotechnological applications of microbial caffeine degradation. *Biotechnology Letters*, 28(24), pp.1993–2002. [doi:<https://doi.org/10.1007/s10529-006-9196-2>](https://doi.org/10.1007/s10529-006-9196-2)

Da Silva, N., Taniwaki, M.H., Junqueira, V.C., Silveira, N., Okazaki, M.M. and Gomes, R.A.R., 2018. *Microbiological examination methods of food and water: a laboratory manual*. CRC Press.

da Silva, B.L., Pereira, P.V., Bertoli, L.D., Silveira, D.L., Batista, N.N., Pinheiro, P.F., de Souza Carneiro, J., Schwan, R.F., de Assis Silva, S., Coelho, J.M., Bernardes, P.C., 2021a. Fermentation of Coffea canephora inoculated with yeasts: Microbiological, chemical, and sensory characteristics. *Food Microbiol* 98, 103786. <https://doi.org/10.1016/j.fm.2021.103786>

da Silva, B.L., Pereira, P.V., Bertoli, L.D., Silveira, D.L., Batista, N.N., Pinheiro, P.F., de Souza Carneiro, J., Schwan, R.F., de Assis Silva, S., Coelho, J.M., Bernardes, P.C., 2021b. Fermentation of Coffea canephora inoculated with yeast: Microbiological, chemical, and sensory characteristics. *Food Microbiol* 98. <https://doi.org/10.1016/j.fm.2021.103786>

Dawidowicz, A.L., Typek, R., 2010. Thermal Stability of 5-Caffeoylquinic Acid in Aqueous Solutions at Different Heating Conditions. *J Agric Food Chem* 58, 12578–12584. <https://doi.org/10.1021/jf103373t>

de Carvalho Neto, D., de Melo Pereira, G., Tanobe, V., Thomaz Soccol, V., G. da Silva, B., Rodrigues, C., Soccol, C., 2017. Yeast Diversity and Physicochemical Characteristics Associated with Coffee Bean Fermentation from the Brazilian Cerrado Mineiro Region. *Fermentation* 3, 11. <https://doi.org/10.3390/fermentation3010011>

De Maria, C.A.B., Trugo, L.C., Moreira, R.F.A., Petracco, M., 1995. Simultaneous determination of total chlorogenic acid, trigonelline and caffeine in green coffee samples by high performance gel filtration chromatography, *Food Chemistry*.

de Melo Pereira, G.V., Soccol, V.T., Pandey, A., Medeiros, A.B.P., Andrade Lara, J.M.R., Gollo, A.L. and Soccol, C.R. (2014). Isolation, selection and evaluation of yeast for use in fermentation of coffee beans by the wet process. *International Journal of Food Microbiology*, [online] 188, pp.60–66. [doi:<https://doi.org/10.1016/j.ijfoodmicro.2014.07.008>](https://doi.org/10.1016/j.ijfoodmicro.2014.07.008)

de Melo Pereira, G. V., de Carvalho Neto, D.P., Magalhães Júnior, A.I., Vásquez, Z.S., Medeiros, A.B.P., Vandenberghe, L.P.S., Soccol, C.R., 2019. Exploring

the impacts of postharvest processing on the aroma formation of coffee beans – A review. *Food Chem.* <https://doi.org/10.1016/j.foodchem.2018.08.061>

de Melo Pereira GV, da Silva Vale A, de Carvalho Neto DP, Muynarsk ES, Thomaz Soccol V, Soccol CR, 2019. Lactic acid bacteria: What coffee industry should know?, *Current Opinion in Food Science*, <https://doi.org/10.1016/j.cofs.2019.07.004>

Dairobbi, A., Irfan, I. and Sulaiman, I. (2018). Kajian Mutu Wine Coffee Arabika Gayo. *Jurnal Ilmiah Mahasiswa Pertanian*, [online] 3(4), pp.822–829. doi:<https://doi.org/10.17969/jimfp.v3i4.5426>.

Elhalis, H., Cox, J. and Zhao, J. (2023) ‘Coffee fermentation: Expedition from traditional to controlled process and perspectives for industrialization’, *Applied Food Research*, 3(1), p. 100253. [doi:10.1016/j.afres.2022.100253](https://doi.org/10.1016/j.afres.2022.100253).

Elhalis, H., Cox, J., Frank, D., Zhao, J., 2021. The role of wet fermentation in enhancing coffee flavor, aroma and sensory quality. *European Food Research and Technology* 247, 485–498. <https://doi.org/10.1007/s00217-020-03641-6>

Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2021b). Microbiological and Chemical Characteristics of Wet Coffee Fermentation Inoculated With Hansinaspora uvarum and Pichia kudriavzevii and Their Impact on Coffee Sensory Quality. *Frontiers in Microbiology*, 12(August), 1–13. <https://doi.org/10.3389/fmicb.2021.713969>

Elhalis, H., Cox, J., Frank, D., Zhao, J., 2020. The crucial role of yeast in the wet fermentation of coffee beans and quality. *Int J Food Microbiol* 333, 108796. <https://doi.org/10.1016/j.ijfoodmicro.2020.108796>

Essawet, N. et al. 2015. Polyphenols and antioxidant activities of Kombucha beverage enriched with Coffeeberry® Extract, *Chemical Industry and Chemical Engineering Quarterly*, 21(3), pp. 399–409. [doi:10.2298/ciceq140528042e](https://doi.org/10.2298/ciceq140528042e).

Evangelista, S.R., da Cruz Pedrozo Miguel, M.G., de Souza Cordeiro, C., Silva, C.F., Marques Pinheiro, A.C., Schwan, R.F., 2014a. Inoculation of starter cultures in a semi-dry coffee (*Coffea arabica*) fermentation process. *Food Microbiol* 44, 87–95. <https://doi.org/10.1016/j.fm.2014.05.013>

Evangelista, S.R., Silva, C.F., Miguel, M.G.P. da C., Cordeiro, C. de S., Pinheiro, A.C.M., Duarte, W.F., Schwan, R.F., 2014b. Improvement of coffee beverage quality by using selected yeast strains during the fermentation in dry process.

- Food Research International 61, 183–195.  
<https://doi.org/10.1016/j.foodres.2013.11.033>
- Farah, A., Donangelo, C.M., 2006. Phenolic compounds in coffee. Brazilian Journal of Plant Physiology 18, 23–36. <https://doi.org/10.1590/S1677-04202006000100003>
- Geromel, C., Ferreira, L.P., Davrieux, F., Guyot, B., Ribeyre, F., Brígida dos Santos Scholz, M., Protasio Pereira, L.F., Vaast, P., Pot, D., Leroy, T., Filho, A.A., Esteves Vieira, L.G., Mazzafera, P. and Marraccini, P. (2008). Effects of shade on the development and sugar metabolism of coffee (*Coffea arabica* L.) fruits. *Plant Physiology and Biochemistry*, 46(5), pp.569–579. <https://doi.org/10.1016/j.plaphy.2008.02.006>.
- Gil, M., Wianowska, D., 2017. Chlorogenic acids – their properties, occurrence and analysis. *Annales Universitatis Mariae Curie-Sklodowska, sectio AA – Chemia* 72, 61. <https://doi.org/10.17951/aa.2017.72.1.61>
- Gloess, A.N., Vietri, A., Wieland, F., Smrke, S., Schönbächler, B., López, J.A.S., Petrozzi, S., Bongers, S., Koziorowski, T., Yeretzian, C., 2014. Evidence of different flavour formation dynamics by roasting coffee from different origins: On-line analysis with PTR-ToF-MS. *Int J Mass Spectrom* 365–366, 324–337. <https://doi.org/10.1016/j.ijms.2014.02.010>
- Global Agricultural International Network.* (2019). Gain.fas.usda.gov. <https://gain.fas.usda.gov/#/home>
- Gök, İ., 2021. Effect of roasting, brewing/cooking techniques on the bioactive compounds of coffee: Benefits on human health as a functional food. *Food and Health* 7, 311–328. <https://doi.org/10.3153/fh21032>
- Goldemberg, D.C., Antonio, A.G., Farah, A., Maia, L.C., 2015. *Coffea canephora*, in: *Coffee in Health and Disease Prevention*. Elsevier, pp. 615–625. <https://doi.org/10.1016/B978-0-12-409517-5.00069-3>
- Haile, M., Kang, W.H., 2019. The Role of Microbes in Coffee Fermentation and Their Impact on Coffee Quality. *J Food Qual.* <https://doi.org/10.1155/2019/4836709>
- Haile, M., Kang, W.H., 2019b. Isolation, Identification, and Characterization of Pectinolytic yeast for Starter Culture in Coffee Fermentation. *Microorganisms* 7, 401. <https://doi.org/10.3390/microorganisms7100401>

Hećimović, I., Belščak-Cvitanović, A., Horžić, D., Komes, D., 2011. Comparative study of polyphenols and caffeine in different coffee varieties affected by the degree of roasting. *Food Chem* 129, 991–1000.  
<https://doi.org/10.1016/j.foodchem.2011.05.059>

Higdon, J. V., Frei, B., 2006. Coffee and health: A review of recent human research. *Crit Rev Food Sci Nutr* 46, 101–123.  
<https://doi.org/10.1080/10408390500400009>

Huch, M., Franz, C.M.A.P., 2014. Coffee: Fermentation and microbiota, in: Advances in Fermented Foods and Beverages: Improving Quality, Technologies and Health Benefits. Elsevier Inc., pp. 501–513.  
<https://doi.org/10.1016/B978-1-78242-015-6.00021-9>

Ibrahim, S., Shukor, M.Y., Syed, M.A., Ab Rahman, N.A., Khalil, K.A., Khalid, A. and Ahmad, S.A., 2014. Bacterial degradation of caffeine: A review. *Asian Journal of Plant Biology*, 2(1), pp.19-28.

*International Coffee Organization*. (2023). Icocoffee.org. <https://icocoffee.org/>

Izawa, K., Amino, Y., Kohmura, M., Ueda, Y., Kuroda, M., 2010. Human–Environment Interactions – Taste, in: Comprehensive Natural Products II. Elsevier, pp. 631–671. <https://doi.org/10.1016/B978-008045382-8.00108-8>

Jain, A., Jain, R., Jain, S., n.d. Basic Techniques in Biochemistry, Microbiology and Molecular Biology Principles and Techniques.

Jaiswal, R., Kiprotich, J., Kuhnert, N., 2011. Determination of the hydroxycinnamate profile of 12 members of the Asteraceae family. *Phytochemistry* 72, 781–790.  
<https://doi.org/10.1016/j.phytochem.2011.02.027>

Jeszka-Skowron, M., Sentkowska, A., Pyrzyńska, K., De Peña, M.P., 2016. Chlorogenic acids, caffeine content and antioxidant properties of green coffee extracts: influence of green coffee bean preparation. *European Food Research and Technology* 242, 1403–1409. <https://doi.org/10.1007/s00217-016-2643-y>

Junior, D.B., Guarçoni, R.C., da Silva, M.D.C.S., Veloso, T.G.R., Kasuya, M.C.M., da Silva Oliveira, E.C., da Luz, J.M.R., Moreira, T.R., Debona, D.G. and Pereira, L.L., 2021. Microbial fermentation affects sensorial, chemical, and microbial profile of coffee under carbonic maceration. *Food Chemistry*, 342, p.128296.

Kementerian Pertanian. 2014. Pedoman Teknis Budidaya Kopi yang Baik (Good Agriculture Practices/GAP on Coffee). Peraturan Menteri Pertanian. Nomor 49/Permentan/OT.140/4/2014.

Knopp, S., Bytof, G. and Selmar, D. (2005). Influence of processing on the content of sugars in green Arabica coffee beans. *European Food Research and Technology*, 223(2), pp.195–201. doi:<https://doi.org/10.1007/s00217-005-0172-1>.

Lactic acid bacteria: what coffee industry should know? (2020). *Current Opinion in Food Science*, [online] 31, pp.1–8. doi:<https://doi.org/10.1016/j.cofs.2019.07.004>.

Lee, L.W., Cheong, M.W., Curran, P., Yu, B., Liu, S.Q., 2015. Coffee fermentation and flavor – An intricate and delicate relationship. *Food Chem* 185, 182–191. <https://doi.org/10.1016/j.foodchem.2015.03.124>

Lin, Z., Wei, J., Hu, Y., Pi, D., Jiang, M., Lang, T., 2023. Caffeine Synthesis and Its Mechanism and Application by Microbial Degradation, A Review. *Foods* 12, 2721. <https://doi.org/10.3390/foods12142721>

Looser, E., Baumann, T.W., Wanner, H., 1974. The biosynthesis of caffeine in the coffee plant. *Phytochemistry* 13, 2515–2518. [https://doi.org/10.1016/S0031-9422\(00\)86929-0](https://doi.org/10.1016/S0031-9422(00)86929-0)

LPPOM MUI, (2022). *Wine Coffee, Halalkah Dikonsumsi? / LPPOM MUI*. [online] Available at: <https://halalmui.org/wine-coffee-halalkah-dikonsumsi/> [Accessed 14 Mar. 2024].

Martinez, S.J., Rabelo, M.H.S., Bressani, A.P.P., Da Mota, M.C.B., Borém, F.M., Schwan, R.F., 2021. Novel stainless steel tanks enhances coffee fermentation quality. *Food Research International* 139, 109921. <https://doi.org/10.1016/j.foodres.2020.109921>

Masoud, W., Jespersen, L., 2006. Pectin degrading enzymes in yeast involved in fermentation of Coffea arabica in East Africa. *Int J Food Microbiol* 110, 291–296. <https://doi.org/10.1016/j.ijfoodmicro.2006.04.030>

Mayo, B., Aleksandrzak-Piekarczyk, T., Fernndez, M., Kowalczyk, M., lvarez-Martn, P. and Bardowski, J. (2010.). Updates in the Metabolism of Lactic Acid Bacteria. *Biotechnology of Lactic Acid Bacteria*, pp.3–33. doi:<https://doi.org/10.1002/9780813820866.ch1>.

Miller, G.L., 1959. Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Anal Chem* 31, 426–428. <https://doi.org/10.1021/ac60147a030>

Moon, J.K., Hyui Yoo, S.U.N., Shibamoto, T., 2009. Role of roasting conditions in the level of chlorogenic acid content in coffee beans: Correlation with coffee acidity. *J Agric Food Chem* 57, 5365–5369. <https://doi.org/10.1021/jf900012b>

Myo, H., Nantarat, N. and Khat-Udomkiri, N. (2021f) Changes in bioactive compounds of coffee pulp through fermentation-based biotransformation using *lactobacillus plantarum* TISTR 543 and its antioxidant activities, *Fermentation*, 7(4), p. 292. [doi:10.3390/fermentation7040292](https://doi.org/10.3390/fermentation7040292).

Nagel, C.W., Herrick, I.W., Graber, W.R., n.d. Is Chlorogenic Acid Bitter?

Narko, T., Singgih Wibowo, M., Damayanti, S., Wibowo, I. and Arbi Hadiyat, M. (2020). Optimization of robusta green coffee fermentation using response surface methodology. *Coffee Science*, 15, pp.1–9. [doi:https://doi.org/10.25186/v15i.1671](https://doi.org/10.25186/v15i.1671).

Narita, Y., Inouye, K., 2015. Chlorogenic Acids from Coffee, in: Coffee in Health and Disease Prevention. Elsevier Inc., pp. 189–199. <https://doi.org/10.1016/B978-0-12-409517-5.00021-8>

Negri, G., Teixeira, E.W., Florêncio Alves, M.L.T.M., Moreti, A.C. de C.C., Otsuk, I.P., Borguini, R.G. and Salatino, A. (2011). Hydroxycinnamic Acid Amide Derivatives, Phenolic Compounds and Antioxidant Activities of Extracts of Pollen Samples from Southeast Brazil. *Journal of Agricultural and Food Chemistry*, 59(10), pp.5516–5522. [doi:https://doi.org/10.1021/jf200602k](https://doi.org/10.1021/jf200602k).

Neves, C.M.B., Simões, M.M.Q., Santos, I.C.M.S., Domingues, F.M.J., Neves, M.G.P.M.S., Almeida Paz, F.A., Silva, A.M.S., Cavaleiro, J.A.S., 2011. Oxidation of caffeine with hydrogen peroxide catalyzed by metalloporphyrins. *Tetrahedron Lett* 52, 2898–2902. <https://doi.org/10.1016/j.tetlet.2011.03.139>

Noriega-Medrano, L.J., Vega-Estrada, J., Ortega-López, J., Ruiz-Medrano, R., Cristiani-Urbina, E., Montes-Horcasitas, M. del C., 2016. Alternative non-chromatographic method for alcohols determination in *Clostridium acetobutylicum* fermentations. *J Microbiol Methods* 126, 48–53. <https://doi.org/10.1016/j.mimet.2016.05.001>

Nowak, M.D., Davis, A.P., Anthony, F., Yoder, A.D., 2011. Expression and Trans-Specific Polymorphism of Self-Incompatibility RNases in *Coffea* (Rubiaceae). *PLoS One* 6, e21019. <https://doi.org/10.1371/journal.pone.0021019>

P. D. Oliveira, F. M. Borem, E. P. Isquierdo, G. D. S. Giomo, † R. R. de Lima, and R. A. Cardoso., 2013. Physiological aspects of coffee beans, processed and dried through different methods, associated with sensory quality, *Coffee Science*, vol. 8, no. 2, pp. 211–220.

Pigozzi, M. T., Passos, F. R. & Mendes, F. Q., 2018. Quality of Commercial Coffees: Heavy Metal and Ash Contents. *Journal of Food Quality*, pp. 1 - 7.

Pinelo, M., Arnous, A. and Meyer, A.S. (2006) ‘Upgrading of grape skins: Significance of plant cell-wall structural components and extraction techniques for phenol release’, *Trends in Food Science & Technology*, 17(11), pp. 579–590. [doi:10.1016/j.tifs.2006.05.003](https://doi.org/10.1016/j.tifs.2006.05.003).

Pereira, G. V., Neto, E., Soccol, V. T., Medeiros, A. B. P., Woiciechowski, A. L., & Soccol, C. R. (2015). Conducting starter culture-controlled fermentations of coffee beans during on-farm wet processing: Growth, metabolic analyses and sensorial effects. *Food Research International*, 75, 348–356. <https://doi.org/10.1016/j.foodres.2015.06.027>

Pereira, G.V. de M., de Carvalho Neto, D.P., Medeiros, A.B.P., Soccol, V.T., Neto, E., Woiciechowski, A.L. and Soccol, C.R. (2016). Potential of lactic acid bacteria to improve the fermentation and quality of coffee during on-farm processing. *International Journal of Food Science & Technology*, 51(7), pp.1689–1695. [doi:https://doi.org/10.1111/ijfs.13142](https://doi.org/10.1111/ijfs.13142).

Pérez-Sariñana, B.Y., Saldaña-Trinidad, S., 2017. Chemistry and Biotransformation of Coffee By-Products to Biofuels, in: The Question of Caffeine. InTech. <https://doi.org/10.5772/intechopen.68598>

Petersen, M., Hans, J., Matern, U., 2010. Biosynthesis of Phenylpropanoids and Related Compounds, in: Biochemistry of Plant Secondary Metabolism: Second Edition. Wiley Blackwell, pp. 182–257. <https://doi.org/10.1002/9781444320503.ch4>

Pintoko,Nur Cahyani. 2016. Secangkir Kisah Dari Merapi.UPT Perpustakaan ISI. Yogyakarta.

Poisson, L., Auzanneau, N., Mestdagh, F., Blank, I., Davidek, T., 2018. New Insight into the Role of Sucrose in the Generation of  $\alpha$ -Diketones upon Coffee Roasting. *J Agric Food Chem* 66, 2422–2431. <https://doi.org/10.1021/acs.jafc.6b04849>

- Poisson, L., Blank, I., Dunkel, A. and Hofmann, T., 2017. The chemistry of roasting—Decoding flavor formation. In *The craft and science of coffee* (pp. 273–309). Academic Press.
- Ramalakshmi, K. and Raghavan, B. (1999). Caffeine in Coffee: Its Removal. Why and How? *Critical Reviews in Food Science and Nutrition*, 39(5), pp.441–456. [doi:<https://doi.org/10.1080/1040869991279231>](https://doi.org/10.1080/1040869991279231)
- Ramírez-Velasco, L. et al. (2016a) Liberation of caffeic acid from coffee pulp using an extractwith chlorgenate esterase activity ofaspergillus ochraceusproducedby solid state fermentation, *Revista Mexicana de Ingeniería Química*, 15(2), pp. 503–512. [doi:\[10.24275/rmiq/alim1161\]\(https://doi.org/10.24275/rmiq/alim1161\)](https://doi.org/10.24275/rmiq/alim1161)
- Ribeiro, L.S., Miguel, M.G. da C.P., Evangelista, S.R., Martins, P.M.M., van Mullem, J., Belizario, M.H. and Schwan, R.F. (2017). Behavior of yeast inoculated during semi-dry coffee fermentation and the effect on chemical and sensorial properties of the final beverage. *Food Research International*, [online] 92, pp.26–32. [doi:<https://doi.org/10.1016/j.foodres.2016.12.011>](https://doi.org/10.1016/j.foodres.2016.12.011)
- Rosmery Cruz O'Byrne, Piraneque-Gambasica, N. and Aguirre-Forero, S. (2023). Lactic acid bacteria diversity and dynamics in colombian coffee fermentation. *Coffee Science*, 18, pp.1–11. [doi:<https://doi.org/10.25186/v18i.2141>](https://doi.org/10.25186/v18i.2141)
- Rubayiza, A.B., Meurens, M., 2005. Chemical discrimination of arabica and robusta coffees by fourier transform raman spectroscopy. *J Agric Food Chem* 53, 4654–4659. <https://doi.org/10.1021/jf0478657>
- Schoch, G., Goepfert, S., Morant, M., Hehn, A., Meyer, D., Ullmann, P., Werck-Reichhart, D., 2001. CYP98A3 from *Arabidopsis thaliana* Is a 3'-Hydroxylase of Phenolic Esters, a Missing Link in the Phenylpropanoid Pathway. *Journal of Biological Chemistry* 276, 36566–36574. <https://doi.org/10.1074/jbc.M104047200>
- Seninde, D.R., Chambers, E., 2020. Coffee Flavor: A Review. *Beverages* 6, 44. <https://doi.org/10.3390/beverages6030044>
- Silva, C.F., Schwan, R.F., Sousa Dias, É. and Wheals, A.E. (2000). Microbial diversity during maturation and natural processing of coffee cherries of *Coffea arabica* in Brazil. *International Journal of Food Microbiology*, 60(2-3), pp.251–260. [doi:\[https://doi.org/10.1016/s0168-1605\\(00\\)00315-9\]\(https://doi.org/10.1016/s0168-1605\(00\)00315-9\)](https://doi.org/10.1016/s0168-1605(00)00315-9)
- Silva, C.F., Batista, L.R., Abreu, L.M., Dias, E.S., Schwan, R.F., 2008. Succession of bacterial and fungal communities during natural coffee (*Coffea arabica*)

fermentation. Food Microbiol 25, 951–957.  
<https://doi.org/10.1016/j.fm.2008.07.003>

Silva, C.F., Vilela, D.M., de Souza Cordeiro, C., Duarte, W.F., Dias, D.R., Schwan, R.F., 2013. Evaluation of a potential starter culture for enhance quality of coffee fermentation. World J Microbiol Biotechnol 29, 235–247.  
<https://doi.org/10.1007/s11274-012-1175-2>

Silva, M.D.C.S., Veloso, T.G.R., Junior, D.B., Bullergahn, V.B., da Luz, J.M.R., Menezes, K.M.S., Guarçoni, R.C., Kasuya, M.C.M. and Pereira, L.L., 2023. Bacterial community and sensory quality from coffee are affected along fermentation under carbonic maceration. *Food Chemistry Advances*, 3, p.100554.

Singleton, V.L., Joseph, A., Rossi, +, 1965. Colorimetry of Total Phenolics with Phosphomolybdic-Phosphotungstic Acid Reagents.

Smit, B.A. et al. 2005. Identification, cloning, and characterization of a *lactococcus lactis* branched-chain  $\alpha$ -keto acid decarboxylase involved in flavor formation', *Applied and Environmental Microbiology*, 71(1), pp. 303–311. [doi:10.1128/aem.71.1.303-311.2005](https://doi.org/10.1128/aem.71.1.303-311.2005).

Sulaiman, I., Hasni, D., 2022. Microorganism growth profiles during fermentation of Gayo Arabica wine coffee, in: IOP Conference Series: Earth and Environmental Science. IOP Publishing Ltd. <https://doi.org/10.1088/1755-1315/951/1/012076>

Tan, Y. et al. (2023), Impacts of fermentation on the phenolic composition, antioxidant potential, and volatile compounds profile of commercially roasted coffee beans, *Fermentation*, 9(10), p. 918. [doi:10.3390/fermentation9100918](https://doi.org/10.3390/fermentation9100918).

Thorvaldsson, M., Nurul Mutmainah, Asadin Briliantama, Sitti Rahmawati, Ashari Priyanto, None Pargiyanti and Widiasuti Setyaningsih (2022). Experimental Design-Assisted Optimization of Chromatographic Method for the Simultaneous Quantitation of Phenolic Compounds in Dried Flowers Extract. *Journal of Functional Food and Nutraceutical*, pp.83–91. <https://doi.org/10.33555/jffn.v3i2.88>.

Vaughan, M. J., Mitchell, T., & Gardener, B. B. Mc. S. (2015). What's inside that seed 530 we brew? A new approach to mining the coffee microbiome. *Applied and Environmental Microbiology*, 81(19).

Velmourougane, K. (2012). Impact of Natural Fermentation on Physicochemical, Microbiological and Cup Quality Characteristics of Arabica and Robusta

Coffee. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 83(2), pp.233–239. [doi:<https://doi.org/10.1007/s40011-012-0130-1>](https://doi.org/10.1007/s40011-012-0130-1)

Velmourougane, K., 2013. Impact of natural fermentation on physicochemical, microbiological and cup quality characteristics of Arabica and Robusta coffee. *Proceedings of the National Academy of Sciences India Section B - Biological Sciences* 83, 233–239. <https://doi.org/10.1007/s40011-012-0130-1>

Wang, C. et al. (2020) ‘Coffee flavour modification through controlled fermentations of green coffee beans by *saccharomyces cerevisiae* and *Pichia Kluyveri*: Part I. effects from individual yeast, *Food Research International*, 136, p. 109588. [doi:10.1016/j.foodres.2020.109588](https://doi.org/10.1016/j.foodres.2020.109588)

WANG, X., WAN, X., HU, S. and PAN, C. (2008). Study on the increase mechanism of the caffeine content during the fermentation of tea with microorganisms. *Food Chemistry*, 107(3), pp.1086–1091. [doi:<https://doi.org/10.1016/j.foodchem.2007.09.023>](https://doi.org/10.1016/j.foodchem.2007.09.023)

Wang, X., Wang, Y., Hu, G., Hong, D., Guo, T., Li, J., Li, Z. and Qiu, M. (2021). Review on factors affecting coffee volatiles: from seed to cup. *Journal of the Science of Food and Agriculture*, 102(4), pp.1341–1352. [doi:<https://doi.org/10.1002/jsfa.11647>](https://doi.org/10.1002/jsfa.11647)

Wendler, R., Veith, R., Dancer, J., Stitt, M. and Komor, E. (1991). Sucrose storage in cell suspension cultures of *Saccharum* sp. (sugarcane) is regulated by a cycle of synthesis and degradation. *Planta*, 183(1). [doi:<https://doi.org/10.1007/bf00197564>](https://doi.org/10.1007/bf00197564)

Wilton Soares Cardoso, Sandy Rodrigues Dias, Vinicius Serafim Coelho, Lucas Louzada Pereira, Deusélio Bassini Fioresi and de, F. (2023). Maillard reaction precursors and arabica coffee (*Coffea arabica* L.) beverage quality. 1, pp.1–7. [doi:<https://doi.org/10.1016/j.foohum.2023.01.002>](https://doi.org/10.1016/j.foohum.2023.01.002)

Wu, H., Lu, P., Liu, Z., Sharifi-Rad, J. and Suleria, H.A.R. (2022). Impact of roasting on the phenolic and volatile compounds in coffee beans. *Food Science & Nutrition*, 10(7), pp.2408–2425. <https://doi.org/10.1002/fsn3.2849>

Zani Agnoletti, B., dos Santos Gomes, W., Falquetto de Oliveira, G., Henrique da Cunha, P., Helena Cassago Nascimento, M., Cunha Neto, Á., Louzada Pereira, L., Vinicius Ribeiro de Castro, E., Catarina da Silva Oliveira, E., Roberto Filgueiras, P., 2022. Effect of fermentation on the quality of conilon coffee



(*Coffea canephora*): Chemical and sensory aspects. *Microchemical Journal* 182. <https://doi.org/10.1016/j.microc.2022.107966>

Zhang, S.-H., Hu, X., Shi, S.-Y., Huang, L.-Q., Chen, W., Chen, L. and Cai, P. 2016. Typical ultraviolet spectra in combination with diagnostic mass fragmentation analysis for the rapid and comprehensive profiling of chlorogenic acids in the buds of *Lonicera macranthoides*. *Analytical and Bioanalytical Chemistry*, 408(13), pp.3659–3672. [doi:](https://doi.org/10.1007/s00216-016-9450-y).

Zhang, J., Huang, B. and Xu, G. (2024). Caffeine Degradation Pathways Mediated by Microbial Communities in Tea Fermentation. *Journal of tea science research*. <https://doi.org/10.5376/jtsr.2024.14.0006>.

Ziyylan-Yavas, A., Ince, N.H., Ozon, E., Arslan, E., Aviyente, V., Savun-Hekimoğlu, B., Erdincler, A., 2021. Oxidative decomposition and mineralization of caffeine by advanced oxidation processes: The effect of hybridization. *Ultrason Sonochem* 76, 105635. <https://doi.org/10.1016/j.ultsonch.2021.105635>

Zubaidah, E. et al. (2020). Effect of *lactobacillus plantarum* and *Leuconostoc mesenteroides* starter cultures in lower salt concentration fermentation on the sauerkraut quality, *Food Research*, 4(4), pp. 1038–1044. [doi:10.26656/fr.2017.4\(4\).02](https://doi.org/10.26656/fr.2017.4(4).02)