

DAFTAR PUSTAKA

- Abd El-Hack, M. E., B. A. Alaidaroos, R. M. Farsi, D. E. Abou-Kassem, M. T. El-Saadony, A. M. Saad, M. E. Shafi, N. M. Albaqami, A. E. Taha, and E. A. Ashour. 2021. Impacts of supplementing broiler diets with biological curcumin, zinc nanoparticles and bacillus licheniformis on growth, carcass traits, blood indices, meat quality and cecal microbial load. *Animals*. 11.
- Abd El-Hack, M. E., M. T. El-Saadony, H. M. Salem, A. M. El-Tahan, M. M. Soliman, G. B. A. Youssef, A. E. Taha, S. M. Soliman, A. E. Ahmed, A. F. El-kott, K. M. Al Syaad, and A. A. Swelum. 2022. Alternatives to antibiotics for organic poultry production: types, modes of action and impacts on bird's health and production. *Poult Sci*. 101.
- Abd El-Hack, M. E., Alagawany, M., Farag, M. R., Tiwari, R., Karthik, K., and Dhama, K. 2020. Nutritional, health, and therapeutic efficacy of black cumin (*Nigella sativa*) in animals, poultry, and humans: A comprehensive review. *Front. Vet. Sci*. 7:457.
- Abdelazim, A. M., and Abomughaid, M. M. 2024. Oxidative stress: An overview of past research and future insights. *Review artikel*.
- Abdelnour, S. A., A. A. Swelum, A. Salama, M. Q. Al-Ghadi, S. Y. A. Qattan, M. E. Abd El-Hack, A. F. Khafaga, A. R. Alhimaidi, B. O. Almutairi, A. A. Ammari, and M. T. El-Saadony. 2020b. The beneficial impacts of dietary phycocyanin supplementation on growing rabbits under high ambient temperature. *Ital J Anim Sci*. 19:1046–1056.
- Abdelnour, S. A., M. T. El-Saadony, S. A. M. Saghir, M. E. Abd El-Hack, O. Y. A. Al-shargi, N. Al-Gabri, and A. Salama. 2020a. Mitigating negative impacts of heat stress in growing rabbits via dietary prodigiosin supplementation. *Livest Sci*. 240.
- Aengwanich, W., and M. Suttajit. 2010. Effect of polyphenols extracted from Tamarind (*Tamarindus indica* L.) seed coat on physiological changes, heterophil/lymphocyte ratio, oxidative stress and body weight of broilers (*Gallus domesticus*) under chronic heat stress. *J Anim Sci* 81:264–270.
- Aguiar, V. S., L. R. Dourado, J. B. Lopes, L. P. Machado, D. C. Nascimento, R. S. Silva, E. T. Santos, and L. A. Farias. 2016. Cottonseed oil in diets for growing broilers. *R. Bras. Zootec*. 45:208–218.
- Akbarian, A., J. Michiels, J. Degroote, M. Majdeddin, A. Golian, and S. De Smet. 2016. Association between heat stress and oxidative stress in poultry; mitochondrial dysfunction and dietary interventions with phytochemicals. *J Anim Sci Biotechnol*. 7.
- Akbarian, A., Michiels, J., Degroote, J., and De Smet, S. 2020. The effects of natural polyphenols on growth performance, intestinal morphology, and oxidative status in broiler chickens. *Poult. Sci*. 99(4), 1775-1783.

- Alagawany, M., Elnesr, S. S., Farag, M. R., and Abd El-Hack, M. E. (2021). Influence of herbal antioxidants on lipid profile and oxidative stress in poultry: A comprehensive review. *Animals*. 11(2), 301.
- Altan, Ö., A. Pabuçcuoğlu, A. Altan, S. Konyalioğlu, and H. Bayraktar. 2003. Effect of heat stress on oxidative stress, lipid peroxidation and some stress parameters in broilers. *Br Poult Sci*. 44:545–550.
- Arnold, K. E., K. A. Herborn, A. Adam, and L. Alexander. 2015. Individual variation in the oxidative costs of personality traits. *Funct Ecol* 29:522–530.
- Ayala, A., M. F. Muñoz, and S. Argüelles. 2014. Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxid Med Cell Longev* 2014.
- Bešlo, D., Golubić, N., Rastija, V., Agić, D., Karnaš, M., Šubarić, D., and Lučić, B. 2023. Antioxidant activity, metabolism, and bioavailability of polyphenols in the diet of animals. *Antioxidants* 12:1141.
- Capozzi, M. E., S. S. Hammer, G. W. Mccollum, and J. S. Penn. 2016. Epoxygenated fatty acid inhibit retinal vascular inflammation. *Sci. Rep.* 6:392112016.
- Celi, P., P. H. Selle, and A. J. Cowieson. 2014. Effects of organic selenium supplementation on growth performance, nutrient utilisation, oxidative stress and selenium tissue concentrations in broiler chickens. *Anim Prod Sci*. 54:966–971.
- Carvalho R., Shimokomaki M. and Estévez M .2016. Poultry meat color and oxidation. *Poultry Quality Evaluation*, 2016, 10.1016/B978-0-08-100763-1.00006-4.
- Chen, X., Zhang, L., Li, J., Gao, F., and Zhou, G. 2017. Hydrogen peroxide-induced change in meat quality of the breast muscle of broilers is mediated by ROS generation, apoptosis, and autophagy in the NF-κB signal pathway. *J. Agric. Food Chem.* 65:3986–3994.
- Chen, Z., T. Xing, J. Li, L. Zhang, Y. Jiang, and F. Gao. 2022. Oxidative stress induced by hydrogen peroxide promotes glycolysis by activating CaMKK/LKB1/AMPK pathway in broiler breast muscle. *Poult Sci*. 101.
- Cheng, Q., and D. W. Sun. 2008. Factors affecting the water holding capacity of red meat products: A review of recent research advances. *Crit Rev Food Sci. Nutr.* 48:137–159.
- Choi, H., Chanhyung, C. C. K., Hyuk, C., and Jaehwan, L. 2021. Development of methods for determining free fatty acid contents in red colored oils. *Food Sci. Biotechnol.* 30(11):1435–1443.

- Choi, H., C. C. K. Chanhyung, C. Hyuk, L. Jaehwan. 2021. Development of methods for determining free fatty acid contents in red colored oils. *Food Sci. Biotechnol.* 30(11):1435–1443
- Colombo, M. L. 2010. An update on vitamin E, tocopherol and tocotrienol-perspectives. *Molecules.* 15:2103–2113.
- Cruvinel, J. M., P. M. G. Urayama, C. Y. Oura, F. K. de L. Krenchinski, T. S. Dos. Santos, B. A. de Souza, S. M. Kadri, C. R. Correa, J. R. Sartori, and A. C. Pezzato. 2023. Pequi oil (*Caryocar brasiliense camb.*) attenuates the adverse effects of cyclical heat stress and modulates the oxidative stress-related genes in broiler chickens. *Animals.* 13(12), 1896.
- Cui, W., Zhang, H., Chen, L., & Zhang, X. 2015. Nrf2 pathway activation in oxidative stress and inflammation. *Biochemistry and Biophysics Research Communications*, 463(3), 509-515.
- Davies, K. J. A. 2000. Oxidative Stress, Antioxidant Defenses, and Damage Removal, Repair, and Replacement Systems. *IUBMB Life* 50:279–289.
- Dawood, M. A. O., S. Koshio, and M. Á. Esteban. 2018. Beneficial roles of feed additives as immunostimulants in aquaculture: a review. *Rev Aquac* 10:950–974.
- De Lima, A.; Silva, A.M.O.; Trindade, R.A.; Torres, R.P.; Mancini-Filho, J. Composição química e compostos bioativos presentes na polpa e na amêndoa do pequi (*Caryocar brasiliense, Camb.*). *Rev. Bras. Frutic.* 2007, 29, 695–698.
- Díaz-Gómez, J., Moreno, J. A., Angulo, E., Sandmann, G., Zhu, C., Capell, T., & Nogareda, C. 2017a. Provitamin A carotenoids from an engineered high-carotenoid maize are bioavailable and zeaxanthin does not compromise β -carotene absorption in poultry. *Transgenic Research*, 26(5), 591–601.
- Dibner, J. J., and J. D. Richards. 2005. Antibiotic growth promoters in agriculture: history and mode of action. *Poult Sci.* 84:634–643.
- Di Meo, S., and Venditti, P. 2020. Evolution of the knowledge of free radicals and other oxidants. *Oxid. Med. Cell. Longev.* 2020:1–11.
- Domínguez, R., M. Pateiro, M. Gagaoua, F. J. Barba, W. Zhang, and J. M. Lorenzo. 2019. A comprehensive review on lipid oxidation in meat and meat products. *Antioxidants* 8.
- Dumanović, J., Vujović, A., and Kostić, M. 2021. Reactive oxygen species and antioxidants: their role in the plant defense system. *Front. Plant Sci.* 11:552969.
- El-Saadony, M. T., A. M. Saad, T. F. Taha, A. A. Najjar, N. M. Zaberemawi, M. M. Nader, S. F. AbuQamar, K. A. El-Tarabily, and A. Salama. 2021b. Selenium nanoparticles from *Lactobacillus paracasei* HM1 capable of antagonizing

- animal pathogenic fungi as a new source from human breast milk. *Saudi J Biol Sci* 28:6782–6794.
- El-Saadony, M. T., F. M. Alkhatib, S. O. Alzahrani, M. E. Shafi, S. El. Abdel-Hamid, T. F. Taha, S. M. Aboelenin, M. M. Soliman, and N. H. Ahmed. 2021a. Impact of mycogenic zinc nanoparticles on performance, behavior, immune response, and microbial load in *Oreochromis niloticus*. *Saudi J Biol Sci*. 28:4592–4604.
- El-Saadony, M. T., Zabermawi, N. M., Burollus, M. A., Shafi, M. E., Alagawany, M., Yehia, N., Askar, A. M., Alsafy, S. A., Noreldin, A. E., Khafaga, A. F., Dhama, K., Elnesr, S. S., Elwan, H. A. M., Di Cerbo, A., El-Tarabily, K. A., and M. E. 2021. Nutritional aspects and health benefits of bioactive plant compounds against infectious diseases: A review. *Food Rev. Int.* 39:2138–2160.
- El-Tarabany, M. S., O. A. Ahmed-Farid, M. A. Nassan, and A. S. Salah. 2021. Oxidative Stability, Carcass Traits, and Muscle Fatty Acid and Amino Acid Profiles in Heat-Stressed Broiler Chickens. *Antioxidants* 10:1725.
- Enggar Fitri, L., and A. Pudjirahaju. 2008. The effect of red fruit (*Pandanus conoideus* L) oil toward the formation of foam cells in aorta of wistar strain rat (*Rattus norvegicus*) with atherogenic diet. *Jurnal Kedokteran Brawijaya* 14:1–8.
- Ercolini, D., F. Russo, E. Torrieri, P. Masi, and F. Villani. 2006. Changes in the spoilage-related microbiota of beef during refrigerated storage under different packaging conditions. *Appl Environ Microbiol* 72:4663–4671.
- Estévez M. Oxidative damage to poultry: from farm to fork. 2015. *Poult. Sci.* 94:1368–1378.
- Etuah, S., K. Ohene-Yankyera, Z. Liu, J. O. Mensah, and J. Lan. 2020. Determinants of cost inefficiency in poultry production: evidence from small-scale broiler farms in the Ashanti Region of Ghana. *Trop Anim Health Prod* 52:1149–1159.
- Fathi, M., Adl, K. N., Nezhad, Y. E., Shahryar, H. A., Daneshyar, M., and Tanha, T. (2011). The role of oxidative stress in development of congestive heart failure (CHF) in broiler with pulmonary hypertension syndrome (PHS). *J. Anim. Vet. Adv.* 10:2724–2729.
- Fletcher, D. L. 2002. Poultry meat quality. *Worlds Poult Sci J* 58:131–145.
- Francis, A., and M. Ayomi. 2015. Buah merah (*Pandanus conoideus* L) terhadap penyerapan zat besi (Fe) dalam duodenum. *J Agromed Unila* 2:90–93.
- Fry, J. P., N. A. Mailloux, D. C. Love, M. C. Milli, and L. Cao. 2018. Feed conversion efficiency in aquaculture: Do we measure it correctly? *Environmental Research Letters* 13.
- Galli, G. M., R. R. Gerbet, L. G. Griss, B. F. Fortuoso, T. G. Petrolli, M. M. Boiago, C. F. Souza, M. D. Baldissera, J. Mesadri, R. Wagnere, G. D. Rosa, R E.

- Mendes, A. Gris, and A. S. D. Silva. 2020. Combination of herbal components (curcumin, carvacrol, thymol, cinnamaldehyde) in broiler chicken feed: Impacts on response parameters, performance, fatty acid profiles, meat quality and control of coccidia and bacteria. *Micro. Path.* 139:103916.
- Gray, J. I., E. A. Gomaaa, and D. J. Buckleyb. 1996. *Oxidative Quality and Shelf Life of Meats.*
- Gupta, R., Sharma, B., & Singh, S. 2021. Effect of dietary antioxidant supplementation on lipid oxidation and quality of chicken meat: A comprehensive review. *Anim Nutr.* 7(3), 785-797.
- Gvozdanović, K., Z. Kralik, Ž. Radišić, M. Košević, G. Kralik, and I. Djurkin Kušec. 2023. The Interaction between Feed Bioactive Compounds and Chicken Genome. *Animals* 13:1831.
- Hafez, M. H., S. E. El-Kazaz, B. Alharthi, H. I. Ghamry, S. Sayed, M. Shukry, Y. S. El-Sayed, and M. A. Alshehri. 2022. The Impact of Curcumin on Growth Performance, Growth-Related Gene Expression, Oxidative Stress, and Immunological Biomarkers in Broiler Chickens at Different Stocking Densities. *Animals* 12.
- Halliwell, B. and M. Whiteman. 2004. Measuring reactive species and oxidative damage in vivo and cell culture : how should you do it and what do the result mean. *Br. J. Pharmacol.* 142: 5-231.
- Hamid, Z.A.A., Sulaiman, O., Hashim, R., Arai, T., Mori, Y., Tanaka, R., Kosugi, A., Murata, Y., Yamamoto, K., 2010. Effect of storage time on starch content of oil palm. In: proceedings international conference on environmental research and technology (ICERT 2010), Penang, Malaysia, pp. 59–61.
- Herd, R. M., and P. F. Arthur. 2009. Physiological basis for residual feed intake. *J Anim Sci* 87.
- Hoogenboom, M. O., N. B. Metcalfe, T. G. G. Groothuis, B. de Vries, and D. Costantini. 2012. Relationship between oxidative stress and circulating testosterone and cortisol in pre-spawning female brown trout. *Comparative Biochemistry and Physiology - A Molecular and Integrative Physiology* 163:379–387.
- Hossain, M. M., S. B. Cho, D-K. Kang, Q. T. Nguyen, and I. H. Kim. 2024. Comparative effects of dietary herbal mixture or guanidinoacetic acid supplementation on growth performance, cecal microbiota, blood profile, excreta gas emission, and meat quality in Hanhyup-3-ho chicken. *Poult. Sci.* 103:103553.
- Huff-Lonergan, E., and S. M. Lonergan. 2005. Mechanisms of water-holding capacity of meat: The role of postmortem biochemical and structural changes. *Meat Sci.* 71:194–204.

- Hurrell, F. R. 2003. Influence of vegetable protein sources on trace element and mineral bioavailability. *Am. J. Clin. Nutr.* 133:2973–2977.
- Islam, Sapkota, D. Mahanta, M. Sarma, and A. Ali. 2023. Important tips to improve feed conversion ratio (FCR) in broiler farms. *Poult. Sci.* 14–16.
- Jamshaid, M., H. H. Masjuki, M. A. Kalam, N. W. M. Zulkifli, A. Arslan, A. Alwi, and A. Z. Syahir. 2019. Production optimization and tribological characteristics of cottonseed oil methyl ester. *J. Clean. Prod.* 209:62–73.
- Ju, Y., L. L. Huang, H. L. Luo, Y. C. Huang, G. Chen, J. Gui, Z. L. Liu, L. Yang, and X. Z. Liu. 2023. Passion fruit peel and its zymolyte enhance gut function in Sanhuang broilers by improving antioxidation and short-chain fatty acids and decreasing inflammatory cytokines. *Poult. Sci.* 102:102672.
- Kaneko, J. J., Harvey, J. W., & Bruss, M. L. 2008. *Clinical Biochemistry of Domestic Animals*. 6th Edition. Academic Press, San Diego
- Kouvedaki, I., Pappas, A. C., Surai, P. F., & Zoidis, E. 2023. Nutrigenomics of Natural Antioxidants in Broilers. *Antioxidants*, 12(2), 316.
- Koivula, M. J., and T. Eeva. 2010. Metal-related oxidative stress in birds. *Environmental Pollution* 158:2359–2370.
- Kulshreshtha, G., B. Rathgeber, G. Stratton, N. Thomas, F. Evans, A. Critchley, J. Hafting, and B. Prithiviraj. 2014. Immunology, health, and disease: Feed supplementation with red seaweeds, *Chondrus crispus* and *Sarcodiotheca gaudichaudii*, affects performance, egg quality, and gut microbiota of layer hens. *Poult Sci* 93:2991–3001.
- Kuncahyo, I., and Sunardi. 2007. Uji aktivitas antioksidan ekstrak belimbing wuluh (*Averrhoa bilimbi* L.) terhadap 1,1-diphenyl-2-picrylhidrazyl (DPPH). seminar nasional teknologi. 2007. 1–9.
- Lara, L. J., and M. H. Rostagno. 2013. Impact of heat stress on poultry production. *Animals* 3:356–369.
- Leong, L. P. and Shui. 2002. An investigation of antioxidant capacity of fruits in Singapore markets. *Food Chem.* 102: 732-737.
- Li, Y., Li, Q., Wang, L., and Wang, H. 2020. Nrf2 regulates the expression of glutathione S-transferase (GST) in response to oxidative stress. *Free Radic. Biol. Med.* 152:103–115.
- Lian, Z., Zhang, J., Hao, Z., Zhu, L., Liu, Y., Fang, H., Lu, Y., Li, X., Shi, J., Chen, J., and Cheng, T. 2023. The glutathione peroxidase gene family in *Nitraria sibirica*: Genome-wide identification, classification, and gene expression analysis under stress conditions. *Genes (Basel)* 14:950.

- Lima, V. B., L. R. Dourado, L. P. Machado, D. Biagiotti, S. B. Lima, G. J. Ferreira, A. L. Farias, F. A. Sousa, R. M. Acácio, and D. R. Silva. 2016. Cottonseed oil in diets for broilers in the pre-starter and starter phases. *PLoS ONE* 11:1–13.
- Listrat, A., Lebret, B., Louveau, I., Astruc, T., Bonnet, M., Lefaucheur, L., Picard, B., and Bugeon, J. 2016. How muscle structure and composition influence meat and flesh quality. *Sci. World J.* 2016:1–10.
- Liu, J., S. Liang, K. Qin, B. Jia, Z. Ren, X. Yang, and X. Yang. 2023. Acer truncatum leaves extract modulates gut microbiota, improves antioxidant capacity, and alleviates lipopolysaccharide-induced inflammation in broilers. *Poult. Sci.* 102:102951.
- Luo, J., J. Song, L. Liu, B. Xue, G. Tian, and Y. Yang. 2018. Effect of epigallocatechin gallate on growth performance and serum biochemical metabolites in heat-stressed broilers. *Poult. Sci.* 97:599–606.
- Ma, D. L., X. K. Ma, L. Liu, and S. S. Zhang. 2018. Chemical composition, energy, and amino acid digestibility in 7 cottonseed co-products fed to growing pigs. *J. Anim. Sci.* 1–12.
- Madkour, M., M. M. Aboelenin, W. S. Habashy, I. A. Matter, M. Shourrap, M. A. Hemida, A. A. Elolimy, and O. Aboelazab. 2024. Effects of oregano and/or rosemary extracts on growth performance, digestive enzyme activities, cecal bacteria, tight junction proteins, and antioxidants-related genes in heat-stressed broiler chickens. *Poult. Sci.* 103:103996.
- Madhavi, D. L., Deshpande, S. S., & Salunkhe, D. K. (1996). *Food antioxidants*. New York: Marcel Dekker Inc.
- Malacrida, C.R.; Moraes, I.C.F.; de Rosso, V.V.; Rodrigues, C.E.D.C.; de Souza, A.C. Effect of the application of an enzymatic pretreatment on bioactive compounds of Caryocar brasiliense Camb. pulp oil. *J. Food Process. Preserv.* 2018, 42, e13828.
- Maleta, H. S., R. Indrawati, L. Limantara, and T. H. P. Brotosudarmo. 2018. Ragam Metode Ekstraksi Karotenoid dari Sumber Tumbuhan dalam Dekade Terakhir (*Telaah Literatur*). *Jurnal Rekayasa Kimia & Lingkungan* 13:40–50.
- Mazur-Kuśnirek, M., Z. Antoszkiewicz, K. Lipiński, J. Kaliniewicz, and S. Kotlarczyk. 2019a. The effect of polyphenols and vitamin E on the antioxidant status and meat quality of broiler chickens fed low-quality oil. *Arch Anim Breed* 62:287–296.
- Mazur-Kuśnirek, M., Z. Antoszkiewicz, K. Lipiński, J. Kaliniewicz, S. Kotlarczyk, and P. Żukowski. 2019b. The effect of polyphenols and vitamin E on the antioxidant status and meat quality of broiler chickens exposed to high temperature. *Arch Anim Nutr.* 73:111–126.

- McGraw, K. J. 2011. Avian antioxidants and oxidative stress: highlights from studies of food, physiology, and feathers. In avian medicine and surgery: proceedings of the 2011 annual conference (pp. 161–174).
- McMillin, K. W. 2008. Where is MAP Going? A review and future potential of modified atmosphere packaging for meat. *Meat Sci.* 80:43–65.
- Meng, T., Deng, J., Xiao, D., Arowolo, M. A., Liu, C., Chen, L., Deng, W., He, S., and He, J. 2022. Protective effects and potential mechanisms of dietary resveratrol supplementation on the spleen of broilers under heat stress. *Poultry Sci.* 101:1–9.
- Migau, R. T., Lestari, P., and Widodo, A. 2024. Antioxidant activity of ethanol extract of red fruit (*Pandanus conoideus*): Evaluation using DPPH radical scavenging assay. *Antioxid. Res. J.* 12(1):45–55. *Front Nutr* 9.
- Milewski, T. M., W. Lee, F. A. Champagne, and J. P. Curley. 2022. Behavioural and physiological plasticity in social hierarchies. *Philosophical Transactions of the Royal Society B: Biological Sciences* 377.
- Mokosuli, Y. S., Aritonang, E., and Rumimpunu, H. 2024. GC-MS analysis of ethanol extract of red fruit (*Pandanus conoideus*): Identification of bioactive compounds. *J. Nat. Prod. Chem.* 18(2):112–120.
- Molyneux, P. 2003. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *J. Sci. Technol.* 26:211–219.
- Monaghan, P., N. B. Metcalfe, and R. Torres. 2009. Oxidative stress as a mediator of life history trade-offs: Mechanisms, measurements and interpretation. *Ecol Lett* 12:75–92.
- Morovat, M., M. Chamani, A. Zarei, and A. A. Sadeghi. 2016. Dietary but not in ovo feeding of *Silybum marianum* extract resulted in an improvement in performance, immunity and carcass characteristics and decreased the adverse effects of high temperatures in broilers. *Br Poult Sci* 57:105–113.
- Murate, L. S., Paião, F. G., de Almeida, A. M., Berchieri, A., and Shimokomaki, M. (2015). Efficacy of prebiotics, probiotics, and synbiotics on laying hens and broilers challenged with *Salmonella enteritidis*. *J. Poult. Sci.* 52:53–56.
- Murphy, M. P. 2009. How mitochondria produce reactive oxygen species. *Biochem. J.* 417:1–13.
- Murtiningrum, Z., Sarungallo, G. N., Capeda, N., and Olong, N. 2013. Stabilitas emulsi minyak buah merah (*Pandanus Conoideus* L) pada berbagai nilai Hydrophile-Lipophile Balance (HLB) pengemulsi. *J. Teknol. Ind. Pertan.* 23:30–37.
- Naderiborojerdi, N., A. Zeinali, and A. Hoseini. 2022. Comparison of different levels of thyme and rosemary ether extracts on growth performance and carcass characteristics of broiler chickens. *J. Food. Sci. Nutr. Res.* 5:682–689.

- Nawaz, A., Irshad, S., Ali Khan, I., Khalifa, I., Walayat, N., Muhammad Aadil, R., Kumar, M., Wang, M., Chen, F., Cheng, K. W., and Lorenzo, J. M. 2022. Protein oxidation in muscle-based products: Effects on physicochemical properties, quality concerns, and challenges to food industry. *Food Res. Int.* 157:1–10.
- NM, J., A. Joseph, B. Maliakel, and K. IM. 2018. Dietary addition of a standardized extract of turmeric (TurmaFEED TM) improves growth performance and carcass quality of broilers. *J. Anim. Sci. Tech.* 60:8.
- Nogareda, C., Moreno, J. A., Angulo, E., Sandmann, G., Portero, M., Capell, T., and Christou, P. 2016. Carotenoid-enriched transgenic corn delivers bioavailable carotenoids to poultry and protects them against coccidiosis. *Plant Biotechnol. J.* 14:160–168.
- Nyquist, N. F., Rødbotten, R., Thomassen, M., and Haug, A. 2013. Chicken meat nutritional value when feeding red palm oil, palm oil or rendered animal fat in combinations with linseed oil, rapeseed oil and two levels of selenium. *Lipids Health Dis.* 12:69.
- Ogbuewu, I. P., V. M. Okoro, and C. A. Mbajorgu. 2020. Meta-analysis of the influence of phytobiotic (pepper) supplementation in broiler chicken performance. *Trop Anim Health Prod.* 52:17–30.
- Ollong, A. R., R. Arizona, and R. Badaruddin. 2019. Kualitas fisik daging ayam broiler yang diberikan minyak buah merah dalam pakan komersial. *Jurnal Ilmu dan Teknologi Peternakan Tropis* 6:20–26.
- Ollong, A. R., Wihandoyo, and Y. Erwanto. 2012. Penampilan produksi ayam broiler yang diberi pakan mengandung minyak buah merah (*Pandanus conoideus* Lam.) pada aras yang berbeda. *Buletin Peternakan.* 36:14–18.
- Ölmez M, Şahin T, Karadağoğlu Ö, Yörük MA, Kara K, Dalğa S. 2021. Growth performance, carcass characteristics, and fatty acid composition of breast and thigh meat of broiler chickens fed gradually increasing levels of supplemental blueberry extract. *Trop. Anim. Health. Prod.* 53:109.
- Ott, M., Gogvadze, V., Orrenius, S., and Zhivotovsky, B. 2007. Mitochondria, oxidative stress and cell death. *Apoptosis.* 12(5), 913–922.
- Owen, R. W., Giacosa, A., Hull, W. E., Haubner, R., Würtele, G., Spiegelhalder, B., and Bartsch, H. 2001. Olive-oil consumption and health: the possible role of antioxidants. *Lancet Oncol.* 1:107–112.
- Packer, L., and Cadenas, E. 2001. Role of antioxidants in the prevention of oxidative stress and metabolic disorders. *Free Radic. Res.* 35:285–292.
- Parandoosh, H., M. Khodaei-Motlagh, H. A. Ghasemi, and A. H. K. Farahani. 2023. Effects of day-of-hatch intramuscular administration of a herbal extract mixture and its re-supplementation in drinking water on growth performance, stress

indicators, and antioxidant status of broiler chickens reared under hot summer conditions. *Trop Anim Health Prod.* 55.

Puspita, D., Y. D. Tjahyono, Y. Samalukang, M. Sihombing, and W. Merdekawati. 2018. Termostabilitas pigmen karotenoid buah merah (*Pandanus conoideus* L) sebagai bahan tambahan dalam VCO. Pages 163–167 in Seminar Nasional Biologi dan Pendidikan Biologi UKSW.

Qasim, M. A., Al-Azzami, A. A., and Yaseen, A. A. 2023. Improving the water holding capacity of chicken meat and reducing waste during cooking by using rhizome extracts of *Alpinia officinarum*. *IOP Conf. Ser. Earth Environ. Sci.* 1158:112026.

Qi, K., J. Chen, G. Zhao, M. Zheng, J. Wen. 2010. Effect of dietary ω_6/ω_3 on growth performance, carcass traits, meat quality and fatty acid profiles of Beijing-you chicken. *J. Anim. Physiol. Anim. Nutr.* 94, 474–485.

Rahal, A., Kumar, A., Singh, V., Yadav, B., Tiwari, R., Chakraborty, S., and Dhama, K. 2014. Oxidative stress, prooxidants, and antioxidants: The interplay. *Biomed. Res. Int.* 2014:1–12.

Rahayu HS, I., I. Yuanita, R. Mutia, A. Alimon, and S. Sukemori. 2012. Growth performance, carcas characteristics and quality responses of broiler fed red fruit (*Pandanus conoideus*) waste. *J. Agric. Sci.* 57:57–62.

Ollong, A., dan Y. Erwanto. 2012. Penampilan produksi ayam broiler yang diberi pakan mengandung minyak buah merah (*Pandanus Conoideus* Lam.) pada aras yang berbeda. 36:14–18.

Rajput, N., S. Ali, M. Naeem, M. A. Khan, and T. Wang. 2014. The effect of dietary supplementation with the natural carotenoids curcumin and lutein on pigmentation, oxidative stability and quality of meat from broiler chickens affected by a coccidiosis challenge. *Br. Poult. Sci.*, 55(4), 501-509.

Ramdany, R., Supu, L., and Pulukadang, F. N. 2020. Acceptability of ice cream products of red fruit (*Pandanus conoideus* L.) with sago flour substitution (*Metroxylon sago rottb*). *Al-Sihah: The Public Health Sci. J.* 12:193.

Rashid, Z., Z. A. Mirani, S. Zehra, S. M. H. Gilani, A. Ashraf, A. Azhar, K. A. Al-Ghanim, F. Al-Misned, N. Al-Mulahim, S. Mahboob, and S. Galani. 2020. Enhanced modulation of gut microbial dynamics affecting body weight in birds triggered by natural growth promoters administered in conventional feed. *Saudi J Biol Sci.* 27:2747–2755.

Rasyaf, M. (1995). *Beternak Ayam Pedaging*. Kanisius. Yogyakarta.

Raza, A., and Hassan, M. I. 2021. Evaluation of ginger (*Zingiber officinale*) as a natural antioxidant on hepatic function and immune response in broiler chickens. *J. Poultry Sci.* 58:215–222.

- Reda, F. M., M. T. El-Saadony, S. S. Elnesr, M. Alagawany, and V. Tufarelli. 2020. Effect of dietary supplementation of biological curcumin nanoparticles on growth and carcass traits, antioxidant status, immunity and caecal microbiota of Japanese quails. *Animals* 10.
- Reda, F. M., M. T. El-Saadony, T. K. El-Rayes, A. I. Attia, S. A. A. El-Sayed, S. Y. A. Ahmed, M. Madkour, and M. Alagawany. 2021. Use of biological nano zinc as a feed additive in quail nutrition: biosynthesis, antimicrobial activity and its effect on growth, feed utilisation, blood metabolites and intestinal microbiota. *Ital J Anim Sci.* 20:324–335.
- Rehman, Z. U., C. Meng, Y. Sun, A. Safdar, R. H. Pasha, M. Munir, and C. Ding. 2018. Oxidative stress in poultry: Lessons from the viral infections. *Oxid Med Cell Longev* 2018.
- Saad, A. M., M. Z. Sitohy, A. I. Ahmed, N. A. Rabie, S. A. Amin, S. M. Aboelenin, M. M. Soliman, and M. T. El-Saadony. 2021. Biochemical and functional characterization of kidney bean protein alcalase-hydrolysates and their preservative action on stored chicken meat. *Molecules* 26.
- Saeed, M., Akbarian, A., & Tabinda, M. 2021. Vitamin E and C supplementation enhances gut health in broilers under heat stress. *Poult. Sci.* 100(2), 367-374. doi:10.1016/j.psj.2020.10.008
- Sahin, K., C. Orhan, M. Tuzcu, N. Shain, A. Hayirli, S. Bilgili, O. Kucuk. 2016. Lycopene activates antioxidant enzymes and nuclear transcription factor systems in heat-stressed broilers. *Poult. Sci.* 95, 1088–1095.
- Said, S., O. P. Astirin, and S. Wahyuningsih. 2011. Tingkat fertilisasi dan perkembangan embrio mencit yang diberi ekstrak buah merah. *Media Peternakan Fakultas Peternakan Institut Pertanian Bogor.* 34:112–116.
- Salami, S. A., Majoka, M. A., Saha, S., Garber, A., and Gabarrou, J.-F. 2015a. Efficacy of dietary antioxidants on broiler oxidative stress, performance, and meat quality: Science and market. *Avian Biol. Res.* 8:65–78.
- Sánchez-Fidalgo S, Cárdeno A, Sánchez-Hidalgo M, Aparicio-Soto M, de la Lastra CA. 2013. Dietary extra virgin olive oil polyphenols supplementation modulates DSS-induced chronic colitis in mice. *J Nutr Biochem.* 24:1401–1413..
- Sandra Agnesa, O., J. Waluyo, J. Prihatin, and S. Rahayu Lestari. 2017. Potensi buah merah (*Pandanus conoideus* L.) dalam menurunkan kadar LDL darah tikus putih. *Jurnal Penelitian Biologi* 3:48–57.
- Sangkala, S. A., M. R. Jura, and I. M. Tangkas. 2014. Uji aktivitas antioksidan ekstrak buah merah (*Pandanus conoidues* L) di daerah poso sulawesi tengah. *Jurnal Akademika Kimia* 3.

- Saracila, M., Pop, I. M., and Niculae, M. 2022. Dietary supplementation with sea buckthorn leaves and chromium improves fatty acid profile and oxidative stability of chicken breast meat. *Poult. Sci. J.* 101(2):567–578.
- Scalbert, A., I. T. Johnson, and M. Saltmarsh. 2005. Polyphenols: antioxidants and beyond. *Am J Clin Nutr.* 81:215S-217S.
- Selim, S., Hussein, E., Abdel-Megeid, N. S., Melebary, S. J., Al-Harbi, M. S., and Saleh, A. A. 2021. Growth performance, antioxidant activity, immune status, meat quality, liver fat content, and liver histomorphology of broiler chickens fed rice bran oil. *Animals.* 11:1–11.
- Setiawan, T., & Sudjana, A. (2010). Analisis Karkas Ayam Broiler pada Usia Pemetongan yang Berbeda. Fakultas Peternakan Universitas Diponegoro.
- Shakeri M., Cottrell J., Wilkinson S., Ringuet M., Furness J., Dunshea F. Betaine and antioxidants improve growth performance, breast muscle development and ameliorate thermoregulatory responses to cyclic heat exposure in broiler chickens. *Animals.* 2018:8:162.
- Sies, H., Berndt, C., and Jones, D. P. 2017. Oxidative stress. *Annu. Rev. Biochem.* 86:715–748.
- Sigolo, M., C. Milis, M. Dousti, E. Jahandideh, A. Jalali, N. Mirzaei, B. Rasouli, A. Seidavi, A. Gallo, G. Ferronato, and A. Prandini. 2021. Effects of different plant extracts at various dietary levels on growth performance, carcass traits, blood serum parameters, immune response and ileal microflora of Ross broiler chickens. *Italian. J. Anim. Sci.* 20:359-371.
- Slimen, I. B., Najar, T., Ghram, A., Dabbebi, H., Ben Mrad, M., and Abdrabbah, M. (2014). Reactive oxygen species, heat stress, and oxidative-induced mitochondrial damage. A review. *Int. J. Hyperthermia.* 30:513–523.
- Smet, K., K. Raes, G. Huyghebaert, L. Haak, S. Arnouts, and S. De Smet. 2008. Lipid and Protein Oxidation of Broiler Meat as Influenced by Dietary Natural Antioxidant Supplementation. *Poult Sci* 87:1682–1688.
- Son, J., H. J. Kim, E. C. Hong, and H. K. Kang. 2022. Effects of stocking density on growth performance, antioxidant status, and meat quality of finisher broiler chickens under high temperature. *Antioxidants.* 11.
- Statistik Peternakan dan Kesehatan Hewan. Direktorat Jenderal Peternakan dan Kesehatan Hewan Kementerian Pertanian RI. 2022.
- Steinberg, S. F. 2013. Oxidative stress and sarcomeric proteins. *Circ Res.* 112:393–405.
- Suman, S. P., and P. Joseph. 2013. Myoglobin chemistry and meat color. *Annu Rev Food Sci Technol.* 4:79–99.

- Surai, F. P. 2016. Antioxidant systems in poultry biology: Superoxide dismutase. *J. Anim. Res. Nutr.* 01.
- Surai, Kochish, Fisinin, and Kidd. 2019. Antioxidant defence systems and oxidative stress in poultry biology: an update. *Antioxidants* 8:235.
- Tanm, Ö. 2011. Thyroid hormones and growth in health and disease. *JCRPE J. Clin. Res. Pediatr. Endocrinol.* 3:51–55.
- Turcu, R.P., T.D. Panaite, A.E. Untea, P.A. Vlaicu, I.A. Badea, S. Mironeasa, . 2021. Effects of grape seed oil supplementation to broilers diets on growth performance, meat fatty acids, health lipid indices and lipid oxidation parameters. *Agri.* 11, 404.
- Tranggono dan Sutardi. 1990. *Biokimia dan Teknologi Pasca Panen*. Gajah Mada University Press. Yogyakarta.
- Upadhaya, S. D., and Kim, I. H. 2021. The impact of weaning stress on gut health and the mechanistic aspects of several feed additives contributing to improved gut health function in weanling piglets—a review. *Animals.* 11:1–11.
- Wang, S., L. Zhang, J. Li, J. Cong, F. Gao, and G. Zhou. 2017. Effects of dietary marigold extract supplementation on growth performance, pigmentation, antioxidant capacity and meat quality in broiler chickens. *Asian-Australas. J. Anim. Sci.* 30:71-77.
- Wawo, A. H., Lestari, P., Setyowati, N., Botani, B., Biologi, P. -Lipi, Raya, J., and Km, J.-B. Buah merah (*Pandanus conoideus Lamk*) bioresources pegunungan tengah papua: Keanekaragaman dan upaya konservasinya.
- Wenk, C. 2000. Recent advances in animal feed additives such as metabolic modifiers, antimicrobial agents, probiotics, enzymes, and highly available minerals – Review. *Asian-Aust. J. Anim. Sci.* 13.
- Winarsih, H. 2007. *Antioksidan alami dan radikal bebas*. Kanisius. Yogyakarta.
- Wu, Y., S. Zhai, M. Fang, H. Zhang, and Y. Chen. 2024. Evaluation of the growth performance, meat quality, and gut microbiota of broilers fed diets containing walnut green husk extract. *Poult. Sci.* 103:104176.
- Xie, Z., G. Shen, Y. Wang, and C. Wu. 2019. Curcumin supplementation regulates lipid metabolism in broiler chickens. *Poult. Sci.* 98:422–429.
- Xing, Y. Y., Zheng, Y. K., Yang, S., Zhang, L. H., Guo, S. W., Shi, L. L., Xu, Y. Q., Jin, X., Yan, S. M., and Shi, B. L. 2021. *Artemisia ordosica* polysaccharide alleviated lipopolysaccharide-induced oxidative stress of broilers via Nrf2/Keap1 and TLR4/NF-κB pathway. *Ecotoxicol. Environ. Saf.* 223:112566.
- Xu, X., Liu, A., Hu, S., Ares, I., Martínez-Larrañaga, M.-R., Wang, X., Martínez, M., Anadón, A., and Martínez, M. A. 2021. Synthetic phenolic antioxidants: Metabolism, hazards and mechanism of action. *Food Chem.* 353:129488.

- Yang, Y., D. Lu, S. Yin, D. Yang, Y. Chen, Y. Li, and C. Sun. 2018. A convenient ultrasound-assisted saponification for the simultaneous determination of vitamin E isomers in vegetable oil by HPLC with fluorescence detection. *J Sep Sci* 41:1829–1838.
- Yara, S., Lavoie, J. C., Beaulieu, J. F., Delvin, E., Amre, D., Marcil, V., Seidman, E., and Levy, E. 2013. Iron-ascorbate-mediated lipid peroxidation causes epigenetic changes in the antioxidant defense in intestinal epithelial cells: Impact on inflammation. *PLoS One* 8.
- Zheng, W., and S.Y. Wang. 2001. Antioxidant activity and phenolic compounds in selected herbs. *J. Agric. Food Chem.* 49 (11): 5165-5170.
- Zhang, J., C. J. Schmidt, and S. J. Lamont. 2018. Distinct genes and pathways associated with transcriptome differences in early cardiac development between fast- and slow-growing broilers. *PLoS One* 13.
- Zhang, L., J. Li, and B. Yun. 2018. Effects of dietary supplementation with resveratrol on growth performance, carcass composition, gene expression, and antioxidant activity in heat-stressed broilers. *J Therm Biol*, 78
- Zhang, W., Xiao, S., and Ahn, D. U. 2013. Protein oxidation: Basic principles and implications for meat quality. *Crit. Rev. Food Sci. Nutr.* 53:1191–1201.
- Zhang, Y., L. Zheng, L. Yun, L. Ji, G. Li, M. Ji, Y. Shi, and X. Zheng. 2022. Catalase (CAT) gene family in wheat (*Triticum aestivum* L.): evolution, expression pattern and function analysis. *Int J Mol Sci* 23.
- Zhang, Y., Xie, W., and Yu, X. 2016. The role of Nrf2 in regulating glutathione S-transferase expression in oxidative stress. *J. Biochem. Mol. Toxicol.* 30:335–344.
- Zhang, Z. Y., G. Q. Jia, J. J. Zuo, Y. Zhang, J. Lei, L. Ren, and D. Y. Feng. 2012. Effects of constant and cyclic heat stress on muscle metabolism and meat quality of broiler breast fillet and thigh meat. *Poult Sci.* 91:2931–2937.