

DAFTAR PUSTAKA

- Abebe. B. K., and M. T. Alemayehu. 2022. A review of the nutritional use of cowpea (*Vigna unguiculata* L. Walp) for human and animal diets. *Journal of Agriculture and Food Research*. 10: 9-10.
- Abqoriyah, R. Utomo, and B. Suwignyo. 2015. Productivity of calliandra (*calliandra calothyrsus*) as a forage in the different defoliation time. *Buletin peternakan*. 39(2): 103–108.
- Alalade, J.A., A. A. Akingbade, J. A. Akinlade, W.B. Akanbi, J. Gbadamosi, J. Gbadamosi, G. Okeniyi, A.O. Ajibade, and K. A. Akanji. 2014. Herbage yield and nutritive quality of *Panicum maximum* intercropped with different legumes. *International Journal of Science, Environment and Technology*. 3(1): 224–232.
- Ananta, D., Z. Bachruddin., and N. Umami. 2019. Growth and production of 2 cultivars (*pennisetum purpureum schumach.*) on regrowth phase. *IOP Conference Series: Earth and Environmental Science*. 387(1): 1–4.
- Anni, I. A., E. Saptiningsih., and S. Haryanti. 2013. Pengaruh naungan terhadap pertumbuhan dan produksi tanaman bawang daun (*Allium fistulosum* L.) di Bandungan, Jawa Tengah. *Jurnal Biologi*. 2(3): 31–40.
- Ansah, T., Osafo, E. L. K., and Hansen, H. H. 2010. Herbage yield and chemical composition of four varieties of Napier (*Pennisetum purpureum*) grass harvested at three different days after planting. *Agriculture and Biology Journal of North America*. 1(5): 923–929.
- Astuti, D., B. Suhartanto, N. Umami and A. Irawan. 2020. Effect of density between intercropped sorghum and stylosanthes on biomass production and quality under varying NPK fertilizer application rates. *Journal of Crop Science and Biotechnology*. 23(3): 197–205.
- Ariviani. S dan F. M. Rajendra. 2021. Kacang tunggak sebagai pangan sumber antioksidan potensial dan alternatif strategi peningkatan kapasitas antioksidatifnya. Yogyakarta: CV Budi Utama.
- Azzahra, R. H., A. Husni, L. Liman, and Muhtarudin. 2022. Pengaruh substitusi ramban dengan silase rumput Gama Umami terhadap konsumsi pertambahan bobot tubuh dan efisiensi ransum domba lokal. *Jurnal Riset dan Inovasi Peternakan*. 6(4): 436–443.
- Bayble, T., S. Melaku, and N. Prasad. 2007. Effects of cutting dates on nutritive value of Napier (*Pennisetum purpureum*) grass planted sole and in association with Desmodium (*Desmodium intortum*) or Lablab (*Lablab purpureus*). *Livestock Research for Rural Development*. 19(1).

- Berliana, Y., J. M. Sihombing, Khaitani, and E. Wahyudi. 2021. Pengaruh umur pemotongan dan dosis pupuk organik cair terhadap produksi rumput Raja (*Pennisetum purpureoides schumacheri*) sebagai sumber pakan ternak. Jurnal Agroteknologi dan Perkebunan. 4(1): 1–12
- Bielczynski, L. W., M. K. Łański, I. Hoefnagels, A. Gambin, and R. Croce. 2017. Leaf and plant age affects photosynthetic performance and photoprotective capacity. Plant Physiology, 175(4): 1634–1648.
- Budiman, R. D. Soetrisno, S. P. S. Budhi, and A. Indrianto. 2012. Morphological characteristics, productivity and quality of three Napier grass (*Pennisetum purpureum schum*) cultivars harvested at different age. Journal of the Indonesian Tropical Animal Agriculture. 37(4): 294–301.
- Charibaldi, N., Saidi, D., and Kodong, F. R. 2022. Precision agriculture using the internet of things in regosol soil. IOP Conference Series: Earth and Environmental Science. 1018(1): 1-5
- Chaudhary, M., and. Rajeev. 2024. The effect of Cowpea intercropping and different fertilizer levels on growth and yield of Napier grass. Agricultural Science Digest. 1–6.
- Dahmardeh, M., A. Ghanbari, B. Syasar and M. Ramrodi. 2009. Intercropping Maize (*Zea mays* L.) and Cowpea (*Vigna unguiculata* L.) as a whole-crop forage: Effects of planting ratio and harvest time on forage yield and quality. Journal of Food, Agriculture and Environment. 8(1): 102–108.
- Darma, S., S. Ramayana, Sadaruddin, and Bambang Suprianto. 2021. Investigasi kandungan C-organik, nitrogen, P dan K, pH dan rasio C/N sawah tadah hujan di Desa Sarinadi, kecamatan Kota Bangun, kabupaten Kutai Kertanegara, Kalimantan Timur. Journal Agroekoteknologi Tropika Lembab. 4(2): 88–92.
- De Dios-León, G. E., J. A. Ramos-Juárez, F. Izquierdo-Reyes, B. M. Joaquín-Torres, and F. Meléndez-Nava. 2022. Productive performance and nutritional value of *Pennisetum purpureum* cv. Cuba CT-115 grass at different regrowth ages. Revista mexicana de ciencias pecuarias. 13(4): 1055–1066.
- Enrique, S-R. E., Z.-C. Maria Del Carmen, and H.-C. Gilbert Jose. 2020. Effect of cutoff frequencies on productivity and crude protein content in four clones of *Pennisetum purpureum* cultured in luvisolic soils. International Journal of Advanced Research, 8(6): 589–596.
- Efendi, R., M. Aqil, and M. Pabendon. 2013. Evaluasi genotipe sorgum manis (*Sorghum bicolor* (L.) Moench) produksi biomas dan daya ratun tinggi. Penelitian Pertanian Tanaman Pangan, 32(2): 116–125.
- Fadillah, R., H. Purnamawati, and Supijatno. 2020. Produksi kacang tunggak (*Vigna unguiculata* [L.] Walp) dengan input pupuk rendah. Jurnal Agronomi Indonesia. 48(1): 44–51

- Food and Agriculture Organization. 2012. Grassland species index. *Vigna unguiculata*.
- Frederik Van Der Bom. 2010. Legumes in tropical intercropping systems. Wageningen Universiteit. 1–25.
- Fuskah, E. 2009. Pertumbuhan dan produksi leguminosa pakan hasil asosiasi dengan rhizobium pada media tanam salin. Seminar Nasional Peternakan. 289–294.
- Gomide, C. A. M., C. S. Chaves, K. G. Ribeiro, L. E. Sollenberger, D. S. C. Paciullo, T. P. Pereira, M. J. F. Morenz. 2014. Structural traits of elephant grass (*Pennisetum purpureum* schum.) Genotypes under rotational stocking strategies. African Journal of Range and Forage Science. 1–7.
- Hamd Alla, W. A., E. M. Shalaby, R. A. Dawood, and A. A. Zohry. 2014. Effect of Cowpea (*Vigna sinensis* L) with maize (*Zea mays* L.) intercropping on yield and its components. International Journal of Biological Veterinary, Agricultural and Food Engineering. 8(11): 1170–1176.
- Haryani, H., A. P. Norlindawati, A. Aswanimiyuni, M. Nurzillah and S.M. Saiful. 2021. Cutting age effects on yield and nutritive values of Napier Pakchong (*Cenchrus purpureus* cv. Pakchong). Malaysian Journal of Veterinary Research. 12(2): 46-51.
- Heuzé, V., G. Tran, N. Edouard, and F. Lebas. 2007. Carib Grass (*Eriochloa polystachya*): Feedipedia, a Programme by INRA, CIRAD, AFZ and FAO.
- Hendriyani, I. S., Y. Nurchayati, and N. Setiari. 2018. Kandungan klorofil dan karotenoid kacang tunggak (*Vigna unguiculata* (L.) Walp.) pada umur tanaman yang berbeda. Jurnal Biologi Tropika. 1(2): 38–43.
- Hermanto, B. Suwignyo, and N. Umami. 2017. Kualitas kimia dan kandungan klorofil tanaman Alfalfa (*Medicago sativa* L.) dengan lama penyinaran dan dosis dolomit yang berbeda pada tanah regosol. Buletin Peternakan, 41(1): 54-60.
- Huang, W., D. A. Ratkowsky, C. Hui, P. Wang, S. Jialu, and P. Shi. 2019. Leaf fresh weight versus dry weight: which is better for describing the scaling relationship between leaf biomass and leaf area for broad-leaved plants. Forest. 10(256): 1–19.
- Hudiyanti, D., A. P. Arya, P. Siahaan, and L. Suyati. 2015. Chemical composition and phospholipids content of Indonesian Jack Bean (*Canavalia ensiformis* L.). Oriental Journal of Chemistry. 31(4): 2043–2046.
- Ikhsan, M. N., Hermanto, H., and H. Sudarwati. 2016. The effect of cutting age on elephant grass (*Pennisetum purpureum*) productivity. Universitas Brawijaya. 1-8
- Islami, R. Z., N. P. Indriani, I. Susilawati, H. K. Mustafa, S. Nurjannah, and U. H

- Tanuwiria. 2021. Evaluasi produksi dan pencernaan bahan kering rumput lapang dan rumput gajah. *Pastura*, 11(1): 39–38.
- Iqbal, M. A., A. Hamid, T. Ahmad, M. H. Siddiqui, I. Hussain, S. Ali, A. Ali, and Z. Ahmad. 2019. Forage sorghum-legumes intercropping: effect on growth, yields, nutritional quality and economic returns. *Bragantia*, Campinas. 78(1): 82–95.
- Kabi, F., and F. B. Bareeba. 2018. Herbage biomass production and nutritive value of mulberry (*Morus alba*) and *Calliandra calothyrsus* harvested at different cutting frequencies. *Animal Feed Science and Technology*. 140(2008): 178-190.
- Kaca, I N., I G. Sutapa, L. Suariani, Y. Tonga, N.M. Yudiastari, N.K.E. Suwitari. 2017. Produksi dan kualitas rumput Gajah Kate (*Pennisetum purpureum* cv. Mott) yang ditanam dalam pertanaman campuran rumput dan legum pada frekuensi pemotongan pertama. *Pastura*. 6(2): 78–82.
- Karoba, F., Suryani and R. Nurjasmi. 2015. Pengaruh perbedaan pH terhadap pertumbuhan dan hasil tanaman kailan (*Brassica oleraceae*) sistem hidroponik NFT (Nutrient Film Technique). *Jurnal Ilmiah Pertanian*. 7(2): 529–534.
- Kementrian Pertanian. 2019. Laporan Luas dan Produksi Tanaman Pangan Indonesia. Laporan Bersama Dinas Pertanian Tanaman Pangan Jakarta.
- Keraf, K. N., Y. Nulik and M. L. Mullik. 2023. Pengaruh pemupukan nitrogen dan umur tanaman terhadap produksi dan kualitas rumput kume (*Sorghum plumosum* var. Timorensis). *Jurnal Peternakan Indonesia*. 17(2): 123-130.
- Koten, B. B., R. D. Soetrisno, and B. Suhartanto. 2004. Pengaruh umur panen dan penambahan inokulum terhadap produktivitasnya hijauan kacang tunggak (*Vigna unguiculata*) sebagai pakan. *Buletin peternakan*. 28(2): 47–55.
- Koten, B. B., R. Wea, and A. Paga. 2007. Respon kacang tunggak dan rumput Sudan sebagai sumber pakan melalui pola tanam tumpangsari dengan berbagai proporsi tanaman di lahan kering. *Buletin peternakan*. 31(3): 121–126.
- Laksono, R. A. 2016. Respon pertumbuhan dan hasil tanaman koro pedang (*Canavalia ensiformis* L. (dc)) akibat takaran jenis pupuk organik dan pengapuran di lahan marginal terdegradasi. *Jurnal Agrotek Indonesia*. 1(1): 19–28.
- Lemore, A. A., M. F. Dida, and K. A. Seid. 2022. Morphological characters, dry matter production, and nutritional quality of cowpea (*Vigna unguiculata* L.) as influenced by genotype and environment. *Advances in Agriculture*. 22: 3-7
- Lestari. S. A. D., Sutrisno., A. Wijanarko dan H. Kuntastyuti. 2020. Efek residu

kacang hijau pertanaman pertama pada pertumbuhan dan hasil kacang tunggak pertanaman kedua di lahan kering. Jurnal Ilmu Pertanian Indonesia. 24(4): 648-649.

Liu, Y., Y. Liu, H. Yanjun, Y. Yan, X. Yu, M. Ali, C. Pan, and G. Lu. 2023. Cytokinin-inducible response regulator SIRR6 controls plant height through gibberellin and auxin pathways in tomato. Journal of Experimental Botany, 74(15): 4471–4488.

Lounglawan, P., W. Lounglawan, and W. Suksombat. 2014. Effect of cutting interval and cutting height on yield and chemical composition of king Napier grass (*Pennisetum purpureum* x *Pennisetum americanum*). APCBEE Procedia. 27–31.

Maghfiroh, I. Y., and A. S. Karyawati. 2021. Pengaruh kombinasi beberapa varietas dan waktu pemangkasan pucuk terhadap pertumbuhan dan hasil kacang tunggak (*Vigna unguiculata*). Jurnal Produksi Tanaman. 9(2): 124–130.

Manoj, K. N., B. G. Shekara, S. Sridhara, P. K. Jha, and P. V. V. Prasad. 2021. Biomass quantity and quality from different year-round cereal–legume cropping systems as forage or fodder for livestock. Sustainability. 13(9414): 1–19.

Mansyur, N. I., Antonius, and D. Titing. 2023. Karakteristik fisika tanah pada beberapa lahan budidaya tanaman hortikultura lahan marginal. Jurnal Ilmiah Respati. 14(2): 190–200.

Matsunaga, A., and H. Sasaki. 2023. Effects of plant height and cutting height on regrowth and yield of garland chrysanthemum ratooning. 92(3): 269–280.

Msiza, N. H., K. E. Ravhuhali, H. K. Mokoboki, S. Mavengahama, and L. E. Motsei. 2021. Ranking species for veld restoration in semi-arid regions using agronomic, morphological and chemical parameters of selected grass species at different developmental stages under controlled environment. Agronomy. 11(1): 2-14.

Muafi, M. Z., N. Umami, B. Suhartanto, B. Suwignyo, M.S. Haq, N. Suseno, W. Widiyatno, Armstrong, L., Cook, D., & Prasajo, Y. S. 2024. Characteristic morphology and biomass production of Napier grass (*Pennisetum purpureum*) cultivar gama umami under teak tree (*Tectona grandis*) shade in Blora, Central Java. Buletin peternakan. 48(2): 99-102.

Munasik, C. Sutrisno, S. Anwar, and C. Prayitno. 2012. The growth, yield and quality of elephant grass (*Pennisetum purpureum*) specific tolerant of acid soils by mutagenesis with ethyl methane sulfonate. Journal of Animal Production. 14(2): 87–91.

Mwanri, A. W., T. F. Mamboleo, J. M. Msuya, & V. F. Gowe. 2018. Oxalate, phytate and nitrate content in African nightshade, spider plant and amaranths at different stages of maturity. African Journal of Food Science.

12(1): 317-322.

Neina, D. 2019. The role of soil pH in plant nutrition and soil remediation. *Applied and Environmental Soil Science*. 1-7.

Nurmuliana, N., and M. A. Akib. 2019. Plant growth analysis of jack bean (*Canavalia ensiformis* L.) at different spacing to determine the application time of cutback technology. *Agrotech Journal*. 4(1): 1–7.

Okonya, J., and B. Maass. 2014. Protein and iron composition of cowpea leaves: an evaluation of six cowpea varieties grown in Eastern Africa. *African Journal of Food, Agriculture, Nutrition and Development*. 14(5): 2129–2140.

Onjai-uea, N., S. Paengkoum, N. Taethaisong, S. Thongpea, B. Sinpru, J. Surakhunthod, W. Meethip, R. A. P. Purba, and P. Paengkoum. 2023. Effect of cultivar, plant spacing and harvesting age on yield, characteristics, chemical composition, and anthocyanin composition of purple Napier grass. *Animals*. 13(10): 2-12.

Pathan, S. H., A. D. Tumbare, and A. B. Kamble. 2014. Effect of agronomic management on oxalate and silica content in pearl millet (*Pennisetum glaucum*) × napier (*Pennisetum purpureum*) hybrid. *Indian Journal of Agronomy*. 59(3): 415–420.

Permanasari, I., dan K. Dody. 2012. Pertumbuhan tumpangsari jagung dan kedelai pada perbedaan waktu tanam dan pemangkasan jagung. *Jurnal Agroteknologi*. 3(1): 13–20.

Prasetyono, B. W. H. E., A. Subrata and W. Widiyanto. 2020. Effect of koropass, an extruded jack bean (*Canavalia ensiformis*)-derived supplement, on productivity and economic performance of beef cattle. *Veterinary World*. 13(3): 593–596.

Prasojo, Y. S., M. Kamal, A. R. Sukmana, B. D. Siswoko, and N. Umami. 2023. Morphology, biomass production, and nutrient analysis four napier grass cultivar (*Pennisetum purpureum schumacheri*) In teak tree forest area Megeri village, blora, Central Java. *iCoSIA*. 80: 4–7.

Rahman, M. M., Y. Ishii, M. Niimi, and O. Kawamura. 2009. Effect of clipping interval and nitrogen fertilization on oxalate content in pot-grown Napier grass (*Pennisetum purpureum*). *Tropical Grasslands*. 43(2): 73–78.

Rahman, M. M., R. B. Abdullah, and W. E. W. Khadijah. 2013. A review of oxalate poisoning in domestic animals: tolerance and performance aspects. *Journal of Animal Physiology and Animal Nutrition*. 97(4): 605–614.

Rahman, M. M., M. S. Norshazwani, T. Gondo, M. N. Maryana, and R. Akashi. 2020. Oxalate and silica contents of seven varieties of Napier grass (*Pennisetum purpureum*). *South African Journal of Animal Science*. 50(3): 397–402.

- Rasche, L., J. N. Becker, P. Chimwamurombe, A. Eschenbach, A. Gröngroft, J. Jeong, J. Luther-Mosebach, B. Reinhold-Hurek, A. Sarkar, and U. A. Schneider. 2023. Exploring the benefits of inoculated cowpeas under different climatic conditions in Namibia. *Scientific Reports*. 13(1): 1–10.
- Rawi. I. 2018. Palatabilitas pakan rusa timor (*Rusa timorensis*) di penangkaran taman wisata alam gunung Tunak Nusa Tenggara Barat. Program Studi Kehutanan, Universitas Mataram
- Rusmayadi, G., R. Zulhidiani, and Bahrani. 2020. Regrowth of Napier grass (*Pennisetum purpureum schumach*) with the bio-pore infiltration hole in the tropical riparian moonson region. *Journal of Agriculture and Applied Biology*. 1(1): 18–24.
- Safira, M. L., H. A. Kurniawan, A. Rochana, and N. P. Indriani. 2019. Pengaruh pemupukan nitrogen terhadap produksi dan kualitas hijauan kacang koro pedang (*Canavalia gladiata*). *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan*, 1(1): 25-33.
- Sagita, L., L. Liman, F. Fathul, and M. Muhtarudin. 2022. Pengaruh pemberian jenis dan dosis pupuk nitrogen (urea dan calcium ammonium nitrate) terhadap produktivitas rumput Gama Umami. *Jurnal Riset dan Inovasi Peternakan*. 6(4): 374–384.
- Sanjaya, H. B., N. Umami, A. Astuti, M. Muhlisin, B. Suwignyo, M. M. Rahman, K. Umpuch, and E. R. V. Rahayu. 2022. Performance and in vivo digestibility of three varieties of Napier grass in Thin-Tailed Sheep. *Pertanika Journal of Tropical Agricultural Science*. 45(2): 505–517.
- Santia, S. D. Anis, and C. L. Kaunang. 2017. Pengaruh tinggi dan Jarak Waktu Pemotongan Rumput Gajah Dwarf (*Pennisetum purpureum* cv. Mott) terhadap pertumbuhan vegetatif dan produksi bahan kering. *Jurnal Zooteek*. 37(1): 116–122.
- Santos, E. M., O. G. Pereira, R. Garcia, C. L. L. F. Ferreira, J. S. Oliveira, and T. C. Silva. 2014. Effect of regrowth interval and a microbial inoculant on the fermentation profile and dry matter recovery of guinea grass silages. *Journal of Dairy Science*. 97(7): 4423–4432.
- Saputra, D. A., S. E. Pakasi, and V. C. Warouw. 2020. Identifikasi sifat fisik dan kimia tanah pada lahan persawahan di Kecamatan Kotamobagu Selatan. *Jurnal Unsrat*. 1–14.
- Saragih, M. P., T. K. Suharsi, and A. Qadir. 2018. Pertumbuhan dan pembungaan tanaman kacang koro pedang (*Canavalia ensiformis*) pada kondisi ternaungi dan kombinasi pemupukan berbeda. *Bul. Agrohorti*. 6(3): 382–387.
- Sari, D. N., R. Dianita, and Y. Alwi. 2024. Respon pertumbuhan vegetatif (*Pennisetum purpureum* cv. Gama Umami pada penanaman dengan diameter stek yang berbeda. *Zira'ah*. 49(3): 517–524.

- Sastrahidayat. I. R. 2019. Penyakit Pada Tanaman Kacang-Kacangan. Malang: UB Press
- Sawen, D., M. N. Lekitoo, M. Kayadoe, O. Yoku, and M. Djunaedi. 2020. Respon produksi rumput gajah (*Pennisetum purpureum*), Benggala (*Panicum maximum*) dan Setaria (*Setaria spaciolata*) terhadap perbedaan salinitas. Jurnal Riset Agribisnis dan Peternakan. 5(1): 20–29.
- Savitri, M. V., H. Sudarwati, and Hermanto. 2012. Pengaruh umur pemotongan terhadap produktivitas gamal (*Gliricidia sepium*). Jurnal Ilmu-Ilmu Peternakan. 23(2): 25–39.
- Seseray, D. Y., E. W. Saragih, and Y. Katiop. 2012. Pertumbuhan dan produksi Rumput Gajah (*Pennisetum purpureum*) pada interval defoliasi yang berbeda. Jurnal Ilmu Peternakan. 7(1): 31–36.
- Setiyaningrum, E., I. N. Kaca, and N. K. E. Suwitari. 2018. Pengaruh umur pemotongan terhadap produksi dan kualitas nutrisi tanaman Indigofera (*Indigofera Sp*). Gema Agro. 23(1): 59.
- Setyorini. S. D., and E. Yusnawan. 2016. Peningkatan kandungan metabolit sekunder tanaman aneka kacang sebagai respon cekaman biotik. Iptek Tanaman Pangan. 11(2): 168-169.
- Shang, Q., Y. Wang, H. Tang, N. Sui, X. Zhang, and F. Wang. 2021. Genetic, hormonal, and environmental control of tillering in wheat. Crop Journal. 9(5): 986–991.
- Singh, B. P., H. P. Singh, and E. Obeng. 2013. Elephant grass. biofuel crops: production, physiology and genetics. CABI, Georgia, USA. 271–291.
- Sirait, J. 2018. Rumput gajah mini (*Pennisetum purpureum* cv. Mott) sebagai hijauan pakan untuk ruminansia. Wartazoa. 27(4): 167-176.
- Susanti, S. Anwar, E. Fuskhah, and Sumarsono. 2014. Pertumbuhan dan Nisbah Kesetaraan Lahan (NKL) Koro Pedang (*Canavalia ensiformis*) dalam tumpangsari dengan Jagung (*Zea mays*). Agromedia. 32(2): 38–44.
- Sushma, H. A., D. Kumar, M. M. Venkatesha, and A. Madapurada. 2021. Growth and yield performance of hybrid Napier and fodder cowpea intercropping under different planting patterns. Forage Res. 47(1): 105–112.
- Tangkatesik A., N. M. Wikarniti, N. N. Soniari, and I. W. Narka. 2012. Kadar bahan organik tanah pada tanah sawah dan tegalan di Bali serta hubungannya dengan tekstur tanah. Agrotrop. 2(2): 101–107.
- Tasong, S. L., D. U. Parwati, and A. Mu'in. 2016. Kajian curah hujan di kabupaten Sleman DIY terhadap tingkat produksi padi sawah. Jurnal Agromast, 1(2).
- Triveni, B., K. A. Rao, A. Teja, R. Kumar and V. Singhs. 2022. Hybrid napier grass a potential asset for livestock production. The Pharma Innovation Journal.

11(12): 4081-4083.

Umami, N. (2023). Inovasi bioteknologi dalam pengembangan hijauan pakan ternak di Indonesia.

Usman, U., I. Rahim, and A. A. Ambar. 2013. Analisis pertumbuhan dan produksi kacang koro pedang (*Canavalia ensiformis*) pada berbagai konsentrasi pupuk organik cair dan pemangkasan. Jurnal Galung Tropika. 2(2): 85–96.

Wahyu, B., M. Mustaring, and M. Basri. 2022. Pertumbuhan kembali rumput odot (*Pennisetum purpureum* cv. Mott) yang diberi perlakuan pupuk nitrogen pada perkembangan awalnya. J. Agrisains. 23(3): 139–147.

Wang, Z. G., X. Jin, X. G. Bao, X. F. Li, J-H. Zhao, J-H. Sun, P. Christie, and L. Li. 2014. Intercropping enhances productivity and maintains the most soil fertility properties relative to sole cropping. PLoS ONE. 9(12): 1–24.

Wangchuk, K., K. Rai, H. Nirola, T. Thukten, C. Dendup and D. Mongar. 2015. Forage growth, yield and quality responses of Napier hybrid grass cultivars to three cutting intervals in the Himalayan foothills. Tropical Grasslands – Forrajes Tropicales. 3: 142–150.

Wei, H. E. 2016. Field evaluation of maize-legume intercropping systems in the mid-hills of Nepal. 1–76.

Widodo, S., B. Suhartanto and N. Umami 2019. Effect of shading and level of nitrogen fertilizer on nutrient quality of *Pennisetum purpureum* cv Mott during wet season. IOP Conference Series: Earth and Environmental Science, 247(1).

Wijaya, A. K., M. Muhtarudin, L. Liman, C. Antika, and D. Febriana. 2019. Produktivitas hijauan yang ditanam pada naungan pohon kelapa sawit dengan tanaman campuran. Jurnal Ilmiah Peternakan Terpadu. 6(3): 155.

Zaini, N., Umami, N., Hanim, C., Astuti, A., & B. Suwignyo. (2021). The effect of harvest age on different regrowth on Chicory (*Cichorium intybus* L.) forage yield by intercropped with *Pennisetum purpureum* cv. Mott. Buletin Peternakan. 45(2), 103.

Zailan, M. Z., H. Yaakub, and S. Jusoh. 2016. Yield and nutritive value of four Napier (*Pennisetum purpureum*) cultivars at different harvesting ages. Agriculture and Biology Journal of North America. 7(5): 213–219.