

DAFTAR PUSTAKA

- Adi Wira Kusuma, G. P., Ayu Nocianitri, K., dan Kartika Pratiwi, I. D. P. 2020. Pengaruh lama fermentasi terhadap karakteristik fermented rice drink sebagai minuman probiotik dengan isolat *Lactobacillus sp. F213*. Jurnal Ilmu dan Teknologi Pangan (ITEPA) 9(2): 181. <https://doi.org/10.24843/itepa.2020.v09.i02.p08>
- Adibmoadi, M., Navidshad, B., Seifdavati, J., and Royan, M. 2006. Effect of Dietary Garlic Meal on Histological Structure of Small Intestine in Broiler Chickens. J. Poult. Sci. 43(4): 378–383. <https://doi.org/10.2141/jpsa.43.378>
- Aisy, N. D., Wardani, A. R. D., Noviandi, C. T., Agus, A., and Paradhipta, D. H. V. 2024. The effect of absorbent level and inoculants on chemical composition and fermentation characteristics of fermented poultry manure as an unconventional feed ingredient. Indonesian J. Anim. Sci. 34(1): 51–59. <https://doi.org/10.1088/1755-1315/1360/1/012030>
- Akinmoladun, A. C., and Ibukun, E. O. 2007. Phytochemical constituents and antioxidant properties of extracts from the leaves of *Chromolaena odorata*. Sci. Res. Essay. 2(6): 191–194. <https://academicjournals.org/journal/SRE/article-full-text-pdf/87DB93E12729>
- Akintunde, A. O., Ndubuisi-Ogbona, L. C., Ajayi, O. A., C., C., Jimoh, W. A., and Afodu, O. J. 2021. Utilization of *Chromolaena odorata* leaf meal as a supplement in broiler chickens' diet. Nigerian J. Anim. Sci. 23(1): 189–198. <https://www.ajol.info/index.php/tjas/article/download/212029/199951>
- Ali Al-Maqtari, Q., AL-Ansi, W., and Ali Mahdi, A. 2019. Microbial enzymes produced by fermentation and their applications in the food industry-A review. Int. J. Agricult. Innov. Res. 8(1): 2319–1473.
- Aliya, H., Maslakah, N., Numrapi, T., Buana, A. P., dan Hasri, Y. N. 2015. Pemanfaatan asam laktat hasil fermentasi limbah kubis sebagai pengawet anggur dan stroberi. Bioedukasi. 9(1): 23–28.
- Alwi, W., Hadrawi, J., Nur, K., dan Fitriastuti, R. 2022. Kualitas fisik dedak fermentasi dengan penambahan em4 dan lama penyimpanan berbeda. Buletin Pet. Trop. 3(1): 68–74. <https://doi.org/10.31186/bpt.3.1.68-74>
- Amrullah, I.K. 2003. Nutrisi Ayam Broiler. Cetakan ke-1, Lembaga Satu Gunung Budi, Bogor
- Anamila, A. R., Malik, A. K., Putu, N., dan Suryatni, F. 2015. Pengaruh penggunaan tepung daun semak bunga putih sebagai pengganti kacang kedelai terhadap performa dan *Income Over Feed Cost* ayam broiler. Jurnal Nukl. Pet. 2(2): 129–134
- Aviagen. 2022. Indian River Broiler Nutrition Specifications. In 2018 (pp. 1–8). https://aviagen.com/assets/Tech_Center/LIR_Broiler/IR-BroilerNutritionSpecifications2022-EN.pdf

- Azizi, N. F., Kentjonowaty, I., Puspitarini, O. R. 2023. Perbedaan performa domba lepas sapih dengan pemberian pakan fermentasi dan pakan non fermentasi. *Jurnal Dinamika Rekasatwa*. 6(2): 256-269
- Bell, D. D., Weaver, W. D. 2002. *Commercial Chicken Meat and Egg Production*. 5th Ed. Springer Science Business Media, Inc., New York
- Budiarta, I. K., Rukmini, N. K. S., dan Suariani, L. 2020. Berat bagian-bagian karkas ayam ras pedaging umur 5 minggu yang diberi ransum mengandung tepung bulu ayam. *Gema Agro*. 25(1): 33–37.
- Dilaga, S. H., Putra, R. A., Pratama, A. N. T., Yanuarianto, O., Amin, M., and Suhubdy, S. 2022. Nutritional quality and in vitro digestibility of fermented rice bran based on different types and doses of inoculants. *J. Adv. Vet. Anim. Res.* 9(4): 625–633. <https://doi.org/10.5455/JAVAR.2022.1632>
- Ding, Y., Jiang, X., Yao, X., Zhang, H., Song, Z., He, X., and Cao, R. 2021. Effects of feeding fermented mulberry leaf powder on growth performance, slaughter performance, and meat quality in chicken broilers. *Anim.* 11: 1–15. <https://doi.org/10.3390/ani11113294>
- Dube, N., Heerden, F. R. Van, Zachariades, C., Uyi, O. O., and Munyai, T. C. 2021. First record of pyrrolizidine alkaloids in the southern African biotype of *Chromolaena odorata* (Asteraceae). *S. Afr. J. Bot.* 139: 19–25. <https://doi.org/10.1016/j.sajb.2021.01.026>
- Fadilah, R., A. Polana, S. Alamdand E. Purwanto. 2007. *Sukses Beternak Ayam Broiler*. Agromedia Pustaka, Jakarta.
- Gao, J., Zhang, H. J., Yu, S. H., Wu, S. G., Yoon, I., Quigley, J., Gao, Y. P., and Qi, G. H. 2008. Effects of yeast culture in broiler diets on performance and immunomodulatory functions. *Poult. Sci.* 87(7): 1377–1384. <https://doi.org/10.3382/ps.2007-00418>
- Greig, C. J., and Cowles, R. A. 2017. Muscarinic acetylcholine receptors participate in small intestinal mucosal homeostasis. *J. Pediatr. Surg.* 52(6): 1031–1034. <https://doi.org/10.1016/j.jpedsurg.2017.03.037>
- Hafsan, Kiramang, K., Thaha, A. H., and Rasyid, M. R. 2021. Broiler farms practice without agp as an islamic conceptionin the strategy to achieve “ASUH” food. *J. Islam. Sci.* 8(1): 29–37. <https://www.academia.edu/download/68388632/10449.pdf>
- Harahap, A. E., Handoko, J., dan Rovilaili. 2020. Penambahan tepung limbah udang dalam ransum basal terhadap karkas ayam pedaging. *Jurnal Pet. Nusantara*. 6(1): 21–28. <https://doi.org/10.30997/jpnu.v6i1.2568>
- Horopu, M. C., Sampekalo, J., dan Lantu, S. 2018. Pemanfaatan bungkil kelapa fermentasi dalam pada ikan nila (*Oreochromis niloticus*). *E-Journal Budidaya Perairan* 6(3): 7–12. <https://doi.org/10.35800/bdp.6.3.2018.21544>

- Hudang, I., Malik, A. K., dan Sinlae, M. (2015). Pengaruh penggunaan tepung daun semak bunga putih (*Chromolaena odorata*) terfermentasi sebagai pengganti kacang kedelai dalam pakan terhadap persentase lemak abdominal dan kadar kolesterol darah ayam broiler. *Jurnal Nukleus Pet.* 2(1): 97–102.
- Hughes, R., Brooker, J. D., and Smyl, C. 2005. Growth rate of broiler chickens given condensed tannins from grape seed. *Aust. Poult. Sci. Symp.* 17: 65–68. <https://www.cabidigitallibrary.org/doi/pdf/10.5555/20073008874>
- Iyayi, E., Ogunsola, O., and Ijaya, R. 2005. Effect of three sources of fibre and period of feeding on the performance, carcass measures, organs relative weight and meat quality in broilers. *Int. J. Poult. Sci.* 4(9): 695–700.
- Jha, R., and Mishra, P. 2021. Dietary fiber in poultry nutrition and their effects on nutrient utilization, performance, gut health, and on the environment: a review. *J. Anim. Sci. Biotechnol.* 12(1): 1–16. <https://doi.org/10.1186/s40104-021-00576-0>
- Jiwuba, P. C., Ogbuewu, I. P., and Nwachukwuguru, K. 2018. Performance and economy of production of broilers fed siam weed (*Chromolaena odorata*) leaf meal (SWLM). *Trop. Anim. Health. Prod.* 50(6): 1305–1311. <https://doi.org/10.1007/s11250-018-1559-x>
- Jones, G.P.D. and Taylor, R.D. 2001. The incorporation of whole grain into pelleted broiler chicken diets: production and physiological responses. *Br. Poult. Sci.* 42:477-483.
- Jozefiak, D., Sip, A., Rawski, M., Rutkowski, A., Kaczmarek, S., Hojberg, O., Jensen, B. B., and Engberg, R. M. 2011. Dietary divercin modifies gastrointestinal microbiota and improves growth performance in broiler chickens. *Br. Poult. Sci.* 52(4): 492–499. <https://doi.org/10.1080/00071668.2011.602963>
- Kavoi, B. M., Gakuya, D. W., Mbugua, P. N., and Kiama, S. G. 2016. Effects of dietary *Moringa oleifera* leaf meal supplementation on chicken intestinal structure and growth performance. *J. Morphol. Sci.* 33(4): 186–192. <https://doi.org/10.4322/jms.095915>
- Krysiak, K., Konkol, D., and Korczyński, M. 2021. Review overview of the use of probiotics in poultry production. *Anim.* 11(6): 1–24. <https://doi.org/10.3390/ani11061620>
- Lenhardt, L., and Mozes, S. 2003. Morphological and functional changes of the small intestine in growth-stunted broilers. *Act. Vet. Brno.* 72(3): 353–358. <https://doi.org/10.2754/avb200372030353>
- Listyasari, N., Soeharsono, dan Purnama, M. T. E. 2022. Peningkatan bobot badan, konsumsi dan konversi pakan dengan pengaturan komposisi seksing ayam broiler jantan dan betina. *Act. Vet. Indonesian.* 10(3): 275–280. <https://doi.org/10.29244/avi.10.3.275-280>

- Ma, A., Oa, A., and Ad, O. 2014. Effects of dietary *Thyme* leaf on broiler growth performances, carcass characteristics and cooking yield of the meat. *Glob. J. Sci. Res.* 2(2): 47–50. [https://blueap.com/j/List/2/iss/volume%2002%20\(2014\)/issue%2002/3.pdf](https://blueap.com/j/List/2/iss/volume%2002%20(2014)/issue%2002/3.pdf)
- Maesaroh, U., Dono, N. D., and Zuprizal. 2022. Performance, microbial populations, and jejunal morphology of broilers supplemented with nano-encapsulated graviola leaf extract. *Trop. Anim. Sci.* 45(1): 64–72. <https://doi.org/10.5398/tasj.2022.45.1.64>
- Magdalena, S., GH, N., Nailufar F, dan Purwadaria T. 2013. Pemanfaatan produk alami sebagai pakan fungsional. *Wartazoa.* 23(1): 31–40. https://www.researchgate.net/profile/Tresnawati-Purwadaria/publication/269618017_Utilization_of_Natural_Products_as_Functional_Feed/links/592f6115a6fdcc89e783ea20/Utilization-of-Natural-Products-as-Functional-Feed.pdf
- Manaek C. L., G. A. M. K Dewi, dan I. W. W. 2019. Persentase dan panjang saluran pencernaan ayam broiler yang mendapat ransum mengandung kulit buah naga difermentasi. *J. Trop. Anim. Sci.* 7(3): 1231–1245.
- Manalu, W., Astuti, D. A., dan Handharyani, E. 2007. Morfometrik usus dan performa ayam broiler yang diberi cekaman panas dan ekstrak n-heksana kulit batang “Jaloh” (*Salix tetrasperma Roxb*). *Med. Pet.* 30(3): 198–206.
- Mandey, J. S., Leke, J. R., Kaunang, W. B., and Kowel, Y. H. S. 2015. Carcass yield of broiler chickens fed banana (*Musa paradisiaca*) leaves fermented with *Trichoderma viride*. *J. Indonesian Trop. Anim. Agric.* 40(4): 229–233. <https://doi.org/10.14710/jitaa.40.4.229-233>
- Martaguri, I., Mirnawati, dan Muis, H. 2011. Peningkatan kualitas ampas sagu melalui fermentasi sebagai bahan pakan ternak. *Jurnal Pet.* 8(1): 38–43. ejournal.uin-suska.ac.id/index.php/peternakan/article/view/206
- Mehdi, Y., Létourneau-Montminy, M. P., Gaucher, M. Lou, Chorfi, Y., Suresh, G., Rouissi, T., Brar, S. K., Côté, C., Ramirez, A. A., and Godbout, S. 2018. Use of antibiotics in broiler production: Global impacts and alternatives. *Anim. Nutr.* 4(2): 170–178. <https://doi.org/10.1016/j.aninu.2018.03.002>
- Miah, M. Y., Rahman, M. S., Islam, M. K., and Monir, M. M. 2004. Effects of saponin and L-carnitine on the performance and reproductive fitness of male broiler. *Int. J. Poultry Sci.* 3(8): 530–533. <https://doi.org/10.3923/ijps.2004.530.533>
- Mistiani, S., Kamil, K. A., dan Rusmana, D. 2020. Pengaruh tingkat pemberian ekstrak daun burahol (*Stelechocarpus burahol*) dalam ransum terhadap bobot organ dalam ayam broiler. *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan*, 2(1): 42–50. <https://doi.org/10.24198/jnttip.v2i1.26669>
- Moss, A. F., Chrystal, P. V., Cadogan, D. J., Wilkinson, S. J., Crowley, T. M., and Choct, M. 2021. Precision feeding and precision nutrition: A paradigm shift in

broiler feed formulation? Anim. Biosci. 34(3): 354–362.
<https://doi.org/10.5713/ab.21.0034>

Muin, R., Hakim, I., dan Febriyansyah, A. 2015. Pengaruh waktu fermentasi dan konsentrasi enzim terhadap kadar bioetanol dalam proses fermentasi nasi aking sebagai substrat organik. *Jurnal Teknik Kimia*. 21(3): 56–66.

Mullik, Y. M., Ridla, M., Prihantoro, I., and Mullik, M. L. 2016. Anaerobic Fermentation Effectively Reduces Concentration of Total Tannins in *Chromolaena odorata*. *JITV*. 21(1): 19–25.

Mulyani, S., Supratman, H., dan Ramadhan, R. F. 2023. Pengaruh kedelai fermentasi dalam ransum ayam broiler terhadap persentase karkas dan bobot organ dalam. *Jurnal Ilmiah Peternakan Halu Oleo*. 5(4): 342.
<https://doi.org/10.56625/jipho.v5i4.44251>

Nafli Sari, M., Wahyuni, S., Jalaluddin, M., dan Dian Masyitha. 2016. Efek penambahan ampas kedelai yang difermentasi dengan *Aspergillus niger* dalam ransum terhadap histomorfometri vili usus halus ayam kampung (*Gallus domesticus*). *Jurnal Med. Vet.*10(2): 115–119.

Nasruddin, N. 2010. Komposisi nutrisi pakan ayam ras pedaging masa akhir (broiler *finisher*) dari beberapa bahan pakan lokal. In *Jurnal Dinamika Penelitian BIPA*. 21(38): 144–152.

Ngozi, I. M., Ikewuchi, J., and Ikewuchi, C. 2009. Chemical profile of *Chromolaena odorata* L. (King and Robinson) leaves. *Pakistan. J. Nutr.* 8(5): 521–524.
<https://doi.org/10.3923/pjn.2009.521.524>

Niu, Y., Zhang, J. F., Wan, X. L., Huang, Q., He, J. T., Zhang, X. H., Zhao, L. G., Zhang, L. L., and Wang, T. 2019. Effect of fermented *Ginkgo biloba* leaves on nutrient utilisation, intestinal digestive function and antioxidant capacity in broilers. *Br. Poult. Sci.* 60(1): 47–55.
<https://doi.org/10.1080/00071668.2018.1535166>

Noferdiman. 2012. Efek penggunaan *Azolla microphylla* fermentasi sebagai pengganti bungkil kedele dalam ransum terhadap bobot organ pencernaan ayam broiler. *Jurnal Penelitian Universitas Jambi Seri Sains*. 14(1): 49-56.

Nuraini, N., Hidayat, Z., dan Yolanda, K. 2018. Performa bobot badan akhir, bobot karkas serta persentase karkas ayam merawang pada keturunan dan jenis kelamin yang berbeda. *Sains Pet.* 16(2): 69.
<https://doi.org/10.20961/sainspet.v16i2.23236>

Nursandhi, G., Marzuki, A., dan Suratno. 2014. Substitusi pakan komersial oleh tepung daun semak bunga putih (*Chromolaena odorata*) terfermentasi terhadap performa dan IOFC (*Income Over Feed Cost*) puyuh pedaging. *Jurnal Ilmiah Inovasi*. 14(2): 139–144.

Padmanaba, M., Tomlinson, K. W., Hughes, A. C., and Corlett, R. T. 2017. Alien plant invasions of protected areas in Java, Indonesia. *Sci. Rep.* 7(1): 1–11.

<https://doi.org/10.1038/s41598-017-09768-z>

- Pertiwi, D. D. R. R. Murwani dan T. Yudiarti. 2017. Bobot Relatif Saluran Pencernaan Ayam Broiler yang Diberi Tambahan Air Rebusan Kunyit dalam Air Minum. *Jurnal Peternakan Indonesia*. Vol. 19 (2): 60-64.
- Predescu, N. C., Stefan, G., Rosu, M. P., and Papuc, C. 2024. Fermented feed in broiler diets reduces the antinutritional factors, improves productive performances and modulates gut microbiome — a review. *Agricult.* 14: 1–18.
- Purnama, P., Nurjannah, S., Widjaya, N., Akhdiat, T., dan Permana, H. 2023. Pengaruh waktu penggantian ransum BR 1 dengan BR 2 terhadap bobot potong, bobot karkas, dan lemak abdominal broiler. *Agrivet: Jurnal Ilmu Pertanian Dan Peternakan*. 11(01): 77–83. <https://doi.org/10.31949/Agrivet/V11i1.5288>
- Putri, D. M., Budiharjo, A., dan Kusdiyantini, E. 2014. Isolasi, karakterisasi bakteri asam laktat, dan analisis proksimat dari pangan fermentasi rusip ikan teri (*Stolephorus sp.*). *Jurnal Biologi*. 3(2): 11–19.
- Rahayu, E. P., Saefulhadjar, D., dan Supratman, H. 2023. Perubahan kandungan protein kasar dan bahan pada kacang kedelai yang difermentasi dengan probiotik heryaki cair. *Jurnal Sumber Daya Hewan*. 4(1): 17. <https://doi.org/10.24198/jsdh.v4i1.48605>
- Rois, M., Ali, U., dan Wajidi, M. F. 2015. Pengaruh tingkat substitusi pakan komersial dengan campuran tepung daun kirinyuh (*Chromolaena odorata*) dan jagung terfermentasi terhadap performance broiler periode *finisher*. *Dinamika Rekasatwa*. 8(1): 25–30.
- Samadi, S., Wajizah, S., and Usman, Y. 2015. In vitro study of fermented complete feed by using sago residues as main source diet. *Anim. Prod.* 17(3): 129–137. <https://doi.org/10.20884/1.anprod.2015.17.3.542>
- Saniyah, M., Kurniati, A. R., Tazhkira, A., Mas'sumah, D., Permata Sari, I., Agnesia, D., dan Prayitno, S. A. 2018. Mutu oranoleptik tape ubi jalar kuning (*Ipomoea batatas L*) akibat perbedaan konsentrasi ragi (*Saccharomyces cerevisiae*). *Foodscitech*. 1(2): 35–43. <https://doi.org/10.34123/semnasoffstat.v2020i1.599>
- Sapan, Y. 2023. Evaluasi penggunaan tepung larva black soldier fly (*Hermetia illucens l.*) dalam pakan terhadap produktivitas, kondisi litter, produksi asam lemak rantai pendek, dan integritas jejunum broiler. Universitas Gadjah Mada.
- Schiavone, A., Guo, K., Tassone, S., Gasco, L., Hernandez, E., Denti, R., and Zoccarato, I. 2008. Effects of a natural extract of chestnut wood on digestibility, performance traits, and nitrogen balance of broiler chicks. *Poult. Sci.* 87(3): 521–527. <https://doi.org/10.3382/ps.2007-00113>
- Sismin Satyaningtijas, A., Yufiandri, R., Wulandari, R., Mulyetti Darwin, V., dan Siburian, N. 2015. Performa dan pencernaan pakan ayam broiler yang diberi

hormon testosteron dengan dosis bertingkat. Act. Vet. Indonesian. 3(1): 29–37. <http://www.journal.ipb.ac.id/indeks.php/actavetindones>

Sitompul, S. A., Sjojfan, O., dan Djunaidi, I. H. (2016). Pengaruh beberapa jenis pakan komersial terhadap kinerja produksi kuantitatif dan kualitatif ayam pedaging. Buletin. Pet. 40(3): 187-196. <https://doi.org/10.21059/buletinpeternak.v40i3.11622>

Sittiya, J., Yamauchi, K., and Takata, K. 2016. Effect of replacing corn with whole-grain paddy rice and brown rice in broiler diets on growth performance and intestinal morphology. J. Anim. Physiol. Anim. Nutr. 100(2): 381–390. <https://doi.org/10.1111/jpn.12357>

Sugiharto, S. 2021. Fermented leaves in broiler rations: Effects on growth performance, physiological condition, and meat characteristics. Act. Vet. Eurasia. 47(1): 44–50. <https://doi.org/10.5152/ACTAVET.2020.20054>

Sugiharto, S., Widiastuti, E., Isroli, I., Yudiarti, T., Sartono, T. A., and Wahyuni, H. I. 2020. Breast meat characteristics of broilers fed fermented mixture of cassava pulp and Moringa oleifera leaf meal. J. Indonesian Trop. Anim. Ag. 45(2): 103–114. <https://doi.org/10.14710/jitaa.45.2.103-114>

Sulistyoningsih, M. 2014. Optimalisasi produksi broiler melalui suplementasi herbal terhadap persentase karkas dan kadar trigliserida darah. Bioma. 3(1): 78–93. <file:///C:/Users/HP/AppData/Local/Temp/652-1057-1-SM.pdf>

Sumiati, Hermana, W., dan Aliyani, A. 2003. Persentase berat karkas dan organ dalam ayam broiler yang diberi tepung daun talas (*Colocasia esculenta* (L.) Schott) dalam ransumnya. Med. Pet. 26(1): 4–10.

Surianti, Tandipayuk, H., dan Aslamyah, S. 2020. Fermentasi tepung ampas tahu dengan cairan mikroorganisme mix. Sebagai bahan baku pakan. Jurnal Agrokompleks. 9(1): 9–15.

Svihus, B. 2014. Function of the digestive system. J. Appl. Poult. Res. 23(2): 306–314. <https://doi.org/10.3382/japr.2014-00937>

Syaiful, A. Z., Hermawati, dan Sonda, M. 2022. Pengaruh lama pengaktifan ragi untuk fermentasi kulit kopi arabika menjadi bioetanol. Saintis. 3(2): 37–49.

Tamalludin, Ferry. 2014. Panduan Lengkap Ayam Broiler. Penebar Swadaya, Jakarta.

Tan, Z., Halter, B., Liu, D., Gilbert, E. R., and Cline, M. A. 2022. Dietary flavonoids as modulators of lipid metabolism in poultry. Front. Physiol. 13: 1–17. <https://doi.org/10.3389/fphys.2022.863860>

Ulupi, N., Nuraini, H., Parulian, J., dan Kusuma, S. Q. 2018. Karakteristik karkas dan non karkas ayam broiler jantan dan betina pada umur pemotongan 30 hari. Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan. 6(1): 1–5. <https://doi.org/10.29244/jipthp.6.1.1-5>

- Viveros, A., Chamorro, S., Pizarro, M., Arija, I., Centeno, C., and Brenes, A. 2011. Effects of dietary polyphenol-rich grape products on intestinal microflora and gut morphology in broiler chicks. *Poult. Sci.* 90(3): 566–578. <https://doi.org/10.3382/ps.2010-00889>
- Vu, P., Everts, H., Tien, D. Van, Schonewille, J. T., and Hendriks, W. H. 2012. Feeding *Chromolaena odorata* during pregnancy to goat dams affects acceptance of this feedstuff by their offspring. *Appl. Anim. Behav. Sci.* 137(1–2): 30–35. <https://doi.org/10.1016/j.applanim.2012.01.010>
- Wahyu, Juju. 2015. Ilmu Nutrisi Unggas. Gadjah Mada University Press, Yogyakarta
- Widodo, E. 2018. Ilmu Nutrisi Unggas. UB Press, Malang.
- Wang, X., Farnell, Y. Z., Peebles, E. D., Kiess, A. S., Wamsley, K. G. S., and Zhai, W. 2016. Effects of prebiotics, probiotics, and their combination on growth performance, small intestine morphology, and resident *Lactobacillus* of male broilers. *Poult. Sci.* 95(6): 1332–1340. <https://doi.org/10.3382/ps/pew030>
- Wardah, dan Sihmawati, R. R. 2020. Peningkatan performans produksi dan kualitas daging pada ayam broiler periode *finisher* yang diberi fitobiotik. *Jurnal Matematika Dan Ilmu Pengetahuan Alam.* 13(2): 1–15. <https://doi.org/10.36456/stigma.13.02.2857.1-15>
- Wilson, H. M., Maya, S., Ashok, N., CV, R., Anitha, P., and Sunanda, C. 2018. Regional variations in the height and width of villi of small intestine during pre-hatch development in Turkey (*Meleagris gallopavo*). *Pharm. Innov.* 7(10): 496–499.
- Wulandari, S., Agus, A., Cahyanto, M. N., and Utomo, R. 2014. Effect of fermented cacao pod supplementation on sheep rumen microbial fermentation. *J. Indonesian. Trop. Anim. Ag.* 39(3): 167–174.
- Wulandari, S., Ali Agus, Mohamad Soejono, dan Muhammad Nur Cahyanto. 2014. Nilai cerna dan biodegradasi theobromin pod kakao dengan perlakuan fermentasi menggunakan inokulum multi mikrobial. *Agritech.* 34(2): 160–169.
- Xu, F., Wu, H., Xie, J., Zeng, T., Hao, L., Xu, W., and Lu, L. (2023). The effects of fermented feed on the growth performance, antioxidant activity, immune function, intestinal digestive enzyme activity, morphology, and microflora of yellow-feather chickens. *Anim.* 13(22): 1–15. <https://doi.org/10.3390/ani13223545>
- Yan, J., Zhou, B., Xi, Y., Huan, H., Li, M., Yu, J., Zhu, H., Dai, Z., Ying, S., Zhou, W., and Shi, Z. 2019. Fermented feed regulates growth performance and the cecal microbiota community in geese. *Poult. Sci.* 98(10): 4673–4684. <https://doi.org/10.3382/ps/pez169>
- Yani, F., Muslim, dan Khairi, F. 2020. Pengaruh pemberian daun semak bunga putih (*Chromolaena odorata*) dalam ransum terhadap performans ayam

broiler. JAC. 2(1): 33–39.

Yegani, M., and Korver, D. R. 2008. Factors affecting intestinal health in poultry. *Poult. Sci.* 87(10): 2052–2063. <https://doi.org/10.3382/ps.2008-00091>

Zhang, X., Sun, Z., Cai, J., Wang, G., Zhu, Z., Zhao, L., and Cao, F. 2020. Dietary supplementation with fermented *Radix astragalus-ginkgo* leaves improves antioxidant capacity and meat quality in broilers. *Pak. J. Zool.* 52(4): 1571–1585. <https://doi.org/10.17582/journal.pjz/20181008081005>

Zhang, Z. F., Cho, J. H., and Kim, I. H. 2013. Effects of *Bacillus subtilis* UBT-MO2 on growth performance, relative immune organ weight, gas concentration in excreta, and intestinal microbial shedding in broiler chickens. *Livest. Sci.* 155(2–3): 343–347. <https://doi.org/10.1016/j.livsci.2013.05.021>