

DAFTAR PUSTAKA

- Agustin, H. M. 2007. *Analisis Fenotip Penderita Albinisme di Kabupaten Wonosobo, Jawa Tengah dan Amplifikasi ekson 5 gen MATP*. Skripsi. Fakultas Biologi UGM:Yogyakarta.
- Azizah, N., 2019. Deteksi Variasi Genetik Gen Penyandi Eenzim Pemetabolisme Asam Valrpoat UGT1A6 Rs2070959 A> G pada Responden Sehat Suku Jawa di Indonesia.
- Anello, M., Fernández, E., Daverio, M.S., Vidal-Rioja, L. and Di Rocco, F., 2019. TYR gene in llamas: polymorphisms and expression study in different color phenotypes. *Frontiers in Genetics*, 10, p.568.
- Arif, M.F., Prasetya, A.D., Lesmana, I. and Handayani, N.S.N., 2023. Comparison of Lysis Buffers for Saliva DNA Extraction using Modified Magnetic-Silica Nanoparticle Beads. *Biotropika: Journal of Tropical Biology*, 11(1), pp.1-8.
- Bharti, N., Santos, L., Davyt, M., Behrmann, S., Eichholtz, M., Jimenez-Sanchez, A., Hong, J.S., Rab, A., Sorscher, E.J., Albers, S. and Ignatova, Z., 2024. Translation velocity determines the efficacy of engineered suppressor tRNAs on pathogenic nonsense mutations. *Nature Communications*, 15(1), p.2957.
- Beveridge, J.R. and Riseman, E.M., 1997. How easy is matching 2D line models using local search?. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(6), pp.564-579.
- Brooker, R.J. 1999. *Genetic Analysis and Principles*. Addison-Wesley. California
- Chan, H.W., Schiff, E.R., Tailor, V.K., Malka, S., Neveu, M.M., Theodorou, M. and Moosajee, M., 2021. Prospective study of the phenotypic and mutational spectrum of ocular albinism and oculocutaneous albinism. *Genes*, 12(4), p.508.
- Chaki, M., Mukhopadhyay, A., Chatterjee, S., Das, M., Samanta, S. and Ray, K., 2005. Higher prevalence of OCA1 in an ethnic group of eastern India is due to a founder mutation in the tyrosinase gene. *Molecular Vision*, 11, pp.531-534
- Chaki, M., Sengupta, M., Mondal, M., Bhattacharya, A., Mallick, S. and Ray, K., 2011. Molecular and functional studies of tyrosinase variants among Indian oculocutaneous albinism type 1 patients. *Differentiation*, 22, pp.2992-3003.



UNIVERSITAS
GADJAH MADA

Analisis Sekuen Ekson 3, 4 dan 5 Gen TYR pada Albinisme dengan Ciri Fenotip OCA1A

Arini Dian Pratiwi, Prof. Dr. Niken Satuti Nur Handayani, M.Sc.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Chen, C., Li, J., Wang, B., Wang, Y. and Yu, X., 2024. TYR mutation in a Chinese population with oculocutaneous albinism: Molecular characteristics and ophthalmic manifestations. *Experimental Eye Research*, 239, p.109761.
- Dewanata, P.A. and Mushlih, M., 2021. Differences in DNA purity test using UV-Vis spectrophotometer and nanodrop spectrophotometer in type 2 diabetes mellitus patients. *Indonesian Journal of Innovation Studies*, 15, pp.10-21070.
- Dolinska, M.B., Kus, N.J., Farney, S.K., Wingfield, P.T., Brooks, B.P. and Sergeev, Y.V., 2017. Oculocutaneous albinism type 1: link between mutations, tyrosinase conformational stability, and enzymatic activity. *Pigment Cell & Melanoma Research*, 30(1), pp.41-52.
- Grønskov, K., Ek, J. and Brøndum-Nielsen, K., 2007. Oculocutaneous albinism. *Orphanet Journal of Rare Diseases*, 2(1), pp.1-8.
- Hałdys, K. and Latajka, R., 2019. Thiosemicarbazones with tyrosinase inhibitory activity. *MedChemComm*, 10(3), pp.378-389.
- Jaworek, T.J., Kausar, T., Bell, S.M., Tariq, N., Maqsood, M.I., Sohail, A., Ali, M., Iqbal, F., Rasool, S., Riazuddin, S. and Shaikh, R.S., 2012. Molecular genetic studies and delineation of the oculocutaneous albinism phenotype in the Pakistani population. *Orphanet Journal of Rare Diseases*, 7(1), pp.1-19.
- Jiang, B., Zhang, H., Kan, Y., Gao, X., Du, Z. and Liu, Q., 2023. Novel compound heterozygous mutations in OCA2 gene were identified in a Chinese family with oculocutaneous albinism. *Molecular Genetics & Genomic Medicine*, p.e2297.
- Kamilah, S.N., Muslim, C., Astuti, Y.D. and Pasaribu, M.D., 2021, June. Phenotypic Variation in Pigmentation of Persons with Albinism in Rejang Lebong, Bengkulu. In *3rd KOBIC Congress, International and National Conferences (KOBICINC 2020)* (pp. 391-394). Atlantis Press.
- Kalahroudi, V.G., Kamalidehghan, B., Arasteh Kani, A., Aryani, O., Tondar, M., Ahmadipour, F., Chung, L.Y. and Houshmand, M., 2014. Two novel tyrosinase (TYR) gene mutations with pathogenic impact on oculocutaneous albinism type 1 (OCA1). *PloS one*, 9(9), p.e106656.
- Kepel, B., 2014. Analisis mutasi gen protein X virus HBV pada penderita hepatitis B akut di manado. *Jurnal Lppm Bidang Sains Dan Teknologi*, 1(1), pp.47-55.
- Khehra, N., Padda, I.S. and Swift, C.J., 2023. Polymerase Chain Reaction (PCR).

- King, R.A., Pietsch, J., Fryer, J.P., Savage, S., Brott, M.J., Russell-Eggitt, I., Summers, C.G. and Oetting, W.S., 2003. Tyrosinase gene mutations in oculocutaneous albinism 1 (OCA1): definition of the phenotype. *Human Genetics*, 113, pp.502-513.
- Lasseaux, E., Plaisant, C., Michaud, V., Pennamen, P., Trimouille, A., Gaston, L., Monfermé, S., Lacombe, D., Rooryck, C., Morice-Picard, F. and Arveiler, B., 2018. Molecular characterization of a series of 990 index patients with albinism. *Pigment Cell & Melanoma Research*, 31(4), pp.466-474.
- Lai, X., Wichers, H.J., Soler-Lopez, M. and Dijkstra, B.W., 2018. Structure and function of human tyrosinase and tyrosinase-related proteins. *Chemistry—A European Journal*, 24(1), pp.47-55.
- Lin, Y., Chen, X., Yang, Y., Che, F., Zhang, S., Yuan, L. and Wu, Y., 2019. Mutational analysis of TYR, OCA2, and SLC45A2 genes in chinese families with oculocutaneous albinism. *Molecular Genetics & Genomic Medicine*, 7(7), p.e00687.
- Liu, S., Kuht, H.J., Moon, E.H., Maconachie, G.D. and Thomas, M.G., 2021. Current and emerging treatments for albinism. *Survey of Ophthalmology*, 66(2), pp.362-377.
- Li, C., Chen, Q., Wu, J., Ren, J., Zhang, M., Wang, H., Li, J. and Tang, Y., 2022. Identification and characterization of two novel noncoding tyrosinase (TYR) gene variants leading to oculocutaneous albinism type 1. *Journal of Biological Chemistry*, 298(5).
- Ma, E.Z., Zhou, A.E., Hoegler, K.M. and Khachemoune, A., 2023. Oculocutaneous albinism: epidemiology, genetics, skin manifestation, and psychosocial issues. *Archives of Dermatological Research*, 315(2), pp.107-116.
- Monfermé, S., Lasseaux, E., Duncombe-Poulet, C., Hamel, C., Defoort-Dhellemmes, S., Drumare, I., Zanolighi, X., Dollfus, H., Perdomo, Y., Bonneau, D. and Korobelnik, J.F., 2019. Mild form of oculocutaneous albinism type 1: phenotypic analysis of compound heterozygous patients with the R402Q variant of the TYR gene. *British Journal of Ophthalmology*, 103(9), pp.1239-1247.
- Oetting, W.S., 2000. The tyrosinase gene and oculocutaneous albinism type 1 (OCA1): a model for understanding the molecular biology of melanin formation. *Pigment Cell Research*, 13(5), pp.320-325.

- Opitz, S., Käsmann-Kellner, B., Kaufmann, M., Schwinger, E. and Zühlke, C., 2004. Detection of 53 novel DNA variations within the tyrosinase gene and accumulation of mutations in 17 patients with albinism. *Human Mutation*, 23(6), pp.630-631.
- Ramadhany, R. 2007. Analisis Fenotip Penderita Albinisme di Muncak Kabau Sumatera Selatan dan Amplifikasi Ekson 7 Gen MATP. Skripsi. Fakultas Biologi-UGM:Yogyakarta.
- Rastogi, R., Stenson, P.D., Cooper, D.N. and Bejerano, G., 2022. X-CAP improves pathogenicity prediction of stopgain variants. *Genome Medicine*, 14(1), p.81.
- Ray, K., Chaki, M. and Sengupta, M., 2006. Gene symbol: TYR. Disease: albinism, oculocutaneous 1. *Human Genetics*, 119(6).
- Robinson, R. 2003. Genetics. Volume 3. Macmillan Science Library. New York.
- Schidlowski, L., Liebert, F., Iankilevich, P. G., Rebellato, P. R. O., Rocha, R. A., Almeida, N. A. P., ... & Prando, C. (2020). Non-syndromic oculocutaneous albinism: Novel genetic variants and clinical follow up of a brazilian pediatric cohort. *Frontiers in Genetics*, 11, 397.
- Sun, W., Shen, Y., Shan, S., Han, L., Li, Y., Zhou, Z., Zhong, Z. and Chen, J., 2018. Identification of TYR mutations in patients with oculocutaneous albinism. *Molecular Medicine Reports*, 17(6), pp.8409-8413.
- Sundaresan, P., Sil, A.K., Philp, A.R., Randolph, M.A., Natchiar, G. and Namperumalsamy, P., 2004. Genetic analysis of oculocutaneous albinism type 1 (OCA1) in Indian families: two novel frameshift mutations in the TYR Gene. *Mol Vis*, 10, pp.1005-10.
- Summers, C.G., Oetting, W.S. and King, R.A., 1996. Diagnosis of oculocutaneous albinism with molecular analysis. *American Journal of Ophthalmology*, 121(6), pp.724-726.
- Slominski, A., Tobin, D.J., Shibahara, S. and Wortsman, J., 2004. Melanin pigmentation in mammalian skin and its hormonal regulation. *Physiological Reviews*, 84(4), pp.1155-1228.
- Spritz, R.A., Oh, J., Fukai, K., Holmes, S.A., Ho, L., Chitayat, D., France, T.D., Musarella, M.A., Orlow, S.J., Schnur, R.E. and Weleber, R.G., 1997. Novel mutations of the tyrosinase (TYR) gene in type I oculocutaneous albinism (OCA1). *Human Mutation*, 10(2), p.171.

- Tomita, Y., Takeda, A., Okinaga, S., Tagami, H. and Shibahara, S., 1989. Human oculocutaneous albinism caused by single base insertion in the tyrosinase gene. *Biochemical and Biophysical Research Communications*, 164(3), pp.990-996.
- Thuong, M.T.H., Anh, L.T.L., Nhung, V.P., Ngoc, T.T.B., Lan, H.T., Phuong, D.K., Ha, N.H., Van Hai, N. and Ton, N.D., 2022. Genetic analyses of Vietnamese patients with oculocutaneous albinism. *Journal of Clinical Laboratory Analysis*, 36(9), p.e24625.
- Yadav, R., Kumar, A., Bano, N., Singh, P., Pandey, A., Dhar, Y.V., Bag, S.K., Pande, V., Sharma, P., Singh, S.P. and Iqbal, H.M., 2022. Co-expression of *Cocculus hirsutus* trypsin inhibitor with Cry protein reduces resistant development in targeted insects along with complete mortality. *Industrial Crops and Products*, 188, p.115674.
- Ullah, F., Khan, I., Shah, S.A., Azam, S., Faisal, S. and Muzamil, H., 2019. Mutational Analysis of TYR Gene Causing Oculocutaneous Albinism in Families from District Peshawar. *Int. J. Hum. Genet*, 19, pp.170-178.
- Wang, Y., Guo, X., Li, W. and Lian, S., 2009. Four novel mutations of TYR gene in Chinese OCA1 patients. *Journal of Dermatological Science*, 53(1), pp.80-81.
- Wang, Y., Wang, Z., Chen, M., Fan, N., Yang, J., Liu, L., Wang, Y. and Liu, X., 2015. Mutational analysis of the TYR and OCA2 genes in four Chinese families with oculocutaneous albinism. *PloS one*, 10(4), p.e0125651.
- Weaver, R.F. and P.W. Hendrick. 1997. *Genetics*. 3rd Edition. Wm.C.Brown Publisher. USA.
- Zahed, L., Zahreddine, H., Noureddine, B., Rebeiz, N., Shakar, N., Zalloua, P. and Haddad, F., 2005. Molecular basis of oculocutaneous albinism type 1 in Lebanese patients. *Journal of Human Genetics*, 50(6), pp.317-319.
- Zhong, Z., Gu, L., Zheng, X., Ma, N., Wu, Z., Duan, J., Zhang, J. and Chen, J., 2019. Comprehensive analysis of spectral distribution of a large cohort of Chinese patients with non-syndromic oculocutaneous albinism facilitates genetic diagnosis. *Pigment Cell & Melanoma Research*, 32(5), pp.672-686.