

## DAFTAR PUSTAKA

- Alifia, E., Rahayu, T., & Jayanti, G. E. (2024). Correlation of Root Tip Color with Flower Color Based on Root Tip Anatomy of *Phalaenopsis*, *Dendrobium* and *Vanda* Orchids. *Buletin Anatomi dan Fisiologi*, 9(1). 10–19.
- Alqudah, A. A. (2024). Phylogenetic analysis and genetic similarities of *Phyllidia* spp. by comparing the nucleotide sequence of 16S rRNA and cytochrome c genes. *Brazilian Journal of Biology = Revista Brasileira de Biologia*, 84(1). 1-7. <https://doi.org/10.1590/1519-6984.272732>.
- Angamuthu, K., & Piramanayagam, S. (2017). Evaluation of in silico protein secondary structure prediction methods by employing statistical techniques. *Biomedical and Biotechnology Research Journal (BBRJ)*, 1(1), 29-36. [https://doi.org/10.4103/bbrj.bbrj\\_28\\_17](https://doi.org/10.4103/bbrj.bbrj_28_17)
- Bednarek, P. T., Machczyńska, J., Pachota, K. A., Dynkowska, W. M., & Orłowska, R. (2021). Understanding *In Vitro* Tissue Culture-Induced Variation Phenomenon in Microspore System. *International Journal of Molecular Sciences*, 22(14), 2-23. <https://doi.org/10.3390/ijms22147546>
- Bueno, N., Alvarez, J. M., & Ordás, R. J. (2020). Characterization of the *KNOTTED1-LIKE HOMEBOX (KNOX)* gene family in *Pinus pinaster* Ait. *Plant Science*, 301(110691), 1-11. <https://doi.org/10.1016/j.plantsci.2020.110691>.
- Bürglin, T. R. (1997). Analysis of the *TALE* superclass homeobox genes (*MEIS*, *PBC*, *KNOX*, *Iroquois*, *TGIF*) reveals a novel domain conserved between plants and animals. *Nucleic Acids Research* 25(21), 4173–4180. <https://doi.org/10.1093/nar/25.21.4173>.
- C. Geourjon & G. Deléage. (1995). SOPMA: significant improvements in protein secondary structure prediction by consensus prediction from multiple alignments. *Computer Applications in the Biosciences (CABIOS)*. 11(6), 681-684. DOI: 10.1093/bioinformatics/11.6.681.
- Cardoso, J. C., & Ono, E. O. (2011). *In vitro* growth of *Brassocattleya* orchid hybrid in different concentrations of KNO<sub>3</sub>, NH<sub>4</sub>NO<sub>3</sub> and benzylaminopurine. *Horticultura Brasileira*, 29(3), 359–363. <https://doi.org/10.1590/s0102-05362011000300017>.
- Casanova-Sáez, R., Staswick, P., Mateo-Bonmatí, E., Šimura, J., Ljung, K., Pěňčík, A., & Novák, O. (2022). Inactivation of the entire *Arabidopsis* group II GH3s confers tolerance to salinity and water deficit. *New Phytologist*, 235(1), 263–275. <https://doi.org/10.1111/nph.18114>.

- Chadburn, H. & Schuiteman, A. (2019). *Dendrobium spectabile*. The IUCN Red List of Threatened Species 2019: e.T126494182A126503390. <http://dx.doi.org/10.2305/IUCN.UK.2019.3.RLTS.T126494182A126503390.en>.
- Chen, W., & Wang, H. (2022). Phylogenetic Tree Selection by Testing Substitution Number in Clade. *Diversity*, 14(7), 1-13. <https://doi.org/10.3390/d14070543>.
- Chia-Hsien, H. (2016). Microfluidic Tumor-mimicking *In Vitro* Cell Culture Methods. *International Journal of Automation and Smart Technology*, 6(4), 211–216. <https://doi.org/10.5875/ausmt.v6i4.1314>.
- Corpet, F. (1988). Multiple sequence alignment with hierarchical clustering. *Nucleic Acids Research*, 16(22), 10881-10890.
- Cosme, F., Fernandes, C., Filipe-Ribeiro, L., Ribeiro, T., & Nunes, F. M. (2020). White Wine Protein Instability: Mechanism, Quality Control and Technological Alternatives for Wine Stabilisation - An Overview. *Beverages*, 6(1), 1-28. <https://doi.org/10.3390/beverages6010019>.
- Dindas, J., Bennett, M., Becker, D., Scherzer, S., Hedrich, R., & Roelfsema, M. R. G. (2020). Pitfalls in auxin pharmacology. *New Phytologist*, 227(2), 286–292. <https://doi.org/10.1111/nph.16491>
- Dressler, R. L. (1993). Phylogeny and classification of the orchid family. *Dioscorides Press*. Hong Kong. pp. 13-58.
- Faraji, N., Daly, N. L., Khosroushahi, A. Y., Doustmohammadi, A., & Arab, S. S. (2022). *ApInAPDB*: a database of apoptosis-inducing anticancer peptides. *Scientific Reports*, 12(1). 1-7. <https://doi.org/10.1038/s41598-022-25530-6>.
- Freire, C. M. A. D. S., Freire, J. E. D. C., Fonseca, F. M. P., Taunay-Rodrigues, A., & Gonzatti, M. B. (2021). New insights about the EptA protein and its correlation with the *pmrC* gene in polymyxin resistance in *Pseudomonas aeruginosa*. *Current Research in Microbial Sciences*, 2(3), 1-7. <https://doi.org/10.1016/j.crmicr.2021.100042>.
- Fu, S.F., Wei, J.Y., Chen, H.W., Liu, Y.Y., Lu, H.Y., Chou, J.Y. (2015). *Indole-3-acetic acid*: A widespread physiological code in interactions of fungi with other organisms. *Plant Signal Behav*, 10(8). 1-7. [10.1080/15592324.2015.1048052](https://doi.org/10.1080/15592324.2015.1048052).
- Fukui, K., Arai, K., Kubes, M. F., Zhao, Y., Napier, R., Tanaka, Y., Hayashi, K.-I., Kukshal, V., Jez, J. M., Kasahara, H., & Aoi, Y. (2022). Chemical inhibition

- of the auxin inactivation pathway uncovers the roles of metabolic turnover in auxin homeostasis. *Proceedings of the National Academy of Sciences*, 119(32), 1-10. <https://doi.org/10.1073/pnas.2206869119>.
- Furumizu, C., Alvarez, J. P., Sakakibara, K., & Bowman, J. L. (2015). Antagonistic roles for *KNOX1* and *KNOX2* genes in patterning the land plant body plan following an ancient gene duplication. *PLoS Genetics*, 11(2), 1-24. <https://doi.org/10.1371/journal.pgen.1004980>.
- Gu, Y., Tang, S., Wang, Z., Cai, L., Lian, H., Shen, Y., & Zhou, Y. (2021). A pan-cancer analysis of the prognostic and immunological role of  $\beta$ -actin (*ACTB*) in human cancers. *Bioengineered*, 12(1), 6166–6185. <https://doi.org/10.1080/21655979.2021.1973220>.
- Gunasekaran, S., Miyagawa, Y., & Miyamoto, K. (2022). *ACTIN* nucleoskeleton in embryonic development and cellular differentiation. *Current Opinion in Cell Biology*, 76(102100), 1-8. <https://doi.org/10.1016/j.ceb.2022.102100>.
- H. Nagasaki, T. Sakamoto, Y. Sato, M. Matsuoka. (2001). Functional analysis of the conserved domains of a rice *KNOX* homeodomain protein, *OSH15*. *Plant Cell*, 13(9), 2085–2098. <https://doi.org/10.1105/tpc.010113>.
- Hadi, H., Razali, S. N. S., & Awadh, A. I. (2015). A Comprehensive Review of the Cosmeceutical Benefits of *Vanda Species* (Orchidaceae). *Natural Product Communications*, 10(8), 1483-1488. <https://doi.org/10.1177/1934578x1501000842>.
- Hasnain, A., Naqvi, S.A.H., Ayesha, S.I., Khalid, F., Ellahi, M., Iqbal, S., Hassan, M.Z., Abbas, A., Adamski, R., Markowska, D., Baazeem, A., Mustafa, G., Moustafa, M., Hasan, M. E., Abdelhamid, M. M. A. (2022). Plants *in vitro* propagation with its applications in food, pharmaceuticals and cosmetic industries; current scenario and future approaches. *Front Plant Science*, 13(13), 1-21. [10.3389/fpls.2022.1009395](https://doi.org/10.3389/fpls.2022.1009395).
- He, L., & Liu, X. (2022). The Development and Progress in Machine Learning for Protein Subcellular Localization Prediction. *The Open Bioinformatics Journal*, 15(1), 1-14. <https://doi.org/10.2174/18750362-v15-e2208110>.
- Hickman, G. J., Boocock, D. J., Pockley, A. G., & Perry, C. C. (2016). The Importance and Clinical Relevance of Surfaces in Tissue Culture. *ACS Biomaterials Science & Engineering*, 2(2), 152–164. <https://doi.org/10.1021/acsbiomaterials.5b00403>
- Hirai, H., & Iwamasa, Y. (2022). Reconstructing Phylogenetic Trees from Multipartite Quartet Systems. *Algorithmica*, 84(7), 1875–1896. <https://doi.org/10.1007/s00453-022-00945-9>.

- Holec, P. V., Breuckman, K. C., Camacho, K. V., Mou, J., & Birnbaum, M. E. (2022). Proteome-Scale Screening to Identify High-Expression Signal Peptides with Minimal N-Terminus Biases via Yeast Display. *ACS Synthetic Biology*, 11(7), 2405–2416. <https://doi.org/10.1021/acssynbio.2c00101>.
- Horton, P., Park, K. J., Obayashi, T., Fujita, N., Harada, H., Adams-Collier, C. J., & Nakai, K. (2007). WoLF PSORT: protein localization predictor. *Nucleic Acids Research*, 35(web server issue), W585–W587. DOI: 10.1093/nar/gkm259.
- Howell, S. H. (1998). Molecular Genetics of Plant Development. *Cambridge University Press*. London. pp. 103-133.
- Huang, F., Wu, S., Ye, B., Ding, K., & Tang, X. (2022). PSL-LCCL: a resource for subcellular protein localization in liver cancer cell line SK\_HEP1. *Database: The Journal of Biological Databases and Curation*, 2022(2022), 1-13. <https://doi.org/10.1093/database/baab087>.
- J. Gao, X. Yang, W. Zhao, T. Lang, T. Samuelsson. (2015). Evolution, diversification, and expression of KNOX proteins in plants. *Front Plant Science*, 6(882), 1-13. [org/10.3389/fpls.2015.00882](https://doi.org/10.3389/fpls.2015.00882).
- Jia, P., Wang, Y., Sharif, R., Dong, Q., Liu, Y., Luan, H., Zhang, X., Guo, S., Qi, G. (2023). *KNOTTED1-like homeobox (KNOX)* transcription factors - Hubs in a plethora of networks A review. *International Journal of Biological Macromolecules*, 253(3), 1-12, <https://doi.org/10.1016/j.ijbiomac.126878>.
- Jiang, Y., Wang, D., Yao, Y., Eubel, H., Künzler, P., Möller, I. M., & Xu, D. (2021). MULocDeep: A deep-learning framework for protein subcellular and suborganellar localization prediction with residue-level interpretation. *Computational and Structural Biotechnology Journal*, 19(1), 4825–4839. <https://doi.org/10.1016/j.csbj.2021.08.027>.
- Jiao Y, Tan J, Guo H, Huang B, Ying Y, Ramakrishnan M, Zhang Z. (2024). Genome-wide analysis of the *KNOX* gene family in Moso bamboo: insights into their role in promoting the rapid shoot growth. *BMC Plant Biol*. 24(1), 1-19. doi: 10.1186/s12870-024-04883-2.
- Jolman, D., Batalla, M.I., Hungerford, A., Norwood, P., Tait, N., & Wallace, L.E. (2022). The challenges of growing orchids from seeds for conservation: An assessment of asymbiotic techniques. *Applications Plant Science* 10(5), 1-18. <https://doi.org/10.1002/aps3.11496>.
- Jouannic, S., Verdeil, J., Tregear, J. W., Vidal, B., & Collin, M. (2007). A *class I KNOX* gene from the palm species *Elaeis guineensis* (Arecaceae) is associated with meristem function and a distinct mode of leaf dissection. *New*

*Phytologist*, 174(3), 551–568. <https://doi.org/10.1111/j.1469-8137.2007.02020.x>

Karagyozyov, L., Grozdanov, P. N., & Böhmer, F. D. (2020). The translation attenuating arginine-rich sequence in the extended signal peptide of the protein-tyrosine phosphatase PTPRJ/DEP1 is conserved in mammals. *PLOS ONE*, 15(12), 1-10. <https://doi.org/10.1371/journal.pone.0240498>.

Kaushik, S., He, H., & Dalbey, R. E. (2022). Bacterial Signal Peptides- Navigating the Journey of Proteins. *Frontiers in Physiology*, 13(2), 1-25. <https://doi.org/10.3389/fphys.2022.933153>.

Ketsa, S., dan Warrington, I. J. (2023). The *Dendrobium* Orchid: Botany, horticulture, and utilization. *Crop Science*, 63(4), 1-15. DOI: 10.1002/csc2.20952.

Kozlowski, L. P. (2021). Proteome-pI 2.0: proteome isoelectric point database update. *Nucleic Acids Research*, 50(D1), D1535–D1540. <https://doi.org/10.1093/nar/gkab944>.

Kuijt, S.J., Greco, R., Agalou, A., Shao, J., Hoen, C. C., Overnäs, E., Osnato, M., Curiale, S., Meynard, D., van Gulik, R., de Faria, Maraschin S., Atallah, M., de Kam, R.J., Lamers, G. E., Guiderdoni, E., Rossini, L., Meijer, A. H., Ouwerkerk, P. B. (2014). Interaction between the *GROWTH-REGULATING FACTOR* and *KNOTTED1-LIKE HOMEODOMAIN* families of transcription factors. *Plant Physiology*, 164(4), 1952-66. doi: 10.1104/pp.113.222836.

Kumar, S., Stecher, G., Li, M., Knyaz, C. And Tamura, K., (2018). MEGA XI: molecular evolutionary genetics analysis across computing platforms. *Molecular Biology and Evolution*, 35(6), 1547-1549. <http://dx.doi.org/10.1093/molbev/msy096>. PMID:29722887.

Lee, J., Lin, H., Joo, S., Goodenough, U. (2008). Early Sexual Origins of Homeoprotein Heterodimerization and Evolution of the Plant *KNOX/BELL* Family. *Cell*, 133(5), 829-840.

Li, G., Manzoor, M. A., Wang, G., Chen, C., Song, C. (2023). Comparative analysis of *KNOX* genes and their expression patterns under various treatments in *Dendrobium huoshanense*. *Functional and Applied Plant Genomics*. 14(1258533). 1-15. <https://doi.org/10.3389/fpls.2023.1258533>.

Liaci, A. M., & Förster, F. (2021). Take Me Home, Protein Roads: Structural Insights into Signal Peptide Interactions during ER Translocation. *International Journal of Molecular Sciences*, 22(21), 1-19. <https://doi.org/10.3390/ijms222111871>.

- Meng, F., Zhang, Z., Guo, H., Wei, C., Liu, C., Pan, Y., Yu, J., Wang, J., & Wang, X. (2020). Cotton Duplicated Genes Produced by Polyploidy Show Significantly Elevated and Unbalanced Evolutionary Rates, Overwhelmingly Perturbing Gene Tree Topology. *Frontiers in Genetics*, 11(337). <https://doi.org/10.3389/fgene.2020.00239>.
- Meng, L., Liu, X., He, C., Xu, B., Li, Y., Hu, Y. (2020). Functional divergence and adaptive selection of *KNOX* gene family in plants. *Open Life Science*, 15(1), 346-363. doi: 10.1515/biol-2020-0036.
- Mohanta, T. K., Mishra, A. K., Al-Harrasi, A., Khan, A., Abd-Allah, E. F., & Hashem, A. (2021). Virtual 2-D map of the fungal proteome. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-86201-6>.
- Murray, M., & Thompson, W. (1980). Rapid isolation of higher weight DNA. *Nucleic Acids Research*, 8(1), 4321-4325. <https://doi.org/10.1093/nar/8.19.4321>.
- Musik, J. E., Zalucki, Y. M., Beacham, I. R., & Jennings, M. P. (2022). The role of signal sequence proximal residues in the mature region of bacterial secreted proteins in *E. coli*. *BBA-Biomembranes*, 1864(10). <https://doi.org/10.1016/j.bbamem.2022.184000>.
- Nicastro, R., Stumpe, M., Garcia Osuna, G. M., Michel, A. H., Jaquenoud, M., Kornmann, B., Raucci, S., & De Virgilio, C. (2021). *Indole-3-acetic acid* is a physiological inhibitor of TORC1 in yeast. *PLOS Genetics*, 17(3). <https://doi.org/10.1371/journal.pgen.1009414>.
- Nookaraju, A., Joshi, C. P., Ahlawat, Y. K., & Pandey, S. K. (2022). Understanding the Modus Operandi of *Class II KNOX* Transcription Factors in Secondary Cell Wall Biosynthesis. *Plants*, 11(4), 1-15. <https://doi.org/10.3390/plants11040493>.
- Oliveira, B. C. D., Oliveira, M. E. B. S. D., & Cardoso, J. C. (2019). Feasibility of the new method for orchid *in vitro* rooting using liquid and chemical sterilized culture medium under different sucrose concentration. *Ornamental Horticulture*, 25(3), 263-269. <https://doi.org/10.1590/2447-536x.v25i3.2047>.
- Olson, D. M., Dinerstein, E., Wikramanayake, E. D., Burgess, N. D., Powel, G. V. N., Underwood, E. C., D'Amico, J. A., Itoua, I., Strand, H. E., Morrison, J. C., Loucks, C. J., Allnutt, T. F., Ricketts, T. H., Kura, Y., Lamoreux, J. F., Wettengel, W. W., Hedao, P. & Kassem, K. R. (2001). Terrestrial ecoregions of the world: a new map of life on earth. *Bioscience* 51(11): 933-938.
- Pagnussat, G. C., Yu, H. J., Sundaresan, V. (2007). Cell-fate switch of synergid to egg cell in *Arabidopsis* eostre mutant embryo sacs arises from misexpression



- of the *BEL1-like homeodomain* gene *BLH1*. *Plant Cell* 19(11), 3578–3592, <https://doi.org/10.1105/tpc.107.054890>.
- Pautot, V., Jublot, D., Dockx, J., Hamant, O., Grandjean, O., Traas, J., & Kronenberger, J. (2001). *KNAT2*. *The Plant Cell*, 13(8), 1719–1734. <https://doi.org/10.1105/tpc.010184>.
- Petersen, T. N., Brunak, S., Gunnar von Heijne, G. V., dan Nielsen, H. (2011). *SignalP 4.0*: discriminating signal peptides from transmembrane regions. *Nature Methods*, 8(2011), 785–786. <https://doi.org/10.1038/nmeth.1701>.
- Pradhan, S., Ranjit, M., Pant, B., & Regmi, T. (2016). Production of virus-free orchid *Cymbidium aloifolium* (L.) Sw. by various tissue culture techniques. *Heliyon*, 2(10), 1–14. <https://doi.org/10.1016/j.heliyon.2016.e00176>.
- Purwanto, A. W. (2016). Anggrek Budidaya dan Perbanyakkan. *LPPM UPN Veteran Yogyakarta Press*. ISBN 978-602-71940-2-1.
- Que, F., Liu, Q., Zha, R., Xiong, A., & Wei, Q. (2022). Genome-Wide Identification, Expansion, and Evolution Analysis of *Homeobox* Gene Family Reveals *TALE* Genes Important for Secondary Cell Wall Biosynthesis in Moso Bamboo (*Phyllostachys edulis*). *International Journal of Molecular Sciences*, 23(8), 1–20. <https://doi.org/10.3390/ijms23084112>.
- Rasjid, N., Kurniawan, F. Y., Putri, S. U., Lingabuana, A., Prasajo, I. S., Semiarti, E. (2023). *In Silico* Analysis of *Phalaenopsis Orchid Homeobox1 (POH1)* Functional Gene for Shoot Development in *Phalaenopsis* Orchid. *Journal of Tropical Biodiversity and Biotechnology*, 8(3). 1–12. <https://doi.org/10.22146/jtbb.83934>.
- Risdiana, S. F., Azharia, S. A., Supriyatna, A. (2023). Inventarisasi dan Analisis Jenis Anggrek (Orchidaceae) Di Kampung Nambo, Desa Batukarut, Kecamatan Arjasari, Kabupaten Bandung. *Jurnal Ilmu Pertanian dan Perkebunan*, 5(2), 2809–8927.
- Ruben, V., Lawrie, D., Semiarti, E. (2022). Isolation and Characterization of *Vanda Orchid Homeobox* Gene from *Vanda tricolor* var. *Suavis* Lindl. from Merapi. *Conference: 7th International Conference on Biological Science (ICBS 2021)*, 22, 255–260. 10.2991/absr.k.220406.036.
- Sahay, A., Piprodhe, A., & Pise, M. (2020). *In silico* analysis and homology modeling of strictosidine synthase involved in alkaloid biosynthesis in *catharanthus roseus*. *Journal of Genetic Engineering and Biotechnology*, 18(1), 44. <https://doi.org/10.1186/s43141-020-00049-3>.

- Sakamoto, T., Sato, Y., & Matsuoka, M. (2001). Function of *KNOX* Homeodomain Proteins in Plant Development. *Plant Biotechnology*, 18(2), 85–92. <https://doi.org/10.5511/plantbiotechnology.18.85>
- Santhoshkumar, R., & Yusuf, A. (2020). *In silico* structural modeling and analysis of physicochemical properties of curcumin synthase (*CURS1*, *CURS2*, and *CURS3*) proteins of *Curcuma longa*. *Journal of Genetic Engineering and Biotechnology*, 18(1), 1-24. <https://doi.org/10.1186/s43141-020-00041-x>.
- Santoso U, Manohara YSW, Rochiman K. (2014). *Dendrobium spectabile* (Blume) Miq. *in vitro* culture and its acclimatization on mus media with antimicrobial and alcoholic sugar supplementation. *Journal of Biological Researches*, 19(2), 36–41.
- Sapay, N., Guermeur, Y. & Deléage, G., (2006). Prediction of amphipathic in-plane membrane anchors in monotopic proteins using a SVM classifier. *BMC Bioinformatics*, 7(1), 1-11. <http://dx.doi.org/10.1186/1471-2105-7-255>.
- Semiarti, E., Indiranto, A., Purwantoro, A., Isminingsih, S., Suseno, N., Ishikawa Takaaki, Yoshioka, Y., Machida, Y., & Machida, C. (2007). *Agrobacterium mediated* transformation of the wild orchid species *Phalaenopsis amabilis*. *Plant Biotechnology* 24(3), 265-272. <https://doi.org/10.5511/plantbiotechnology.24.267>.
- Semiarti, E., Ishikawa, T., Yoshioka, Y., Ikezaki, M., Machida, Y., & Machida, C. (2008). Isolation and Characterization of *PHALAENOPSIS ORCHID HOMEBOX1 (POH1) cDNAs*, *KNOTTED1-LIKE HOMEBOX* genes in *Phalaenopsis amabilis* Orchid. *International Conference on Mathematics and Natural Sciences (ICMNS)*, 289–293.
- Semiarti, E., Purwato, A., dan Indrianto, A. (2014). *In Vitro* Culture of Orchids: The Roles of *Class-I Knox* Gene in Shoot Development. Review. *Journal of Biological Researches*, 20(1), 18-27.
- Semiarti, E., Slamet, A., Rizal, R., & Mercuriani, I. S. (2016). Dynamic expression of *POH1* gene in shoot development during *in vitro culture* of *Phalaenopsis* orchid. *AIP Conference Proceedings*, 1744(2016), 1-7. <https://doi.org/10.1063/1.4953493>
- Si, C., Da Silva, J. A. T., Qiu, S., He, C., Zeng, D., Duan, J., & Bai, S. (2023). Genome-wide identification of *Aux/IAA* and *ARF* gene families reveal their potential roles in flower opening of *Dendrobium officinale*. *BMC Genomics*, 24(1), 1-13. <https://doi.org/10.1186/s12864-023-09263-y>.
- Solano, C., Ballardo, C., Barrena, R., Sánchez, A., & Artola, A. (2023). Effect of the Exogenous Application of Different Concentrations of Indole-3-Acetic



- Acid as a Growth Regulator on Onion (*Allium cepa* L.) Cultivation. *Agronomy*, 13(9), 1-18. <https://doi.org/10.3390/agronomy13092204>.
- Strobel, H. M., Meyer, J. R., & Horwitz, E. K. (2022). Viral protein instability enhances host-range evolvability. *PLoS Genetics*, 18(2), 1-26. <https://doi.org/10.1371/journal.pgen.1010030>.
- Sun, J., Lee, P., Miller, H., Yu, B., Zhong, X., Fu, X., & Liu, C. (2022). The Actin Regulators Involved in the Function and Related Diseases of Lymphocytes. *Frontiers in Immunology*, 13(9), 1-28. <https://doi.org/10.3389/fimmu.2022.799309>.
- Suryowinoto, M. (1998). *Budidaya Tanaman Anggrek*. PT Penebar Swadaya Anggota IKAPI.
- Swiss Institute of Bioinformatics. (1993). *Expasy Tool*. <https://web.expasy.org/translate/>.
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology Evolution*, 38(7), 3022–3027 doi:10.1093/molbev/msab120.
- Tang, J., Ye, Z., Jiang, Y., Mu, J., Zhang, L., Zhang, Y., Fu, H., Li, Y., Cui, H., & Yu, X. (2023). Biosynthetic Pathways and Functions of *Indole-3-Acetic Acid* in Microorganisms. *Microorganisms*, 11(8), 1-14. <https://doi.org/10.3390/microorganisms11082077>.
- Teixeira, A., Prod'Homme, A., Zanzoni, A., Brun, C., & Ribeiro, D. M. (2020). The role of 3'UTR-protein complexes in the regulation of protein multifunctionality and subcellular localization. *Nucleic Acids Research*, 48(12), 6491–6502. <https://doi.org/10.1093/nar/gkaa462>.
- Thammasiri, K., Jitsopakul, N., & Prasongsom, S., (2022). Micropropagation of some orchids and the use of cryopreservation. *Springer International Publishing*, Cham, pp. 225–26. DOI:10.1007/978-3-030-11257-8\_10-1.
- Timothy. L. Bailey, James, J., E. Grant, C. E., Noble, W. S. (2015). The MEME Suite. *Nucleic Acids Research*, 43(W1), W39–W49. <https://doi.org/10.1093/nar/gkv416>.
- Tokmakov, A. A., Kurotani, A., & Sato, K.-I. (2021). Protein pI and Intracellular Localization. *Frontiers in Molecular Biosciences*, 8(1), 1-6. <https://doi.org/10.3389/fmolb.2021.775736>.
- Vylčilová, Hana, Bryksová, M., Matušková, V., Doležal, K., Plíhalová, L & Strnad, M. (2020). Naturally Occurring and Artificial N9-Cytokinin Conjugates: From Synthesis to Biological Activity and Back. *Biomolecules*, 10(6), 832-840. <https://doi.org/10.3390/biom10060832>.

- Wang, X., He, J., Yuan, J., Zhang, X., Zhang, L., Yuan, Y., Zhang, C., & Song, H. (2023). Characterization of LIMA1 and its emerging roles and potential therapeutic prospects in cancers. *Frontiers in Oncology*, 13(1), 1-17. <https://doi.org/10.3389/fonc.2023.1115943>.
- Wang, Y., Shen, L., Ding, L., Yu, H., Yan, X., & Li, Y. (2020). Characterization of C- and D-Class MADS-Box Genes in Orchids. *Plant Physiology*, 184(3), 1469–1481. <https://doi.org/10.1104/pp.20.00487>.
- Wickramarachchi, C., Theofilopoulos, A. N., & Kono, D. H. (2009). Immune pathology associated with altered actin cytoskeleton regulation. *Autoimmunity*, 43(1), 64–75. <https://doi.org/10.3109/08916930903374634>.
- Wu, L., Dong, Y., Zhang, Y., Yao, S., Wu, F., Li, J., & Gao, S. (2022). Gm-PLoc: A Subcellular Localization Model of Multi-Label Protein Based on GAN and DeepFM. *Frontiers in Genetics*, 13(3), 1-12. <https://doi.org/10.3389/fgene.2022.912614>.
- Y. Liu, S. You, M. Taylor-Teeples, W.L. Li, M. Schuetz, S.M. Brady, C.J. Douglas. (2014). *BEL1-LIKE HOMEODOMAIN6* and *KNOTTED ARABIDOPSIS THALIANA7* interact and regulate secondary cell wall formation via repression of REVOLUTA. *Plant Cell*, 26(12), 4843–4861. <https://doi.org/10.1105/tpc.114.128322>.
- Yang, Y., Guo, L., Chen, L., Gong, B., Jia, D., & Sun, Q. (2023). Nuclear transport proteins: structure, function, and disease relevance. *Signal Transduction and Targeted Therapy*, 8(1), 1-29. <https://doi.org/10.1038/s41392-023-01649-4>.
- Yeung, E.C. (2017). A perspective on orchid seed and protocorm development. *Bot Stud* 58(33), 1-14. <https://doi.org/10.1186/s40529-017-0188-4>.
- Yu, C.S., Chen, Y.C., Lu, C.H., Hwang. (2006). JK: Prediction of protein subcellular localization. *Proteins: Structure, Function and Bioinformatics*, 64(3), 643-651.
- Yu, H., Yang, S. H., & Goh, C. J. (2000). *DOH1*, a class 1 *knox* gene, is required for maintenance of the basic plant architecture and floral transition in orchid. *The Plant Cell*, 12(11), 2143–2159. <https://doi.org/10.1105/tpc.12.11.2143>.
- Yuan, G., Yang, T., & Gao, H. (2023). Exploring the Role of the Plant Actin Cytoskeleton: From Signaling to Cellular Functions. *International Journal of Molecular Sciences*, 24(20), 1-28. <https://doi.org/10.3390/ijms242015480>.
- Zhang, D., Liu, Z.-J., Yin, W.-L., & Lan, S. (2022). Genome-Wide Identification and Expression Pattern Analysis of *KNOX* Gene Family in Orchidaceae.

*Frontiers in Plant Science*, 13(255), 1-13.  
<https://doi.org/10.3389/fpls.2022.901089>.

Zhang, M., Lv, G., Yang, H., Huang, Y., Li, M., Gao, C., Xu, L., Niu, H., & Liu, Q. (2022). Melatonin and Indole-3-Acetic Acid Synergistically Regulate Plant Growth and Stress Resistance. *Cells*, 11(20), 3250-3268.  
<https://doi.org/10.3390/cells11203250>.

Zhang, S., Yang, Y., Li, J., Qin, J., Zhang, W., Huang, W., & Hu, H. (2018). Physiological diversity of orchids. *Plant Diversity*, 40(4), 196–208.  
<https://doi.org/10.1016/j.pld.2018.06.003>.

Zhou, R., Fan, M., Zhao, M., Jiang, X., & Liu, Q. (2022). Overexpression of *LtKNOX1* from *Lilium tsingtauense* in *Nicotiana benthamiana* affects the development of leaf morphology. *Plant Signaling & Behavior*, 17(1), 1-12.  
<https://doi.org/10.1080/15592324.2022.2031783>.

Zou, Y., Hao, Y., Li, B., Hu, H., Huang, S., Zhang, Z., & Zeng, Y. (2024). Common Methods for Phylogenetic Tree Construction and Their Implementation in R. *Bioengineering*, 11(5), 1-22.  
<https://doi.org/10.3390/bioengineering11050480>.