

DAFTAR PUSTAKA

- Acsova, A., Hojerova, J., Janotkova, L., Bendova, H., Jedličková, L., Hamranova, V., & Martiniakova, S. (2021). The real UVB photoprotective efficacy of vegetable oils: in vitro and in vivo studies. *Photochemical & Photobiological Sciences*, 20, 139–151.
- Afianti, H. P., & Murrulkimahi, M. (2015). Pengaruh variasi kadar gelling agent HPMC terhadap sifat fisik dan aktivitas antibakteri sediaan gel ekstrak etanolik daun kemangi (*Ocimum basilicum* L. forma citratum Back.). *Majalah Farmaseutik*, 11(2), 307–315.
- Alizadeh, L., Abdolmaleki, K., Nayebzadeh, K., & Bahmaei, M. (2019). Characterization of sodium caseinate/Hydroxypropyl methylcellulose concentrated emulsions: Effect of mixing ratio, concentration and wax addition. *International journal of biological macromolecules*, 128, 796–803.
- Aljanah, F. W., Oktavia, S., & Noviyanto, F. (2022). Formulasi dan evaluasi sediaan hand body lotion ekstrak etanol daun semangka (*Citrullus lanatus*) sebagai Antioksidan. *Formosa Journal of Applied Sciences*, 1(5), 799–818.
- Ameliana, L., Rosyidi, V. A., Nurahmanto, D., Wicaksono, Y., & Lestari, L. P. A. (2023). PENGARUH PENAMBAHAN EKSTRAK DAUN MANGGA MANALAGI TERHADAP MUTU FISIK DAN EFEKTIVITAS TABIR SURYA EMULGEL KOMBINASI OCTINOXATE-AVOBENZONE. *Jurnal Ilmiah Manuntung*, 9(2), 181–190.
- Arancibia, C., Navarro-Lisboa, R., Zúñiga, R. N., & Matiacevich, S. (2016). Application of CMC as thickener on nanoemulsions based on olive oil: Physical properties and stability. *International Journal of Polymer Science*, 2016(1), 6280581.
- Arianto, A., & Cindy, C. (2019). Preparation and evaluation of sunflower oil nanoemulsion as a sunscreen. *Open access Macedonian journal of medical sciences*, 7(22), 3757.
- Aris, M., & Ilmi, A. N. (2022). Penentuan Kadar Total Flavonoid dan Nilai SPF (Sun Protection Factor) Ekstrak Etanol Rimpang Temu Ireng (*Curcuma aeruginosa* Roxb.) Secara Spektrofotometri UV-Vis. *Fito Medicine: Journal Pharmacy and Sciences*, 13(2), 85–93.
- Bail, S., Stuebiger, G., Krist, S., Unterweger, H., & Buchbauer, G. (2008). Characterisation of various grape seed oils by volatile compounds, triacylglycerol composition, total phenols and antioxidant capacity. *Food chemistry*, 108(3), 1122–1132.
- Bais, A. F., Lucas, R. M., Bornman, J. F., Williamson, C. E., Sulzberger, B., Austin, A. T., Wilson, S. R., Andrad, A. L., Bernhard, G., & McKenzie, R. L. (2018). Environmental effects of ozone depletion, UV radiation and interactions with climate change: UNEP Environmental Effects Assessment Panel, update 2017. *Photochemical & Photobiological Sciences*, 17(2), 127–179.
- Bui, N. H., Nguyen, B. V., Nguyen, T. N. L., Tran, T. T. T., & Mai, H. C. (2022). Physicochemical properties of seed oil of the cardinal grape (*Vitis vinifera* L.)

- originated in Vietnam. *Food Research*, 6(5), 161–167. [https://doi.org/10.26656/fr.2017.6\(5\).582](https://doi.org/10.26656/fr.2017.6(5).582)
- Caglar, S., Yildiz, G. K., Bakoglu, I., & Salihoglu, O. (2020). The effect of sunflower seed and almond oil on preterm infant skin: a randomized controlled trial. *Advances in skin & wound care*, 33(8), 1–6.
- Cao, X., & Ito, Y. (2003). Supercritical fluid extraction of grape seed oil and subsequent separation of free fatty acids by high-speed counter-current chromatography. *Journal of Chromatography A*, 1021(1–2), 117–124.
- Chauhan, A., Yadav, A., Chauhan, A., Chauhan, A., Mishra, S., Rai, J., & Jena, J. (2023). A REVIEW: SUN PROTECTING FACTOR. *Ymer*, 22, 13.
- Chu, C. C., & Nyam, K. L. (2021). Application of seed oils and its bioactive compounds in sunscreen formulations. *Journal of the American Oil Chemists' Society*, 98(7), 713–726.
- Costa, C., Medronho, B., Filipe, A., Mira, I., Lindman, B., Edlund, H., & Norgren, M. (2019). Emulsion formation and stabilization by biomolecules: The leading role of cellulose. *Polymers*, 11(10), 1570.
- Cottrell, T., & Peij, J. van. (2014). Sorbitan esters and polysorbates. *Emulsifiers in food technology*, 271–296.
- Dewi, B. (2020). FORMULASI DAN UJI EFEKTIVITAS LOTION ANTINYAMUK MINYAK CENGKEH (*Syzygium aromaticum*). *Jurnal Ilmiah Pharmacy*, 7, 277–286. <https://doi.org/10.52161/jiphar.v7i2.197>
- Duba, K. S., & Fiori, L. (2015). Supercritical CO₂ extraction of grape seed oil: Effect of process parameters on the extraction kinetics. *The Journal of Supercritical Fluids*, 98, 33–43.
- Dube, M., & Agarkar, S. (2022). Novel Approaches in Herbal Cosmetics: An Overview. *International Journal of Pharmaceutical Sciences Review and Research*, 72. <https://doi.org/10.47583/ijpsrr.2022.v72i01.015>
- Dwiputri, A. S., Pratiwi, L., & Nurbaeti, S. N. (2022). Optimasi Formula Sabun Organik Sebagai Scrub Kombinasi VCO, Palm Oil, Dan Olive Oil Menggunakan Metode Simplex Lattice Design. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 6(1).
- Ebrahimzadeh, M. A., Enayatifard, R., Khalili, M., Ghaffarloo, M., Saeedi, M., & Charati, J. Y. (2014). Correlation between sun protection factor and antioxidant activity, phenol and flavonoid contents of some medicinal plants. *Iranian journal of pharmaceutical research: IJPR*, 13(3), 1041.
- Egambaram, O. P., Kesavan Pillai, S., & Ray, S. S. (2020). Materials science challenges in skin UV protection: a review. *Photochemistry and Photobiology*, 96(4), 779–797.
- Fatimah, F., Rorong, J., & Gugule, S. (2012). STABILITAS DAN VISKOSITAS PRODUK EMULSI Virgin Coconut Oil-MADU [The Stability and Viscosity of Virgin Coconut Oil-Honey Emulsion]. Dalam *Hasil Penelitian J. Teknol. dan Industri Pangan: Vol. XXIII*.
- Foo, K. S., Bavoh, C. B., Lal, B., & Mohd Shariff, A. (2020). Rheology impact of various hydrophilic-hydrophobic balance (HLB) index non-ionic surfactants on cyclopentane hydrates. *Molecules*, 25(16), 3725.

- García, M. C., Alfaro, M. C., Calero, N., & Muñoz, J. (2014). Influence of polysaccharides on the rheology and stabilization of α -pinene emulsions. *Carbohydrate Polymers*, 105, 177–183. <https://doi.org/https://doi.org/10.1016/j.carbpol.2014.01.055>
- Guzmán, E., Llamas, S., Maestro, A., Fernández-Peña, L., Akanno, A., Miller, R., Ortega, F., & Rubio, R. G. (2016). Polymer-surfactant systems in bulk and at fluid interfaces. Dalam *Advances in Colloid and Interface Science* (Vol. 233, hlm. 38–64). Elsevier. <https://doi.org/10.1016/j.cis.2015.11.001>
- Hermund, D. B. (2018). Antioxidant properties of seaweed-derived substances. Dalam *Bioactive seaweeds for food applications* (hlm. 201–221). Elsevier.
- Hoang, H. T., Moon, J.-Y., & Lee, Y.-C. (2021). Natural antioxidants from plant extracts in skincare cosmetics: Recent applications, challenges and perspectives. *Cosmetics*, 8(4), 106.
- Husni, P., Hisprastin, Y., & Januarti, M. (2019). Formulasi dan Uji Stabilitas Fisik Sediaan Emulsi Minyak Ikan Lemuru (*Sardinella lemuru*). *As-Syifaa Jurnal Farmasi*, 11(02), 137–146.
- Irianto, I. D. K., Purwanto, P., & Mardan, M. T. (2020). Aktivitas antibakteri dan uji sifat fisik sediaan gel dekokta sirih hijau (*Piper betle* L.) sebagai alternatif pengobatan mastitis sapi. *Majalah Farmaseutik*, 16(2), 202–210.
- Jesus, A., Mota, S., Torres, A., Cruz, M. T., Sousa, E., Almeida, I. F., & Cidade, H. (2023). Antioxidants in Sunscreens: Which and What For? *Antioxidants*, 12(1). <https://doi.org/10.3390/antiox12010138>
- Kadawla, M., Yadav, V., Khati, B., & Gupta, P. (2022). HERBAL SUNSCREEN AND THEIR ADVANTAGES OVER SYNTHETIC PRODUCTS. *Advances in Pharmacology & Toxicology*, 23(1).
- Kalsum, U., Firman, I., & Amin, R. (2024). Formulasi Dan Uji Stabilitas Sediaan Serum Dari Ekstrak Etanol Kulit Buah Pisang Muli (*Musa Acuminata* Linn) Sebagai Antioksidan. *INHEALTH: INDONESIAN HEALTH JOURNAL*, 3(2), 172–182.
- Karaman, S., Karasu, S., Tornuk, F., Toker, O. S., Gecgel, U., Sagdic, O., Ozcan, N., & Gul, O. (2015). Recovery potential of cold press byproducts obtained from the edible oil industry: Physicochemical, bioactive, and antimicrobial properties. *Journal of agricultural and food chemistry*, 63(8), 2305–2313.
- Kim, N.-H., & Lee, A.-Y. (2023). Oxidative Stress Induces Skin Pigmentation in Melasma by Inhibiting Hedgehog Signaling. *Antioxidants*, 12(11), 1969.
- Kulkarni, S. S., Bhalke, R. D., Pande, V. V., & Kendre, P. N. (2014). Herbal plants in photo protection and sun screening action: An overview. *Indo Am. J. Pharm. Res.*, 4, 1104–1113.
- Kunde, V., Sonawane, S., Katkale, A., & Hagavane, S. (2022). *REVIEW ON LOTION AS A SKIN CARE PRODUCTS*.
- Li, Y., Zhong, M., Xie, F., Sun, Y., Zhang, S., & Qi, B. (2020). The effect of pH on the stabilization and digestive characteristics of soybean lipophilic protein oil-in-water emulsions with hypromellose. *Food Chemistry*, 309, 125579. <https://doi.org/https://doi.org/10.1016/j.foodchem.2019.125579>

- Liang, Y., Gillies, G., Matia-Merino, L., Ye, A., Patel, H., & Golding, M. (2017). Structure and stability of sodium-caseinate-stabilized oil-in-water emulsions as influenced by heat treatment. *Food Hydrocolloids*, 66, 307–317. <https://doi.org/https://doi.org/10.1016/j.foodhyd.2016.11.041>
- Limsuwan, T., & Amnuikit, T. (2017). Effect of grape seed extract in sunscreen lotion on sun protection factor (SPF) determined by in vitro method. *Proceedings of the 6th International Conference on Bioinformatics and Biomedical Science*, 109–112.
- Lin, T.-K., Zhong, L., & Santiago, J. L. (2017). Anti-inflammatory and skin barrier repair effects of topical application of some plant oils. *International journal of molecular sciences*, 19(1), 70.
- Lorigo, M., Quintaneiro, C., Breitenfeld, L., & Cairrao, E. (2024). Exposure to UV-B filter octylmethoxycinnamate and human health effects: Focus on endocrine disruptor actions. *Chemosphere*, 358, 142218. <https://doi.org/https://doi.org/10.1016/j.chemosphere.2024.142218>
- Lv, C., Hou, J., Xie, W., & Cheng, H. (2015). Investigation on formaldehyde release from preservatives in cosmetics. *International journal of cosmetic science*, 37(5), 474–478.
- Mansur, J. de S., Breder, M. N., Mansur, M. C., & Azulay, R. D. (1986). Determination of sun protection factor by spectrophotometry. *An Bras Dermatol*, 61(3), 121–124.
- Mardikasari, S. A., Mallarangeng, A., Zubaydah, W. O. S., & Juswita, E. (2017). Formulasi dan uji stabilitas lotion dari ekstrak etanol daun jambu biji (*Psidium guajava* L.) sebagai antioksidan. *Jurnal Farmasi, Sains dan Kesehatan*, 3(2), 28–32.
- Mohania, D., Chandel, S., Kumar, P., Verma, V., Digvijay, K., Tripathi, D., Choudhury, K., Mitten, S. K., & Shah, D. (2017). Ultraviolet radiations: Skin defense-damage mechanism. *Ultraviolet Light in Human Health, Diseases and Environment*, 71–87.
- Nardi, P. M. (2018). *Doing survey research: A guide to quantitative methods*. Routledge.
- Ningrum, W. A., Wirasti, W., Permadi, Y. W., & Himmah, F. F. (2021). Uji Sediaan Lotion Nanopartikel Ekstrak Terong Belanda Sebagai Antioksidan. *Jurnal Ilmiah Kesehatan*, 14(1), 99.
- Nyamweya, N. N. (2021). Applications of polymer blends in drug delivery. *Future Journal of Pharmaceutical Sciences*, 7(1), 18. <https://doi.org/10.1186/s43094-020-00167-2>
- Oktaviasari, L., & Zulkarnain, A. K. (2017). Formulasi dan Uji Stabilitas Fisik Sediaan Lotion O/W Pati Kentang (*Solanum Tuberosum* L.) Serta Aktivitasnya Sebagai Tabir Surya Formulation and Physical Stability Test of Lotion O/W Potato Starch (*Solanum tuberosum* L.) and the Activities as Sunscreen. *Majalah Farmaseutik*, 13(1), 9–27.
- Özcan, M. M., Yılmaz, F. G., Uslu, N., Kulluk, D. A., Dursun, N., & Yılmaz, H. (2024). Determination of bioactive compounds, phenolic contents, fatty acid and biogenic

- element profiles of the seeds of sunflower (*Helianthus annuus* L.) genotypes. *Food and Humanity*, 2, 100222.
- Pérez, C., del Castillo, M. L. R., Gil, C., Blanch, G. P., & Flores, G. (2015). Supercritical fluid extraction of grape seeds: extract chemical composition, antioxidant activity and inhibition of nitrite production in LPS-stimulated Raw 264.7 cells. *Food & function*, 6(8), 2607–2613.
- Pratama, W. A., & Zulkarnain, A. K. (2015a). Uji SPF in vitro dan sifat fisik beberapa produk tabir surya yang beredar di pasaran. *Majalah farmaseutik*, 11(1), 275–283.
- Pratama, W. A., & Zulkarnain, A. K. (2015b). Uji SPF in vitro dan sifat fisik beberapa produk tabir surya yang beredar di pasaran. *Majalah farmaseutik*, 11(1), 275–283.
- Rahmani, S. I. P., & Zulkarnain, A. K. (2023). Optimization of HPMC and Na-CMC as gelling agents on physical properties and stability in sunflower seed oil gel formulation. *Journal of Food and Pharmaceutical Sciences*, 812–819.
- Rahmatullah, S., Permadi, Y. W., & Utami, D. S. (2019). Formulasi dan Uji Aktivitas Antioksidan Sediaan Hand and Body Lotion Ekstrak Kulit Nanas (*Ananas comosus* (L.) Merr) dengan Metode DPPH. *Jurnal Farmasi UIN Alauddin Makassar*, 7(1), 26–33.
- Rahmawati, R., Muflihunna, A., & Amalia, M. (2018). Analisis aktivitas perlindungan sinar uv sari buah sirsak (*annona muricata* l.) berdasarkan nilai Sun Protection Factor (SPF) secara spektrofotometri UV-VIS. *Jurnal Fitofarmaka Indonesia*, 5(2), 284–288.
- Ramadhani, R. A., Riyadi, D. H. S., Triwibowo, B., & Kusumaningtyas, R. D. (2017). Review pemanfaatan design expert untuk optimasi komposisi campuran minyak nabati sebagai bahan baku sintesis biodiesel. *Jurnal Teknik Kimia dan Lingkungan*, 1(1), 11–16.
- Rombaut, N., Savoie, R., Thomasset, B., Castello, J., Van Hecke, E., & Lanoisellé, J.-L. (2015). Optimization of oil yield and oil total phenolic content during grape seed cold screw pressing. *Industrial Crops and Products*, 63, 26–33.
- Rowe, R. C., Sheskey, P., & Quinn, M. (2009). *Handbook of pharmaceutical excipients*. Libros Digitales-Pharmaceutical Press.
- Saryanti, D., Setiawan, I., & Safitri, R. A. (2019). Optimasi Asam Stearat dan Tea pada Formula Sediaan Krim Ekstrak Kulit Pisang Kepok (*Musa Paradisiaca* L.). *Jurnal Riset Kefarmasian Indonesia*, 1(3), 225–237.
- Sawiji, R. T., Valtina, N. P., Putri, K. M. W., Dewi, N. M. A. S., Nurjana, N. H., & Adityawan, P. A. R. (2023). Optimasi Komposisi Emulgator Formulasi Lotion Dengan Bahan Aktif Ceramide dan Vitamin C Menggunakan Metode SLD. *Acta Holistica Pharmacia*, 5(2), 68–78.
- Shinagawa, F. B., Santana, F. C. de, & Mancini-Filho, J. (2015). Effect of cold pressed grape seed oil on rats biochemical markers and inflammatory profile. *Rev. Nutr*, 28(1), 65–76.
- Silva, S., Ferreira, M., Oliveira, A. S., Magalhães, C., Sousa, M. E., Pinto, M., Sousa Lobo, J. M., & Almeida, I. F. (2019). Evolution of the use of antioxidants in anti-ageing cosmetics. *International Journal of Cosmetic Science*, 41(4), 378–386.

- Sopyan, I., Irawati, W., & Indriyati, W. (2018). A novel of bezafibrate analysis methods in urine (in vitro) using solid phase extraction-high performance liquid chromatography-uv detector. *Int J Appl Pharm*, 10(1), 94.
- Stewart, C. K., Parker, J., Hwang, R., Vincent, M., & Fung, E. (2023). Quantitative risk assessment of dermal sensitization potential following use of shampoo products containing the formaldehyde releasing preservative DMDM hydantoin. *International Journal of Toxicology*, 42(4), 326–333.
- Suhery, W. N., Fernando, A., & Has, N. (2016). Uji aktivitas antioksidan dari ekstrak bekatul padi ketan merah dan hitam (*Oryza sativa* L. var. *Glutinosa*) dan formulasinya dalam sediaan krim. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 13(1), 101–115.
- Susanti, Y., Purba, A. V., & Rahmat, D. (2020). Nilai Antioksidan dan Spf dari Kombinasi Minyak Biji Wijen (*Sesamum indicum* L.) dan Minyak Biji Bunga Matahari (*Helianthus annuus* L.). *Majalah Farmaseutik*, 16(1), 107. <https://doi.org/10.22146/farmaseutik.v16i1.52243>
- Tamara, N., Angkasa, C., Ginting, C. L., Chiuman, L., & Lister, I. N. E. (2019). Determination sunscreen potential based on sunflower seed Oil (*Helianthus annuus*) in cream preparation with combination of oxybenzone and octyl methoxycinnamate by in vitro method. *Am. Sci. Res. J. Eng. Technol. Sci*, 60, 33–39.
- Tao, K., Guo, L., Hu, X., Fitzgerald, C., Rouzard, K., Healy, J., Tamura, M., Stock, J. B., Stock, M., & Pérez, E. (2021). Encapsulated activated grape seed extract: a novel formulation with anti-aging, skin-brightening, and hydration properties. *Cosmetics*, 9(1), 4.
- Wahyuni, P. (2018). Penentuan Nilai SPF Krim Tabir Surya Berbasis Minyak Biji Anggur. *Herbal Medicine Journal*, 1(1), 16–20.
- Wattimena, M. L., Kaya, A. O. W., Wenno, M. R., Nanlohy, E. E. E. M., & Pattipeiluhu, Y. (2023). KARAKTERISTIK KIMIA, FISIK DAN ORGANOLEPTIK KRIM KULIT DENGAN PENAMBAHAN KOLAGEN. *INASUA: Jurnal Teknologi Hasil Perikanan*, 3(1), 174–182.
- Wibowo, D. N., Anjaswari, E. P., Aini, A. N., & Murukmihadi, M. (2024). FORMULASI SEDIAAN KRIM DAN LOSION MINYAK ALMOND (*Oleum amygdalarum*) SEBAGAI TABIR SURYA. *CENDEKIA EKSAKTA*, 9(1), 10–18.
- Wijaya, H., Syamsul, E. S., Octavia, D. R., Mardiana, L., Sentat, T., Rusnaeni, R., Mayefis, D., Helmidanora, R., Mentari, I. A., & Hanifa, D. N. C. (2023). *FARMASETIKA: DASAR-DASAR ILMU FARMASI*. PT. Sonpedia Publishing Indonesia.
- Yang, W., Wang, J., Yang, Q., Pei, H., Hu, N., Suo, Y., Li, Z., Zhang, D., & Wang, J. (2018). Facile fabrication of robust MOF membranes on cloth via a CMC macromolecule bridge for highly efficient Pb (II) removal. *Chemical Engineering Journal*, 339, 230–239.
- Yunita, E., Rinanda, A. A., & Habibah, S. A. N. (2019a). Pengaruh Penggunaan Karbopol Dan Cmc-Na Terhadap Sifat Fisik Pada Formulasi Lotion Ekstrak Kulit Pisang Ambon (*Musa Paradisiaca* Var *Sapientum*). *Jurnal Kefarmasian Akfarindo*, 8–14.

- Yunita, E., Rinanda, A. A., & Habibah, S. A. N. (2019b). Pengaruh Penggunaan Karbopol Dan Cmc-Na Terhadap Sifat Fisik Pada Formulasi Lotion Ekstrak Kulit Pisang Ambon (Musa Paradisiaca Var Sapientum). *Jurnal Kefarmasian Akfarindo*, 8–14.
- Zarai, Z., Balti, R., Sila, A., Ali, Y. Ben, & Gargouri, Y. (2016). Helix aspersa gelatin as an emulsifier and emulsion stabilizer: functional properties and effects on pancreatic lipolysis. *Food & function*, 7(1), 326–336.
- Zenny, Z. (2021). Penentuan Nilai SPF Losion Minyak Bunga Matahari. *Herbal Medicine Journal*, 4(1), 1–6.
- Zhang, M., Yang, B., Liu, W., & Li, S. (2017). Influence of hydroxypropyl methylcellulose, methylcellulose, gelatin, poloxamer 407 and poloxamer 188 on the formation and stability of soybean oil-in-water emulsions. *Asian Journal of Pharmaceutical Sciences*, 12(6), 521–531. <https://doi.org/10.1016/j.ajps.2017.05.009>
- Zulkarnain, A. K., Faridhotu, F., & PR, I. N. (2022). Optimization of Gelling Agent of Sunflower (Helianthus annuus) Seed Oil Gel and Its Stability and Activity Test In Vitro as Sunscreen. *Majalah Obat Tradisional*, 27(3), 247–256.
- Zulkarnain, A. K., Matsumoto, K., & Kajiwaru, N. (2023). Formulasi Dan Stabilitas Fisik Sediaan Cream Ekstrak Rimpang Temu Mangga (Curcuma manga Val.) Dan Uji Aktivitas Sebagai Tabir Surya Secara In Vitro. *Majalah Farmaseutik*, 19(2), 164–170.
- Zulkarnain, A. K., Syach, M. F., & Ritmaleni, R. (2024). Formulasi dan Uji Stabilitas Fisik Sediaan Krim Tabir Surya Pentagamavunon-5 Serta Uji Aktivitasnya Secara In Vitro. *Majalah Farmaseutik*, 20(2), 145–153.