

## DAFTAR PUSTAKA

- [1] B. Birawo and P. Kasproski, “Review and evaluation of eye movement event detection algorithms,” *Sensors*, vol. 22, p. 8810, 11 2022.
- [2] C. Elmadjian, C. Gonzales, R. L. da Costa, and C. H. Morimoto, “Online eye-movement classification with temporal convolutional networks,” *Behavior Research Methods*, vol. 55, pp. 3602–3620, 10 2022.
- [3] O. V. Komogortsev, D. V. Gobert, S. Jayarathna, D. H. Koh, and S. M. Gowda, “Standardization of automated analyses of oculomotor fixation and saccadic behaviors,” *IEEE Transactions on Biomedical Engineering*, vol. 57, pp. 2635–2645, 11 2010.
- [4] D. B. Nadzary, “Optimalisasi hyperparameter arsitektur temporal convolutional network menggunakan metode hyperband untuk mengklasifikasikan gerakan mata manusia,” Skripsi, Universitas Gadjah Mada, 2023.
- [5] S. Bai, J. Z. Kolter, and V. Koltun, “An empirical evaluation of generic convolutional and recurrent networks for sequence modeling,” 2018.
- [6] B. T. Carter and S. G. Luke, “Best practices in eye tracking research,” *International Journal of Psychophysiology*, vol. 155, pp. 49–62, 9 2020.
- [7] J. D. Smith, R. Vertegaal, and C. Sohn, “Viewpointer.” *ACM*, 10 2005, pp. 53–61.
- [8] B. Hosp, S. Eivazi, M. Maurer, W. Fuhl, D. Geisler, and E. Kasneci, “Remoteeye: An open-source high-speed remote eye tracker,” *Behavior Research Methods*, vol. 52, pp. 1387–1401, 6 2020.
- [9] M. Nyström, R. Andersson, K. Holmqvist, and J. van de Weijer, “The influence of calibration method and eye physiology on eyetracking data quality,” *Behavior Research Methods*, vol. 45, pp. 272–288, 3 2013.
- [10] L. Deng and D. Yu, “Deep learning: Methods and applications,” *Foundations and Trends® in Signal Processing*, vol. 7, pp. 197–387, 2014.
- [11] U. Kumari and G. Aggarwal, “Artificial neural networks,” *International Journal of Engineering and Applied Sciences (IJEAS)*, vol. 4, pp. 1–5, May 2017.
- [12] Wiragotama, “Introduction to machine learning secured,” 2024, accessed: 2024-06-11. [Online]. Available: <https://wiragotama.github.io/resources/ebook/intro-to-ml-secured.pdf>
- [13] S. Jaiswal, “Binary image classifier cnn using tensorflow,” 2020, accessed: 2024-06-11. [Online]. Available: <https://medium.com/techiepedia/binary-image-classifier-cnn-using-tensorflow-a3f5d6746697>
- [14] R. Sánchez-Reolid, F. L. de la Rosa, M. T. López, and A. Fernández-Caballero, “One-dimensional convolutional neural networks for low/high arousal classification from electrodermal activity,” *Biomedical Signal Processing and Control*, vol. 71, p. 103203, 1 2022.

- [15] C. Lea, M. D. Flynn, R. Vidal, A. Reiter, and G. D. Hager, “Temporal convolutional networks for action segmentation and detection,” 2016.
- [16] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: a simple way to prevent neural networks from overfitting,” *J. Mach. Learn. Res.*, vol. 15, no. 1, p. 1929–1958, jan 2014.
- [17] C. Lei, L. Xue, M. Jiao, H. Zhang, and J. Shi, “Rolling bearing fault diagnosis by markov transition field and multi-dimension convolutional neural network,” *Measurement Science and Technology*, vol. 33, p. 114009, 11 2022.
- [18] T. N. Duc, C. T. Minh, T. P. Xuan, and E. Kamioka, “Convolutional neural networks for continuous qoe prediction in video streaming services,” *IEEE Access*, vol. 8, pp. 116 268–116 278, 2020.
- [19] *Credit Risk Evaluation Using SVM with Direct Search for Parameter Selection*. Springer Berlin Heidelberg, 2008, pp. 41–55.
- [20] M. O. B. Wibowo, “Optimasi hyperparameter pada bidirectional long short term memory (bi-lstm) untuk meningkatkan akurasi klasifikasi gerakan mata,” Thesis, Universitas Gadjah Mada, 2023.
- [21] M. Feurer and F. Hutter, *Hyperparameter Optimization*, 2019, pp. 3–33.
- [22] A. P. Engelbrecht, *Computational Intelligence*. Wiley, 10 2007.
- [23] S. Wang, Q. Wang, and H. Chen, “Research and application of eye movement interaction based on eye movement recognition,” *MATEC Web of Conferences*, vol. 246, p. 03038, 12 2018.
- [24] Eyeware Tech, “Apple vision pro and the power of eye tracking,” 2023, accessed: 2024-06-11. [Online]. Available: <https://beam.eyeware.tech/apple-vision-pro-and-the-power-of-eye-tracking/>
- [25] a. H. C. Shu Wang, Qing Wang, “Design and verification of children-oriented educational application based on eye movement interactive technology,” *2nd International Conference on Computer Science and Intelligent Communication (CSIC 2018)*, 2018, accessed: 2024-02-11. [Online]. Available: <https://pdfs.semanticscholar.org/a4ef/b384bcf82ca47d82a6d3a179d13ae982d3cf.pdf>
- [26] A. F. Klaib, N. O. Alsrehin, W. Y. Melhem, H. O. Bashtawi, and A. A. Magableh, “Eye tracking algorithms, techniques, tools, and applications with an emphasis on machine learning and internet of things technologies,” *Expert Systems with Applications*, vol. 166, p. 114037, 3 2021.
- [27] L. Larsson, “Event detection in eye-tracking data for use in applications with dynamic stimuli,” 2016. [Online]. Available: <https://api.semanticscholar.org/CorpusID:35915841>
- [28] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, “Using machine learning to detect events in eye-tracking data,” *Behavior Research Methods*, vol. 50, pp. 160–181, 2 2018.

- [29] M. Vidal, A. Bulling, and H. Gellersen, "Detection of smooth pursuits using eye movement shape features." *ACM*, 3 2012, pp. 177–180.
- [30] R. J. Kuo, H.-J. Chen, and Y.-H. Kuo, "The development of an eye movement-based deep learning system for laparoscopic surgical skills assessment," *Scientific Reports*, vol. 12, p. 11036, 8 2022.
- [31] S. Hoppe and A. Bulling, "End-to-end eye movement detection using convolutional neural networks," 2016.
- [32] D. Cetintas and T. T. Firat, "Eye-tracking analysis with deep learning method." *IEEE*, 9 2021, pp. 512–515.
- [33] R. Zemblys, D. C. Niehorster, and K. Holmqvist, "gazenet: End-to-end eye-movement event detection with deep neural networks," *Behavior Research Methods*, vol. 51, pp. 840–864, 4 2019.
- [34] M. Startsev, I. Agtzidis, and M. Dorr, "1d cnn with blstm for automated classification of fixations, saccades, and smooth pursuits," *Behavior Research Methods*, vol. 51, pp. 556–572, 4 2019.
- [35] T. Yu and H. Zhu, "Hyper-parameter optimization: A review of algorithms and applications," 2020.
- [36] L. Yang and A. Shami, "On hyperparameter optimization of machine learning algorithms: Theory and practice," *Neurocomputing*, vol. 415, pp. 295–316, 11 2020.
- [37] M. O. B. Wibowo, S. A. I. Alfarozi, and S. Wibirama, "Pros and cons of fixation and smooth pursuit interaction in assistive technology: A review." *IEEE*, 9 2022, pp. 1–6.
- [38] B. Zheng, S. W. Yoon, and S. S. Lam, "Breast cancer diagnosis based on feature extraction using a hybrid of k-means and support vector machine algorithms," *Expert Systems with Applications*, vol. 41, pp. 1476–1482, 3 2014.
- [39] Y. N. Pawan, K. B. Prakash, S. Chowdhury, and Y.-C. Hu, "Particle swarm optimization performance improvement using deep learning techniques," *Multimedia Tools and Applications*, vol. 81, pp. 27 949–27 968, 8 2022.
- [40] D. D. Salvucci and J. H. Goldberg, "Identifying fixations and saccades in eye-tracking protocols." *ACM Press*, 2000, pp. 71–78.
- [41] S. Wibirama, S. Murnani, I. D. Sukowati, and R. Ferdiana, "Gaze-controlled digital signage for public health education during covid-19 pandemic." *IEEE*, 8 2021, pp. 7–12.
- [42] E. Tafaj, T. C. Kübler, G. Kasneci, W. Rosenstiel, and M. Bogdan, *Online Classification of Eye Tracking Data for Automated Analysis of Traffic Hazard Perception*, 2013, pp. 442–450.
- [43] O. V. Komogortsev and A. Karpov, "Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades," *Behavior Research Methods*, vol. 45, pp. 203–215, 3 2013.

- [44] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, J. Halszka, and J. van de Weijer, *Eye Tracking : A Comprehensive Guide to Methods and Measures*. United Kingdom: Oxford University Press, 2011.
- [45] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, “Bayesian identification of fixations, saccades, and smooth pursuits.” *ACM*, 3 2016, pp. 163–170.
- [46] H. Nurlatifa, R. Hartanto, A. Ataka, and S. Wibirama, “Optimum object selection methods for spontaneous gaze-based interaction with linear and circular trajectories,” *Results in Engineering*, vol. 21, p. 101769, 3 2024.
- [47] J. Kim, S. Singh, E. D. Thiessen, and A. V. Fisher, “A hidden markov model for analyzing eye-tracking of moving objects,” *Behavior Research Methods*, vol. 52, pp. 1225–1243, 6 2020.
- [48] J. Pekkanen and O. Lappi, “A new and general approach to signal denoising and eye movement classification based on segmented linear regression,” *Scientific Reports*, vol. 7, p. 17726, 12 2017.
- [49] N. DeCastro-García, Á. L. M. Castañeda, D. E. García, and M. V. Carriegos, “Effect of the sampling of a dataset in the hyperparameter optimization phase over the efficiency of a machine learning algorithm,” *Complex.*, vol. 2019, pp. 6 278 908:1–6 278 908:16, 2019. [Online]. Available: <https://api.semanticscholar.org/CorpusID:67867516>
- [50] Y. Shi and R. Eberhart, “A modified particle swarm optimizer,” in *1998 IEEE International Conference on Evolutionary Computation Proceedings. IEEE World Congress on Computational Intelligence (Cat. No.98TH8360)*, 1998, pp. 69–73.
- [51] J. Kennedy and R. Eberhart, “Particle swarm optimization,” in *Proceedings of ICNN’95 - International Conference on Neural Networks*, vol. 4, 1995, pp. 1942–1948 vol.4.
- [52] K. A. Dalrymple, M. D. Manner, K. A. Harmelink, E. P. Teska, and J. T. Elison, “An examination of recording accuracy and precision from eye tracking data from toddlerhood to adulthood,” *Frontiers in Psychology*, vol. 9, 5 2018.
- [53] E. M. Reingold, “Eye tracking research and technology: Towards objective measurement of data quality,” *Visual Cognition*, vol. 22, pp. 635–652, 4 2014.
- [54] P. Blignaut and D. Wium, “Eye-tracking data quality as affected by ethnicity and experimental design,” *Behavior Research Methods*, vol. 46, pp. 67–80, 3 2014.
- [55] S. Pyo, J. Lee, M. Cha, and H. Jang, “Predictability of machine learning techniques to forecast the trends of market index prices: Hypothesis testing for the korean stock markets,” *PLOS ONE*, vol. 12, p. e0188107, 11 2017.
- [56] Y. Huang, Q. Wu, J. Wu, and N. Dong, “Loss functions and metrics in deep learning: A review,” *Pattern Recognition*, vol. 118, p. 107990, 2021. [Online]. Available: [https://www.researchgate.net/publication/372163006\\_Loss\\_Functions\\_and\\_Metrics\\_in\\_Deep\\_Learning\\_A\\_Review](https://www.researchgate.net/publication/372163006_Loss_Functions_and_Metrics_in_Deep_Learning_A_Review)

- [57] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.
- [58] L. Bottou, *Stochastic Gradient Descent Tricks*, 2012, pp. 421–436.
- [59] A. Ghosh, A. Sufian, F. Sultana, A. Chakrabarti, and D. De, *Fundamental Concepts of Convolutional Neural Network*, 2020, pp. 519–567.
- [60] J. S. Suri, A. El-Baz, and L. Saba, Eds., *Handbook of Medical Image Computing and Computer-Assisted Intervention*. Elsevier, 2020. [Online]. Available: <https://www.sciencedirect.com/book/9780128161760/handbook-of-medical-image-computing-and-computer-assisted-intervention>
- [61] S. Kiranyaz, O. Avci, O. Abdeljaber, T. Ince, M. Gabbouj, and D. J. Inman, “1d convolutional neural networks and applications: A survey,” *Mechanical Systems and Signal Processing*, vol. 151, p. 107398, 4 2021.
- [62] E. Bartz, T. Bartz-Beielstein, M. Zaefferer, and O. Mersmann, Eds., *Hyperparameter Tuning for Machine and Deep Learning with R*. Springer Nature Singapore, 2023.
- [63] S. R. Dubey, S. K. Singh, and B. B. Chaudhuri, “Activation functions in deep learning: A comprehensive survey and benchmark,” *Neurocomputing*, vol. 503, pp. 92–108, 9 2022.
- [64] M. A. K. Raiaan, S. Sakib, N. M. Fahad, A. A. Mamun, M. A. Rahman, S. Shatabda, and M. S. H. Mukta, “A systematic review of hyperparameter optimization techniques in convolutional neural networks,” *Decision Analytics Journal*, vol. 11, p. 100470, 6 2024.
- [65] Álvaro Barbero Jiménez, J. L. Lázaro, and J. R. Dorronsoro, *Finding Optimal Model Parameters by Discrete Grid Search*, 2007, pp. 120–127.
- [66] A. S. Wicaksono and A. Afif, “Hyper parameter optimization using genetic algorithm on machine learning methods for online news popularity prediction,” *International Journal of Advanced Computer Science and Applications*, vol. 9, 2018.
- [67] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: a simple way to prevent neural networks from overfitting,” *J. Mach. Learn. Res.*, vol. 15, no. 1, p. 1929–1958, jan 2014.
- [68] D. Wang, D. Tan, and L. Liu, “Particle swarm optimization algorithm: an overview,” *Soft Computing*, vol. 22, pp. 387–408, 1 2018.
- [69] F. Imam, P. Musilek, and M. Z. Reformat, “Parametric and nonparametric machine learning techniques for increasing power system reliability: A review,” *Information*, vol. 15, p. 37, 1 2024.
- [70] B. C. Beins and M. A. McCarthy, *Research Methods and Statistics in Psychology*, 2nd ed. Cambridge University Press, 2018.