

DAFTAR PUSTAKA

- Ahmadlou M, Karimi M, Alizadeh S, Shirzadi A, Parvinnejhad D, Shahabi H, Panahi M. (2018). Flood susceptibility assessment using integration of adaptive network-based fuzzy inference system (ANFIS) and biogeography-based optimization (BBO) and BAT algorithms (BA). *Geocarto Int*, 34 (11), 1252 - 1272.
- Asmara, R. A., Prasetyo, A., Stevani, S., & Hapsari, R. I. (2021). Prediksi Banjir Lahar Dingin Pada Lereng Merapi Menggunakan Data Curah Hujan Dari Satelit. *JIP (Jurnal Informatika Polinema)*, 7(2), 35–42.
- Aziza, S.N., Somantri, L., Setiawan, I. (2021). Analisis Pemetaan Tingkat Rawan Banjir di Kecamatan Bontang Barat Kota Bontang Berbasis Sistem Informasi Geografis. *Jurnal Pendidikan Geografi Undiksha*, 9(2), 109– 120. <https://doi.org/http://dx.doi.org/10.23887/jjpg.v9i2.35173>
- Badan Koordinasi Nasional Penanganan Bencana. (2007) Pengenalan Karakteristik Bencana Dan Upaya Mitigasinya Di Indonesia. [online], dari : www.bnpb.go.id [28 Februari 2024]
- Barredo JI. (2009). Normalised flood losses in Europe: 1970–2006. *Nat Hazards Earth Syst Sci*, 9(1), 97–104.
- Burby, R., and French, S. (1981). "Coping with Floods: the Land Use Management Paradox." *Journal of American Planning Association*, 47(3), 289-300.
- Cea, L., Costabile, P. (2022). Flood risk in urban areas: modelling, management and adaptation to climate change. A review. *Hydrology* 9 (3), 50. doi:10.3390/hydrology9030050.
- Costache, R., Arabameri, A., Blaschke, T., Pham, Q. B., Pham, B. T., Pandey, M., et al. (2021). Flash-Flood Potential Mapping Using Deep Learning, Alternating Decision Trees and Data Provided by Remote Sensing Sensors. *Sensors*, 21(1), 280.

- Cross. (1998). *Study Notes: Risk Management*. Sydney : University of New South Wales.
- Damiania, M.L., Groppebib, G., Norinic, E. Bertinoa, A. Gigliutoc, A. Nucitaa. (2006). A Lava Flow Simulation Model For The Development of Volcanic Hazard Maps for Mount Etna (Italy). *Computers & Geosciences*. 32 : 512-526. Elsevier.
- Data Informasi Bencana Indonesia, 2021. <https://dibi.bnpb.go.id>
- Deviana A, Kridasantausa I, Yadi Suryadi. Kajian Pemodelan Spasial Banjir untuk Mendukung Kebijakan Sempadan Sungai dan Tata Ruang Wilayah (Studi Kasus Wilayah Pengembangan Baleendah). (2012).
- Dokumen Kajian Risiko Bencana Kabupaten Sleman Tahun 2021-2025
- Ducci, D. dan Tranfaglia, G. 2008. Effects of Climate Change on Groundwater Resources in Campania (Southern Italy). dalam Dragoni, W. dan Sukhija, B.S. *Climate Change and Groundwater*. London: Geological Society.
- Edamo, M. L., Ukumo, T. Y., Lohani, T. K., Ayana, M. T., Ayele, M. A., Mada, Z. M., & Abdi, D. M. (2022). A comparative assessment of multi-criteria decision-making analysis and machine learning methods for flood susceptibility mapping and socio-economic impacts on flood risk in Abela-Abaya floodplain of Ethiopia. *Environmental Challenges*, 9. <https://doi.org/10.1016/j.envc.2022.100629> .
- Flanagan, B. E., Gregory, E. W., Hallisey, E. J., Heitgerd, J. L., & Lewis, B. (2011). A social vulnerability index for disaster management. *Journal of homeland security and emergency management*, 8(1).
- Giyarsih S., R., Gamayanti, P. (2014). Dampak Banjir Lahar Terhadap Aspek Sosial: Studi Kasus Banjir Lahar Pasca Erupsi Merapi Gunung Merapi 2010 di Kecamatan Cangkirngan. Yogyakarta: Gadjah Mada University Press.
- Hanifah, I., & Prastowo, B. N. (2016). Uji GPS Tracking Dalam Skala Transportasi Antar Kota. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 6(2), 175. <https://doi.org/10.22146/ijeis.15257>
- Hao, B., Ma, M., Li, S., Li, Q., Hao, D., Huang, J., Ge, Z., Yang, H., & Han, X. (2019). Land Use Change and Climate Variation in the Three Gorges

- Reservoir Catchment from 2000 to 2015 Based on the Google Earth Engine. *Sensors (Switzerland)*, 19(9). <https://doi.org/10.3390/s19092118>
- Haris, F. D., Sitorus, S. R. ., & Tjahjono, B. (2022). Kesesuaian Rencana Tata Ruang Wilayah (RTRW) berbasis bahaya banjir menggunakan analisis hierarki proses di Kabupaten Kuningan. *Region : Jurnal Pembangunan Wilayah Dan Perencanaan Partisipatif*, 17(1), 124. <https://doi.org/10.20961/region.v17i1.44172>.
- Huntington, T.G. (2006). Evidence for Intensification of the Global Water Cycle: Review and Syntesis. *Journal of Hydrology*, 319: 83-95.
- Ikhsan, J., Adam, A. D., & Hairani, A. (2023). Studi Pengaruh Kejadian Hujan Terhadap Banjir Lahar Di Sungai Gendol Menggunakan SIMLAR: Study Of The Effect Of Rain Incidence On Debris Flow In The Gendol River Using SIMLAR. *Media Ilmiah Teknik Sipil*, 11(1), 17–27. <https://doi.org/10.33084/mits.v11i1.3975>.
- Indonesia Research Institute for Decarbonization (IRID), (2022). Mengenal Perubahan Iklim.
- IPCC. (2007). *The Physical Science Basis – Summary for Policymakers*. Contribution of WGI to The Fourth Assessment Report of The Intergovernmental Panel on Climate Change. Diakses dari <http://www.ipcc.ch/ipccreport/ar4-wgl.htm>.
- Jumadi, R. Suharyadi, Arbind M. Tuladhar. (2010). Web-Based Spatial Information System to Support Collaborative Lahars Disaster Management. *Indonesian Journal of Geography*. 44 (1), 87-103.
- Kholiq, M. A. (2018). Simulasi Aliran Banjir Lahar Pasca Erupsi Gunung Merapi 2010 Terhadap Keberadaan Sabo Dam Di Sungai Gendol. *Teknisia*, 22(2), 410–415. <https://journal.uui.ac.id/teknisia/article/view/9491>.
- Kia MB, Pirasteh S, Pradhan B, Mahmud AR, Sulaiman WNA, Moradi A. (2012). An artificial neural network model for flood simulation using GIS: Johor River Basin, Malaysia. *Env Earth Sci*, 67, 251–64. doi: 10.1007/s12665-011-1504-z.

- Kruczkiewicz, A., Bucherie, A., Ayala, F., Hultquist, C., Vergara, H., Mason, S., Bazo, J., de Sherbinin, A. (2021). Development of a flash flood confidence index from disaster reports and geophysical susceptibility. *Remote Sens*, (Basel) 13 (14). doi:10.3390/rs13142764.
- Kumar, R., & Acharya, P. (2016). Flood hazard and risk assessment of 2014 floods in Kashmir Valley: a space-based multisensor approach. *Natural Hazards*, 84(1), 437–464. <https://doi.org/10.1007/s11069-016-2428-4>.
- Kusumosubroto, H. (2013). Aliran Debris dan Aliran Lahar, Pembentukan, Pengaliran, Pengendapan dan Pengendaliannya, halaman 221-295, Yogyakarta : Graha Ilmu.
- Lavigne, F. 1998. Lahars of Merapi volcano; initiation, sediment budget, dynamics, and related risk zonation. Univ. of Blaise Pascal. Clemont-Brussels.
- Lavigne, F., J.C. Thouret, B. Voight, H. Suwa, A. Sumaryono. 2000.Lahars at Merapi volcano, Central Java; an Overview. *J. Volc. And Geoterm. Research* 100: 423-456.
- Lee, S., Talib, J.A. (2005). Probabilistic landslide susceptibility and factor effect analysis. *Environment Geology*, 47 (7), 982–990. <https://doi.org/10.1007/s00254-005-1228-z>.
- Liu, J., Xiong, J., Cheng, W., Li, Y., Cao, Y., He, Y., Duan, Y., He, W., Yang, G. (2021). Assessment of flood susceptibility using support vector machine in the belt and road region. *Natl. Hazards Earth Syst. Sci. Discuss*, (May) 1–37.
- Malik, S., Pal, S. C., Sattar, A., Singh, S. K., Das, B., Chakraborty, R., & Mohammad, P. (2020). Trend of extreme rainfall events using suitable Global Circulation Model to combat the water logging condition in Kolkata Metropolitan Area. *Urban Climate*, 32, 100599. <https://doi.org/10.1016/j.uclim.2020.100599>.
- Malik, S., Pal, S. C., Arabameri, A., Chowdhuri, I., Saha, A., Chakraborty, R., Roy, P., & Das, B. (2021). GIS-based statistical model for the prediction of flood hazard susceptibility. *Environment, Development and Sustainability*, 23(11), 16713–16743. <https://doi.org/10.1007/s10668-021-01377-1> .

- Malingreau, JP. & Rosalia Christiani. (1982). *A land cover / land use classification for Indonesia*. PUSPICS UGM. Yogyakarta.
- Miardini A, Saragih GS. (2019). Penentuan Prioritas Penanganan Banjir Genangan Berdasarkan Tingkat Kerawanan Menggunakan Topographic Wetness Index. Studi Kasus : DAS Solo. *Jurnal Ilmu Lingkungan*, 17 (1) : 113-119.
- Mojaddadi, H., Pradhan, B., Nampak, H., Ahmad, N., Ghazali, A.H.bin. (2017). Ensemble machine-learning-based geospatial approach for flood risk assessment using multisensor remote-sensing data and GIS. *Geomatics, Natl. Hazards Risk*, 8 (2), 1080–1102. doi:10.1080/19475705.2017.1294113.
- Mokodongan, R. P., Rondonuwu, D. M., & Moniaga, I. L. (2019). Evaluasi Rencana Tata Ruang Wilayah Kotamobagu Tahun 2014-2034. *Spasial*, 6(1), 68–77. <https://doi.org/https://doi.org/10.35793/sp.v6i1.22821>
- Muhammad, A. M., Rombanf, J. A., & Saroinsong, F. B. (2016). Tutupan lahan di KPHP Poigar terus menerus mengalami perubahan . Pemetaan dan identifikasi jenis tutupan lahan dengan metode Maximum Likelihood lebih akurat dari metode. *Cocos*, 7(2).
- Muin, Abdul., Rakuasa, H. (2023). Evaluasi Rencana Tata Ruang Wilayah Kota Ambon Berdasarkan Aspek Kerawanan Banjir. *Jurnal Ilmiah Multidisiplin*. 2 (5) , 1728 – 1738. DOI: 10.56799/jim.v2i5.1485.
- Nadzirah, dkk. (2023). Analisis Perubahan Tutupan Lahan (Land Cover) Wilayah Malang Raya Menggunakan Citra Sentinel. *Jurnal Rona Teknik Pertanian*, 16(2), 160-174.
- Naskah Ilmiah Konsep Penataan Ruang Pada Daerah Rawan Bencana Sedimen : Teknologi Sabo Sebagai Elemen Pengendali Banjir Lahar Dalam Penataan Ruang di Kawasan Gunungapi Merapi.
- Olii, Muhammad Ramdhan., Olii, Aleks., Pakaya, R. (2021). Integrated Spatial Assessment of the Flood Hazard Using AHP-GIS: Case Study of Gorontalo Regency. *Indonesian Journal of Geography*, 53 (1) , 126 – 135. DOI: <http://dx.doi.org/10.22146/ijg.59999> website: <https://jurnal.ugm.ac.id/ijg>

- Osei, B. K., Ahenkorah, I., Ewusi, A., & Fiadonu, E.B. (2021). Assessment of flood prone zones in the Tarkwa mining area of Ghana using a GISbased approach. *Environmental Challenges*, 3, 100028. <https://doi.org/https://doi.org/10.1016/j.envc.2021.100028>
- Parks, L. (2009). Digging into Google Earth: An analysis of “Crisis in Darfur.” *Geoforum*, 40(4), 535–545. <https://doi.org/10.1016/j.geoforum.2009.04.004>
- Peraturan Menteri ATRBPN Nomor 16 Tahun 2018 tentang Penyusunan RDTR dan Peraturan Zonasi Kabupaten/Kota
- Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 2 Tahun 2012 tentang Pedoman Umum Pengkajian Risiko Bencana
- Peraturan Bupati Nomor 7.2 Tahun 2020 tentang Rencana Penanggulangan Bencana Kabupaten Sleman Tahun 2018-2022
- Peraturan Daerah Nomor 13 Tahun 2021 tentang Rencana Tata Ruang Wilayah Kabupaten Sleman Tahun 2021-2041
- Polemio, M dan Casarano, D. (2008). Climate Change, Drought and Groundwater Availability in Southern Italy. dalam Dragoni, W. dan Sukhija, B.S. *Climate Change and Groundwater*. London: Geological Society.
- Pradhan B, Lee S. (2010). Landslide susceptibility assessment and factor effect analysis: backpropagation artificial neural networks and their comparison with frequency ratio and bivariate logistic regression modeling. *Environ Model & Softw*, 25, 747–759.
- Pribadi, D.O., et al. (2006) Model perubahan tutupan lahan dan factor-faktor yang mempengaruhinya. *Jurnal Teknik Lingkungan*, 7, 35-51. <https://doi.org/10.29122/jtl.v7i1.364>
- Rachmatulah, M., dkk. (2016). Evaluasi Kebijakan Pola Ruang dan Struktur Ruang Berbasis Mitigasi Bencana Banjir (Studi Kasus : Kota Palu).
- Rahman, M.M. & Szabó, G. (2021). Impact of Land Use and Land Cover Changes on Urban Ecosystem Service Value in Dhaka, Bangladesh. *Land*, 10, 793. <https://doi.org/10.3390/land10080793>.
- Rahmati, O., Pourghasemi, H. R., & Zeinivand, H. (2016). Flood susceptibility mapping using frequency ratio and weights-of-evidence models in the

- Golastan Province. *Iran. Geocarto International*, 31(1), 42–70.
<https://doi.org/10.1080/10106049.2015.1041559>.
- Rahmati, O., Zeinivand, H., & Besharat, M. (2016). Flood hazard zoning in Yasooj region, Iran, using GIS and multi-criteria decision analysis. *Geomatics, Natural Hazards and Risk*, 7(3), 1000–1017.
<https://doi.org/10.1080/19475705.2015.1045043>.
- Rahmati O, Pourghasemi HR. (2017). Identification of critical floodprone areas in data-scarce and ungauged regions: a comparison of three data mining models. *Water Resour Manag*, 31(5), 1473–87.
- Rimba, A., Setiawati, M., Sambah, A., Miura, F. (2017). Physical flood vulnerability mapping applying geospatial techniques in Okazaki City, Aichi Prefecture, Japan. *Urban Sci*, 1 (1), 7. doi:10.3390/urbansci1010007.
- Rizal, M. A., & Hizbaron, D. R. (2015). Analisis Kerentanan Fisik Bahaya Banjir Lahar di Desa Sekitar Kali Putih Kabupaten Magelang. *Jurnal Bumi Indonesia*, 4(1), 175–184.
- Rizeei HM, Saharkhiz MA, Pradhan B, Ahmad N. (2016). Soil erosion prediction based on land cover dynamics at the Semenyih watershed in Malaysia using LTM and USLE models. *Geocarto Int*, 31, 1158–1177. doi: 10.1080/10106049.2015.1120354.
- Roy, P., Chandra Pal, S., Chakraborty, R., Chowdhuri, I., Malik, S., & Das, B. (2020). Threats of climate and land use change on future flood susceptibility. *Journal of Cleaner Production*, 272, 122757.
<https://doi.org/10.1016/j.jclepro.2020.122757>.
- Saha, A., Pal, S. C., Arabameri, A., Blaschke, T., Panahi, S., Chowdhuri, I., et al. (2021). Flood Susceptibility Assessment Using Novel Ensemble of Hyperpipes and Support Vector Regression Algorithms. *Water*, 13(2), 241.
<https://doi.org/10.3390/w13020241>.
- Sandink D, Kovacs P, Oulahen G, Shrubsole D. (2016). Public relief and insurance for residential flood losses in Canada: current status and commentary. *Canadian Water Resour J/Revue Canadienne Des Ressources Hydriques*, 41(1–2), 220–237.

- Suryo, A. B., & Hariyanto, T. (2013). Studi Perubahan Tutupan Lahan DAS Ciliwung Dengan Metode Klasifikasi Terbimbing Citra Landsat 7 ETM+ Multitemporal Tahun 2001 & 2008 (Studi Kasus: Bogor). *GEOID*, 09, 1–6.
- Tehrany, M.S., Lee, M.J., Pradhan, B., Jebur, M.N., Lee, S. (2014). Flood susceptibility mapping using integrated bivariate and multivariate statistical models. *Environmental earth sciences*, 72(10), 4001-4015. <https://doi.org/10.1007/s12665-014-3289-3>
- Tehrany, M.S., Pradhan, B., Jebur, M.N. (2014). Flood susceptibility mapping using a novel ensemble weights-of-evidence and support vector machine models in GIS. *J. Hydro*, (Amst.) 512, 332–343. doi:10.1016/j.jhydrol.2014.03.008.
- Tehrany, M. S., Pradhan, B., & Jebur, M. N. (2015). Flood susceptibility analysis and its verification using a novel ensemble support vector machine and frequency ratio method. *Stochastic Environmental Research and Risk Assessment*, 29(4), 1149–1165. <https://doi.org/10.1007/s00477-015-1021-9>.
- Ulinuha, I., Prasetyo, Y., & Sabri, L. (2020). Analisis Spasial Aliran Lahar Menggunakan HEC-HMS dan HEC-RAS Pada Kali Gendol-Opak Kawasan Gunung Merapi. *Jurnal Geodesi Undip*, 9(1), 20–28.
- Undang-undang Republik Indonesia Nomor 24 Tahun 2007 tentang Penanggulangan Bencana
- Undang-undang Republik Indonesia Nomor 26 Tahun 2007 tentang Penataan Ruang
- UNISDR. "Hyogo Framework for Action 2005-2015: Building the Resilience of Nations and Communities to Disasters." World Conference on Disaster Reduction 18-22 January 2005., Kobe, Hyogo, Japan.
- Wang, L., Chena, C., Xieb, F., Hub, Z., Zhang, Z., Xinyu, H.C., & Chue, H.Y. (2021). Estimation of The Value of Regional Ecosystem Services of an Archipelago Using Satellite Remote Sensing Technology: A Case Study of Zhoushan Archipelago, China. *International Journal of Applied Earth Observation and Geoinformation*, 105, 102616.

- Widayani, P., Salsabila, H.N., Andriantari, A. (2022). Dampak perubahan penutup lahan terhadap nilai jasa ekosistem di Kabupaten Sleman Daerah Istimewa Yogyakarta. *Majalah Geografi Indonesia*. 37 (2) , 104-113. <http://jurnal.ugm.ac.id/mg> . DOI: 10.22146/mgi.70636
- Wibowo, A., Salleh, K. O., Frans, F. T. R. S., & Semedi, J. M. (2016). Spatial Temporal Land Use Change Detection Using Google Earth Data. *IOP Conference Series: Earth and Environmental Science*, 47(1). <https://doi.org/10.1088/1755-1315/47/1/012031>
- Youssef AM, Pradhan B, Sefry SA. (2016). Flash flood susceptibility assessment in Jeddah city (Kingdom of Saudi Arabia) using bivariate and multivariate statistical models. *Environ Earth Sci*, 75(1), 12.
- Yulianto, F., Sofan, P., Khomarudin, M.R., Haidar M. (2012). Extracting The Damaging Effects of The 2010 Eruption of Merapi Volcano in Central Java, Indonesia. *Natural Hazards*, 66 : 229-247.
- Zhang YS, Igbol J, Yae Y. (2017). Susceptibility mapping using an integrated model of information value and logistic regression methods in the Bailongjiang watershed, Gansu province, China. *J Mt Sci*, 14, 249–68.
- Zhao, R., Fu, P., Zhou, Y., Xiao, X., Grebby, S., Zhang, G., Dong, J. (2022). Annual 30-m big Lake Maps of the Tibetan Plateau in 1991–2018. *Sci. Data*, 9 (1), 1-9. doi:10.1038/s41597-022-01275-9.
- Website :
- <https://mediacenter.slemankab.go.id/2015/08/11/sleman-masuk-kategori-kekeringan-ekstrim/?print=print> diakses tanggal 26 September 2024 pukul 13.58.
- <https://zonaspasial.com/artikel-geospasial/survey/perbedaan-dsm-dem-dan-dtm-dalam-model-digital-muka-bumi/> diakses tanggal 27 November 2024 pukul 12.27.