

- Abrahamson, N., Gregor, N. and Addo, K., (2016). BC Hydro ground motion prediction equations for subduction earthquakes. *Earthquake Spectra*, 32(1), pp.23-44.
- Aini, I., Wilopo, W., & Faisal Fathani, T. (2024). The Correlation of Liquefaction with Excess Pore Water Pressure in Langkat, North Sumatra. *International Journal Of Geomate*, 26(114). <https://doi.org/10.21660/2024.114.4150>
- Amirudin, Madrinovella, I., & Sofian. (2023). Seismic Vulnerability Analysis Using the Horizontal to Vertical Spectral Ratio (HVSr) Method on the West Palu Bay Coastline. *Journal of Geoscience, Engineering, Environment, and Technology*, 8(02–2), 23–34. <https://doi.org/10.25299/jgeet.2023.8.02-2.13879>
- Anderson, J. G., Lee, Y., Zeng, Y., Day, S. (1996). Control of Strong Motion by the Upper 30 Meters. *Bulletin of the Seismological Society of America*, Vol. 86, No. 6. 1749 1759.
- Anderson, J.G., (2003)., Strong Motion Seismology. *International Handbook of Earthquake and Engineering Seismology*, 81, 937–965.
- Badan Meteorologi, Klimatologi, dan Geofisika, dan Japan International Cooperation Agency (BMKG, & JICA). (2018). Palu Earthquake Strong Motion Waveform by Observation System Developed by Japan. Meteorology, Climatology, and Geophysics Agency Indonesia, Japan International Cooperation Agency (JICA).
- Badan Standardisasi Nasional. (2017). SNI 8460-2017 Persyaratan Perancangan Geoteknik. In Persyaratan perancangan geoteknik (Vol. 8460).
- Badan Standardisasi Nasional. (2019). SNI 1727-2019 tentang Beban desain minimum dan kriteria terkait untuk bangunan gedung dan struktur lain. Jakarta: BSN
- Badan Standardisasi Nasional. (2019). SNI 1726-2019 tentang Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Nongedung. Jakarta: BSN.
- Badan Standarisasi Nasional Indonesia. (2020). SNI 8899:2020 Tata cara pemilihan dan modifikasi gerak tanah permukaan untuk perencanaan gedung tahan gempa.
- Badan Standarisasi Nasional Indonesia. (2016). SNI 2833:2016 Perencanaan jembatan terhadap beban gempa.
- Badan Standarisasi Nasional Indonesia. (2015). SNI 6371: 2015 Tata cara pengklasifikasian tanah untuk keperluan teknik dengan sistem klasifikasi unifikasi tanah.
- Beroya, M. A. A., Aydin, A., Tiglaio, R., & Lasala, M. (2009). Use of microtremor in liquefaction hazard mapping. *Engineering Geology*.
- Boore, D. M., Stewart, J. P., Seyhan, E., & Atkinson, G. M. (2014). NGA-West2 Equations for Predicting *PGA*, *PGV*, and 5% Damped *PSA* for Shallow Crustal Earthquakes. *Earthquake Spectra*, 30(3), 1057–1085. <https://doi.org/10.1193/070113EQS184M>
- Boulanger, R. W., Idriss, I. M. (2014). CPT and *SPT* Based Liquefaction Triggering Procedures. Rep. No. UCD/CGM-14/01, Univ. of California, Davis, CA.
- Brandenberg, S. J., Bellana, N., & Shantz, T. (2010). Shear wave velocity as function of standard penetration test resistance and vertical effective stress at California bridge

- Bray, J.D., & Sancio, R.B. (2006). Assessment of The Liquefaction Susceptibility of Fine-Grained Soils. *Journal of Geotechnical and Geoenvironmental Engineering*. 132 (9): 1165–1177.
- Budi Wibowo, N., Fathani, T. F., Pramumijoyo, S., & Marliyani, G. I. (2023). Microzonation Of Seismic Parameters in Geological Formation Units Along the Opak River Using Microtremor Measurements. *International Journal of GEOMATE*, 25(110).
<https://doi.org/10.21660/2023.110.4017>
- Campbell, K., & Bozorgnia, Y. (2014). Campbell-Bozorgnia NGA-West2 Horizontal Ground Motion Model for Act4e Tectonic Domains. <https://doi.org/10.4231/D3MS3K235>
- Campbell, K. W., & Bozorgnia, Y. (2003). Updated Near-Source Ground-Motion (Attenuation) Relations for the Horizontal and Vertical Components of Peak Ground Acceleration and Acceleration Response Spectra. *Bulletin of the Seismological Society of America*, 94(6), 2417–2417. <https://doi.org/10.1785/0120040147>
- Chiou, B. S.-J., & Youngs, R. R. (2014). Update of the Chiou and Youngs NGA Model for the average horizontal component of peak ground motion and response spectra. *Earthquake Spectra*, 30(3), 1117–1153. <https://doi.org/10.1193/072813EQS219M>
- Darendeli, M. B. (2001). Development of a New Family of Normalized Modulus Reduction and Material Damping Curves. Ph.D. Dissertation. University of Texas at Austin.
- Day, R. W. (2002). *Geotechnical Earthquake Engineering Handbook*. McGraw-Hill.
- Dayen Siadari, D. A., Wilopo, W., & Fathani, T. F. (2023). Seismic Microzonation Studies In Jogja–Bawen Toll Road, Magelang Regency, Indonesia. *International Journal of GEOMATE*, 25(110).
- Ditjen Bina Marga dan Direktorat Bintekjatan. (2017). “Aplikasi Lini.” <https://lini.binamarga.pu.go.id/>.
- Fathani, T. F., and Wilopo, W., (2017) Seismic Microzonation Studies Considering Local Site Effects for Yogyakarta City, Indonesia. *International Journal of GEOMATE*, Vol. 12, Issue 32, pp. 152–160.
- FEMA. (2020). *NEHRP Recommended Seismic Provisions for New Buildings and Other Structures* (Vol. 1).
- Groholski, D.R., Hashash, Y.M., Musgrove, M., Harmon, J.A., & Kim, B.M. (2015). Evaluation of 1-D Nonlinear Site Response Analysis using a General Quadratic / Hyperbolic Strength-Controlled Constitutive Model. 6th International Conference on Earthquake Geotechnical Engineering.
- Groholski, D.R., Hashash, Y.M.A., Kim, B., Musgrove, M., Harmon, J., & Stewart, J.P., (2016). Simplified Model for Small-Strain Nonlinearity and Strength in 1D Seismic Site Response Analysis, *Journal of Geotechnical and Geoenvironmental Engineering*, 142 (9), 04016042. [https://doi.org/10.1061/\(ASCE\)GT.1943-5606.0001496](https://doi.org/10.1061/(ASCE)GT.1943-5606.0001496)
- Hamada M., Kimimasa S., Susumu Y., and Ryoji I., (1988). Earthquake Damage by Liquefaction-Induced Permanent Ground Displacement, Tokyo-Kyoto, Japan, *Proceeding of Ninth World Conference on Earthquake Engineering*, Vol. VIII.

Hardiyatmo, H.C. (2022). Rekayasa Gempa. Yogyakarta: Gadjah Mada University Press.

Hashash, Y., Park, D. (2001). Nonlinear one-dimensional seismic ground motion propagation in the Mississippi embayment. *Engineering Geology*. 62. 185–206.

Hashash, Y. M. A., Groholski, D. R., and Phillips, C. (2010). Recent Advances in Nonlinear Site Response Analysis, in Proc. 5th International Conference on Recent Advance in Geotechnical Earthquake Engineering and Soil Dynamics and Symposium in Honor of Professor I. M. Idriss.

Hashash, Y. M. A., Musgrove, M. I., Harmon, J. A., Ilhan, O., Xing, G., Numanoglu, O., Groholski, D. R., Phillips, C. A., & Park, D. (2020). DeepSOIL V 7.0-User Manual. Board of Trustees of University of Illinois at Urbana-Champaign. Idriss, I. M., and R. W. Boulanger. 2008. Soil Liquefaction During Earthquakes. Earthquake Engineering Research Institute, EERI. Vol. 13. [doi:10.1109/MIA.2007.322261](https://doi.org/10.1109/MIA.2007.322261).

Irsyam, M., Cummins, P., Asrurifak, M., Faizal, L., Natawidjaja, D., Widiyantoro, S., ... & Syahbana, A. (2020). Development of the 2017 national seismic hazard maps of indonesia. *Earthquake Spectra*, 36(1_suppl), 112-136.

Idriss, I. M., & Boulanger, R. W. (2004). Evaluating the potential for liquefaction or cyclic failure of silts and clays (UCD/CGM-04/01; Center for Geotechnical Modeling, pp. 1–131). University https://faculty.engineering.ucdavis.edu/boulanger/wp-content/uploads/sites/71/2014/09/Boulanger_Idriss_CGM04-01_2004.pdf California.

Idriss, I. M., & Boulanger, R. W. (2008). Soil liquefaction during earthquakes, EERI Monograph No:12. In Earthquake Engineering Research Institute: Vol. EERI (Issue MNO-12).

Ishihara, K. (1985). Stability of Natural Deposits During Earthquakes. International Society for Soil Mechanics and Geotechnical Engineering.

Iwasaki, T., Tadhasi, A., dan Tokida, K., (1984). Simplified procedures for assessing soil liquefaction during earthquakes. 3, 49–58.

Iwasaki, T., Tokida, K., & Tatsuoka, F. (1981). Soil Liquefaction Potential Evaluation with Use of the Simplified Procedure. International Conferences on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, 12, 209–214.

Jalil, A., Fathani, T. F., Satyarno, I., & Wilopo, W. (2021). Nonlinear site response analysis approach to investigate the effect of pore water pressure on liquefaction in Palu. IOP Conference Series: Earth and Environmental Science, 871(1), 012053. <https://doi.org/10.1088/1755-1315/871/1/012053>

Kamai, R., Abrahamson, N. A., & Silva, W. J. (2014). Nonlinear Horizontal Site Amplification for Constraining the NGA-West2 GMPEs. *Earthquake Spectra*, 30(3), 1223–1240. <https://doi.org/10.1193/070113EQS187M>.

Kanai, K., (1996). Improved Empirical Formula for Characteristics of Strong Earthquake Motions. Proc. of Japan Earthquake Engineering Symposium, Tokyo. 1–4.

Kanno, T. (2006). A New Attenuation Relation for Strong Ground Motion in Japan Based on Recorded Data. *Bulletin of the Seismological Society of America*, 96(3), 879– 897.

Keller, E. A. (2008). Introduction to environmental geology (4th). Prentice-Hall. United States.

Kramer, Steven L. (1996). *Geotechnical Earthquake Engineering*. Prentice-Hall, Inc.
[doi:10.1201/b16200-141](https://doi.org/10.1201/b16200-141).

Madabhushi, S.P.G., Knappett, J.A. and Haigh, S.K., (2009). *Design of pile foundations in liquefiable soils*, Imperial College Press, ISBN 1848163622.

Masing, G. *Eigenspannungen und Verfestigung beim Messing*. (1926). In *Proceedings of the 2nd International Congress on Applied Mechanics*, Zurich, Switzerland, 12–17 September, pp. 332–335.

Matasović, N., & Vucetic, M. (1993). Cyclic Characterization of Liquefiable Sands. *Journal of Geotechnical Engineering*, 119(11), 1805–1822.
[https://doi.org/10.1061/\(ASCE\)0733-9410\(1993\)119:11\(1805\)](https://doi.org/10.1061/(ASCE)0733-9410(1993)119:11(1805))

Mitchell, J. K., and P. M. Gallagher. (1998). *Engineering guidelines on ground improvement for civil works structures and facilities*. Washington, DC: U.S. Army Corp of Engineering Division Directorate of Civil Works.

Matlock, H. (1970). Correlations for design of laterally loaded piles in soft clay. *Proceedings of the II Annual Offshore Technology Conference*, Houston, Texas, (OTC 1204): 577-594.

Nakamura, Y. (1989). A Method for Dynamic Characteristics Estimation of Subsurface Using Microtremors on the Ground Surface. *Railway Technical Research Institute, Quarterly Reports*, 30, 25–33.

Ohsakai Y. (1970). Effects of sand compaction on liquefaction during the Tokachioki earthquake. *Soils and Foundations* 10(2): 112–128

Olson, S. M., Mei, X., & Hashash, Y. M. A. (2020). Nonlinear site response analysis with pore-water pressure generation for liquefaction triggering evaluation. *Journal of Geotechnical and Geoenvironmental Engineering*.
[https://doi.org/10.1061/\(ASCE\)GT.1943-5606.0002191](https://doi.org/10.1061/(ASCE)GT.1943-5606.0002191)

Osterberg, J.O. (1998). *The Osterberg Load Test Method for Bored and Driven Piles - The First Ten Years*, Presented at 7th International Conference 7 Exhibition on Piling and Deep Foundations. Deep Foundation Institute, Vienna, Austria.

Park, S., Elrick, S. (1998). Predictions of shear-wave velocities in southern California using surface geology. *Bulletin of the Seismological Society of America*. 88. 677-685.

Patriaman, F., Fathani, T. F., & Wilopo, W. (2021). Liquefaction potential analysis in Palu Bay area. *IOP Conference Series: Earth and Environmental Science*, 930(1), 012077.
<https://doi.org/10.1088/1755-1315/930/1/012077>

Pawirodikromo, Widodo. (2012). *Seismologi Teknik Rekayasa Kegempaan*. Pusaka Pelajar. Yogyakarta.

Phillips, C., Kottke, A. R., Hashash, Y. M. A., Rathje, E. M. (2012). Significance of ground motion time step-in one-dimensional site response analysis. *Soil Dynamics and Earthquake Engineering*. Vol 43. 202-2017. <https://doi.org/10.1016/j.soildyn.2012.07.005>.

Prakash, S., & Sharma, H.D. (1990). *Pile foundations in engineering practice*.

Prakoso, W., Mazaya, D., & Kartika, R. A. (2022). Pore Pressure Responses of Liquefied Numerical Sand Columns. *Journal of the Civil Engineering Forum*, 225–236.
<https://doi.org/10.22146/jcef.3395>

Pusat Air Tanah dan Geologi Lingkungan Indonesia. (2019). Atlas Zona Kerentanan Likuefaksi Indonesia. Bandung: Kementerian Energi dan Sumber Daya Mineral.

Pusat Studi Gempa Nasional, and Pustlitbang PUPR. (2017). Peta Sumber Dan Bahaya Gempa Indonesia Tahun 2017. Bandung: Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian PUPR.

Pusat Studi Gempa Nasional, and Pustlitbang PUPR. (2019). Laporan Progress Penegasan Zona Rawan Bencana Sesar Palukoro Pasca Gempa Palu 28 September 2018. Bandung: Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian PUPR.

R. Sukanto, H. Sumadra, T. Suptandar, S. Hardjoprawiro, and D. Sudana, (1973). "Reconnaissance Geological Map of The Palu Quadrangle, Sulawesi." Geological Research and Development Centre, Indonesia.

Rahmat Putra, R., Kiyono, J., Yoshimoto, Y., Ono, Y., & Syahril. (2016). Determined Soil Characteristic of Palu in Indonesia by Using Microtremor Observation. International Journal of Geomate. <https://doi.org/10.21660/2016.20150802>

Reese, Lymon C, Touma, F. T., & O'neill, M. W. (1977). Behaviour of Drilled Piers Under Axial Loading. Journal of Geotechnical and Geoenvironmental Engineering, 102, 493–510.

Reese, L.C., W.R. Cox & F.D. Koop. (1974). Field testing and analysis of laterally loaded piles in sand. Proceedings of the VI Annual Offshore Technology Conference, Houston, Texas, 2(OTC 2080): 473-485.

Robertson, I., Esteban, M., Stolle, J., Takabatake, T., Mulchandani, H., Kijewski-Correa, T., Prevatt, D., Roueche, D., & Mosalam, K. (2019). StEER - Palu Earthquake and Tsunami, Sulawesi, Indonesia: Field Assessment Team 1 (FAT-1) Early Access Reconnaissance Report (EARR).

Rocscience. (2022). RSPile Laterally Loaded Piles Theory.

Rocscience. (2022). RSPile Axially Loaded Piles Theory.

Rollins, K.M., Gerber, T.M., Lane, J.D., Ashford, S.A. (2005a). Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. Journal of the Geotechnical and Geoenvironmental Engineering Division, ASCE. Vol. 131, pp 115-125

Sambridge, M. (1999). Geophysical inversion with a neighbourhood algorithm—I. Searching a parameter space, Geophysical Journal International, 138(2), 479–494.

Sawicki, A., Kulczykowski, M., & Jankowski, R., (2012). Estimation of Stresses in a Dry Sand Layer Tested on Shaking Table. Archives of Hydro-Engineering and Environmental Mechanics, 59, 101–112. <https://doi.org/10.2478/heem-2013-0002>.

Seed, H. B., & Idriss, I. M. (1971). Simplified procedure for evaluating soil liquefaction potential. ASCE J Soil <https://doi.org/10.1061/jsfeaq.0001662> Mech Found Div, 97(SM9).

Seed, H. B., & Idriss, I. M. (1982). Ground motions and soil liquefaction during earthquakes. Earthquake Engineering Research Insititue.

Seed, H. B., & Peacock, W. H. (1971). Test procedures for measuring soil liquefaction characteristics. Journal of the Soil Mechanics and Foundations Division, 97(8), 1099–1119.

- Seed, R. B., Cetin, K. O., Moss, R. E. S., Kammerer, A. M., Wu, J., Pestana, J. M., Riemer, M. F., Sancio, R. B., Bray, J. D., Kayen, R. E., & Faris, A. (2003). Recent advances in soil liquefaction engineering: a unified and consistent framework. SESAME European Research, 2004. Guidelines For the Implementation of the H/V Spectral Ratio Technique on Ambient Vibrations.
- Shinji Sassa, Tomohiro Takagawa. (2018). Liquefied gravity flow-induced tsunami: first evidence and comparison from the 2018 Indonesia Sulawesi earthquake and tsunami disasters. Port and Airport Research Institute, National Institute of Maritime, Port and Aviation Technology.
- Socquet, A., Simons, W., Vigny, C., McCaffrey, R., Subarya, C., Sarsito, D., Ambrosius, B., & Spakman, W. (2006). Microblock rotations and fault coupling in SE Asia triple junction (Sulawesi, Indonesia) from GPS and earthquake slip vector data. *Journal of Geophysical Research: Solid Earth*, 111(B8), 2005JB003963. <https://doi.org/10.1029/2005JB003963>
- Taghavinezhad, M., Choobbasti, A.J., & Farrokhzad, F., (2019). Effect of Liquefaction on Nonlinear Seismic Response In Layered Soils: A Case Study Of Babol, North Of Iran. *European Journal of Environmental and Civil Engineering*, 25 (8), 1–18. <https://doi.org/10.1080/19648189.2019.1623081>.
- Terzaghi, K. (1943). Theoretical soil mechanics. <https://doi.org/10/bwc2c>
- The Japanese Geotechnical Society. (1998). Remedial measures against soil liquefaction. Balkema
- The Japanese Geotechnical Society. (2004). Remedial measures against soil liquefaction (Revised version). JGS (in Japanese)
- Tohari, A., Soebowo, E., Wibawa, S., Hermawan, K., & Saputra, O. F. (2023). Liquefaction potential analysis for Palu City based on CPT method. *IOP Conference Series: Earth and Environmental Science*, 1173(1), 012030. <https://doi.org/10.1088/1755-1315/1173/1/012030>
- Tsuchida, H. (1970). Prediction and Countermeasure against the Liquefaction in Sand Deposits. Abstract of the Seminar in the Port and Harbor Research Institute, 31–333. <https://ci.nii.ac.jp/naid/10007805219/en/>.
- United States Geological Survey (USGS), (2018). M7.5 Palu Earthquake of September 2018, National Earthquake Information.
- Vilhar, G., Brinkgreve, R. B. J., & Zampich, L. (2018). PLAXIS The PM4Sand model 2018.
- Wang, W. (1979). Some findings in soil liquefaction. *Chinese Journal of Geotechnical Engineering*, 2(3), 55.
- Watanabe T. (1966). Damage to oil tank refinery plants and a building on compacted ground by the Niigata earthquake and their restoration. *Soils and Foundations* 6(2): 86–99
- Wathelet, M. (2008). An improved neighborhood algorithm: Parameter conditions and dynamic scaling, *Geophysical Research Letters*, 35(9), GL033256.
- Wathelet, M., Jongmans, D., Ohrnberger, M., & Bonnefoy-Claudet, S., (2008). Array performances for ambient vibrations on a shallow structure and consequences over V s inversion. *Journal of Seismology*, 12(1), 1–19.

- Yasuda, S. (2007). Remediation Methods Against Liquefaction which can be Applied to Existing Structures. In K. D. Pitilakis (Ed.), *Earthquake Geotechnical Engineering* (Vol. 6, pp. 385–406). Springer Netherlands. https://doi.org/10.1007/978-1-4020-5893-6_16
- Yoshida, N., Tazoh, T., Wakamatsu, K., Yasuda, S., Towhata, I., Nakazawa, H., & Kiku, H. (2007). Causes of Showa Bridge Collapse in the 1964 Niigata Earthquake Based on Eyewitness Testimony. *Soils and Foundations*, 47(6), 1075–1087. <https://doi.org/10.3208/sandf.47.1075>
- Youd, T. L., J. C. Tinsley, D. M. Perkins, E. J. King, and R. F. Preston. (1979). Liquefaction Potential Map of San Fernando Valley, California. Geological Survey Circular (United States), no. 807: 37–48.
- Youd, T. L. (1984). Recurrence of liquefaction at the same site. Youd, T. L., Hansen, C. M., & Bartlett, S. F. (2002). Revised multilinear regression equations for prediction of lateral spread displacement. *Journal of Geotechnical and Geoenvironmental Engineering* 128:12(1007) Engineering. [https://doi.org/10.1061/\(asce\)1090-128\(1007\)Engineering](https://doi.org/10.1061/(asce)1090-128(1007)Engineering)
- Youd, T. L., & Idriss, I. M. (2001). Liquefaction resistance of soils: summary report from the 1996 NCEER and 1998 NCEER/NSF workshops on evaluation of liquefaction resistance of soils. *Journal of Geotechnical and Geoenvironmental Engineering*, 127(4). [https://doi.org/10.1061/\(asce\)1090-0241\(2001\)127:4\(297\)](https://doi.org/10.1061/(asce)1090-0241(2001)127:4(297))
- Youd, T. L., Idriss, I. M., Andrus, R. D., Arango, I., Castro, G., Christian, J. T., Dobry, R., Finn, W. D. L., Harder, L. F., Hynes, M. E., Ishihara, K., Koester, J. P., Liao, S. S. C., Marcuson, W. F., Martin, G. R., Mitchell, J. K., Moriwaki, Y., Power, M. S., Robertson, P. K., ... Stokoe, K. H. (2001). Liquefaction resistance of soils: summary report from the 1996 NCEER and 1998 NCEER/NSF workshops on evaluation of liquefaction resistance of soils. *Journal of Geotechnical and Geoenvironmental Engineering*, 127(10), [https://doi.org/10.1061/\(asce\)1090-0241\(2001\)127:10\(817\)](https://doi.org/10.1061/(asce)1090-0241(2001)127:10(817))
- Youngs, R.R., Chiou, S.J., Silva, W.J. and Humphrey, J.R., (1997). Strong ground motion attenuation relationships for subduction zone earthquakes. *Seismological Research Letters*, 68(1), pp.58-73.
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2023). The Correlation of Liquefaction Potential and Probability on Excess Pore Water Pressure in Kretek 2 Bridge Area. *Journal of the Civil Engineering Forum*, 39–48. <https://doi.org/10.22146/jcef.7002>
- Zhao, J.X., Irikura, K., Zhang, J., Fukushima, Y., Somerville, P.G., Asano, A., Ohno, Y., Oouchi, T., Takahashi, T. and Ogawa, H., (2006). An empirical site-classification method for strong-motion stations in Japan using H/V response spectral ratio. *Bulletin of the Seismological Society of America*, 96(3), pp.914-925.
- Zhao, J.X., Irikura, K., Zhang, J., Fukushima, Y., Somerville, P.G., Asano, A., Ohno, Y., Oouchi, T., Takahashi, T. and Ogawa, H., (2006). An empirical site-classification method for strong-motion stations in Japan using H/V response spectral ratio. *Bulletin of the Seismological Society of America*, 96(3), pp.914-925.