

## DAFTAR PUSTAKA

- [1] A. Hassan, S. Ilyas, A. Jalil, and Z. Ullah, "Monetization of the environmental damage caused by fossil fuels," *Environ Sci Pollut Res Int*, vol. 28, no. 17, pp. 21 204–21 211, May 2021.
- [2] M. Murshed, "Can regional trade integration facilitate renewable energy transition to ensure energy sustainability in south asia?" *Energy Reports*, vol. 7, pp. 808–821, Nov 2021.
- [3] T.-H. Meen, S. Prior, and A.-T. Lam, "A review of flexibility requirement of electric generators in high wind power penetration systems," in *Sensors Council*, 2017.
- [4] E. Pramono and S. Isnandar, "Criteria for integration of intermittent renewable energy to the java bali grid," in *2017 International Conference on High Voltage Engineering and Power System*. Bali: IEEE, Oct 2017, pp. 91–94.
- [5] L. M. Tumiran, S. Putranto, Sarjiya, and E. Y. Pramono, "Maximum penetration determination of variable renewable energy generation: A case in java–bali power systems," *Renewable Energy*, vol. 163, pp. 561–570, 2021.
- [6] M. H. Saifurrohman, M. H. Hasyid, L. M. Putranto, S. P. Hadi, W. Susatyo, and S. Isnandar, "Battery energy storage systems reinforcement control strategy to enhance the maximum integration of pv to generation systems," *Results in Engineering*, vol. 18, p. 101184, Jun 2023.
- [7] O. Babatunde, J. Munda, and Y. Hamam, "Power system flexibility: A review," *Energy Reports*, vol. 6, pp. 101–106, 2020.
- [8] C. Das, O. Bass, G. Kothapalli, T. Mahmoud, and D. Habibi, "Overview of energy storage systems in distribution networks: Placement, sizing, operation, and power quality," *Renewable and Sustainable Energy Reviews*, vol. 91, pp. 1205–1230, Aug 2018.
- [9] IRENA, *Electricity storage and renewables: Costs and markets to 2030*. International Renewable Energy Agency (IRENA), Oct 2017, no. October. [Online]. Available: [http://irena.org/publications/2017/Oct/Electricity-storage-and-renewables-costs-and-markets%0Ahttps://www.irena.org/-/media/Files/IRENA/Agency/Publication/2017/Oct/IRENA\\_Electricity\\_Storage\\_Costs\\_2017.pdf](http://irena.org/publications/2017/Oct/Electricity-storage-and-renewables-costs-and-markets%0Ahttps://www.irena.org/-/media/Files/IRENA/Agency/Publication/2017/Oct/IRENA_Electricity_Storage_Costs_2017.pdf)
- [10] A. Blakers, M. Stocks, B. Lu, and C. Cheng, "A review of pumped hydro energy storage," *Progress in Energy*, vol. 3, no. 2, p. 022003, 2021.
- [11] E. Bazdar, M. Sameti, F. Nasiri, and F. Haghighat, "Compressed air energy storage in integrated energy systems: A review," *Renewable and Sustainable Energy Reviews*, vol. 167, p. 112701, 2022.
- [12] F. Faraji, A. Majazi, K. Al-Haddad *et al.*, "A comprehensive review of flywheel energy storage system technology," *Renewable and Sustainable Energy Reviews*, vol. 67, pp. 477–490, 2017.
- [13] M. R. Chakraborty, S. Dawn, P. K. Saha, J. B. Basu, and T. S. Ustun, "A comparative review on energy storage systems and their application in deregulated systems," *Batteries*, vol. 8, no. 9, p. 124, 2022.
- [14] I. Energy Agency. (2024) Integrating Solar and Wind: Global Experience and Emerging Challenges. [Online]. [Online]. Available: <https://www.iea.org>

- [15] E. Reihani, S. Sepasi, L. R. Roose, and M. Matsuura, "Energy management at the distribution grid using a battery energy storage system (bess)," *International Journal of Electrical Power & Energy Systems*, vol. 77, pp. 337–344, 2016.
- [16] Energy Institute, "Statistical Review of World Energy," 2024.
- [17] X. Li and S. Wang, "Energy management and operational control methods for grid battery energy storage systems," *CSEE Journal of Power and Energy Systems*, vol. 7, no. 5, pp. 1026–1040, 2019.
- [18] D. Rosewater, D. Copp, T. Nguyen, and R. Byrne, "Battery energy storage models for optimal control," *IEEE Access*, vol. 7, pp. 178 357–178 391, 2019.
- [19] T. Steckel, A. Kendall, and H. Ambrose, "Applying leveled cost of storage methodology to utility-scale second-life lithium-ion battery energy storage systems," *Applied Energy*, vol. 300, July 2021.
- [20] N. Horesh, C. Quinn, H. Wang, R. Zane, M. Ferry, S. Tong, and J. C. Quinn, "Driving to the future of energy storage: Techno-economic analysis of a novel method to recondition second life electric vehicle batteries," *Applied Energy*, vol. 295, p. 117007, 2021.
- [21] S. Chai *et al.*, "An evaluation framework for second-life ev/phev battery application in power systems," *IEEE Access*, vol. 9, pp. 152 430–152 441, 2021.
- [22] E. Martinez-Laserna *et al.*, "Battery second life: Hype, hope or reality? a critical review of the state of the art," *Renewable and Sustainable Energy Reviews*, vol. 93, pp. 701–718, Oct 2018.
- [23] L. Ren, J. Dong, X. Wang, Z. Meng, L. Zhao, and M. J. Deen, "A data-driven auto-cnn-lstm prediction model for lithium-ion battery remaining useful life," *IEEE Transactions on Industrial Informatics*, vol. 17, no. 5, pp. 3478–3487, 2020.
- [24] K. Smith, A. Saxon, M. Keyser, B. Lundstrom, Z. Cao, and A. Roc, "Life prediction model for grid-connected li-ion battery energy storage system," in *Proceedings of the American Control Conference*, Jun 2017, pp. 4062–4068.
- [25] J. Wang *et al.*, "Cycle-life model for graphite-lifepo4 cells," *J Power Sources*, vol. 196, no. 8, pp. 3942–3948, Apr 2011.
- [26] L. Ahmadi, M. Fowler, S. B. Young, R. A. Fraser, B. Gaffney, and S. B. Walker, "Energy efficiency of li-ion battery packs re-used in stationary power applications," *Sustainable Energy Technologies and Assessments*, vol. 8, pp. 9–17, Dec 2014.
- [27] Y. Liu, C. Liu, Y. Liu, F. Sun, J. Qiao, and T. Xu, "Review on degradation mechanism and health state estimation methods of lithium-ion batteries," *Journal of Traffic and Transportation Engineering (English Edition)*, Aug 2023.
- [28] Y. Li *et al.*, "Data-driven health estimation and lifetime prediction of lithium-ion batteries: A review," *Renewable and Sustainable Energy Reviews*, Oct 2019.
- [29] C. Bertinelli Salucci, A. Bakdi, I. K. Glad, E. Vanem, and R. De Bin, "Multivariable fractional polynomials for lithium-ion batteries degradation models under dynamic conditions," *Journal of Energy Storage*, vol. 52, Aug. 2022.
- [30] I. Bloom, B. Cole, J. Sohn, S. A. Jones, E. G. Polzin, V. S. Battaglia, G. L. Henriksen, C. Motloch, R. Richardson, T. Unkelhaeuser *et al.*, "An accelerated calendar and cycle life study of li-ion cells," *Journal of power sources*, vol. 101, no. 2, pp. 238–247, 2001.

- [31] T. Inoue, N. Imamura, H. Yoshida, K. Komada, M. Mizutani, and M. Goto, "Performance and life estimation of 175ah lithium-ion cell for space use," in *20th AIAA International Communication Satellite Systems Conference and Exhibit*, 2002, p. 1977.
- [32] C. Wang and V. Srinivasan, "Computational battery dynamics (cbd)—electrochemical/thermal coupled modeling and multi-scale modeling," *Journal of power sources*, vol. 110, no. 2, pp. 364–376, 2002.
- [33] B. Y. Liaw, E. P. Roth, R. G. Jungst, G. Nagasubramanian, H. L. Case, and D. H. Doughty, "Correlation of arrhenius behaviors in power and capacity fades with cell impedance and heat generation in cylindrical lithium-ion cells," *Journal of Power Sources*, vol. 119, pp. 874–886, Jun. 2003.
- [34] K. Thirugnanam, E. R. J. TP, M. Singh, and P. Kumar, "Mathematical modeling of li-ion battery using genetic algorithm approach for v2g applications," *IEEE transactions on Energy conversion*, vol. 29, no. 2, pp. 332–343, 2014.
- [35] Z. Chen, C. C. Mi, Y. Fu, J. Xu, and X. Gong, "Online battery state of health estimation based on genetic algorithm for electric and hybrid vehicle applications," *Journal of Power Sources*, vol. 240, pp. 184–192, 2013.
- [36] T. Sayfudinov *et al.*, "Degradation and operation-aware framework for the optimal siting, sizing, and technology selection of battery storage," *IEEE Transactions on Sustainable Energy*, vol. 11, no. 4, pp. 2130–2140, 2020.
- [37] P. Morala, J. A. Cifuentes, R. E. Lillo, and I. Ucar, "Towards a mathematical framework to inform neural network modelling via polynomial regression," *Neural Networks*, vol. 142, pp. 57–72, Oct. 2021.
- [38] R. Guha, D. T. Stanton, and P. C. Jurs, "Interpreting computational neural network quantitative structure-activity relationship models: A detailed interpretation of the weights and biases," *Journal of Chemical Information and Modeling*, vol. 45, no. 4, pp. 1109–1121, 2005.
- [39] S. Jafari, J.-H. Yang, and Y.-C. Byun, "Optimized xgboost modeling for accurate battery capacity degradation prediction," *Results in Engineering*, vol. 24, p. 102786, 2024.
- [40] M. Sheibani, G. Yousefi, M. Latify, and S. Hacıopian, "Energy storage system expansion planning in power systems: A review," *IET Renewable Power Generation*, vol. 12, no. 8, pp. 1203–1221, 2018.
- [41] H. I. Sheikh, M. K. Rathi, and A. M. Soomro, "Optimal integration of battery energy-storage system with high penetration of renewable energy in radial distribution network," *Clean Energy*, vol. 6, no. 3, pp. 404–411, 2022.
- [42] S. Bahramirad, W. Reder, and A. Khodaei, "Reliability-constrained optimal sizing of energy storage system in a microgrid," *IEEE Transactions on Smart Grid*, vol. 3, no. 4, pp. 2056–2062, 2012.
- [43] Y. Liu, X. Wu, J. Du, Z. Song, and G. Wu, "Optimal sizing of a wind-energy storage system considering battery life," *Renew Energy*, vol. 147, pp. 2470–2483, 2020.
- [44] A. Muqbel, A. Aldik, A. Al-Awami, and F. Alismail, "Fuzzy optimization-based sizing of a battery energy storage system for participating in ancillary services markets," in *2018 IEEE Industry Applications Society Annual Meeting, IAS 2018*, 2018.

- [45] M. Amini, A. Khorsandi, B. Vahidi, S. Hosseinian, and A. Malakmahmoudi, "Optimal sizing of battery energy storage in a microgrid considering capacity degradation and replacement year," *Electric Power Systems Research*, vol. 195, Jun 2021.
- [46] J. Gonzalez-Gonzalez, S. Martin, P. Lopez, and J. Aguado, "Hybrid battery-ultracapacitor storage system sizing for renewable energy network integration," *IET Renewable Power Generation*, vol. 14, no. 13, pp. 2367–2375, 2020.
- [47] V. Herrera, A. Milo, H. Gaztanaga, J. Ramos, and H. Camblong, "Adaptive and non-adaptive strategies for optimal energy management and sizing of a dual storage system in a hybrid electric bus," *IEEE Transactions on Intelligent Transportation Systems*, vol. 20, no. 9, pp. 3435–3447, 2019.
- [48] I. Javeed, R. Khezri, A. Mahmoudi, A. Yazdani, and G. Shafiullah, "Optimal sizing of rooftop pv and battery storage for grid-connected houses considering flat and time-of-use electricity rates," *Energies (Basel)*, vol. 14, no. 12, 2021.
- [49] Y. Zhang, Y. Xu, H. Yang, Z. Dong, and R. Zhang, "Optimal whole-life-cycle planning of battery energy storage for multi-functional services in power systems," *IEEE Trans Sustain Energy*, vol. 11, no. 4, pp. 2077–2086, Oct 2020.
- [50] M. Hannan, M. Faisal, P. Ker, R. Begum, Z. Dong, and C. Zhang, "Review of optimal methods and algorithms for sizing energy storage systems to achieve decarbonization in microgrid applications," *Renewable and Sustainable Energy Reviews*, vol. 131, p. 110022, Oct 2020.
- [51] G. Cardoso, T. Brouhard, N. DeForest, D. Wang, M. Heleno, and L. Kotzur, "Battery aging in multi-energy microgrid design using mixed integer linear programming," *Appl Energy*, vol. 231, pp. 1059–1069, Dec 2018.
- [52] Y. Zhang, Y. Su, Z. Wang, F. Liu, and C. Li, "Cycle-life-aware optimal sizing of grid-side battery energy storage," *IEEE Access*, vol. 9, pp. 20 179–20 190, 2021.
- [53] E. Peña, E. Noriega, G. Cardoso, R. Byrne, D. Rosewater, and D. Copp, "Sizing of battery energy storage systems with linear and nonlinear degradation models," *IEEE Transactions on Power Systems*, vol. 37, no. 4, pp. 3116–3126, 2022.
- [54] R. Fallahifar and M. Kalantar, "Optimal planning of lithium-ion battery energy storage for microgrid applications: Considering capacity degradation," *J Energy Storage*, vol. 57, p. 106103, Nov 2023.
- [55] A. Pena-Bello, E. Barbour, M. C. Gonzalez, M. K. Patel, and D. Parra, "Optimized pv-coupled battery systems for combining applications: Impact of battery technology and geography," *Renewable and Sustainable Energy Reviews*, vol. 112, pp. 978–990, Feb 2019.
- [56] V. V. S. N. Murty and A. Kumar, "Multi-objective energy management in microgrids with hybrid energy sources and battery energy storage systems," *Protection and Control of Modern Power Systems*, vol. 5, no. 1, pp. 1–20, 2020.
- [57] Y. Wu, Z. Liu, J. Liu, H. Xiao, R. Liu, and L. Zhang, "Optimal battery capacity of grid-connected pv-battery systems considering battery degradation," *Renew Energy*, vol. 181, pp. 10–23, 2022.
- [58] H. Rauf, M. Khalid, and N. Arshad, "Machine learning in state of health and remaining useful life estimation: Theoretical and technological development in battery degradation modelling," *Renewable and Sustainable Energy Reviews*, vol. 156, p. 111903, Mar 2022.

- [59] B. Xu, J. Zhao, T. Zheng, E. Litvinov, and D. Kirschen, "Factoring the cycle aging cost of batteries participating in electricity markets," in *IEEE PES General Meeting*, Dec 2018, pp. 1–1.
- [60] Y. Wu, T. Xu, H. Meng, W. Wei, S. Cai, and L. Guo, "Energy storage capacity allocation for distribution grid applications considering the influence of ambient temperature," *IET Energy Systems Integration*, vol. 4, no. 1, pp. 143–156, 2022.
- [61] Y. Wu, Z. Liu, J. Liu, H. Xiao, R. Liu, and L. Zhang, "Optimal battery capacity of grid-connected pv-battery systems considering battery degradation," *Renewable Energy*, vol. 181, pp. 10–23, 2022.
- [62] R. B. Setyawati *et al.*, "High power and thermal-stable of graphene modified  $\text{LiNi}_{0.8}\text{Mn}_{0.1}\text{Co}_{0.1}\text{O}_2$  cathode by simple method for fast charging-enable lithium ion battery," *Results in Engineering*, vol. 21, Mar. 2024.
- [63] C. Zhao and X. Li, "Microgrid optimal energy scheduling considering neural network based battery degradation," *IEEE Transactions on Power Systems*, vol. 39, no. 1, pp. 1594–1606, Jan. 2024.
- [64] N. Mahmud and A. Zahedi, "Review of control strategies for voltage regulation of the smart distribution network with high penetration of renewable distributed generation," *Renewable and Sustainable Energy Reviews*, vol. 64, pp. 582–595, Oct. 2016.
- [65] Y. Yang, S. Bremner, C. Menictas, and M. Kay, "Battery energy storage system size determination in renewable energy systems: A review," *Renewable and Sustainable Energy Reviews*, vol. 91, pp. 109–125, Aug. 2018.
- [66] I. Alsaidan, A. Khodaei, and W. Gao, "A comprehensive battery energy storage optimal sizing model for microgrid applications," *IEEE Transactions on Power Systems*, vol. 33, no. 4, pp. 3968–3980, 2018.
- [67] O. H. Choon, L. C. Hoong, and T. S. Huey, "A functional approximation comparison between neural networks and polynomial regression," *WSEAS Trans. Math*, vol. 7, no. 6, pp. 353–363, 2008.
- [68] M. Ali, M. A. Abdulgalil, I. Habiballah, and M. Khalid, "Optimal scheduling of isolated microgrids with hybrid renewables and energy storage systems considering demand response," *IEEE Access*, vol. 11, pp. 80 266–80 273, Jun. 2023.
- [69] M. Cheng, X. Zhang, A. Ran, G. Wei, and H. Sun, "Optimal dispatch approach for second-life batteries considering degradation with online soh estimation," *Renewable and Sustainable Energy Reviews*, vol. 173, p. 113053, 2023.
- [70] U. G. K. Mulleriyawage and W. X. Shen, "Optimally sizing of battery energy storage capacity by operational optimization of residential pv-battery systems: An australian household case study," *Renewable Energy*, vol. 160, pp. 852–864, 2020.
- [71] T. Qiu, B. Xu, Y. Wang, Y. Dvorkin, and D. S. Kirschen, "Stochastic multistage coplanning of transmission expansion and energy storage," *IEEE Transactions on Power Systems*, vol. 32, no. 1, pp. 643–651, 2017.
- [72] H. Shin and J. Hur, "Optimal energy storage sizing with battery augmentation for renewable-plus-storage power plants," *IEEE Access*, vol. 8, pp. 187 730–187 743, 2020.



- [73] C. Zhang, K. Li, S. Mcloone, and Z. Yang, "Battery modelling methods for electric vehicles-a review," in *2014 European Control Conference (ECC)*. IEEE, 2014, pp. 2673–2678.
- [74] T. Carriere, C. Vernay, S. Pitaval, F. P. Neirac, and G. Kariniotakis, "Strategies for combined operation of pv/storage systems integrated into electricity markets," *IET Renewable Power Generation*, vol. 14, no. 1, pp. 71–79, 2020.
- [75] X. Lu and H. Wang, "Optimal sizing and energy management for cost-effective pev hybrid energy storage systems," *IEEE Transactions on Industrial Informatics*, vol. 16, no. 5, pp. 3407–3416, 2020.
- [76] M. Gomez-Gonzalez, J. C. Hernández, P. G. Vidal, and F. Jurado, "Novel optimization algorithm for the power and energy management and component sizing applied to hybrid storage-based photovoltaic household-prosumers for the provision of complementarity services," *Journal of Power Sources*, vol. 482, 2021.
- [77] A. A. R. Mohamed, R. J. Best, X. A. Liu, and D. J. Morrow, "A comprehensive robust techno-economic analysis and sizing tool for the small-scale pv and bess," *IEEE Transactions on Energy Conversion*, vol. 8969, no. c, pp. 1–12, 2021.
- [78] T. Sayfutdinov, M. Ali, and O. Khamisov, "Alternating direction method of multipliers for the optimal siting, sizing, and technology selection of li-ion battery storage," *Electric Power Systems Research*, vol. 185, no. May, 2020.
- [79] J. J. Kelly and P. G. Leahy, "Optimal investment timing and sizing for battery energy storage systems," *Journal of Energy Storage*, vol. 28, 2020.
- [80] T. Alharbi, K. Bhattacharya, and M. Kazerani, "Planning and operation of isolated microgrids based on repurposed electric vehicle batteries," *IEEE Transactions on Industrial Informatics*, vol. 15, no. 7, pp. 4319–4331, 2019.
- [81] R. Martins, H. C. Hesse, J. Jungbauer, T. Vorbuchner, and P. Musilek, "Optimal component sizing for peak shaving in battery energy storage system for industrial applications," *Energies (Basel)*, vol. 11, no. 8, 2018.
- [82] F. Sorourifar, V. M. Zavala, and A. W. Dowling, "Integrated multiscale design, market participation, and replacement strategies for battery energy storage systems," *IEEE Transactions on Sustainable Energy*, vol. 11, no. 1, pp. 84–92, 2020.
- [83] A. v. Kumar, S. Sharma, and A. Verma, "Optimal sizing and multi-energy management strategy for pv-biofuel-based off-grid systems," *IET Smart Grid*, vol. 3, no. 1, pp. 83–97, 2020.
- [84] J. C. Hernández, F. Sanchez-Sutil, and F. J. Muñoz-Rodríguez, "Design criteria for the optimal sizing of a hybrid energy storage system in pv household-prosumers to maximize self-consumption and self-sufficiency," *Energy*, vol. 186, 2019.
- [85] M. Mendil, A. de Domenico, V. Heiries, R. Caire, and N. Hadjsaid, "Battery-aware optimization of green small cells: Sizing and energy management," *IEEE Transactions on Green Communications and Networking*, vol. 2, no. 3, pp. 635–651, 2018.
- [86] F. Fan *et al.*, "Sizing and coordination strategies of battery energy storage system co-located with wind farm: The uk perspective," *Energies (Basel)*, vol. 14, no. 5, 2021.

- [87] T. Mesbahi, P. Bartholomeus, N. Rizoug, R. Sadoun, F. Khenfri, and P. le Moigne, "Advanced model of hybrid energy storage system integrating lithium-ion battery and supercapacitor for electric vehicle applications," *IEEE Transactions on Industrial Electronics*, vol. 68, no. 5, pp. 3962–3972, 2021.
- [88] A. Lorestani, G. B. Gharehpetian, and M. Hassan, "Optimal sizing and techno-economic analysis of energy- and cost-efficient standalone multi-carrier microgrid," *Renewable Energy*, vol. 178, 2019.
- [89] R. S. S. Nuvvula, E. Devaraj, R. M. Elavarasan, S. I. Taheri, M. Irfan, and K. S. Teegala, "Multi-objective mutation-enabled adaptive local attractor quantum behaved particle swarm optimisation based optimal sizing of hybrid renewable energy system for smart cities in india," *Sustainable Energy Technologies and Assessments*, vol. 49, 2022.
- [90] M. Sufyan, N. A. Rahim, C. K. Tan, M. A. Muhammad, and S. R. S. Raihan, "Optimal sizing and energy scheduling of isolated microgrid considering the battery lifetime degradation," *PLoS One*, vol. 14, no. 2, pp. 1–28, 2019.
- [91] R. Khezri, S. Mahmoudi, and M. H. Haque, "A demand side management approach for optimal sizing of standalone renewable-battery systems," *IEEE Transactions on Sustainable Energy*, vol. 12, no. 4, pp. 2184–2194, 2021.
- [92] L. Montero, A. Bello, and J. Reneses, "A review on the unit commitment problem: Approaches, techniques, and resolution methods," *Energies*, vol. 15, no. 4, p. 1296, 2022.
- [93] Z. Wang, A. Younesi, M. V. Liu, G. C. Guo, and C. L. Anderson, "Ac optimal power flow in power systems with renewable energy integration: A review of formulations and case studies," *IEEE Access*, 2023.
- [94] K. Gholami, M. Abbasi, A. Azizivahed, and L. Li, "An efficient bi-objective approach for dynamic economic emission dispatch of renewable-integrated microgrids," *Journal of Ambient Intelligence and Humanized Computing*, vol. 14, no. 8, pp. 10 695–10 714, 2023.
- [95] N. Yang, Z. Dong, L. Wu, L. Zhang, X. Shen, D. Chen, B. Zhu, and Y. Liu, "A comprehensive review of security-constrained unit commitment," *Journal of Modern Power Systems and Clean Energy*, vol. 10, no. 3, pp. 562–576, 2021.
- [96] Q. Yang, J. Wang, H. Yin, and Q. Li, "A fast calculation method for long-term security-constrained unit commitment of large-scale power systems with renewable energy," *Journal of Modern Power Systems and Clean Energy*, vol. 10, no. 5, pp. 1127–1137, 2021.
- [97] U. G. K. Mulleriyawage and W. X. Shen, "Impact of demand side management on optimal sizing of residential battery energy storage system," *Renewable Energy*, vol. 172, pp. 1250–1266, 2021.
- [98] J. O. Lee and Y. S. Kim, "Novel battery degradation cost formulation for optimal scheduling of battery energy storage systems," *International Journal of Electrical Power and Energy Systems*, vol. 137, 2022.
- [99] A. González-Garrido, H. Gaztañaga, A. S. de Ibarra, A. Milo, and P. Eguia, "Electricity and reserve market bidding strategy including sizing evaluation and a novel renewable complementarity-based centralized control for storage lifetime enhancement," *Applied Energy*, vol. 262, 2020.

- [100] N. B. Arias, J. C. Lopez, S. Hashemi, J. F. Franco, and M. J. Rider, "Multi-objective sizing of battery energy storage systems for stackable grid applications," *IEEE Transactions on Smart Grid*, vol. 12, no. 3, pp. 2708–2721, 2021.
- [101] W. ur Rehman, R. Bo, H. Mehdipourpicha, and J. W. Kimball, "Sizing battery energy storage and pv system in an extreme fast charging station considering uncertainties and battery degradation," *Applied Energy*, vol. 313, 2022.
- [102] F. Mohammadi, H. Gholami, G. B. Gharehpetian, and S. H. Hosseinian, "Allocation of centralized energy storage system and its effect on daily grid energy generation cost," *IEEE Transactions on Power Systems*, vol. 32, no. 3, pp. 2406–2416, 2017.
- [103] M. Bagheri-Sanjareh and M. H. Nazari, "Coordination of energy storage system, pvs and smart lighting loads to reduce required battery size for improving frequency response of islanded microgrid," *Sustainable Energy, Grids and Networks*, vol. 22, p. 100357, 2020.
- [104] G. Mohy-Ud-Din, D. H. Vu, K. M. Muttaqi, and D. Sutanto, "An integrated energy management approach for the economic operation of industrial microgrids under uncertainty of renewable energy," in *2019 IEEE Industry Applications Society Annual Meeting, IAS 2019*, Sep 2019.
- [105] P. Fortenbacher, A. Ulbig, and G. Andersson, "Optimal placement and sizing of distributed battery storage in low voltage grids using receding horizon control strategies," *IEEE Transactions on Power Systems*, vol. 33, no. 3, pp. 2383–2394, 2018.
- [106] X. Luo, J. Wang, M. Dooner, and J. Clarke, "Overview of current development in electrical energy storage technologies and the application potential in power system operation," *Applied Energy*, vol. 137, pp. 511–536, 2015.
- [107] X. Hu, C. Zou, C. Zhang, and Y. Li, "Technological developments in batteries: A survey of principal roles, types, and management needs," *IEEE Power and Energy Magazine*, Sep 2017.
- [108] B. Diouf and R. Pode, "Potential of lithium-ion batteries in renewable energy," *Renewable Energy*, vol. 76, pp. 375–380, Apr 2015.
- [109] A. I. Stan, M. Swierczynski, D. I. Stroe, R. Teodorescu, and S. J. Andreassen, "Lithium ion battery chemistries from renewable energy storage to automotive and back-up power applications - an overview," in *2014 International Conference on Optimization of Electrical and Electronic Equipment, OPTIM 2014*, 2014, pp. 713–720.
- [110] S. Tewari and N. Mohan, "Value of nas energy storage toward integrating wind: Results from the wind to battery project," *IEEE Transactions on Power Systems*, vol. 28, no. 1, pp. 532–541, 2013.
- [111] P. Leung, X. Li, C. P. D. León, L. Berlouis, C. T. J. Low, and F. C. Walsh, "Progress in redox flow batteries, remaining challenges and their applications in energy storage," *RSC Advances*, vol. 2, no. 27, pp. 10 125–10 156, Oct 2012.
- [112] B. Dunn, H. Kamath, and J. M. Tarascon, "Electrical energy storage for the grid: A battery of choices," *Science*, vol. 334, no. 6058, pp. 928–935, Nov 2011.
- [113] M. S. Guney and Y. Tepe, "Classification and assessment of energy storage systems," *Renewable and Sustainable Energy Reviews*, vol. 75, pp. 1187–1197, Aug 2017.



- [114] H. C. Hesse, M. Schimpe, D. Kucevic, and A. Jossen, "Lithium-ion battery storage for the grid - a review of stationary battery storage system design tailored for applications in modern power grids," *Energies*, vol. 10, no. 12, 2017.
- [115] IRENA, "Flexibility," 2024, accessed: May 27, 2024. [Online]. Available: <https://www.irena.org/Energy-Transition/Planning/Flexibility>
- [116] J. Emblemståg, "On the levelised cost of energy of windfarms," *International Journal of Sustainable Energy*, vol. 39, no. 7, pp. 700–718, Aug 2020.
- [117] K. A. Severson, P. M. Attia, N. Jin, N. Perkins, B. Jiang, Z. Yang, M. H. Chen, M. Aykol, P. K. Herring, D. Fraggedakis *et al.*, "Data-driven prediction of battery cycle life before capacity degradation," *Nature Energy*, vol. 4, no. 5, pp. 383–391, 2019.
- [118] M. S. H. Lipu and et al., "A review of state of health and remaining useful life estimation methods for lithium-ion battery in electric vehicles: Challenges and recommendations," *Journal of Cleaner Production*, vol. 205, pp. 115–133, Dec 2018.
- [119] D. Liu, J. Pang, J. Zhou, Y. Peng, and M. Pecht, "Prognostics for state of health estimation of lithium-ion batteries based on combination gaussian process functional regression," *Microelectronics Reliability*, vol. 53, no. 6, pp. 832–839, Jun 2013.
- [120] J. Zhang and J. Lee, "A review on prognostics and health monitoring of li-ion battery," *Journal of Power Sources*, vol. 196, no. 15, pp. 6007–6014, Aug 2011.
- [121] R. Baldick, "The generalized unit commitment problem," *IEEE Transactions on Power Systems*, vol. 10, no. 1, pp. 465–475, 1995.
- [122] A. J. Wood, B. F. Wollenberg, and G. B. Sheblé, *Power Generation, Operation, and Control*, 3rd ed. Hoboken, NJ, USA: Wiley, 2013.
- [123] A. Soroudi, *Power System Optimization Modeling in GAMS*. Cham, Switzerland: Springer, 2017.
- [124] D. Feldman, V. Ramasamy, R. Fu, A. Ramdas, J. Desai, and R. Margolis, "U.s. solar photovoltaic system and energy storage cost benchmark: Q1 2020," National Renewable Energy Laboratory, Tech. Rep. September, 2021. [Online]. Available: <https://www.nrel.gov/docs/fy21osti/77324.pdf>
- [125] C. Carrillo, A. F. O. Montaña, J. Cidrás, and E. Díaz-Dorado, "Review of power curve modelling for wind turbines," *Renewable and Sustainable Energy Reviews*, vol. 21, pp. 572–581, 2013.
- [126] K. E. d. S. D. M. R. I. Direktorat Jenderal Ketenagalistrikan, Ed., *Technology Data for the Indonesian Power Sector 2024*. Direktorat Jenderal Ketenagalistrikan, Kementerian Energi dan Sumber Daya Mineral Republik Indonesia, 2024, diakses pada 30 Januari 2025. [Online]. Available: [https://gatrik.esdm.go.id/assets/uploads/download\\_index/files/c4d42-technology-data-for-the-indonesian-power-sector-2024-annoteret-af-kb-.pdf](https://gatrik.esdm.go.id/assets/uploads/download_index/files/c4d42-technology-data-for-the-indonesian-power-sector-2024-annoteret-af-kb-.pdf)
- [127] R. Garmabdari, M. Moghimi, F. Yang, E. Gray, and J. Lu, "Multi-objective energy storage capacity optimisation considering microgrid generation uncertainties," *International Journal of Electrical Power and Energy Systems*, vol. 119, 2020.
- [128] T. Zhu, R. Lot, R. G. A. Wills, and X. Yan, "Sizing a battery-supercapacitor energy storage system with battery degradation consideration for high-performance electric vehicles," *Energy*, vol. 208, 2020.

- [129] M. Bahloul and S. K. Khadem, "An analytical approach for techno-economic evaluation of hybrid energy storage system for grid services," *Journal of Energy Storage*, vol. 31, 2020.
- [130] P. P. S. E. Company), "Rencana usaha penyediaan tenaga listrik (ruptl) pt pln (persero) 2021-2030," 2021, accessed: May 27, 2024. [Online]. Available: [https://gatrik.esdm.go.id/assets/uploads/download\\_index/files/38622-ruptl-pln-2021-2030.pdf](https://gatrik.esdm.go.id/assets/uploads/download_index/files/38622-ruptl-pln-2021-2030.pdf)
- [131] P. P. (PERSERO), "Rencana usaha penyediaan tenaga listrik pt. pln (persero) 2021-2030," Jakarta, 2021.
- [132] D. E. Agency, "Lombok energy outlook," pp. 75–84, 2019. [Online]. Available: [https://ens.dk/sites/ens.dk/files/Globalcooperation/lombok\\_energy\\_outlook\\_-\\_jan\\_2019.pdf](https://ens.dk/sites/ens.dk/files/Globalcooperation/lombok_energy_outlook_-_jan_2019.pdf)
- [133] M. F. Ge, Y. Liu, X. Jiang, and J. Liu, "A review on state of health estimations and remaining useful life prognostics of lithium-ion batteries," *Measurement (London)*, vol. 174, Apr 2021.
- [134] S. A. Hasib, S. Islam, R. K. Chakraborty, M. J. Ryan, D. K. Saha, M. H. Ahamed, S. I. Moyeen, S. K. Das, M. F. Ali, M. R. Islam *et al.*, "A comprehensive review of available battery datasets, rul prediction approaches, and advanced battery management," *Ieee Access*, vol. 9, pp. 86 166–86 193, 2021.
- [135] C. H. B. Apriowo, S. P. Hadi, F. D. Wijaya, M. I. B. Setyonegoro *et al.*, "Optimal sizing and placement of battery energy storage system for maximum variable renewable energy penetration considering demand response flexibility: A case in lombok power system, indonesia," *Energy Conversion and Management: X*, vol. 23, p. 100620, 2024.
- [136] C. H. B. Apriowo, S. P. Hadi, F. D. Wijaya, M. I. B. Setyonegoro, and Sarjiya, "Early prediction of battery degradation in grid-scale battery energy storage system using extreme gradient boosting algorithm," *Results in Engineering*, vol. 21, Mar 2024.
- [137] C. H. B. Apriowo, S. P. Hadi, F. D. Wijaya, and Sarjiya, "Optimal sizing and siting of fresh and second-life battery energy storage systems based on linearized optimal power flow for high photovoltaic penetration: A comparative study," *EVERGREEN Joint Journal of Novel Carbon Resource Sciences & Green Asia Strategy*, vol. 11, no. 3, pp. 2202–2216, September 2024.
- [138] M. Guo, Y. Mu, H. Jia, Y. Deng, X. Xu, and X. Yu, "Electric/thermal hybrid energy storage planning for park-level integrated energy systems with second-life battery utilization," *Advances in Applied Energy*, vol. 4, August 2021.
- [139] T. A. Nguyen, M. L. Crow, and A. C. Elmore, "Optimal sizing of a vanadium redox battery system for microgrid systems," *IEEE Transactions on Sustainable Energy*, vol. 6, no. 3, pp. 729–737, Jul 2015.