

DAFTAR PUSTAKA

- Abdullah Abbas, H., & Sabah Jaber, H. (2024). Accuracy Assessment of land use maps classification based on remote sensing and GIS techniques. *BIO Web of Conferences*, 97, 00063. <https://doi.org/10.1051/bioconf/20249700063>
- Abijith, D., & Saravanan, S. (2022). Assessment of land use and land cover change detection and prediction using remote sensing and CA Markov in the northern coastal districts of Tamil Nadu, India. *Environmental Science and Pollution Research*, 29(57), 86055–86067. <https://doi.org/10.1007/s11356-021-15782-6>
- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2016). The simulation and prediction of spatio-temporal urban growth trends using cellular automata models: A review. *International Journal of Applied Earth Observation and Geoinformation*, 52, 380–389. <https://doi.org/10.1016/J.JAG.2016.07.007>
- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2017). Improving the capability of an integrated CA-Markov model to simulate spatio-temporal urban growth trends using an Analytical Hierarchy Process and Frequency Ratio. *International Journal of Applied Earth Observation and Geoinformation*, 59, 65–78. <https://doi.org/10.1016/j.jag.2017.03.006>
- Acharya, S., Hori, T., & Karki, S. (2023). Assessing the spatio-temporal impact of landuse landcover change on water yield dynamics of rapidly urbanizing Kathmandu valley watershed of Nepal. *Journal of Hydrology: Regional Studies*, 50, 101562. <https://doi.org/https://doi.org/10.1016/j.ejrh.2023.101562>
- Agung, D. H. (2017, January 24). *50 Rumah Tergenang Luapan Sungai Gajah Wong Yogyakarta*. Tirto.Id. <https://tirto.id/50-rumah-tergenang-luapan-sungai-gajah-wong-yogyakarta-chAB>
- Anh, N. T. N., Canh, C. X., Gunawan, A. Y., & Sudojo, P. (2019). THE APPLICATION OF CELLULAR AUTOMATA TO INVESTIGATE RUNOFF ON SURFACE OF COMPLEX TOPOGRAPHY UNDER DIFFERENT RAINFALL SCENARIO. *International Journal of GEOMATE*, 17(59), 222–229. <https://doi.org/10.21660/2019.59.ICEE16>
- Anjinho, P. da S., Barbosa, M. A. G. A., & Mauad, F. F. (2022). Evaluation of InVEST's Water Ecosystem Service Models in a Brazilian Subtropical Basin. *Water*, 14(10), 1559. <https://doi.org/10.3390/w14101559>
- Ardiansyah, A., & Sumunar, D. R. S. (2020). Flood Vulnerability Mapping Using Geographic Information System (GIS) in Gajah Wong Sub Watershed,

- Yogyakarta County Province. *Geosfera Indonesia*, 5(1), 47. <https://doi.org/10.19184/geosi.v5i1.9959>
- Bah, A., Zhang, H., Luo, Z., Hu, J., Zhang, Z., Xie, Y. L., Yang, T., Chen, G., & Bah, A. (2024). A study of land use changes and its impacts on flood inundation in the Konkoure River Basin, Republic of Guinea. *Environmental Monitoring and Assessment*, 196(2), 212. <https://doi.org/10.1007/s10661-024-12371-1>
- Baig, M. F., Mustafa, M. R. U., Baig, I., Takaijudin, H. B., & Zeshan, M. T. (2022). Assessment of Land Use Land Cover Changes and Future Predictions Using CA-ANN Simulation for Selangor, Malaysia. *Water*, 14(3), 402. <https://doi.org/10.3390/w14030402>
- Baja, S. (2012). *Perencanaan Tata Guna Lahan dalam Pengembangan Wilayah - Pendekatan Spasial & Aplikasinya* (P. Christian, Ed.). ANDI.
- Blissag, B., Yebdri, D., & Kessar, C. (2024). Spatiotemporal change analysis of LULC using remote sensing and CA-ANN approach in the Hodna basin, NE of Algeria. *Physics and Chemistry of the Earth, Parts A/B/C*, 133, 103535. <https://doi.org/10.1016/j.pce.2023.103535>
- Bondelid, T. R., McCuen, R. H., & Jackson, T. J. (1982). Sensitivity of SCS Models to Curve Number Variation ¹. *JAWRA Journal of the American Water Resources Association*, 18(1), 111–116. <https://doi.org/10.1111/j.1752-1688.1982.tb04536.x>
- Burkhard, B., & Maes, J. (2017). *Mapping Ecosystem Services*.
- Carvalho-Santos, C., Marcos, B., Espinha Marques, J., Alcaraz-Segura, D., Hein, L., & Honrado, J. (2013). Evaluation of hydrological ecosystem services through remote sensing. In *Earth Observation of Ecosystem Services*. <https://doi.org/10.1201/b15628>
- Castro, C. V., & Maidment, D. R. (2020). GIS preprocessing for rapid initialization of HEC-HMS hydrological basin models using web-based data services. *Environmental Modelling & Software*, 130, 104732. <https://doi.org/10.1016/j.envsoft.2020.104732>
- Chen, X., Zhang, X., & Han, W. (2020). Land use change with topographic gradients in the Yuci District rapid urbanization area | 快速城镇化地区土地利用变化的地形梯度特征分析. *Chinese Journal of Eco-Agriculture*, 28(10), 1637–1648. <https://doi.org/10.13930/j.cnki.cjea.200224>

- Chettri, N., Rasul, G., & Sharma, E. (2014). Managing ecosystem services for enhancing climate change adaptation in the hindu kush himalayas. In *Impact of Global Changes on Mountains: Responses and Adaptation*. <https://doi.org/10.1201/b17963>
- Congedo, L. (2021). Semi-Automatic Classification Plugin: A Python tool for the download and processing of remote sensing images in QGIS. *Journal of Open Source Software*, 6(64), 3172. <https://doi.org/10.21105/joss.03172>
- Daneshi, A., Brouwer, R., Najafinejad, A., Panahi, M., Zarandian, A., & Maghsood, F. F. (2021). Modelling the impacts of climate and land use change on water security in a semi-arid forested watershed using InVEST. *Journal of Hydrology*, 593, 125621. <https://doi.org/10.1016/j.jhydrol.2020.125621>
- de Groot, R. S., Wilson, M. A., & Boumans, R. M. J. (2002). A typology for the classification, description and valuation of ecosystem functions, goods and services. *Ecological Economics*, 41(3), 393–408. [https://doi.org/10.1016/S0921-8009\(02\)00089-7](https://doi.org/10.1016/S0921-8009(02)00089-7)
- Delphin, S., Escobedo, F. J., Abd-Elrahman, A., & Cropper, W. P. (2016). Urbanization as a land use change driver of forest ecosystem services. *Land Use Policy*, 54, 188–199. <https://doi.org/10.1016/j.landusepol.2016.02.006>
- DetikNews. (2015, April 23). *Kali Code Meluap Kawasan Sayidan Yogyakarta Banjir 1,5 Meter*. DetikNews. <https://news.detik.com/berita/d-2895551/kali-code-meluap-kawasan-sayidan-yogyakarta-banjir-1-5-meter>
- Dibs, H., Sabah Jaber, H., & Al-Ansari, N. (2023). Multi-Fusion algorithms for Detecting Land Surface Pattern Changes Using Multi-High Spatial Resolution Images and Remote Sensing Analysis. *Emerging Science Journal*, 7(4), 1215–1231. <https://doi.org/10.28991/ESJ-2023-07-04-013>
- Dodov, B., & Foufoula-Georgiou, E. (2005). Fluvial processes and streamflow variability: Interplay in the scale-frequency continuum and implications for scaling. *Water Resources Research*, 41(5), 1–18. <https://doi.org/10.1029/2004WR003408>
- dos Santos, W. P., Acuña-Guzman, S. F., de Oliveira, P. T. S., Beniaich, A., Cardoso, D. P., Silva, M. L. N., Curi, N., & Avanzi, J. C. (2024). CA-Markov prediction modeling for the assessment of land use/land cover change in two sub-basins of the Tocantins-Araguaia River Basin. *Environmental Monitoring and Assessment*, 196(6), 499. <https://doi.org/10.1007/s10661-024-12673-4>

- El Garouani, A., & Msaddek, M. (2024). The effect of landuse dynamics on water balance components in the Upper Oum Er Rabia Basin, Morocco. *E3S Web of Conferences*, 489, 04009. <https://doi.org/10.1051/e3sconf/202448904009>
- Fadhil, M. Y., Hidayat, Y., & Baskoro, D. P. T. (2021). Identifikasi Perubahan Penggunaan Lahan dan Karakteristik Hidrologi DAS Citarum Hulu. *Jurnal Ilmu Pertanian Indonesia*, 26(2), 213–220. <https://doi.org/10.18343/jipi.26.2.213>
- Fajri, F. G. (2023). Korelasi Perkembangan Wilayah Kecamatan Terhadap Laju Alih Fungsi Lahan Pertanian dan Laju Investasi Perizinan Berusaha (KKPR) di Kota Balikpapan. *Jurnal Pertanahan*, 13, 39–51.
- Fan, Y., & Ma, S. (2024). Integrating fuzzy analytic hierarchy process into ecosystem service-based spatial planning: A case study of the Shenyang metropolitan area, China. *Ecological Informatics*, 81, 102625. <https://doi.org/10.1016/j.ecoinf.2024.102625>
- Feng, S., Gao, X., Gu, J., Kang, J., Guo, L., Wu, G., & Zou, C. (2013). Land use spatial distribution modeling based on CLUE-S model in the Huangshui river basin. *Shengtai Xuebao/ Acta Ecologica Sinica*, 33(3), 985–0997. <https://doi.org/10.5846/stxb201204280616>
- Fu, F., Jia, X., Zhao, Q., Tian, F., Wei, D., Zhao, Y., Zhang, Y., Zhang, J., Hu, X., & Yang, L. (2024). Predicting land use change around railway stations: An enhanced CA-Markov model. *Sustainable Cities and Society*, 101, 105138. <https://doi.org/https://doi.org/10.1016/j.scs.2023.105138>
- Gao, J., Li, F., Gao, H., Zhou, C., & Zhang, X. (2017). The impact of land-use change on water-related ecosystem services: a study of the Guishui River Basin, Beijing, China. *Journal of Cleaner Production*, 163, S148–S155. <https://doi.org/10.1016/j.jclepro.2016.01.049>
- Gao, Y., Chen, J., Luo, H., & Wang, H. (2020). Prediction of hydrological responses to land use change. *Science of The Total Environment*, 708, 134998. <https://doi.org/10.1016/j.scitotenv.2019.134998>
- Garzon, L. F. L., Johnson, M. F., Mount, N., & Gomez, H. (2023). Exploring the effects of catchment morphometry on overland flow response to extreme rainfall using a 2D hydraulic-hydrological model (IBER). *Journal of Hydrology*, 627. <https://doi.org/10.1016/j.jhydrol.2023.130405>
- Gharaibeh, A., Shaamala, A., Obeidat, R., & Al-Kofahi, S. (2020). Improving land-use change modeling by integrating ANN with Cellular Automata-Markov Chain model. *Heliyon*, 6(9), e05092. <https://doi.org/10.1016/j.heliyon.2020.e05092>

- Gibson, L., Münch, Z., Palmer, A., & Mantel, S. (2018). Future land cover change scenarios in South African grasslands – implications of altered biophysical drivers on land management. *Heliyon*, 4(7), e00693. <https://doi.org/10.1016/j.heliyon.2018.e00693>
- Gong, Y., Cai, M., Yao, L., Cheng, L., Hao, C., & Zhao, Z. (2022). Assessing Changes in the Ecosystem Services Value in Response to Land-Use/Land-Cover Dynamics in Shanghai from 2000 to 2020. *International Journal of Environmental Research and Public Health*, 19(19), 12080. <https://doi.org/10.3390/ijerph191912080>
- Gunawan, S. P. W., Machimura, T., Matsui, T., Shi, X., & Haga, C. (2023). Land Change Modeler For Evaluating Urbanization Driven By Universities In The Periurban Area Of Yogyakarta City, Indonesia. *Journal of Catholic Education*, 16(2). <https://doi.org/10.15365/CATE.2023.160205>
- Guswa, A. J., Hamel, P., & Meyer, K. (2018). Curve Number Approach to Estimate Monthly and Annual Direct Runoff. *Journal of Hydrologic Engineering*, 23(2). [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0001606](https://doi.org/10.1061/(ASCE)HE.1943-5584.0001606)
- Halder, S., Das, S., & Basu, S. (2022). Estimation of seasonal water yield using InVEST model: a case study from West Bengal, India. *Arabian Journal of Geosciences*, 15(14), 1293. <https://doi.org/10.1007/s12517-022-10551-2>
- Hamad, R., Balzter, H., & Kolo, K. (2018). Predicting land use/land cover changes using a CA-Markov model under two different scenarios. *Sustainability (Switzerland)*, 10(10). <https://doi.org/10.3390/SU10103421>
- Hersperger, A. M., Oliveira, E., Pagliarin, S., Palka, G., Verburg, P., Bolliger, J., & Grădinaru, S. (2018). Urban land-use change: The role of strategic spatial planning. *Global Environmental Change*, 51, 32–42. <https://doi.org/10.1016/j.gloenvcha.2018.05.001>
- Heryanti, D. N., Marfai, M. A., Kingma, & Alkema, D. (2012). *Community Based Approach to Asses Flood Risk Perception and Coping Mechanism Along Code River, Yogyakarta Municipality*. Universitas Gadjah Mada.
- Hosseiny, B., Abdi, A. M., & Jamali, S. (2022). Urban land use and land cover classification with interpretable machine learning – A case study using Sentinel-2 and auxiliary data. *Remote Sensing Applications: Society and Environment*, 28, 100843. <https://doi.org/10.1016/j.rsase.2022.100843>
- Huang, J., & Ling, C. X. (2007). Constructing new and better evaluation measures for machine learning. *IJCAI International Joint Conference on Artificial Intelligence*, 859–864.

- Huang, X.-D., Shi, Z.-H., Fang, N.-F., & Li, X. (2016). Influences of land use change on baseflow in mountainous watersheds. *Forests*, 7(1). <https://doi.org/10.3390/f7010016>
- Jafari, M., Majedi, H., Monavari, S. M., Alesheikh, A. A., & Zarkesh, M. K. (2016). Dynamic simulation of urban expansion through a CA-markov model case study: Hyrcanian region, Gilan, Iran. *European Journal of Remote Sensing*, 49, 513–529. <https://doi.org/10.5721/EUJRS20164927>
- Khalid, H., Lloyd, T. A., & Morgan, C. W. (2013). The impact of economic transformation and the credibility of planning control on agricultural land values. *German Journal of Agricultural Economics*, 62(2), 134–145.
- Lang, Y., Song, W., & Zhang, Y. (2017). Responses of the water-yield ecosystem service to climate and land use change in Sancha River Basin, China. *Physics and Chemistry of the Earth*, 101, 102–111. <https://doi.org/10.1016/j.pce.2017.06.003>
- Le Maitre, D. C., Kotzee, I. M., & O'Farrell, P. J. (2014). Impacts of land-cover change on the water flow regulation ecosystem service: Invasive alien plants, fire and their policy implications. *Land Use Policy*, 36, 171–181. <https://doi.org/10.1016/j.landusepol.2013.07.007>
- Li, Z., Cheng, X., & Han, H. (2020). Analyzing Land-Use Change Scenarios for Ecosystem Services and their Trade-Offs in the Ecological Conservation Area in Beijing, China. *International Journal of Environmental Research and Public Health*, 17(22), 8632. <https://doi.org/10.3390/ijerph17228632>
- Libriyanto, O., Pravitasari, A. E., & Ardiansyah, M. (2022). DYNAMICS AND PREDICTIONS OF LAND-USE CHANGES IN SERANG RAYA AND THEIR CONFORMITY TO THE SPATIAL PLAN OF BANTEN PROVINCE. *JURNAL GEOGRAFI*, 14(1), 33. <https://doi.org/10.24114/jg.v14i1.24441>
- Lin, F., Chen, X., & Yao, H. (2017). Evaluating the Use of Nash-Sutcliffe Efficiency Coefficient in Goodness-of-Fit Measures for Daily Runoff Simulation with SWAT. *Journal of Hydrologic Engineering*, 22(11). [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0001580](https://doi.org/10.1061/(ASCE)HE.1943-5584.0001580)
- Lu, C., Sidai, G., & Yangli, L. (2024). Discerning changes and drivers of water yield ecosystem service: A case study of Chongqing-Chengdu District, Southwest China. *Ecological Indicators*, 160, 111767. <https://doi.org/10.1016/j.ecolind.2024.111767>
- Luo, S., Wang, Q., Xu, Y., Lin, Z., & Yu, Z. (2023). Identifying changes in flood characteristics and their causes from an event-based perspective in the Central

- Taihu Basin. *Science of the Total Environment*, 905. <https://doi.org/10.1016/j.scitotenv.2023.167131>
- Manna, H., Sarkar, S., Hossain, M., & Dolui, M. (2024). Modeling and predicting spatio-temporal land use land cover changes and urban sprawling in Kalaburagi City Corporation, Karnataka, India: a geospatial analysis. *Modeling Earth Systems and Environment*, 10(1), 809–832. <https://doi.org/10.1007/s40808-023-01814-2>
- Marhaento, H., Booij, M. J., & Hoekstra, A. Y. (2018). Hydrological response to future land-use change and climate change in a tropical catchment. *Hydrological Sciences Journal*, 63(9), 1368–1385. <https://doi.org/10.1080/02626667.2018.1511054>
- Marhaento, H., Booij, M. J., Rientjes, T. H. M., & Hoekstra, A. Y. (2019). Sensitivity of Streamflow Characteristics to Different Spatial Land-Use Configurations in Tropical Catchment. *Journal of Water Resources Planning and Management*, 145(12). [https://doi.org/10.1061/\(ASCE\)WR.1943-5452.0001122](https://doi.org/10.1061/(ASCE)WR.1943-5452.0001122)
- Megahed, Y., Cabral, P., Silva, J., & Caetano, M. (2015). Land cover mapping analysis and urban growth modelling using remote sensing techniques in greater Cairo region-Egypt. *ISPRS International Journal of Geo-Information*, 4(3), 1750–1769. <https://doi.org/10.3390/IJGI4031750>
- Memarian, H., Kumar Balasundram, S., Bin Talib, J., Teh Boon Sung, C., Mohd Sood, A., & Abbaspour, K. (2012). Validation of CA-Markov for Simulation of Land Use and Cover Change in the Langat Basin, Malaysia. *Journal of Geographic Information System*, 04(06), 542–554. <https://doi.org/10.4236/JGIS.2012.46059>
- Metternicht, G. (2018). *Land Use and Spatial Planning*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-71861-3>
- Mohammady, M., Moradi, H. R., Zeinivand, H., & Temme, A. J. A. M. (2015). A comparison of supervised, unsupervised and synthetic land use classification methods in the north of Iran. *International Journal of Environmental Science and Technology*, 12(5), 1515–1526. <https://doi.org/10.1007/s13762-014-0728-3>
- Monserud, R. A., & Leemans, R. (1992). Comparing global vegetation maps with the Kappa statistic. *Ecological Modelling*, 62(4), 275–293. [https://doi.org/10.1016/0304-3800\(92\)90003-W](https://doi.org/10.1016/0304-3800(92)90003-W)
- Moriasi, D. N., Arnold, J. G., Van Liew, M. W., Bingner, R. L., Harmel, R. D., & Veith, T. L. (2007). Model Evaluation Guidelines for Systematic Quantification Of Accuracy In Watershed Simulations. *American Society of Agricultural and Biological Engineers*, 50(3), 885–900.

- Natural Capital Project. (2024). *InVEST User Guide 3.14.2*. Stanford University, University of Minnesota, Chinese Academy of Sciences, The Nature Conservancy, World Wildlife Fund, Stockholm Resilience Centre and the Royal Swedish Academy of Sciences. <https://naturalcapitalproject.stanford.edu/software/invest>
- Nkiruka, E. M., Chinedu, A. D., & Smart, U. N. (2023). Landuse, landcover change dynamics and flooding in the lower Niger basin Onitsha, South Eastern Nigeria. *Land Use Policy*, 131, 106748. <https://doi.org/10.1016/J.LANDUSEPOL.2023.106748>
- Nugroho, C., Umar, R., & . M. (2024). Forecast of Land Cover Change as a Sustainable Flood Prevention Strategy using Cellular Automata Model in Lampoko Watershed, South Sulawesi, Indonesia. *Disaster Advances*, 17(3), 16–24. <https://doi.org/10.25303/173da016024>
- Nyaupane, N., Mote, S. R., Bhandari, M., Kalra, A., & Ahmad, S. (2018). Rainfall-Runoff Simulation Using Climate Change Based Precipitation Prediction in HEC-HMS Model for Irwin Creek, Charlotte, North Carolina. *World Environmental and Water Resources Congress 2018: Watershed Management, Irrigation and Drainage, and Water Resources Planning and Management - Selected Papers from the World Environmental and Water Resources Congress 2018*, 352–363. <https://doi.org/10.1061/9780784481400.033>
- Pawar-Patil, V. S., Aher, S., Chougule, V., Das, S., & Patil, R. (2024). *Field Survey and Geoinformatic Approaches for Micro-Level Land Capability Classification* (pp. 31–60). https://doi.org/10.1007/978-3-031-38004-4_3
- Pawar-Patil, V. S., Patil, P. T., Chougule, V. A., Panhalkar, S. S., & Nikam, B. R. (2023). Geoinformatic approach to potential soil erosion risk assessment in Tulasi watershed. *Disaster Advances*, 16(3), 52–67.
- Pessacg, N., Flaherty, S., Brandizi, L., Solman, S., & Pascual, M. (2015). Getting water right: A case study in water yield modelling based on precipitation data. *Science of the Total Environment*, 537, 225–234. <https://doi.org/10.1016/j.scitotenv.2015.07.148>
- Price, K. (2011). Effects of watershed topography, soils, land use, and climate on baseflow hydrology in humid regions: A review. *Progress in Physical Geography*, 35(4), 465–492. <https://doi.org/10.1177/0309133311402714>
- Proença, V. M., & Pereira, H. M. (2011). Ecosystem Changes, Biodiversity Loss and Human Well-Being. In *Encyclopedia of Environmental Health* (pp. 215–224). Elsevier. <https://doi.org/10.1016/B978-0-444-52272-6.00363-9>

- Qin, W., Zhang, Y., & Li, G. (2015). Driving mechanism of cultivated land transition in Yantai Proper, Shandong Province, China. *Chinese Geographical Science*, 25(3), 337–349. <https://doi.org/10.1007/s11769-014-0712-3>
- Ragan, R. M., & Jackson, T. J. (1980). Runoff Synthesis Using Landsat and SCS Model. *Journal of the Hydraulics Division*, 106(5), 667–678. <https://doi.org/10.1061/JYCEAJ.0005416>
- Raharjo, W., Rumidi, S., & Rosidi, H. M. D. (2012). *Peta Geologi Lembar Yogyakarta, Jawa*.
- Rajakumari, S., Purvaja, R., Sundari, S., & Ramesh, R. (2024). Assessment of spatial change dynamics of land features upon short and long term scenarios for a vulnerable island in the Ganges Delta. *Journal of Coastal Conservation*, 28(2), 48. <https://doi.org/10.1007/s11852-024-01047-0>
- Ramadhan, A., & Hidayah, K. (2021, March 18). *Sungai Gajah Wong Meluap, 50 KK di Warungboto Kota Yogyakarta Terdampak Banjir*. Jogja Tribunnews. <https://jogja.tribunnews.com/2021/03/18/sungai-gajah-wong-meluap-50-kk-di-warungboto-kota-yogyakarta-terdampak-banjir>
- Rauf, A., & Ghumman, A. R. (2018). Impact Assessment of Rainfall-Runoff Simulations on the Flow Duration Curve of the Upper Indus River—A Comparison of Data-Driven and Hydrologic Models. *Water*, 10(7), 876. <https://doi.org/10.3390/w10070876>
- Redhead, J. W., Stratford, C., Sharps, K., Jones, L., Ziv, G., Clarke, D., Oliver, T. H., & Bullock, J. M. (2016). Empirical validation of the InVEST water yield ecosystem service model at a national scale. *Science of The Total Environment*, 569–570, 1418–1426. <https://doi.org/10.1016/J.SCITOTENV.2016.06.227>
- Reza Agustin, M. R. D. A., & Weldy, W. A. R. (2023). Penanganan Sengketa Konsumen Perumahan Terkait Implikasi Ketidaksesuaian Pemanfaatan Ruang di Kota Tanjungpinang. *Jurnal Pertanahan*, 13(2). <https://doi.org/10.53686/jp.v13i2.214>
- Seyam, M., & Othman, F. (2014). The Influence of Accurate Lag Time Estimation on the Performance of Stream Flow Data-driven Based Models. *Water Resources Management*, 28(9), 2583–2597. <https://doi.org/10.1007/s11269-014-0628-9>
- Shafizadeh Moghadam, H., & Helbich, M. (2013). Spatiotemporal urbanization processes in the megacity of Mumbai, India: A Markov chains-cellular automata urban growth model. *Applied Geography*, 40, 140–149. <https://doi.org/10.1016/j.apgeog.2013.01.009>

- Slack, R. B., & Welch, R. (1980). SOIL CONSERVATION SERVICE RUNOFF CURVE NUMBER ESTIMATES FROM LANDSAT DATA ¹. *JAWRA Journal of the American Water Resources Association*, 16(5), 887–893. <https://doi.org/10.1111/j.1752-1688.1980.tb02504.x>
- Sunkur, R., Kantamaneni, K., Bokhoree, C., Rathnayake, U., & Fernando, M. (2024). Mangrove mapping and monitoring using remote sensing techniques towards climate change resilience. *Scientific Reports*, 14(1), 6949. <https://doi.org/10.1038/s41598-024-57563-4>
- Thakur, R., & Panse, P. (2024). Land Use—Classification by Machine Learning Classifiers Using Landsat 8 Imagery. In *Lecture Notes in Civil Engineering* (Vol. 352). https://doi.org/10.1007/978-981-99-2676-3_62
- Thekkeyil, A., George, A., Abdurazak, F., Kuriakose, G., Nameer, P. O., Abhilash, P. C., & Joseph, S. (2023). Land use change in rapidly developing economies—a case study on land use intensification and land fallowing in Kochi, Kerala, India. *Environmental Monitoring and Assessment*, 195(9), 1089. <https://doi.org/10.1007/s10661-023-11731-7>
- Tiwari, A. K., Pal, A., & Kanchan, R. (2024). Mapping and Monitoring of Land Use/Land Cover Transformation Using Geospatial Techniques in Varanasi City Development Region, India. *Nature Environment and Pollution Technology*, 23(1), 365–379. <https://doi.org/10.46488/NEPT.2024.v23i01.031>
- Triadmojo, B. (2008). *Hidrologi Terapan* (Edisi 1). Beta Offset.
- USACE. (2018). *Hydrologic Modeling System HEC-HMS User's Manual, Version 4.3*. Institute for Water Resources Hydrologic Engineering Center, US Army Corps of Engineers.
- Wang, Z., Lechner, A., & Baumgartl, T. (2018). Ecosystem Services Mapping Uncertainty Assessment: A Case Study in the Fitzroy Basin Mining Region. *Water*, 10(1), 88. <https://doi.org/10.3390/w10010088>
- Wickramaarachchi, T. N. (2024). Water availability assessment in cultivation and non-cultivation seasons to identify water security in a tropical catchment: Gin catchment, Sri Lanka. *Paddy and Water Environment*, 22(1), 85–97. <https://doi.org/10.1007/s10333-023-00954-6>
- Wiltianza, R. H., Karlina, & Sujono, J. (2023). *Analisis Pengaruh Perubahan Penggunaan Lahan Terhadap Karakteristik Banjir DAS Masamba Di Kabupaten Luwu Utara, Provinsi Sulawesi Selatan*. Universitas Gadjah Mada.

- Wu, Y., Zhang, G., Rousseau, A. N., & Xu, Y. J. (2020). Quantifying streamflow regulation services of wetlands with an emphasis on quickflow and baseflow responses in the Upper Nenjiang River Basin, Northeast China. *Journal of Hydrology*, 583. <https://doi.org/10.1016/j.jhydrol.2020.124565>
- Xing, J., Sun, S., Huang, Q., Chen, Z., & Zhou, Z. (2024). Application of Geoinformatics in Forest Planning and Management. *Forests*, 15(3), 439. <https://doi.org/10.3390/f15030439>
- Xu, Z., Ma, J., Zheng, H., Wang, L., Ying, L., Li, R., & Yang, Y. (2024). Quantification of the flood mitigation ecosystem service by coupling hydrological and hydrodynamic models. *Ecosystem Services*, 68, 101640. <https://doi.org/10.1016/j.ecoser.2024.101640>
- Yu, H., Wu, Y., Niu, L., Chai, Y., Feng, Q., Wang, W., & Liang, T. (2021). A method to avoid spatial overfitting in estimation of grassland above-ground biomass on the Tibetan Plateau. *Ecological Indicators*, 125. <https://doi.org/10.1016/j.ecolind.2021.107450>
- Yulindriani, S., & Ria, S. R. (2024, January 31). *Akibat Hujan Deras, Sungai Gajahwong Meluap, 21 Rumah di Banguntapan Kebanjiran*. Harian Jogja. <https://jogjapolitan.harianjogja.com/read/2024/01/31/511/1163398/akibat-hujan-deras-sungai-gajahwong-meluap-21-rumah-di-banguntapan-kebanjiran>
- Zeleeuw, D. G., & Melesse, A. M. (2018). Applicability of a Spatially Semi-Distributed Hydrological Model for Watershed Scale Runoff Estimation in Northwest Ethiopia. *Water*, 10(7), 923. <https://doi.org/10.3390/w10070923>
- Zhang, Y., Xia, J., Yu, J., Randall, M., Zhang, Y., Zhao, T., Pan, X., Zhai, X., & Shao, Q. (2018). Simulation and assessment of urbanization impacts on runoff metrics: insights from landuse changes. *Journal of Hydrology*, 560, 247–258. <https://doi.org/10.1016/J.JHYDROL.2018.03.031>
- Zhao, Y., Zhang, M., & Cui, J. (2022). Land-use transition and its driving forces in a minority mountainous area: a case study from Mao County, Sichuan Province, China. *Environmental Monitoring and Assessment*, 194(10). <https://doi.org/10.1007/s10661-022-10289-0>