UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abburu, S., & Golla, S. B. (2015). Satellite Image Classification Methods and Techniques: A Review. In *International Journal of Computer Applications* (Vol. 119, Issue 8).

Abu El-Magd, S. A., Orabi, H. O., Ali, S. A., Parvin, F., & Pham, Q. B. (2021). An integrated approach for evaluating the flash flood risk and potential erosion using the hydrologic indices and morpho-tectonic parameters. *Environmental Earth Sciences*, *80*(20). https://doi.org/10.1007/s12665-021-10013-0

Adane, G. B., Hirpa, B. A., Gebru, B. M., Song, C., & Lee, W. K. (2021). Integrating satellite rainfall estimates with hydrologicalwater balance model: Rainfall-runoff modeling in awash river basin, ethiopia. *Water (Switzerland)*, *13*(6). https://doi.org/10.3390/w13060800

Ai, B., Huang, W., & Li, Y. (2022). Spatial accessibility analysis of urban parks in typical karst area based on minimum cost of proximity: A case study of Guiyang City; [基于最小邻近成本的喀斯特山地城市公园可达性分析– 以贵阳市为例]. *Carsologica Sinica*, *41*(6), 952 – 961. https://doi.org/10.11932/karst20220607

Akar, O., & Tunc Gormus, E. (2022). Land use/land cover mapping from airborne hyperspectral images with machine learning algorithms and contextual information. *Geocarto International*, *37*(14), 3963 – 3990. https://doi.org/10.1080/10106049.2021.1945149

Almeida, W., Seitz, S., Oliveira, L. F. C., & Carvalho, D. F. (2020). Duration and intensity of rainfall events with the same erosivity change sediment yield and runoff rates. *International Soil and Water Conservation Research*, *9*, 69–75. https://doi.org/10.1016/j.iswcr.2020.10.004

Amarasinghe, A. A. T., Putra, C. A., Henkanaththegedara, S. M., Dwiyahreni, A. A., Winarni, N. L., Sunaryo, Margules, C., & Supriatna, J. (2021). Herpetofaunal diversity of West Bali National Park, Indonesia with identification of indicator species for long-term monitoring. *Global Ecology and Conservation*, *28*. https://doi.org/10.1016/j.gecco.2021.e01638

Anggraheni, E., Sutjiningsih, D., Emmanuel, I., Payrastre, O., & Andrieu, H. (2018). Assessing the role of spatial rainfall variability on watershed response based on weather radar data (A Case study of the Gard Region, France). *International Journal of Technology*, *9*(3), 568–577. https://doi.org/10.14716/ijtech.v9i3.498

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Asdak, C. (2007). *Hidrologi dan Pengelolaan Daerah Aliran Sungai* (4th ed.). UGM PRESS.

Babaei, F., Zolfaghari, A., Yazdani, M., & Sadeghipour, A. (2018). Spatial analysis of infiltration in agricultural lands in arid areas of Iran. *CATENA*. https://doi.org/10.1016/J.CATENA.2018.05.039

Barnes, G. (2001). Severe Local Storms in the Tropics. *Meteorological Monographs*, *28*, 359–432. https://doi.org/10.1175/0065-9401-28.50.359

Beilicci, E., & Beilicci, R. (2015). Flash floods-causes, effects, possibilities of modelling with hydroinformatic tools. *International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management, SGEM*, *1*(3), 309 – 316. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84946558081&partnerID=40&md5=48f94fcad58789eed7e9277c31a5e40b

Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. In *ISPRS Journal of Photogrammetry and Remote Sensing* (Vol. 114, pp. 24–31). Elsevier B.V. https://doi.org/10.1016/j.isprsjprs.2016.01.011

Berihun, M. L., Tsunekawa, A., Haregeweyn, N., Meshesha, D. T., Adgo, E., Tsubo, M., Masunaga, T., Fenta, A. A., Sultan, D., Yibeltal, M., & Ebabu, K. (2019). Hydrological responses to land use/land cover change and climate variability in contrasting agro-ecological environments of the Upper Blue Nile basin, Ethiopia. *Science of the Total Environment*, *689*, 347–365. https://doi.org/10.1016/j.scitotenv.2019.06.338

Bouaziz, M., Eisold, S., & Guermazi, E. (2017). Semiautomatic approach for land cover classification: a remote sensing study for arid climate in southeastern Tunisia. *Euro-Mediterranean Journal for Environmental Integration*, *2*(1). https://doi.org/10.1007/s41207-017-0036-7

Bouchagoura, L., Medjani, F., Zahi, F., & Djidel, M. (2024). Integrating remote sensing classification techniques for land use mapping in semi-arid regions: a case study of the Tamlouka basin, Algeria. *Environmental Monitoring and Assessment*, *196*(7). https://doi.org/10.1007/s10661-024-12757-1

Breiman, L. (2001). Random Forests. *Machine Learning*, *45*, 5–32. https://doi.org/https://doi.org/10.1023/A:1010933404324

Bronstert, A., Niehoff, D., & Schiffler, G. R. (2023). Modelling infiltration and infiltration excess: The importance of fast and local processes. *Hydrological Processes*, *37*(4). https://doi.org/10.1002/hyp.14875

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cantón, Y., Del Barrio, G., Solé-Benet, A., & Lázaro, R. (2004). Topographic controls on the spatial distribution of ground cover in the Tabernas badlands of SE Spain. *CATENA*, *55*(3), 341–365. https://doi.org/https://doi.org/10.1016/S0341-8162(03)00108-5

Cao, Y., Zhang, J., Yang, M., Lei, X., Guo, B., Yang, L., Zeng, Z., & Qu, J. (2018). Application of SWAT model with CMADS data to estimate hydrological elements and parameter uncertainty based on SUFI-2 algorithm in the Lijiang River basin, China. *Water (Switzerland)*, *10*(6). https://doi.org/10.3390/w10060742

Cavur, M., Duzgun, H. S., Kemec, S., & Demirkan, D. C. (2019). Land use and land cover classification of Sentinel 2-A: St Petersburg case study. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, *42*(1/W2), 13–16. https://doi.org/10.5194/isprs-archives-XLII-1-W2-13-2019

Chalov, R. S. (2011). Sediment runoff, transporting capacity of flows and their role in river channel formation. *Geography and Natural Resources*, *32*(3), 220–225. https://doi.org/10.1134/S1875372811030036

Christanto, N. (2022). *MODELING HYDROLOGICAL PROCESSES IN HUMID TROPICAL WATERSHED USING SWAT: A CASE STUDY IN CENTRAL JAVA WATERSHED, INDONESIA* [Doctoral Dissertation, Universitas Gadjah Mada]. https://etd.repository.ugm.ac.id/penelitian/detail/210257

Costa, H., Carrão, H., Bação, F., & Caetano, M. (2014). Combining per-pixel and object-based classifications for mapping land cover over large areas. *International Journal of Remote Sensing*, *35*(2), 738 – 753. https://doi.org/10.1080/01431161.2013.873151

Costache, R. (2019). Flash-flood Potential Index mapping using weights of evidence, decision Trees models and their novel hybrid integration. *Stochastic Environmental Research and Risk Assessment*, *33*(7), 1375–1402. https://doi.org/10.1007/s00477-019-01689-9

Criss, R. E., & Winston, W. E. (2008). Properties of a diffusive hydrograph and the interpretation of its single parameter. *Mathematical Geosciences*, *40*(3), 313–325. https://doi.org/10.1007/s11004-008-9145-9

Cui, X., Li, S., Li, Z., & Dong, Z. (2024). Exploring the Impact of Mountain Urban Characteristics on Housing Prices: A Study Utilizing Street View Visual Features. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, *10*(4), 91–98. https://doi.org/10.5194/isprs-annals-X-4-2024-91-2024

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Danoedoro, P. (2003). Multisource Classification for Land-Use Mapping Based On Spectral, Textural, and Terrain Information Using Landsat Thematic Mapper Imagery, A Case Study of Semarang-Ungaran Area, Central Java. *Indonesian Journal of Geography*, *35*(2), 81–106. https://doi.org/DOI:10,22146/ijg,57273

Danoedoro, P. (2024). *Penginderaan jauh: Posisi, Paradigma, dan Pemodelannya dalam Kajian Ekologi Bentanglahan*. Universitas Gadjah Mada.

Dash, S. S., Naik, B., & Kashyap, P. S. (2024). Assessment of land use/ land cover change derived catchment hydrologic response: An integrated parsimonious hydrological modeling and alteration analysis based approach. *Journal of Environmental Management*, *356*, 120637. https://doi.org/https://doi.org/10.1016/j.jenvman.2024.120637

De Almeida Bressiani, D., Srinivasan, R., Jones, C. A., & Mendiondo, E. M. (2015). Effects of different spatial and temporal weather data resolutions on the stream flow modeling of a semi-arid basin, Northeast Brazil. *International Journal of Agricultural and Biological Engineering*, *8*(3), 1–16. https://doi.org/10.3965/j.ijabe.20150803.970

Devadarshini, E., Bhuvaneswari, K., Mohan Kumar, S., Geethalakshmi, V., Dhasarathan, M., Senthil, A., Senthilraja, K., Mushtaq, S., Nguyen-Huy, T., Mai, T., & Kouadio, L. (2024). Spatiotemporal performance evaluation of high-resolution multiple satellite and reanalysis precipitation products over the semiarid region of India. *Environmental Monitoring and Assessment*, *196*(11), 1006. https://doi.org/10.1007/s10661-024-13152-6

Dostál, T., Jáchymová, B., Bauer, M., & Krása, J. (2021). Possibilities of the Identification of Localities Endangered by Surface Runoff and Sediment Transport for Purposes of Landscape Planning; [Možnosti identifikace rizikových lokalit v krajině z hlediska ochrany infrastruktury před poškozením povodňovými událostmi]. *Clovek, Stavba a Uzemni Planovani - Man, Building and Urban Planning*, 68 – 85. https://www.scopus.com/inward/record.uri?eid=2-s2.0-85139147704&partnerID=40&md5=a8ba15fad3ad3a1621bbd891580ae85a

Ebel, D., & Grossman, L. (2023). Condensation in dust-enriched systems. *Geochimica et Cosmochimica Acta*, *64*, 339–366. https://doi.org/10.1016/S0016-7037(99)00284-7

Ebrahimian, A., Wadzuk, B., & Traver, robert. (2019). Evapotranspiration in green stormwater infrastructure systems.pdf. *Science of the Total Environment*, *688*, 797–810. https://doi.org/https://doi.org/10.1016/j.scitotenv.2019.06.256

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

El Harraki, W., Ouazar, D., Bouziane, A., El Harraki, I., & Hasnaoui, D. (2021). Streamflow Prediction Upstream of a Dam Using SWAT and Assessment of the Impact of Land Use Spatial Resolution on Model Performance. *Environmental Processes*, *8*(3), 1165–1186. https://doi.org/10.1007/s40710-021-00532-0

Fang, H., Sun, L., & Tang, Z. (2015). Effects of rainfall and slope on runoff, soil erosion and rill development: An experimental study using two loess soils. *Hydrological Processes*, *29*(11), 2649–2658. https://doi.org/10.1002/hyp.10392

Feng, J., Wei, W., & Pan, D. (2020). Effects of rainfall and terracing-vegetation combinations on water erosion in a loess hilly area, China. *Journal of Environmental Management*, *261*, 110247. https://doi.org/https://doi.org/10.1016/j.jenvman.2020.110247

Fengchi, G., Xu, M., Gong, C., Zhang, Z., & Tan, Q. (2022). Land cover changes the soil moisture response to rainfall on the Loess Plateau. *Hydrological Processes*, *36*. https://doi.org/10.1002/hyp.14714

Ferreira, C. S. S., Duarte, A. C., Kasanin-Grubin, M., Kapovic-Solomun, M., & Kalantari, Z. (2022). Chapter Three - Hydrological challenges in urban areas. In P. Pereira & C. S. S. Ferreira (Eds.), *Urban Soil and Water Degradation* (Vol. 8, Issue 1, pp. 47–67). Elsevier. https://doi.org/https://doi.org/10.1016/bs.apmp.2022.09.001

García-Marín, A. P., Estévez, J., Morbidelli, R., Saltalippi, C., Ayuso-Muñoz, J. L., & Flammini, A. (2020). Assessing inhomogeneities in extreme annual rainfall data series by multifractal approach. *Water (Switzerland)*, *12*(4). https://doi.org/10.3390/W12041030

Ghimire, B., & Deng, Z. (2013). Hydrograph-based approach to modeling bacterial fate and transport in rivers. *Water Research*, *47*(3), 1329–1343. https://doi.org/10.1016/j.watres.2012.11.051

Goswami, A., Pillai, S. C., & McGranaghan, G. (2021). Surface modifications to enhance dropwise condensation. *Surfaces and Interfaces*, *25*, 101143. https://doi.org/https://doi.org/10.1016/j.surfin.2021.101143

Gruchot, A., Zydroń, T., Wałęga, A., Pařílková, J., & Stanisz, J. (2022). Influence of Rainfall Events and Surface Inclination on Overland and Subsurface Runoff Formation on Low-Permeable Soil. *Sustainability (Switzerland)*, *14*(9). https://doi.org/10.3390/su14094962

He, Z., Jia, G., Liu, Z., Zhang, Z., Yu, X., & Xiao, P. (2020). Field studies on the influence of rainfall intensity, vegetation cover and slope length on soil moisture

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

infiltration on typical watersheds of the Loess Plateau, China. *Hydrological Processes*, *34*, 4904–4919. https://doi.org/10.1002/hyp.13892

Heydari, S. S., & Mountrakis, G. (2018). Effect of classifier selection, reference sample size, reference class distribution and scene heterogeneity in per-pixel classification accuracy using 26 Landsat sites. *Remote Sensing of Environment*, *204*, 648–658. https://doi.org/10.1016/j.rse.2017.09.035

Hidayat, R., & Zahro, A. A. (2018). IDENTIFIKASI CURAH HUJAN PEMICU LONGSOR DI DAERAH ALIRAN SUNGAI (DAS) SERAYU HULU-BANJARNEGARA. *Prosiding Seminar Nasional Geografi UMS IX*, 41–50.

Horton, R. E. (1945). Erosional development of streams and their drainage basins; Hydrophysical approach to quantitative morphology. *Bulletin of the Geological Society of America*, *56*(3), 275–370. https://doi.org/10.1130/0016-7606(1945)56[275:EDOSAT]2.0.CO;2

Huang, X., Zhou, T., Turner, A., Dai, A., Chen, X., Clark, R., Jiang, J., Man, W., Murphy, J., Rostron, J., Wu, B., Zhang, L., Zhang, W., & Zou, L. (2020). The Recent Decline and Recovery of Indian Summer Monsoon Rainfall: Relative Roles of External Forcing and Internal Variability. *Journal of Climate*. https://doi.org/10.1175/jcli-d-19-0833.1

Huang, Y., Zhao, C., Yang, H., Song, X., Chen, J., & Li, Z. (2017). Feature selection solution with high dimensionality and low-sample size for land cover classification in object-based image analysis. *Remote Sensing*, *9*(9). https://doi.org/10.3390/rs9090939

Ibarra-Zavaleta, S. P., Landgrave, R., Romero-López, R., Poulin, A., & Arango-Miranda, R. (2017). Distributed hydrological modeling: Determination of theoretical hydraulic potential & streamflow simulation of extreme hydrometeorological events. *Water (Switzerland)*, *9*(8). https://doi.org/10.3390/w9080602

Ikeura, H., Phongchanmixay, S., Phonsangone, S., Xaypanya, P., Inkhamseng, S., & Soubat, S. (2016). Factors affecting differences in the rainy season rice yield in a lowland area of a mountainous village in Lao PDR. *Paddy and Water Environment*, *14*(2), 343–353. https://doi.org/10.1007/s10333-015-0504-0

Indriani, R. F., Anjasmara, I. M., Utama, W., Paramita, E. G. K., & Nainggolan, R. A. O. (2023). Comparative Analysis of Physiograpic Study for Hydrology of Benowo Region, Surabaya. *IOP Conference Series: Earth and Environmental Science*, *1250*(1). https://doi.org/10.1088/1755-1315/1250/1/012015

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Inglezakis, V. J., Poulopoulos, S. G., Arkhangelsky, E., Zorpas, A. A., & Menegaki, A. N. (2016). Chapter 3 - Aquatic Environment. In S. G. Poulopoulos & V. J. Inglezakis (Eds.), *Environment and Development* (pp. 137–212). Elsevier. https://doi.org/https://doi.org/10.1016/B978-0-444-62733-9.00003-4

Jiang, A., Zhang, W., Liu, X., Zhou, F., Li, A., Peng, H., & Wang, H. (2024). Improving hydrological process simulation in mountain watersheds: Integrating WRF model gridded precipitation data into the SWAT model. *Journal of Hydrology*, *639*, 131687. https://doi.org/https://doi.org/10.1016/j.jhydrol.2024.131687

Kabite Wedajo, G., Kebede Muleta, M., & Gessesse Awoke, B. (2021). Performance evaluation of multiple satellite rainfall products for Dhidhessa River Basin (DRB), Ethiopia. *Atmospheric Measurement Techniques*, *14*(3), 2299–2316. https://doi.org/10.5194/amt-14-2299-2021

Kaffas, K., Papaioannou, G., Varlas, G., Al Sayah, M. J., Papadopoulos, A., Dimitriou, E., Katsafados, P., & Righetti, M. (2022). Forecasting soil erosion and sediment yields during flash floods: The disastrous case of Mandra, Greece, 2017. *Earth Surface Processes and Landforms*, *47*(7), 1744–1760. https://doi.org/10.1002/esp.5344

Kannan, N., Santhi, C., Williams, J. R., & Arnold, J. G. (2008). Development of a continuous soil moisture accounting procedure for curve number methodology and its behaviour with different evapotranspiration methods. *Hydrological Processes*, *22*(13), 2114 – 2121. https://doi.org/10.1002/hyp.6811

Kassawmar, T., Eckert, S., Hurni, K., Zeleke, G., & Hurni, H. (2018). Reducing landscape heterogeneity for improved land use and land cover (LULC) classification across the large and complex Ethiopian highlands. *Geocarto International*, *33*(1), 53 – 69. https://doi.org/10.1080/10106049.2016.1222637

Kato, S., & Huang, W. (2021). Land use management recommendations for reducing the risk of downstream flooding based on a land use change analysis and the concept of ecosystem-based disaster risk reduction. *Journal of Environmental Management*, *287*. https://doi.org/10.1016/j.jenvman.2021.112341

Khadam, I. M., & Kaluarachchi, J. J. (2004). Use of soft information to describe the relative uncertainty of calibration data in hydrologic models. *Water Resources Research*, *40*(11), W1150501–W1150515. https://doi.org/10.1029/2003WR002939

Knoben, W. J. M., Freer, J. E., & Woods, R. A. (2019). Technical note: Inherent benchmark or not? Comparing Nash-Sutcliffe and Kling-Gupta efficiency scores.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Hydrology and Earth System Sciences, *23*(10), 4323–4331. https://doi.org/10.5194/hess-23-4323-2019

Koltsida, E., Mamassis, N., & Kallioras, A. (2023). Hydrological modeling using the Soil and Water Assessment Tool in urban and peri-urban environments: the case of Kifisos experimental subbasin (Athens, Greece). *Hydrology and Earth System Sciences*, *27*(4), 917–931. https://doi.org/10.5194/hess-27-917-2023

Koutný, L., Skoupil, J., & Veselý, D. (2014). Physical Characteristics Affecting the Infiltration of High Intensity Rainfall into a Soil Profile. In *Soil & Water Res* (Vol. 9, Issue 3).

Krishna, P. (2019). Evapotranspiration and agriculture-A review. *Agricultural Reviews*, *40*, 1–11. https://doi.org/10.18805/AG.R-1848

Kumar, V., Sen, S., & Chauhan, P. (2021). Geo-morphometric prioritization of Aglar micro watershed in Lesser Himalaya using GIS approach. *Modeling Earth Systems and Environment*, *7*(2), 1269–1279. https://doi.org/10.1007/s40808-020-01000-8

Kumari, M., Diksha, Kalita, P., Mishra, V. N., Choudhary, A., & Abdo, H. G. (2024). Rainfall-runoff modelling using GIS based SCS-CN method in umiam catchment region, Meghalaya, India. *Physics and Chemistry of the Earth*, *135*. https://doi.org/10.1016/j.pce.2024.103634

Lagadec, L. R., Patrice, P., Braud, I., Chazelle, B., Moulin, L., Dehotin, J., Hauchard, E., & Breil, P. (2016). Description and evaluation of a surface runoff susceptibility mapping method. *Journal of Hydrology*, *541*, 495–509. https://doi.org/10.1016/j.jhydrol.2016.05.049

Li, T. J., Wang, G. Q., He, L., & Luo-Song, D. J. (2014). Process-orientated hillslope soil erosion model for the Loess Plateau, China. *6th International Conference on Environmental Informatics, ISEIS 2007*. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84915749898&partnerID=40&md5=84ee8dc294211d4eb4eed1afbf62b1a5

Li, Y., Wang, W., & Lu, H. (2018). Evaluation of the latest satellite-based precipitation products through pixel-point comparison and hydrological application over the mekong river basin. *International Geoscience and Remote Sensing Symposium (IGARSS)*, *2018-July*, 3043 – 3046. https://doi.org/10.1109/IGARSS.2018.8519448

Lin, F., Chen, X., & Yao, H. (2017). Evaluating the use of Nash-Sutcliffe efficiency coefficient in goodness-of-fit measures for daily runoff simulation with SWAT.

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Hydrologic Engineering, *22*(11). https://doi.org/10.1061/(ASCE)HE.1943-5584.0001580

Linsley, R. K., & Franzini, J. B. (1971). *Water-Resources Engineering* (2nd ed.). McGRAW-HILL.

Liu, X.-T., Zheng, X.-Q., & Li, D.-B. (2009). Voronoi diagram-based research on spatial distribution characteristics of rural settlements and its affecting factors - A case study of Changping District, Beijing. *Journal of Ecology and Rural Environment*, *25*(2), 30–33+93. https://www.scopus.com/inward/record.uri?eid=2-s2.0-67649550618&partnerID=40&md5=c8ef1e4ec0218d02f311a578a3147972

Lourenço, S. D. N., & Rodrigues, D. M. M. (2015). The 2010 flash floods in Madeira Island: Characteristics and the role of soil water repellency in future events. *Geotechnical Engineering for Infrastructure and Development - Proceedings of the XVI European Conference on Soil Mechanics and Geotechnical Engineering, ECSMGE 2015*, *4*, 1783 – 1788. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84964466842&partnerID=40&md5=a0fe1b711d1671f140c3f40cd1af2130

Lu, C., Ji, K., Wang, W., Zhang, Y., Ealotswe, T. K., Qin, W., Lu, J., Liu, B., & Shu, L. (2021). Estimation of the Interaction Between Groundwater and Surface Water Based on Flow Routing Using an Improved Nonlinear Muskingum-Cunge Method. *Water Resources Management*, *35*(8), 2649–2666. https://doi.org/10.1007/s11269-021-02857-9

Mahmoon, N. A., Ya'cob, N., & Yusof, A. L. (2015). Differences of Image Classification Techniques for Land Use and Land Cover Classification. *IEEE 11th International Colloquium on Signal Processing & Its Applications*, 90–94. https://doi.org/10.1109/CSPA.2015.7225624

Mahmoud, A. S., Mezaal, M. R., Hameed, M. R., & Naje, A. S. (2022). A Framework for Improving Urban Land Cover Using Object and Pixel-Based Techniques via Remotely Sensed Data. *Nature Environment and Pollution Technology*, *21*(5), 2189–2200. https://doi.org/10.46488/NEPT.2022.v21i05.013

Maidment, D. R., Olivera, F., Calver, A., Eatherall, A., & Fraczek, W. (1996). UNIT HYDROGRAPH DERIVED FROM A SPATIALLY DISTRIBUTED VELOCITY FIELD. *Hydrological Processes*, *10*(6), 831–844. https://doi.org/https://doi.org/10.1002/(SICI)1099-1085(199606)10:6<831::AID-HYP374>3.0.CO;2-N

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Marchi, L., & Borga, M. (2012). Flash floods in alpine basins. In *Management of Mountain Watersheds* (pp. 83 – 92). https://doi.org/10.1007/978-94-007-2476-1_7

Marhaento, H., Booij, M. J., & Hoekstra, A. Y. (2018). Hydrological response to future land-use change and climate change in a tropical catchment. *Hydrological Sciences Journal*, *63*(9), 1368–1385. https://doi.org/10.1080/02626667.2018.1511054

Marhaento, H., Booij, M. J., Rientjes, T. H. M., & Hoekstra, A. Y. (2019). Sensitivity of Streamflow Characteristics to Different Spatial Land-Use Configurations in Tropical Catchment. *Journal of Water Resources Planning and Management*, *145*(12). https://doi.org/10.1061/(asce)wr.1943-5452.0001122

Marhendi, T., & Munir, A. S. (2021). DAMPAK PERUBAHAN LANDUSE TERHADAP DEBIT PUNCAK BANJIR SUNGAI SERAYU HULU. *TECHNO*, *22*(1), 13–26. https://doi.org/10.30595/techno.v22i1.9009

Mas, J. F. (2004). Mapping land use/cover in a tropical coastal area using satellite sensor data, GIS and artificial neural networks. *Estuarine, Coastal and Shelf Science*, *59*(2), 219–230. https://doi.org/10.1016/j.ecss.2003.08.011

Mekuria, W., & Tegegne, D. (2023). Water harvesting. In M. J. Goss & M. Oliver (Eds.), *Encyclopedia of Soils in the Environment (Second Edition)* (Second Edition, pp. 593–607). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-12-822974-3.00042-2

Mondal, I., Thakur, S., Ghosh, P., De, T. K., & Bandyopadhyay, J. (2019). Land use/land cover modeling of Sagar Island, India using remote sensing and GIS techniques. *Advances in Intelligent Systems and Computing*, *755*, 771 – 785. https://doi.org/10.1007/978-981-13-1951-8_69

Mulungu, D. M. M., & Mukama, E. (2023). Evaluation and modelling of accuracy of satellite-based CHIRPS rainfall data in Ruvu subbasin, Tanzania. *Modeling Earth Systems and Environment*, *9*(1), 1287–1300. https://doi.org/10.1007/s40808-022-01555-8

Muthoni, J., Shimelis, H., Mbiri, D. G., & Elmar, S.-G. (2021). Assessment of national performance trials of potatoes in mid-altitude regions of Kenya. *Journal of Agriculture and Crops*, *7*(1), 7 – 13. https://doi.org/10.32861/jac.71.7.13

Nyman, P., Rutherfurd, I. D., Lane, P. N. J., & Sheridan, G. J. (2019). Debris flows in southeast Australia linked to drought, wildfire, and the El Niño-Southern Oscillation. *Geology*, *47*(5), 491–494. https://doi.org/10.1130/G45939.1

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Padmaja, G., & Giridhar, M. V. S. S. (2022). Utility of Geomatics in Land Use Land Cover Change Detection and Accuracy Analysis. In K. C. and J. D. and K. S. Rao Chintalacheruvu Madhusudana and Patra (Ed.), *Advanced Modelling and Innovations in Water Resources Engineering* (pp. 517–527). Springer Singapore.

Pai, N., & Saraswat, D. (2013). Impact of Land Use and Land Cover Categorical Uncertainty on Swat Hydrologic Modeling. *Transactions of the ASABE*, *56*(4), 1387–1397.

Parise, M., & Cannon, S. H. (2012). Wildfire impacts on the processes that generate debris flows in burned watersheds. *Natural Hazards*, *61*(1), 217 – 227. https://doi.org/10.1007/s11069-011-9769-9

Park, G. A., Park, J. Y., Joh, H. K., Lee, J. W., Ahn, S. R., & Kim, S. J. (2014). Evaluation of mixed forest evapotranspiration and soil moisture using measured and swat simulated results in a hillslope watershed. *KSCE Journal of Civil Engineering*, *18*(1), 315–322. https://doi.org/10.1007/s12205-014-0193-z

Pechlivanidis, I. G., Jackson, B. M., Mcintyre, N. R., & Wheater, H. S. (2011). CATCHMENT SCALE HYDROLOGICAL MODELLING: A REVIEW OF MODEL TYPES, CALIBRATION APPROACHES AND UNCERTAINTY ANALYSIS METHODS IN THE CONTEXT OF RECENT DEVELOPMENTS IN TECHNOLOGY AND APPLICATIONS. *Global NEST Journal*, *13*(3), 193–214.

Peng, T., & Wang, S. jie. (2012). Effects of land use, land cover and rainfall regimes on the surface runoff and soil loss on karst slopes in southwest China. *Catena*, *90*, 53–62. https://doi.org/10.1016/j.catena.2011.11.001

Perumal, M., & Sahoo, B. (2010). Real-time flood forecasting by a hydrometric data-based technique. In *Natural and Anthropogenic Disasters: Vulnerability, Preparedness and Mitigation*. https://doi.org/10.1007/978-90-481-2498-5_9

Prancevic, J. P., Lamb, M. P., McArdell, B. W., Rickli, C., & Kirchner, J. W. (2020). Decreasing Landslide Erosion on Steeper Slopes in Soil-Mantled Landscapes. *Geophysical Research Letters*, *47*(10). https://doi.org/10.1029/2020GL087505

Prokešová, R., Horáčková, Š., & Snopková, Z. (2022). Surface runoff response to long-term land use changes: Spatial rearrangement of runoff-generating areas reveals a shift in flash flood drivers. *Science of the Total Environment*, *815*. https://doi.org/10.1016/j.scitotenv.2021.151591

Purwantara, S. (2020). THE CHARACTERISTICS OF INFILTRATION ON THE SOUTHERN FLANK OF MERAPI VOLCANIC PLAIN, YOGYAKARTA,

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

INDONESIA. *International Journal of Geomate*, *19*, 201–209. https://doi.org/10.21660/2020.74.52941

Quichimbo, E. A., Singer, M. B., Michaelides, K., Rosolem, R., MacLeod, D. A., Asfaw, D. T., & Cuthbert, M. O. (2023). Assessing the sensitivity of modelled water partitioning to global precipitation datasets in a data-scarce dryland region. *Hydrological Processes*, *37*(12). https://doi.org/10.1002/hyp.15047

Ramke, H.-G. (2018). 8.2 - Collection of Surface Runoff and Drainage of Landfill Top Cover Systems. In R. Cossu & R. Stegmann (Eds.), *Solid Waste Landfilling* (pp. 373–416). Elsevier. https://doi.org/https://doi.org/10.1016/B978-0-12-407721-8.00019-X

Rana, V. K., & Venkata Suryanarayana, T. M. (2020). Performance evaluation of MLE, RF and SVM classification algorithms for watershed scale land use/land cover mapping using sentinel 2 bands. *Remote Sensing Applications: Society and Environment*, *19*. https://doi.org/10.1016/j.rsase.2020.100351

Rinsema, J. G. (2014). *Comparison of rainfall runoff models for the Florentine Catchment*. http://www.discovertasmania.com.au/attraction/lakemeadowbank

Ritter, D. F., Kochel, R. C., & Miller, J. R. (1995). *Process Geomorphology*. WCB/McGraw-Hill. https://www.wou.edu/las/physci/taylor/geog522/rittchp5.pdf.

Rodman, L. C., Jackson, J., Huizar III, R., & Meentemeyer, R. K. (2006). An association rule discovery system for geographic data. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 3461 – 3464. https://doi.org/10.1109/IGARSS.2006.892

Saha, S., Paul, G. C., & Hembram, T. K. (2020). Classification of terrain based on geo-environmental parameters and their relationship with land use/land cover in Bansloi River basin, Eastern India: RS-GIS approach. *Applied Geomatics*, *12*(1), 55–71. https://doi.org/10.1007/s12518-019-00277-4

Schumm, S. (1956). EVOLUTION OF DRAINAGE SYSTEMS AND SLOPES IN BADLANDS AT PERTH AMBOY, NEW JERSEY. *GSA Bulletin*, *65*(5), 597–646. https://doi.org/https://doi.org/10.1130/0016-7606(1956)67[597:EODSAS]2.0.CO;2

Selase, A. E., Agyimpomaa, D. E. E., Selasi, D. D., & Hakii, D. M. N. (2015). Precipitation and Rainfall Types with Their Characteristic Features. *Journal of Natural Sciences Research*, *5*, 89–92.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Seyhan, E. (1977). *Fundamentals of Hydrology* (2nd ed.). Geografisch Instituut der Rijksuniversiteit te Utrecht, Universiteitcentrum “De Uithof.”

Shang, X., Jiang, X., Jia, R., & Wei, C. (2019). Land use and climate change effects on surface runoff variations in the upper Heihe River basin. *Water (Switzerland)*, *11*(2). https://doi.org/10.3390/w11020344

Shekar, P. R., & Mathew, A. (2022). Morphometric analysis for prioritizing sub-watersheds of Murredu River basin, Telangana State, India, using a geographical information system. *Journal of Engineering and Applied Science*, *69*(1). https://doi.org/10.1186/s44147-022-00094-4

Shekar, P. R., & Mathew, A. (2024). Morphometric analysis of watersheds: A comprehensive review of data sources, quality, and geospatial techniques. *Watershed Ecology and the Environment*, *6*, 13–25. https://doi.org/10.1016/j.wsee.2023.12.001

Sitterson, J., Knigghtes, C., Parmar, R., Wolfe, K., Muche, M., & Avant, B. (2017). *An Overview of Rainfall-Runoff Model Types*. www.epa.gov/research

Sood, A., Ghosh, S. K., & Upadhyay, P. (2021). Impact of Land Cover Change on Surface Runoff. In *Advances in Remote Sensing for Natural Resource Monitoring* (pp. 150–169). John Wiley & Sons, Ltd. https://doi.org/https://doi.org/10.1002/9781119616016.ch10

Srivastava, S., Basche, A., Traylor, E., & Roy, T. (2023). The efficacy of conservation practices in reducing floods and improving water quality. In *Frontiers in Environmental Science* (Vol. 11). Frontiers Media S.A. https://doi.org/10.3389/fenvs.2023.1136989

Steenhuis, T. S., Mukundan, R., & Tilahun, S. A. (2023). Overland flow. In M. J. Goss & M. Oliver (Eds.), *Encyclopedia of Soils in the Environment (Second Edition)* (Second Edition, pp. 287–293). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-12-822974-3.00163-4

Suhaila, J., Deni, S. M., & Jemain, A. A. (2008). Detecting inhomogeneity of rainfall series in Peninsular Malaysia. *Asia-Pacific Journal of Atmospheric Sciences*, *44*(4), 369 – 380. https://www.scopus.com/inward/record.uri?eid=2-s2.0-57349141962&partnerID=40&md5=0539d8d47575a037eb43f87f7bfe429c

Sukristiyanti, S., Maria, R., & Lestiana, H. (2018). Watershed-based Morphometric Analysis: A Review. *IOP Conference Series: Earth and Environmental Science*, *118*(1). https://doi.org/10.1088/1755-1315/118/1/012028

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Tan, J., Zuo, J., Xie, X., Ding, M., Xu, Z., & Zhou, F. (2021). MLAs land cover mapping performance across varying geomorphology with Landsat OLI-8 and minimum human intervention. *Ecological Informatics*, *61*. https://doi.org/10.1016/j.ecoinf.2021.101227

Tasdighi, A., Arabi, M., & Harmel, D. (2018). A probabilistic appraisal of rainfall-runoff modeling approaches within SWAT in mixed land use watersheds. *Journal of Hydrology*, *564*, 476–489. https://doi.org/10.1016/j.jhydrol.2018.07.035

Thiruchelve, S. R., Chandran, S., Kumar, V., & Chandramohan, K. (2024). Assessment of land use and land cover dynamics and its impact in direct runoff generation estimation using SCS CN method. *Acta Geophysica*. https://doi.org/10.1007/s11600-024-01315-5

Tillery, A. C., & Rengers, F. K. (2020). Controls on debris-flow initiation on burned and unburned hillslopes during an exceptional rainstorm in southern New Mexico, USA. *Earth Surface Processes and Landforms*, *45*(4), 1051–1066. https://doi.org/10.1002/esp.4761

Tran, H., Tran, T., & Kervyn, M. (2015). Dynamics of land cover/land use changes in the Mekong Delta, 1973-2011: A Remote sensing analysis of the Tran Van Thoi District, Ca Mau Province, Vietnam. *Remote Sensing*, *7*(3), 2899–2925. https://doi.org/10.3390/rs70302899

Triatmodjo, B. (2010). *Hidrologi Terapan* (2nd ed.). Beta Offset.

Ur Rahman, K., Shang, S., Shahid, M., & Wen, Y. (2020). Hydrological evaluation of merged satellite precipitation datasets for streamflow simulation using SWAT: A case study of Potohar Plateau, Pakistan. *Journal of Hydrology*, *587*, 125040. https://doi.org/https://doi.org/10.1016/j.jhydrol.2020.125040

van Vliet, J., Hagen-Zanker, A., Hurkens, J., & van Delden, H. (2013). A fuzzy set approach to assess the predictive accuracy of land use simulations. *Ecological Modelling*, *261–262*, 32–42. https://doi.org/10.1016/j.ecolmodel.2013.03.019

Velásquez, N., Hoyos, C. D., Vélez, J. I., & Zapata, E. (2020). Reconstructing the 2015 Salgar flash flood using radar retrievals and a conceptual modeling framework in an ungauged basin. *Hydrology and Earth System Sciences*, *24*(3), 1367–1392. https://doi.org/10.5194/hess-24-1367-2020

Villamil, J. L., Perea Ardila, M. A., & Carvajal, J. L. (2020). Vegetation indices for land cover classification: River combeima basin, Colombia; [Índices de vegetación: Para la clasificación de coberturas del terreno: Cuenca del río Combeima, Colombia]. *Revista Geografica Venezolana*, *61*(2), 396 – 411.

UNIVERSITAS GADJAH MADA
Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://www.scopus.com/inward/record.uri?eid=2-s2.0-85116863039&partnerID=40&md5=a32859b6fb9d02169942d27faa419792

Vuttipittayamongkol, P., Elyan, E., & Petrovski, A. (2021). On the class overlap problem in imbalanced data classification. *Knowledge-Based Systems*, *212*, 106631. https://doi.org/https://doi.org/10.1016/j.knosys.2020.106631

Waheed, A., Jamal, M. H., Javed, M. F., & Idlan Muhammad, K. (2024). A CMIP6 multi-model based analysis of potential climate change effects on watershed runoff using SWAT model: A case study of kunhar river basin, Pakistan. *Heliyon*, *10*(8). https://doi.org/10.1016/j.heliyon.2024.e28951

Wang, C., Zhang, Z., Zhang, J., Tao, F., Chen, Y., & Ding, H. (2018). The effect of terrain factors on rice production: A case study in Hunan Province; [湖南省地形因素对水稻生产的影响]. *Dili Xuebao/Acta Geographica Sinica*, *73*(9), 1792 – 1808. https://doi.org/10.11821/dlxb201809014

Wang, J., Zhang, X., & Rodman, K. (2021). Land cover composition, climate, and topography drive land surface phenology in a recently burned landscape: An application of machine learning in phenological modeling. *Agricultural and Forest Meteorology*, *304–305*, 108432. https://doi.org/https://doi.org/10.1016/j.agrformet.2021.108432

Wang, X., Wen, H., Gui, B., Liu, Z., & Yang, L. (2025). Urban terrain, mountain landscape, and housing price: A heterogeneous investigation of the amenity effects in a mountainous city (Guiyang) from the vertical dimension. *Applied Geography*, *174*, 103479. https://doi.org/https://doi.org/10.1016/j.apgeog.2024.103479

Wang, Y., Hu, Z., & Zhang, Y. (2021). Delineating the future boundaries of urban development using the FLUS Model: A Case Study of Zhaoyuan City, China. *IOP Conference Series: Earth and Environmental Science*, *783*(1). https://doi.org/10.1088/1755-1315/783/1/012088

Wang, Y., Zhang, J., Liu, D., Yang, W., & Zhang, W. (2018). Accuracy assessment of GlobeLand30 2010 land cover over China based on geographically and categorically stratified validation sample data. *Remote Sensing*, *10*(8). https://doi.org/10.3390/rs10081213

Waske, B., Schiefer, S., & Braun, M. (2006). Random feature selection for decision tree classification of multi-temporal SAR data. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 168 – 171. https://doi.org/10.1109/IGARSS.2006.48

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Wibowo, N. A., Sangkawati, S., & Supari. (2024). Impact of El Nino and La Nina Climate Anomalies on Precipitation and Water Availability in Upper Bogowonto River Basin 2003–2022. *Lecture Notes in Civil Engineering*, *466*, 785 – 797. https://doi.org/10.1007/978-981-97-0751-5_68

Xi, W., Du, S., & Du, S. (2022). Multi-temporal Cultivated Land Cover Extraction and Change Analysis: A Spatiotemporal Context Method Combining Remote Sensing and Spatial Statistics. *Journal of Geo-Information Science*, *24*(2), 310–325. https://doi.org/10.12082/dqxxkx.2022.210034

Xie, M.-J., & Shi, L. (2012). Influence of vegetation around rural housing on natural ventilation in Hunan province. *Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences*, *39*(7), 20 – 24. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84865821701&partnerID=40&md5=3e3d5f0838e2ab872d04d5fa937228d5

Xu, W.-N., Wang, P.-X., Han, P., Yan, T.-L., & Zhang, S.-Y. (2011). Application of Kappa coefficient to accuracy assessments of drought forecasting model: A case study of Guanzhong Plain. *Journal of Natural Disasters*, *20*(6), 81 – 86. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84860850365&partnerID=40&md5=00c11e4bdbfeddfa6ea1202c5f97a8fd

Yang, X., Chen, L., Li, Y., Xi, W., & Chen, L. (2015). Rule-based land use/land cover classification in coastal areas using seasonal remote sensing imagery: a case study from Lianyungang City, China. *Environmental Monitoring and Assessment*, *187*(7). https://doi.org/10.1007/s10661-015-4667-3

Yetekar, R. S., & Kurzekar, A. S. (2022, March 25). Parametric study of responses of RCC building on sloping ground for response reduction factor with vertical discontinuity – A review. *INTERNATIONAL CONFERENCE ON BIOMEDICAL ENGINEERING AND COMPUTING TECHNOLOGIES*.

Yin, J., Gentine, P., Zhou, S., Sullivan, S. C., Wang, R., Zhang, Y., & Guo, S. (2018). Large increase in global storm runoff extremes driven by climate and anthropogenic changes. *Nature Communications*, *9*(1). https://doi.org/10.1038/s41467-018-06765-2

Youssef, A. M., Sefry, S. A., Pradhan, B., & Alfadail, E. A. (2016). Analysis on causes of flash flood in Jeddah city (Kingdom of Saudi Arabia) of 2009 and 2011 using multi-sensor remote sensing data and GIS. *Geomatics, Natural Hazards and Risk*, *7*(3), 1018–1042. https://doi.org/10.1080/19475705.2015.1012750

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Citra Resolusi Sedang dan Model Soil Water Assessment Tool (SWAT) sebagai Zonasi Bahaya
Daya Rusak Air di Daerah Aliran Sungai Serayu Hulu**
Dimas Maula Hayat, Dr. rer. nat. Muhammad Anggri Setiawan, M.Si.; Dr. Nugroho Christanto, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yu, Y., Zhu, R., Ma, D., Liu, D., Liu, Y., Gao, Z., Yin, M., Bandala, E. R., & Rodrigo-Comino, J. (2022). Multiple surface runoff and soil loss responses by sandstone morphologies to land-use and precipitation regimes changes in the Loess Plateau, China. *Catena*, *217*. https://doi.org/10.1016/j.catena.2022.106477

Zhang, J., Zhu, W., Zhu, L., Cui, Y., He, S., & Ren, H. (2019). Topographical relief characteristics and its impact on population and economy: A case study of the mountainous area in western Henan, China. *Journal of Geographical Sciences*, *29*(4), 598–612. https://doi.org/10.1007/s11442-019-1617-y

Zhang, W., Hui, Y., Guo, Y., Li, Y., & Xiu, M. (2022). Building Remote Sensing Image Determination Based on Precision Analysis. *Proceedings - 2022 International Conference on Big Data, Information and Computer Network, BDICN 2022*, 602 – 605. https://doi.org/10.1109/BDICN55575.2022.00116

Zou, M., Kang, S., Niu, J., & Lu, H. (2020). Untangling the effects of future climate change and human activity on evapotranspiration in the Heihe agricultural region, Northwest China. *Journal of Hydrology*, *585*. https://doi.org/10.1016/j.jhydrol.2019.124323