

## DAFTAR PUSTAKA

- Alberti, Eckel R. H., Grundy S. M., Zimmet P. Z., Cleeman J. I., Donato K. A., Fruchart, Pharm J. C., James, P. T., Loria C. M., Smith S. C., 2009, Harmonizing the metabolic syndrome, *Circulation*. 120: 1640-1645,
- Arora R., and Arora A., 2019, Prevalence of diastolic dysfunction in asymptomatic young and middle aged individuals attending a tertiary care hospital, *Asian Journal of Medical Research*, 8(3), doi.org/10.21276/ajmr. 2019.8.3.ME1.
- Aulia R., Windarwati, Sukorini U., 2014, TyG-index untuk diagnosis resistensi insulin pada karyawan RSUP Dr. Sardjito Yogyakarta, Universitas Gadjah Mada.
- Ayman K.M.H., Mahmoud A.A., Eman A.A.M., Marwa S., Mona M.S., Yehia T.K., 2021, Correlation between left ventricular diastolic dysfunction and dyslipidaemia in asymptomatic patients with new-onset type 2 diabetes mellitus, *The Egyptian Journal of Internal Medicine*, 33: 8, doi.org/10.1186/s43162-021-00037-0.
- Ayalon N., Gopal D. M., Mooney D. M., Simonetti J. S., Grossman J. R., Dwivedi A., et al., 2014, Preclinical left ventricular diastolic dysfunction in metabolic syndrome, *Am J Cardiol*, 114(6): 838–842, doi.10.1016/j.amjcard.2014.06.013.
- Azevedo P. S., Polegato B. F., Minicucci M. F., Paiva S. A. R., Zornoff L. A. M., 2016, Cardiac remodeling: concepts, clinical impact, pathophysiological mechanisms and pharmacologic treatment, *Arq Bras Cardiol*, 106 (1): 62-69, doi.10.5935/abc.20160005.
- Borghetti G., Lewinski D. V., Eaton D. M., Sourij H., Houser S. R., Wallner M., 2018, Diabetic cardiomyopathy: current and future therapies, beyond glycemic control, *Frontiers in Physiology*, 9: 1514, doi.10.3389/fphys.2018.01514.
- Bouthoorn S., Valstar G. B., Gohar A., Ruijter H. M., Reitsma H. B., Hoes A W., Rutten F. H., 2018, The prevalence of left ventricular diastolic dysfunction and heart failure with preserved ejection fraction in men and women with type 2 diabetes: A systematic review and meta-analysis, *Diabetes and Vascular Disease Research*, 5(6): 477 - 493, doi.10.1177/1479164118787415.
- Brown A. J. M., Gandy S., McCrimmon R., Houston J. G., Struthers A. D., Lang C. C., 2020, A randomized controlled trial of dapagliflozin on left ventricular hypertrophy in people with type two diabetes: the DAPA-LVH trial, *European Heart Journal*, 41: 3421–3432, doi.10.1093/eurheartj/ehaa419.
- Brutsaert D. L., and Gillebert T. H., 1993, Diastolic failure: Pathophysiology and therapeutic implication, *J Am Coll Cardiol*, 22: 318-325.
- Burlá A. K., Lobato N. S., Fortes Z. B., Oigman W., Neves M. F., 2011, Cardiac fibrosis and vascular remodeling are attenuated by metformin in obese rats, *International Journal of Cardiology*, 165: 483–487 doi.10.1016/j.ijcard.2011.09.012.
- Carvalho R. F., Lopes R. L., Bettencourt P., Moreira A. L., Azevedo A., 2015, Diastolic dysfunction in the diabetic continuum: association with insulin resistance, metabolic syndrome and type 2 diabetes, *Cardiovascular Diabetology*, 14: 4, doi.10.1186/s12933-014-0168-x.

- Cauwenberghs N., Knez J., Thijs L., Haddad F., Vanassche T., Yang W.Y., Wei F.F., Staessen J. A., Kuznetsova T., 2018, Relation of insulin resistance to longitudinal changes in left ventricular structure and function in a general population, *J Am Heart Assoc.*, 7:e008315, doi.10.1161/JAHA.117.008315.
- Chiara T. D., Tuttolomondo A., Parrinello G., Colomba D., Pinto A., Scaglione R., 2019, Obesity related changes in cardiac structure and function: role of blood pressure and metabolic abnormalities, *Acta Cardiologica*, 4 (24), doi.org/10.1080/00015385.2019. 1598638.
- Cosson S., Kevorkian J. P., 2003, Left ventricular diastolic dysfunction: an early sign of diabetic cardiomyopathy, *Diabetes Metab*, 29:455-66.
- Dahlan M. S., 2010, Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan, *Salemba Medika*, Edisi 3.
- DeFronzo R. A., Tobin J. D., Andres R., 1979, Glucose clamp technique: a method for quantifying insulin secretion and resistance, *Am J Physiol Endocrinol Metabol*, 237(3): E214.
- Deng X. L., Yi H. W., Xiao J., Zhang X. F., Zhao J., Sun M., Wen X. S., Liu Z. G., Gao L., Li, Z. Y., Ge P., Yu, Q., Zhang D. Y., 2023, Serum uric acid: A risk factor for right ventricular dysfunction and prognosis in heart failure with preserved ejection fraction, *Frontiers in Endocrinology*, 6 (3): 1-10, doi.10.3389/fendo.2023.1143458.
- Derout J. E., Shao X. M., Lao C. J., Hasan K. M., Rivera J. C., Jordan M. C., Echeverria V., Roos K. P., Hikim A. P., S., Friedman T. C., 2022, Electronic cigarette use and the risk of cardiovascular diseases, *Frontiers in Cardiovascular Medicine*, 9: 879726, doi.10.3389/fcvm.2022.879726.
- Dinarti L. K., Hartopo A. B., Anggrahini D. W., Sadewa A. H., Setianto B. Y., Wahab A. S., 2020, Profile of endothelin-1, nitric oxide, and prostacyclin levels in pulmonary arterial hypertension related to uncorrected atrial septal defect: Results from a single center study in Indonesia, *Cardiology Research and Practice*, Vol. 2020, Article ID 7526508, doi.org/10.1155/2020/ 7526508.
- Dinh W., Lankisch M., Nickl W., Scheyer D., Scheffold T., Kramer F., Klein R. M., Barroso M. C., F  th R., 2010, Insulin resistance and glycemic abnormalities are associated with deterioration of left ventricular diastolic function: a cross-sectional study, *Cardiovascular Diabetology*, 9: 63, doi.10.1186/1475-2840-9-63.
- Dobrowolski P., Prejbisz A., Klisiewicz A., Florczak E., Rybicka J., Januszewicz A., Hoffman P., 2015, Determinants of concentric left ventricular hypertrophy in patients with resistant hypertension: RESIST-POL study, *Hypertension Research*, 38, 545–550.
- Eguchi K., Albala B. B., Jin Z., Rundek T., Sacco R. L., Homma S., Tullio M. R. D., 2008, Association between diabetes mellitus and left ventricular hypertrophy in a multi-ethnic population, *Am J Cardiol*, 101(12): 1787–1791.
- Eleazu C., and Mohamed M., 2020, Targeting advanced glycation end products (esRAGE and sRAGE) for obesity, diabetes, and its associated complications, *Obesity and Diabetes Scientific Advances and Best Practice*, 2<sup>nd</sup>: 191-198, doi.org/10.1007/978-3-030-53370-0.

- Federmann M., and Hess O. M., 1994, Differention between systolic and diastolic dysfunction, *European Heart Journal*, 15: 2-6.
- Fu Q., Zhou L., Fan, Y., Liu F., Fan Y., Zhang X., Wang L., Cheng L., 2023, Effect of SGLT-2 inhibitor, dapagliflozin, on left ventricular remodeling in patients with type 2 diabetes and HFrEF, *BMC Cardiovascular Disorders*, 23 (10): 544-550, doi.org/10.1186/s12872-023-03591-3.
- Gembala M. I., Firasghane, Mann C. A., Sorrell V. L., 2006, Acute changes in left ventricular diastolic function: Cigarette smoking versus nicotine gum, *Clin. Cardiol*, 29 (2): 61–64.
- Gladden J. D., Zelickson, B. R., Guichard J. L., Ahmed M. I., Yancey D. M., Ballinger S., Shanmugam M., Babu G. J., Johnson M. S., Usmar V. D., Dell'Italia L. J., 2013, Xanthine oxidase inhibition preserves left ventricular systolic but not diastolic function in cardiac volume overload, *Am J Physiol Heart Circ Physiol*, 305 (9): 1440-1450, doi.10.1152/ajpheart.00007.2013.
- Guo W., Zhao L., Moc F., Peng C., Li L., Xu Y., Guo W., Sun A., Yan H., Wang L., 2021, The prognostic value of the triglyceride glucose index in patients with chronic heart failure and type 2 diabetes: A retrospective cohort study, *Diabetes Researh and Clinical Practise*, 177 (4): 108786, doi.org/10.1016/j.diabres.2021.108786.
- Guo Y., Feng X., Wang D., Kang X., Zhang L., Ren H., Yuan G., 2021, Long non-coding RNA: A key regulator in the pathogenesis of diabetic cardiomyopathy, *Frontiers in Cardiovascular Medicine*, 8: 855598, doi.10.3389/fcvm.2021.655598.
- Horio T., Miyazato J., Kamide K., Takiuchi S., Kawano Y., 2023, Influence of Low High-Density Lipoprotein Cholesterol on Left Ventricular Hypertrophy and Diastolic Function in Essential Hypertension, *American Journal of Hypertension*, 16: 938–944, doi.10.1016/S0895-7061(03)01015-X.
- Huang R., Lin Y., Ye X., Zhong X., Xie P., Li M., Zhuang X., Liao X., 2022b, Triglyceride–glucose index in the development of heart failure and left ventricular dysfunction: analysis of the ARIC study, *European Journal of Preventive Cardiology*, 29: 1531–1541, doi.org/10.1093/eurjpc/zwac058.
- Huang R., Wang Z., Chen J., Bao X., Xu N., Guo S., Gu R., Wang W., Wei Z., Wang L., 2022a, Prognostic value of triglyceride glucose (TyG) index in patients with acute decompensated heart failure, *Cardiovascular Diabetology*, 21 (88): 1-14, doi.org/ 10.1186/ s12933-022-01507-7.
- Ichikawa R., Daimon M., Miyazaki T., Kawata T., Miyazaki S., Maruyama M., Chiang S. J., Suzuki H., Ito C., Sato F., Watada H., Daika H., 2013, Influencing factors on cardiac structure and function beyond glycemic control in patients with type 2 diabetes mellitus, *Cardiovasc Diabetol*, 12: 38.
- Indonesian Society of Hypertension (InaSH), 2021, Konsensus penatalaksanaan hipertensi 2021: Update Konsensus Perhimpunan Dokter Hipertensi Indonesia 2019, PERHI.
- Iribarren C., Karter A. J., Go A. S., Ferrara A., Liu J. Y., Sidney S., S, J. V., 2001, Glycemic control and heart failure among adult patients with diabetes, *Circulation*, 103: 2668–2673

- Jain K., Palange A. A., Kakrani A. L., Dhanorkar A. S., 2018, Left ventricular diastolic dysfunction in asymptomatic type 2 diabetes mellitus patients, *International Journal of Research in Medical Sciences*, 6 (1): 240-246, doi.org/10.18203/2320-6012.ijrms20175727.
- Jia G., Connell A. W., Sowers J. R., 2017, Diabetic cardiomyopathy: a hyperglycaemia and insulin-resistance-induced heart disease, *Diabetologia*, 8 (3), doi.10.1007/s00125-017-4390-4.
- Kane G. C., Karon B. L., Mahoney D. W., Redfield M. M., Roger V. L., Burnett J. C., Jacobsen S. J., Rodeheffer R. J., 2011, Progression of left ventricular diastolic dysfunction and the risk of heart failure, *JAMA*, 306(8): 856–863. doi.10.1001/jama.2011.1201.
- Kelompok kerja ekokardiografi Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, 2021, Panduan pemeriksaan ekokardiografi di klinik, Perki.
- Khan S. H., Sobia F., Niazi N. K., Manzoor S. M., Fazal F., Ahmad F., 2018, Metabolic clustering of risk factors: evaluation of triglyceride-glucose index (TyG index) for evaluation of insulin resistance, *Diabetol Metab Syndrome*, 10 (74): 1-8, doi.org/10.1186/s13098-018-0376-8.
- Kishi S., Gidding S. S., Reis J. P., Colangelo L. A., Venkatesh B. A., Armstrong A. C., Isogawa A., Lewis C. E., Wu C., Jacobs D. R., Liu K., Lima J. A. C., 2016, Association of insulin resistance and glycemic metabolic abnormalities with LV structure and function in middle age: The CARDIA Study, *JACC Cardiovascular Imaging*, 10(2): 105-114, doi.org/10.1016/j.jcmg.2016.02.033.
- Kossaiy A., and Nasr M., 2019, Diastolic dysfunction and the new recommendations for echocardiographic assessment of left ventricular diastolic function: summary of guidelines and novelties in diagnosis and grading, *Journal of Diagnostic Medical Sonography*, 35(4): 317-325, doi.10.1177/8756479319836781.
- Lee E. Y., Yang H. K., Lee J., Kang B., Yang Y., Lee S. H., Ko S., H., Ahn Y. B., Cha B. Y., Yoon K. H., Cho J. H., 2016, Triglyceride glucose index, a marker of insulin resistance, is associated with coronary artery stenosis in asymptomatic subjects with type 2 diabetes, *Lipids in Health and Disease*, 15 (155): doi.10.1186/s12944-016-0324-2.
- Lee H. J., Kim, H. L., Lim W. H., Seo J. B., Kim S. H., Zo J. H., Kim M. A., 2019, Subclinical alterations in left ventricular structure and function according to obesity and metabolic health status, *Journal Plos One*, 12(9): 1-14, doi.org/10.1371/journal.pone.0222118.
- Li N., Zhao M., Yuan L., Chen Y., Zhou H., 2023, Association between glycosylated hemoglobin levels, diabetes duration, and left ventricular diastolic dysfunction in patients with type 2 diabetes and preserved ejection fraction: a cross-sectional study, *Frontiers in Endocrinology*, 14:1326891, doi.10.3389/fendo.2023.1326891.
- Li X., Chan J. S. K., Guan B., Peng S., Wu X., Lu X., Zhou J., Hu, J. M. H., Lee Y. H. A., Satt D. I., Tsang S. L., Wu S., Chen S., Tse G, Liu S., 2022, Triglyceride-glucose index and the risk of heart failure: Evidence from two large cohorts and a mendelian randomization analysis, *Cardiovascular Diabetology*, 21(229): 1-12, doi.org/10.1186/s12933-022-01658-7.

- Little W. C., Farrington D. J. W., Hoyle J., Brucks S., Robertson S., Kitzman D. W., Cheng C. P., 2004, Effect of candesartan and verapamil on exercise tolerance in diastolic dysfunction, *Journal Cardiovascular Pharmacol*, 43 (2): 288–293.
- Liu C. W., Chen J. H., Tseng G. S., Chen K. H., Hwang J. J., Yang W. S. Wu Y. W., 2020, Association between low-grade inflammation and left ventricular diastolic dysfunction in patients with metabolic syndrome and hyperuricemia, *Acta Cardiol Sin*, 36: 483-492 doi.10.6515/ACS.20200936(5).20200406A.
- Luehrs R. E., Zhang, D., Pierce G. L., Jacobs D. R. J., Kalhan R., Whitaker K. M., 2021, Cigarette smoking and longitudinal associations with blood pressure: The CARDIA Study, *Journal of the American Heart Association*, 10:e019566, doi. 10.1161/JAHA.120.019566.
- Matthews D. R., Hosker J. R., Rudenski A. S., Naylor B. A., Treacher D. F., Turner R. C., 1985, Homeostasis model assessment: insulin resistance and  $\beta$ -cell function from fasting plasma glucose and insulin concentrations in man, *Diabetologia*, 28: 412-419.
- Nasr G., and Maurice, G., 2010, Allopurinol and global left myocardial function in heart failure patients, *Journal of Cardiovascular Disease Research*, 1(4): 191-195, doi. 10.4103/0975-3583.74262.
- Omar, A. M. S., Bansal M., Sengupta P. P., 2016, Advances in echocardiographic imaging in heart failure with reduced and preserved ejection fraction, *Circulation Research*, 119: 357-374. doi.10.1161/CIRCRESAHA.116.309128.
- Palmieri V., Simone G., Arnett D. K., Bella J. N., Kitzman D. W., Oberman A., Hopkins P. N., Province M. A., Devereux R. B., 2001, Relation of various degrees of body mass index in patients with systemic hypertension to left ventricular mass, cardiac output, and peripheral resistance (The Hypertension Genetic Epidemiology Network Study), *Am J Cardiol*. 88: 1163–1168.
- Pal S., and Ellis V., 2010, The chronic effects of whey proteins on blood pressure, vascular function, and inflammatory markers in overweight individuals, *Obesity*, 18(7): 1354-1359, doi.10.1038/oby.2009.397.
- Pappachan J. M and Fernandez C. J., 2023, Endocrine hypertension an overview, *Endocrine hypertension dan From Basic Science to Clinical Practice*, 2-20.
- Parsa N., Moheb M., Zibaeenezhad M. J., Akhormeh A. K., Trevisan M., Wallin L., Zaheri P. M., Sayadi M., Jahromi I. R., Moaref A., 2023, The prevalence of left ventricular hypertrophy associated with type-2 diabetes in Shiraz, Iran: a cross-sectional study, *BMC Cardiovascular Disorders*, 23 (88): 1-11, doi.org/10.1186/s12872-023-03083-4.
- Perkumpulan Endokrinologi Indonesia (Perkeni), 2021, Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia, PB Perkeni.
- Puspasari A., Maharani C., Mus R., Hastuti P., Sadewa H. A., Setyawati I., 2019, Biomarker pengganti HOMA-IR untuk mendeteksi resistensi insulin, *JMJ*, 7 (2): 122-130.
- Rajendran S., Padikkal A. K. K., Mishra S., Madhavanpillai M., 2022, Association of lipid accumulation product and triglyceride-glucose index with metabolic syndrome in young adults: A cross-sectional study, *Int J Endocrinol Metab*, 20 (2): e115428, doi.10.5812/ijem-115428.



- Romero F. G., Luis E., Mendia S., Ortiz M. G., Abundis E. M., Zavala M. G. R., Sandra O., Gonzalez H., Camarena O. J., Moran M. R., 2010, The Product of triglycerides and glucose, a simple measure of insulin sensitivity. comparison with the euglycemic-hyperinsulinemic clamp, *J Clin Endocrinol Metab*, 95 (7): 3347–3351, doi.10.1210/jc.2010-0288.
- Roy S., Kant R., Kumar B., Khapre M., Bairwa M., 2020, Systolic dysfunction in asymptomatic type 2 diabetic patients, a harbinger of microvascular complications: A cross-sectional study from north India, *Diabetes and Vascular Disease Research*, 7: 1-7, doi.10.1177/1479164120944134.
- Sagara R., Inoue T., Sonoda N., Yano C., Motoya M., Umakoshi H., Sakamoto R., Ogawa Y., 2022, Association between cortisol and left ventricular diastolic dysfunction in patients with diabetes mellitus, *Journal of Diabetes Investigation*, 13: 344-350, doi.10.1111/jdi.13653.
- Sakamoto M., Matsutania D., Kayama Y., 2018, Possibility of a new therapeutic strategy for left ventricular dysfunction in type 2 diabetes, *Journal Clin Med Res*, 10 (11): 799-805, doi.org/10.14740/jocmr3584w.
- Saotome M., Ikoma T., Hasan P., Maekawa Y., 2019, Cardiac insulin resistance in heart failure: The role of mitochondrial dynamics, *International Journal of Molecular Sciences*, 20: 3552, doi.10.3390/ijms20143552.
- Schwartz S. S., Epstein S., Corkey B. E., Grant S. F.A., Gavin J. R., Aguilar R. B., 2016, The time is right for a new classification system for diabetes: Rationale and implications of the b-cell–centric classification schema, *Diabetes Care*, 39: 179–186, doi.10.2337/dc15-1585.
- Shah A. S., Khoury P. R., Dolan L. M., Ippisch H. M., Urbina E. M., Daniels S. R., Kimball T. R., 2011, The effects of obesity and type 2 diabetes mellitus on cardiac structure and function in adolescents and young adults, *Diabetologia*, 54(4): 722–30, doi. 10.1007/s00125-010-1974-7.
- Sharavanan T. K. V., Prasanna K. B., Ekanthalingam S., Sundaram A., Premalatha E., Arumugam B., 2016, A study on the prevalence of diastolic dysfunction in type 2 diabetes mellitus in a tertiary care hospital, *IAIM*, 3(7): 216-221.
- Shenasa M and Shenasa H, 2017, Hypertension, left ventricular hypertrophy, and sudden cardiac death, *International Journal of Cardiology*, 2: 22, doi.org/10.1016/j.ijcard.2017.03.002.
- Shetty S., Rao, A., Ireshanavar D. S., 2020, Comparison of fasting and non-fasting lipid profile in healthy adult population, *International Journal of Clinical Biochemistry and Research*, 7(1): 30–35.
- Shukla S. K., Tilkar M., Kapur K. S., 2023, Left ventricular diastolic dysfunction in patients with type 2 diabetes mellitus and its association with age, gender, duration and glycosylated haemoglobin: A cross-sectional study, *Journal of Clinical and Diagnostic Research*, Vol-17(4): 27-30, doi.10.7860/JCDR/2023/62832.17907.
- Si K., Wei C., Xu L., Zhou Y., Wenshan L., Dong B., Wang Z., Huang Y., Wang Y., Chen Y., 2021, Hyperuricemia and the risk of heart failure: Pathophysiology and therapeutic implications, *Frontiers in Endocrinology*, 12(11): 770815, doi.10.3389/fendo.2021.770815.

- Stork T., Eichstadmt H., Mockelm M., Bortfeldmt R., Mollerm R., Hochrein H., 1992, Changes of diastolic function induced by cigarette smoking: An echocardiographic study in patients with coronary artery disease, *Clin. Cardiol*, 15 (2): 80-86.
- Stratton I. M., Adler A. I., Neil H. A. W., Matthews D. R., Manley S. E., Cull C. A., Hadden D., Turner R. C., Holman R. R., 2000, Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. *BMJ*, 321: 405–412.
- Suto M., Tanaka H., Mochizuki Y., Mukai J., Takada H., Soga F., Dokuni K., Hatani Y., Hatazawa K., Matsuzoe H., Sano H., Shimoura H., Ooka J., Matsumoto K., Hirota Y., Ogawa W., Hirata K., 2017, Impact of overweight on left ventricular function in type 2 diabetes mellitus, *Cardiovascular Diabetology*, 16: 145, doi.10.1186/s12933-017-0632-5.
- Tahapary D. L., Pratisthita L. B., Fitri N. A., Marcella C., Wafa S., Kurniawan F., Rizka A., Tarigan T. J. E., Harbuwono D. S., Purnamasari D., Soewondo P., 2022, Challenges in the diagnosis of insulin resistance: Focusing on the role of HOMA-IR and tryglyceride/glucose index, *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 16: 102581, doi.10.1016/j.dsx.2022.102581.
- Thai P. V., Tien H. A., Minh H. V., Valens P., 2020, Triglyceride glucose index for the detection of asymptomatic coronary artery stenosis in patients with type 2 diabetes, *Cardiovascular Diabetology*. 19(137): 1-10, doi.org/10.1186/s12933-020-01108-2.
- Tuleta I and Frangogiannis N. G., 2022, Fibrosis of the diabetic heart: clinical significance, molecular mechanisms, and therapeutic opportunities, *PMC* 176(9): 113904. doi.10.1016/j.addr.2021.113904.
- Unger G., Benozzi S. F., Perruzza F., Pennacchiotti G. L., 2014, Triglycerides and glucose index: a useful indicator of insulin resistance, *Endocrinol Nutr*, 61 (10): 533-540, doi.org/10.1016/j.endonu.2014.06.009.
- Wan S. H., Pumerantz A. S., Dong F., Ochoa C., Chen H. H., 2019, Comparing the influence of 2009 versus 2016 ASE/EACVI diastolic function guidelines on the prevalence and echocardiographic characteristics of preclinical diastolic dysfunction (stage B heart failure) in a Hispanic population with type 2 diabetes mellitus, *Journal Diabetes Complications*, 33(8): 579–584. doi.10.1016/j.jdiacomp.2019.04.015.
- Won K. B., Park E. J., Han D., Lee J. H., Choi S. U., Chun E. J., Park S. H., Han H. W., Sung J., Jung H. O., Chang H. J., 2020, Triglyceride glucose index is an independent predictor for the progression of coronary artery calcification in the absence of heavy coronary artery calcification at baseline, *Cardiovascular Diabetology*, 19 (34): 1-8, doi.org/10.1186/s12933-020-01008-5.
- Yancy C. W., Chair, Jessup M., Chair V., Bozkurt B., Butler J., et al., 2013, ACCF/AHA Guideline for the management of heart failure: Executive summary a report of the American College of Cardiology Foundation/American Heart Association Task Force on practice guidelines, *Circulation*, 10 (15): 1810-1852.
- Yang S., Du Y., Liu Z., Zhang R., Lin X., Ouyang Y., Chen H., 2021, Triglyceride-glucose index and extracellular volume fraction in patients with heart failure,

- Frontiers Cardiovascular Medicine.*, 8: 704462, doi.10.3389/fcvm.2021.704462.
- Yokota S., Tanaka H., Mochizuki Y., Soga F., Yamashita K., Tanaka Y., et al. 2019, Association of glycemic variability with left ventricular diastolic function in type 2 diabetes mellitus. *Cardiovasc Diabetol*, 18 (1): 166. doi.10.1186/s12933-019-0971-5.
- Yu M. A., Sanchez-Lozada L. G., Johnson R. J., Kang D. H., 2010, Oxidative Stress With an Activation of the Renin-Angiotensin System in Human Vascular Endothelial Cells as a Novel Mechanism of Uric Acid-Induced Endothelial Dysfunction, *Journal of Hypertension*, 28 (6): 1234-1242, doi.10.1097/HJH.0b013e328337da1d.
- Yun K. J., Han K., Kim M. K., Park Y. M., Baek K. H., Song K., Kwon H. S., 2016, Insulin resistance distribution and cut-off value in Koreans from the 2008-2010 Korean National Health and Nutrition Examination Survey, *Plos One*, 4: 1-10, doi.10.1371/journal.pone.0154593.
- Zarich S. W., Nesto R. W., 2001, Diabetic cardiomyopathy, *American Heart Journal*, 35:166 - 168.
- Zhang C. X., Pan S. N., Meng R. S., Peng C. Q., Xiong Z. J., Chen B. L., Chen G. Q., Yao F. J., Chen Y. L., Ma Y. D., Don Y. G., 2010, Metformin attenuates ventricular hypertrophy by activating the AMP-activated protein kinase–endothelial nitric oxide synthase pathway in rats, *Clinical and Experimental Pharmacology and Physiology*, 38: 55–62, doi.10.1111/j.1440-1681.2010.05461.x.
- Zhang G., Shi K., Yan W. F., Li X. M., Li Y., Guo Y. K., Yang Z. G, 2022, Effects of diabetes mellitus on left ventricular function and remodeling in hypertensive patients with heart failure with reduced ejection fraction: assessment with 3.0 T MRI feature tracking, *Cardiovascular Diabetology*, 21:69, doi.org/10.1186/s12933-022-01504-w.
- Zoppini G., Bonapace S., Bergamini C., Rossi A., Trombetta M., Lanzoni L., Bertolini L., Zenari L., Bonora E., Targher G., 2016, Evidence of left atrial remodeling and left ventricular diastolic dysfunction in type 2 diabetes mellitus with preserved systolic function, *Nutrition, Metabolism and Cardiovascular Diseases*, (5): 1-24, doi.10.1016/j.numecd.2016.05.004.