

- Akçapınar, R., Garipcan, V., & Goodarzi, V. (2021). Designing of various biosensor devices for determination of apoptosis: a comprehensive review. *Biochemical and Biophysical Research Communications*, 578, 42–62. <https://doi.org/10.1016/j.bbrc.2021.08.089>.
- Amalraj, V.A. and Balasundaram, N., 2006. On the taxonomy of the members of ‘*Saccharum complex*’. *Genetic Resources and Crop Evolution*, 53, pp.35-41. <http://dx.doi.org/10.1007/s10722-004-0581-1>.
- Arabnejad, M., Dawkins, W., Bush, W. S., White, B.C., Harkness, A.R., & McKinney, B. A. (2018). Transition-transversion encoding and genetic relationship metric in relieff feature selection improves pathway enrichment in GWAS. *BioData Mining*, 11(1), 1–18. <https://doi.org/10.1186/s13040-018-0186-4>.
- Aristya, G. R., Putri, F., Kasiamdari, R. S., & Musthofa, A. (2020). DNA barcoding and phylogenetic analysis sugarcane (*Saccharum officinarum* L.) based on *matK* (*maturase K*) gene. *Key Engineering Materials*, 840 KEM, 162–170. <https://doi.org/10.4028/www.scientific.net/kem.840.162>.
- Arslan, M., Tezcan, E., Camci, H., & Avci, M. K. (2021). Effect of DNA concentration on band intensity and resolution in agarose gel electrophoresis. *Van Sağlık Bilimleri Dergisi*, 14(3), 326–333. <https://doi.org/10.52976/vansaglik.969547>.
- Asano, T., Tsudzuki, T., Takahashi, S., & Shimada, H. (2004). Complete nucleotide sequence of the sugarcane (*Saccharum officinarum*) chloroplast genome: a comparative analysis of four monocot chloroplast genomes. *DNA Research*, 99(4), 93–99.
- Avise, J. C. (2009). Phylogeography: retrospect and prospect. *Journal of Biogeography*, 36(1), 3–15. <https://doi.org/10.1111/j.1365-2699.2008.02032.x>.
- Babu, K. S. D., Janakiraman, V., Palaniswamy, H., Kasirajan, L., Gomathi, R., & Ramkumar, T. R. (2022). A short review on sugarcane: its domestication, molecular manipulations and future perspectives. *Genetic Resources and Crop Evolution*, 69(8), 2623–2643. <https://doi.org/10.1007/s10722-022-01430-6>.
- Beaumont, M. A., Ibrahim, K. M., Boursot, P., & Bruford, M. W. (1998). Measuring genetic distance. *Biodiversity*, 1998(1), 315-325.

- Behou, M. Y., & Péné, C. B. (2019). genetic variability and heritability among sugarcane genotypes in plant crop for some agronomic traits under tropical dry climate of Ferké, Ivory Coast. *Journal of Experimental Agriculture International*, 2(1), 1–14. <https://doi.org/10.9734/jeai/2019/v38i130288>.
- Bosma, U. (2007). The cultivation system (1830-1870) and its private entrepreneurs on colonial Java. *Journal of Southeast Asian Studies*, 38(2), 275–291. <https://doi.org/10.1017/S0022463407000045>.
- Cao, H., Sasaki, Y., Fushimi, H., & Komatsu, K. (2001). Molecular analysis of medicinally-used Chinese and Japanese *Curcuma* based on 18S rRNA gene and *trnK* gene sequences. *Biological and Pharmaceutical Bulletin*, 24(12), 1389–1394. <https://doi.org/10.1248/bpb.24.1389>.
- Casavecchia, Piergiorgio & Balucani, N. (2011). *Encyclopedia of Astrobiology*. Springer. <https://doi.org/10.1007/978-3-642-11274-4>.
- Cheavegatti-Gianotto, A., de Abreu, H. M. C., Arruda, P., Bessalho Filho, J. C., Burnquist, W. L., Creste, S., di Ciero, L., Ferro, J. A., de Oliveira Figueira, A. V., de Sousa Filgueiras, T., Grossi-de-Sá, M. de F., Guzzo, E. C., Hoffmann, H. P., de Andrade Landell, M. G., Macedo, N., Matsuoka, S., de Castro Reinach, F., Romano, E., da Silva, W. J., & César Ulian, E. (2011). Sugarcane (*Saccharum × officinarum*): a reference study for the regulation of genetically modified cultivars in Brazil. *Tropical Plant Biology*, 4(1), 62– 89. <https://doi.org/10.1007/s12042-011-9068-3>.
- Crawley, S. S., & Hilu, K. W. (2012). Caryophyllales: evaluating phylogenetic signal in *trnK* intron versus *matK*. *Journal of Systematics and Evolution*, 50(5), 387–410. <https://doi.org/10.1111/j.1759-6831.2012.00197.x>.
- D'Hont, A., Paulet, F., & Glaszmann, J. C. (2002). Oligoclonal interspecific origin of North Indian and Chinese sugarcane. *Chromosome Research*, 10(3), 253–262. <https://doi.org/10.1023/A:1015204424287>.
- D'Ambrosio, J., Phocas, F., Haffay, P., Bestin, A., Brard-Fudulea, S., Poncet, C., Quillet, E., Dechamp, N., Fraslin, C., Charles, M., & Dupont-Nivet, M. (2019). Genome-wide estimates of genetic diversity, inbreeding and effective size of experimental and commercial rainbow trout lines undergoing selective breeding. *Genetics Selection Evolution*, 51(1), 1–15.

- de Cesare, M., Hodkinson, T. R. and Barth, S. (2010). Chloroplast DNA markers (cpSSRs, SNPs) for *Miscanthus*, *Saccharum* and related grasses (Panicoideae, Poaceae). *Molecular Breeding*, 26(3), pp. 539–544. doi: 10.1007/s11032-010-9451-z.
- Dillon, S. L., Shapter, F. M., Henry, R. J., Cordeiro, G., Izquierdo, L., & Lee, L. S. (2007). Domestication to crop improvement: genetic resources for *Sorghum* and *Saccharum* (Andropogoneae). *Annals of Botany*, 100(5), 975– 989. <https://doi.org/10.1093/aob/mcm192>.
- Dudu, A., Barbălată, T., Popa, G. O., Georgescu, S. E., & Costache, M. (2016). Advantages and limitations of DNA barcoding in identifying commercially exploited fish species. *Animal Science and Biotechnologies*, 49(1), 45–49. <https://www.researchgate.net/publication/303699632>.
- Dwiyitno, Hoffman, S., Parmentier, K., & Keer, C. V. (2018). Method comparison of DNA isolation and quantification for fish and seafood authenticity determination. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 13(3), 115-124. <https://doi.org/10.15578/squalen.v13i3.370>.
- Ende, C. V. D., Puttick, M. N., Urrutia, A. O., & Wills, M. A. (2023). Why should we compare morphological and molecular disparity? *Methods in Ecology and Evolution*, 14(9), 2390–2410. <https://doi.org/10.1111/2041-210X.14166>.
- Francois, O., Currat, M., Ray, N., Han, E., Excoffier, L., & Novembre, J. (2010). Principal component analysis under population genetic models of range expansion and admixture. *Molecular Biology and Evolution*, 27(6), 1257–1268. <https://doi.org/10.1093/molbev/msq010>.
- García-Alegría, A. M., Anduro-Corona, I., Perez-Martinez, C. J., Corella-Madueno, M. A. G., Rascon-Duran, M. L., & Astiazaran-Garcia, H. (2020). Quantification of DNA through the nanodrop spectrophotometer: methodological validation using standard reference material and sprague dawley rat and human DNA. *International Journal of Analytical Chemistry*, 2020, 1-9. <https://doi.org/10.1155/2020/8896738>.
- Garcia, E., Wright, D., Gatins, R., Roberts, M. B., Pinheiro, H. T., Salas, E., Chen, J. Y., Winnikoff, J. R., & Bernardi, G. (2021). Haplotype network branch diversity, a new metric combining genetic and topological diversity to compare the

<https://doi.org/10.1371/journal.pone.0251878>.

- Garsmeur, O., Droc, G., Antonise, R., Grimwood, J., Potier, B., Aitken, K., Jenkins, J., Martin, G., Charron, C., Hervouet, C., Costet, L., Yahiaoui, N., Healey, A., Sims, D., Cherukuri, Y., Sreedasyam, A., Kilian, A., Chan, A., Van Sluys, M. A., & D'Hont, A. (2018). A mosaic monoploid reference sequence for the highly complex genome of sugarcane. *Nature Communications*, 9(1), 1-10. <https://doi.org/10.1038/s41467-018-05051-5>.
- GBIF (2025) *Saccharum L.* Available at: <https://www.gbif.org/species/2703910> (Accessed: 19 January 2025).
- Grivet L., & Arruda P. (2001). Sugarcane genomics: depicting the complex genome of an important tropical crop. *Current Opinion in Plant Biology*, 5(2), 122-127.
- Gunson, R., Gillespie, G. & Carman, W. F. (2003). Optimisation of PCR reactions using primer chessboarding. *Journal of Clinical Virology*, 26(3), 369–373. [https://doi.org/10.1016/S1386-6532\(03\)00006-4](https://doi.org/10.1016/S1386-6532(03)00006-4).
- Hamida, R., Djumali, Heliyanto, B., Abdurrachman, Adikadarsih, S., & Murianingrum, M. (2022). Yield and growth performance of potential sugarcane (*Saccharum officinarum L.*) hybrid clones. *IOP Conference Series: Earth and Environmental Science*, 974(1). <https://doi.org/10.1088/1755-1315/974/1/012017>.
- Hausner, G., Olson, R., Simon, D., Johnson, I., Sanders, E. R., Karol, K. G., McCourt, R. M., & Zimmerly, S. (2006). Origin and evolution of the chloroplast *trnK* (*matK*) intron: a model for evolution of group II intron RNA structures. *Molecular Biology and Evolution*, 23(2), 380–391. <https://doi.org/10.1093/molbev/msj047>.
- Healey, A. L., Garsmeur, O., Lovell, J. T., Shengquiang, S., Sreedasyam, A., Jenkins, J., Plott, C. B., Piperidis, N., Pompidor, N., Llaca, V., Metcalfe, C. J., Doležel, J., Cápál, P., Carlson, J. W., Hoarau, J. Y., Hervouet, C., Zini, C., Dievart, A., Lipzen, A., & D'Hont, A. (2024). The complex polyploid genome architecture of sugarcane. *Nature*, 628(8009), 804–810. <https://doi.org/10.1038/s41586-024-07231-4>.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological

identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512), 313–321. <https://doi.org/10.1098/rspb.2002.2218>.

- Hemaprabha, G., Mohanraj, K., Jackson, P. A., Lakshmanan, P., Ali, G. S., Li, A. M., Huang, D. L., & Ram, B. (2022). Sugarcane genetic diversity and major germplasm collections. *Sugar Tech*, 24(1), 279–297. <https://doi.org/10.1007/s12355-021-01084-1>.
- Hillis, D. M. & Bull, J. J. (1993). An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Systematic Biology*, 42(2), 182–192. <https://doi.org/10.1093/sysbio/42.2.182>.
- Ho, V. T., Tran, T. K. P., Vu, T. T. T., & Widiarsih, S. (2021). Comparison of *matK* and *rbcL* DNA barcodes for genetic classification of jewel orchid accessions in Vietnam. *Journal of Genetic Engineering and Biotechnology*, 19(1), 1–8. <https://doi.org/10.1186/s43141-021-00188-1>.
- Hoang, N. V, Furtado, A., Mcqualter, R. B., & Henry, R. J. (2015). New negatives in plant science next generation sequencing of total DNA from sugarcane provides no evidence for chloroplast heteroplasmy. *Case Studies in Mechanical Systems and Signal Processing*, 1–2, 33–45. <https://doi.org/10.1016/j.neps.2015.10.001>.
- Israil, M., Ashok, A., & Lal, R. (2013). An-Overview on invertase in sugarcane. *Biomedical Informatics*, 9(9), 11–12.
- Jayabose, C., Anusheela, V., Karthigeyan, S., Govindaraj, P., & Devi, A. K. R. (2022). Genetic analysis in *Saccharum spontaneum* accessions of Maharashtra collection. *Electronic Journal of Plant Breeding*, 13(1), 216–224. <https://doi.org/10.37992/2022.1301.030>.
- Joly, S., Bryant, D., & Lockhart, P. J. (2015). Flexible methods for estimating genetic distances from single nucleotide polymorphisms. *Methods in Ecology and Evolution*, 6(8), 938–948. <https://doi.org/10.1111/2041-210X.12343>.
- Júnior, C. T., Carraro, D. M., Benatti, M. R., Barbosa, A. C., Kitajima, J. P., & Carrer, H. (2004). Structural features and transcript-editing analysis of sugarcane (*Saccharum officinarum* L.) chloroplast genome. *Current Genetics*, 46(6), 366–373. <https://doi.org/10.1007/s00294-004-0542-4>.

- Kafka, S. R., & Grantz, D. A. (2014). Sugar crops. *Encyclopedia of Agriculture and Food Systems*, 5, 240–260. <https://doi.org/10.1016/B978-0-444-52512-3.00150-9>.
- Kanaka, K. K., Sukhija, N., Goli, R. C., Singh, S., Ganguly, I., Dixit, S. P., Dash, A., & Malik, A. A. (2023). On the concepts and measures of diversity in the genomics era. *Current Plant Biology*, 33(3), 100278. <https://doi.org/10.1016/j.cpb.2023.100278>.
- Karunanathie, H., Kee, P. S., Ng, S. F., Kennedy, M. A., & Chua, E. W. (2022). PCR enhancers: types, mechanisms, and applications in long-range PCR. *Biochimie*, 197(2022), 130–143. <https://doi.org/10.1016/j.biochi.2022.02.009>.
- Kasiamdari, R. S., Aristya, G. R., Prabowo, H., Ariesta, C., & Arif, M. F. (2019a). Genetic diversity of Indonesian's sugarcane varieties (*Saccharum officinarum*) based on RAPD molecular markers. *Biodiversitas*, 20(10), 3005–3010. <https://doi.org/10.13057/biodiv/d201032>.
- Kasiamdari, R. S., Febiansi, D., Prabowo, H., Aristya, G. R., & Musthofa, A. (2019b). Genetic variation and characterization of the *sucrose synthase 2* gene (*Sus2*) in sugarcane based molecular markers. *Biodiversitas*, 20(11), 3087–3096. <https://doi.org/10.13057/biodiv/d201101>.
- Klopfstein, S., Massingham, T., & Goldman, N. (2017). More on the best evolutionary rate for phylogenetic analysis. *Systematic Biology*, 66(5), 769–785. <https://doi.org/10.1093/sysbio/syx051>.
- Knight, G. R. (2000). The sugar industry of colonial Java and its global trajectory. *South East Asia Research*, 8(3), 213–238. <https://doi.org/10.5367/0000000000101297271>.
- Kumar, K., & Cava, F. (2018). Principal coordinate analysis assisted chromatographic analysis of bacterial cell wall collection: a robust classification approach. *Analytical Biochemistry*, 550(March), 8–14. <https://doi.org/10.1016/j.ab.2018.04.008>.
- Kurdi, R. El, Kumar, K., & Patra, D. (2020). Introducing principal coordinate analysis (PCoA) assisted EEMF spectroscopic based novel analytical approach for the discrimination of commercial gasoline fuels. *Journal of Fluorescence*, 30(6), 1583–1589. <https://doi.org/10.1007/s10895-020-02617-9>.
- Lan, V. T. T., Loan, P. T. T., Duong, P. A. T., Thanh, L. T., Ha, N. T., & Thuan, T. B.



- (2012). Straightforward procedure for laboratory production of DNA ladder. *Journal of Nucleic Acids*, 2012, 1–4. <https://doi.org/10.1155/2012/254630>.
- Latham, S., Hughes, E., Budgen, B., & Morley, A. (2023). Inhibition of the PCR by genomic DNA. *PLoS ONE*, 18(4), 1–11. <https://doi.org/10.1371/journal.pone.0284538>.
- Lebot, V. (1999). Biomolecular evidence for plant domestication in Sahul. *Genetic Resources and Crop Evolution*, 1999(46), 619–628.
- Lee, P. Y., Costumbrado, J., Hsu, C., & Kim, Y. H. (2012). Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized Experiments*, (62), 1–5. <https://doi.org/10.3791/3923>.
- Li, S., Duan, W., Zhao, J., Jing, Y., Feng, M., Kuang, B., Wei, N., Chen, B., & Yang, X. (2022). Comparative analysis of chloroplast genome in *Saccharum* spp. and related members of ‘*Saccharum* Complex.’ *International Journal of Molecular Sciences*, 23(14), 1-19. <https://doi.org/10.3390/ijms23147661>.
- Lombardi, M., Materne, M., Cogan, N. O. I., Rodda, M., Daetwyler, H. D., Slater, A. T., Forster, J. W., & Kaur, S. (2014). Assessment of genetic variation within a global collection of lentil (*Lens culinaris* Medik.) cultivars and landraces using SNP markers. *BMC Genetics*, 15(1). <https://doi.org/10.1186/s12863-014-0150-3>.
- Lucena-Aguilar, G., Sanchez-Lopez, M., Barberan-Aceituno, C., Carrillo-Avila, J. A., Lopez-Guerrero, J. A., & Anguilar-Quesada, R. (2016). DNA source selection for downstream applications based on DNA quality indicators analysis. *Biopreservation and Biobanking*, 14(4), 264–270. <https://doi.org/10.1089/bio.2015.0064>.
- Meimberg, H., Thalhammer, S., Brachmann, A., & Heubl, G. (2006). Comparative analysis of a translocated copy of the *trnK* intron in carnivorous family Nepenthaceae. *Molecular Phylogenetics and Evolution*, 39(2), 478–490. <https://doi.org/10.1016/j.ympev.2005.11.023>.
- Metcalf, D. & Weese, J. S. (2012). Evaluation of commercial kits for extraction of DNA and RNA from *Clostridium difficile*. *Anaerobe*, 18(6), 608–613. <https://doi.org/10.1016/j.anaerobe.2012.10.003>.
- Nascimento, F. F., Reis, M. Dos, & Yang, Z. (2017). A biologist’s guide to bayesian

phylogenetic analysis. *Nature Ecology and Evolution*, 1(10), 1446– 1454.  
<https://doi.org/10.1038/s41559-017-0280-x>.

Nguyen, L. T., Schmidt, H. A., Von Haeseler, A., & Minh, B. Q. (2015). IQ- 48 TREE: A fast and effective stochastic algorithm for estimating maximum likelihood phylogenies. *Molecular Biology and Evolution*, 32(1), 268–274.  
<https://doi.org/10.1093/molbev/msu300>.

Nishimaki, T. & Sato, K. (2019). An Extension of the kimura two-parameter model to the natural evolutionary process. *Journal of Molecular Evolution*, 87(1), 60–67.  
<https://doi.org/10.1007/s00239-018-9885-1>.

Nixon, K. C. (2001). *Phylogeny*. Encyclopedia of Biodiversity. 2<sup>nd</sup> Ed. New York: Elsevier.  
P3GI. (2025). Varietas Komersial P3GI.  
[https://varietasp3gi.com/index.php/Webview/Varietas\\_komersial](https://varietasp3gi.com/index.php/Webview/Varietas_komersial).

Pandey, V. C., Bajpai, O., Pandey, D. N., & Singh, N. (2015). *Saccharum spontaneum*: an underutilized tall grass for revegetation and restoration programs. *Genetic Resources and Crop Evolution*, 62(3), 443–450.  
<https://doi.org/10.1007/s10722-014-0208-0>.

Paradis, E. (2018). Analysis of haplotype networks: The randomized minimum spanning tree method. *Methods in Ecology and Evolution*, 9(5), 1308–1317.  
<https://doi.org/10.1111/2041-210X.12969>.

Parida, S. K., Kalia, S., Pandit, A., Nayak, P., Singh, R. K., Gaikwad, K., Srivastava, P. S., Singh, N. K., & Mohapatra, T.. (2016). Single nucleotide polymorphism in sugar pathway and disease resistance genes in sugarcane. *Plant Cell Reports*, 35(8), 1629–1653. <https://doi.org/10.1007/s00299-016-1978-y>.

Peakall, R., & Smouse, P. E. (2006). GENALEX 6: Genetic analysis in Excel. Population genetic software for teaching and research. *Molecular Ecology Notes*, 6(1), 288–295. <https://doi.org/10.1111/j.1471-8286.2005.01155.x>.

Pelt-Verkuil, E., Belkum, A., & Hays, J. P. (2007). *Principles and Technical Aspects of PCR Amplification*. Springer. New york: Elsevier.

Peng, X., Wu, X., Ji, Q., Yang, R., dan Li, Y. 2016. Molecular authentication of *Tetrastigma hemsleyanum* from its adulterant species using ISSR, CAPS, and ITS2 barcode. *Molecular Biology Reports*, 43(8):785–794. <https://doi.org/10.1007/s11033-016-4023-x>



- Philips, J. D., Gillis, D. J., & Hanner, R. H. (2019). Incomplete estimates of genetic diversity within species: Implications for DNA barcoding. *Ecology and Evolution*, 9(5), 2996–3010. <https://doi.org/10.1002/ece3.4757>.
- Piperidis, N., & D'Hont, A. (2020). Sugarcane genome architecture decrypted with chromosome-specific oligo probes. *Plant Journal*, 103(6), 2039–2051. <https://doi.org/10.1111/tpj.14881>.
- Pompidor, N., Charron, C., Hervouet, C., Bocs, S., Droc, G., Rivallan, R., Manez, A., Mitros, T., Swaminathan, K., Glaszmann, J. C., Garsmeur, O., & D'Hont, A. (2021). Three founding ancestral genomes involved in the origin of sugarcane. *Annals of Botany*, 127(6), 827–840. <https://doi.org/10.1093/aob/mcab008>.
- Putra, R. P., Ranomahera, M. R. R., Rizaludin, M. S., Supriyanto, R., & Dewi, V. A. K. (2020). Short communication: Investigating environmental impacts of long-term monoculture of sugarcane farming in Indonesia through dpsir framework. *Biodiversitas*, 21(10), 4945–4958. <https://doi.org/10.13057/biodiv/d211061>.
- Raclariu, A. C., Heinrich, M., Ichim, M. C., & de Boer, H. (2018). Benefits and limitations of dna barcoding and metabarcoding in herbal product authentication. *Phytochemical Analysis*, 29(2), 123–128. <https://doi.org/10.1002/pca.2732>.
- Raj, P., Selvi, A., Prathima, P. T., & Nair, N. V. (2016). Analysis of genetic diversity of *Saccharum* complex using chloroplast microsatellite markers. *Sugar Tech*, 18(2), 141–148. <https://doi.org/10.1007/s12355-015-0382-1>.
- Ranjan, R., & Kumar, B. (2017). Study of genetic variability for cane yield and its component traits in early maturing sugarcane. *International Journal of Current Microbiology and Applied Sciences*, 6(10), 1739–1748. <https://doi.org/10.20546/ijemas.2017.610.210>.
- Romaschenko, K., Peterson, P. M., Soreng, R. J., Garcia-Jacas, N., & Susanna, a. (2010). Phylogenetics of Stipeae (Poaceae: Pooideae) based on plastid and nuclear DNA sequences. *Diversity, Phylogeny, and Evolution in the Monocotyledons*, 511–537.
- Ronquist, F., Teslenko, M., Van Der Mark, P., Ayres, D. L., Darling, A., Höhna, S., Larget, B., Liu, L., Suchard, M. A., & Huelsenbeck, J. P. (2012). Mrbayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*, 61(3), 539–542. <https://doi.org/10.1093/sysbio/sys029>.

- Roose Amsaleg, C. L., Garnie-Sillam, E. & Harry, M. (2001). Extraction and purification of microbial DNA from soil and sediment samples. *Applied Soil Ecology*, 18(2001), 47–60.
- Roy, S. S., Dasgupta, R., & Bagchi, A. (2014). A review on phylogenetic analysis: a journey through modern era. *Computational Molecular Bioscience*, 04(03), 39–45. <https://doi.org/10.4236/cmb.2014.43005>.
- Rozas, J., Ferrer-Mata, A., Sanchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sanchez-Gracia, A. (2017). DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*, 34(12), 3299–3302. <https://doi.org/10.1093/molbev/msx248>.
- Saha, O., Hossain, S., & Rahaman, M. (2020). Genomic exploration light on multiple origin with potential parsimony-informative sites of the severe acute respiratory syndrome coronavirus 2 in Bangladesh. *Gene Reports*, 2, 1-9. <https://doi.org/https://doi.org/10.1016/j.genrep.2020.100951>.
- Saltonstall, K., Bonnett, G.D. and Aitken, K.S., 2021. A perfect storm: ploidy and preadaptation facilitate *Saccharum spontaneum* escape and invasion in the Republic of Panama. *Biological Invasions*, 23(4), 1101-1115. <https://doi.org/10.1007/s10530-020-02421-3>.
- Sari, S. K., Mazieda, M. N., Listyorini, D., & Sulasmi, E. S. (2014). Optimization of DNA isolation and purification technique from chili pepper (*Capsicum frutescens* Cv. Cakra Hijau) using genomic DNA mini kit (plant) geneaid. *Seminar Nasional XI Pendidikan Biologi FKIP UNS*, 11(1), pp. 65–70.
- Saxena, R. K., Edwards, D., & Varshney, R. K. (2014). Structural variations in plant genomes. *Briefings in Functional Genomics and Proteomics*, 13(4), 296-307. <https://doi.org/10.1093/bfpg/elu016>.
- Scott, A. D., & Baum, D. A. (2016). Phylogenetic Tree. *Encyclopedia of Evolutionary Biology*, 3, 270–276. <https://doi.org/10.1016/B978-0-12-800049-6.00203-1>.
- Scull, J. C. (2014). *Nucleic Acid Extraction Techniques, Pathobiology of Human Disease: A Dynamic Encyclopedia of Disease Mechanisms*. New York: Elsevier.
- Selman-Housein, G., López, M. A., Ramos, O., Carmona, E. R., Arencibia, A. D., Menéndez, E., & Miranda, F. (2000). Towards the improvement of sugarcane bagasse as raw material for the production of paper pulp and animal feed.

[https://doi.org/10.1016/S0168-7972\(00\)80030-4](https://doi.org/10.1016/S0168-7972(00)80030-4).

- Setiati, N., Partaya, & Hidayah, N. (2020). The use of two pairs primer for CO1 gene amplification on traded stingray at fish auction Tasik Agung Rembang. *Journal of Physics: Conference Series*, 1567(3), 4–10. <https://doi.org/10.1088/1742-6596/1567/3/032056>.
- Shabbir, R., Javed, T., Afzal, I., El Sabagh, A., Ali, A., Vicente, O., dan Chen, P. 2021. Modern biotechnologies: Innovative and sustainable approaches for the improvement of sugarcane tolerance to environmental stresses. *Agronomy*, 11(6):2–20. <https://doi.org/10.3390/agronomy11061042>.
- Sharma, A., Sharma, S., Kumar, N., Rana, R. S., Sharma, P., Kumar, P., & Rani, M. (2022). Morpho-molecular genetic diversity and population structure analysis in garden pea (*Pisum sativum* L.) genotypes using simple sequence repeat markers. *Plos one*, 2022(16), 1–19. <https://doi.org/10.1371/journal.pone.0273499>.
- Shipilina, D., Pal, A., Stankowski, S., Chan, Y. F., & Barton, N. H. (2023). On the origin and structure of haplotype blocks. *Molecular Ecology*, 32(6), 1441–1457. <https://doi.org/10.1111/mec.16793>.
- Singh, A., Singh, M. P., Sharma, V., Verma, H. N., & Arora, K. (2012). *Molecular Techniques, Chemical Analysis of Food: Techniques and Applications*. New York: Elsevier.
- Singh, P., Singh, S. P., Tiwari, A. K., & Sharma, B. L. (2017). Genetic diversity of sugarcane *hybrid* cultivars by RAPD markers. *Biotech*, 7(3), 1–5. <https://doi.org/10.1007/s13205-017-0855-x>.
- Smith, S. A., & Donoghue, M. J. (2008). Rates of molecular evolution are linked to life history in flowering plants. *Science*, 322(5898), 86–89. <https://doi.org/10.1126/science.1163197>.
- Soltis, D. E. & Soltis, P. S. (1998). Choosing an approach and an appropriate gene for phylogenetic analysis. *Molecular Systematics of Plants II*, 1–42. [https://doi.org/10.1007/978-1-4615-5419-6\\_1](https://doi.org/10.1007/978-1-4615-5419-6_1).
- Statistik Tebu indonesia, 2021. (n.d.). Statistik Tebu Indonesia 2021.
- Sulaiman, A. A., Sulaeman, Y., Mustikasari, N., Nursyamsi, D., & Syakir, A. M. (2019). Increasing sugar production in Indonesia through land suitability analysis and

- Sunaryo, W. (2015). Aplikasi DNA barcoding untuk analisis keragaman genetik lai-durian (*Durio zibethinus* x *kutejensis*) asal Kalimantan Timur. *PROS SEM NAS MASY BIODIV INDON*, 1(6), 1273-1277 <https://doi.org/10.13057/psnmmbi/m010602>.
- Supriyono, Djumali, Heliyanto, B., Rochman, F., Herwati, A., Mahayu, W. M., Hariyanto, D., & Utari, D. (2023). Improving productivity of poj 2878 sugarcane variety through polycross with Bululawang, 6535, and Sil 04 varieties. *Russian Journal of Agricultural and Socio-Economic Sciences*, 136(4), 154–161. <https://doi.org/10.18551/rjoas.2023-04.14>.
- Tai, P.Y.P., & Miller, J.D. (2001). A core collection for *Saccharum spontaneum* L. from the world collection of sugarcane. *Crop Sci*, 41(2001), 879-885.
- Tegegn, D. A., & Dhont, F. (2023). The downhill journey of the Java sugar economy in the Netherlands Indies (Later Indonesia) from the late 19th century to the mid-20th century. *Cogent Arts and Humanities*, 10(1). <https://doi.org/10.1080/23311983.2023.2220213>.
- Thirugnanasambandam, P. P., Singode, A., Thalambedu, L. P., Athiappan, S., Krishnasamy, M., Purakkal, S. V., Govind, H., Furtado, A., & Henry, R. (2023). Long read transcriptome sequencing of a sugarcane *hybrid* and its progenitors, *Saccharum officinarum* and *S. spontaneum*. *Frontiers in Plant Science*, 14, 1–15. <https://doi.org/10.3389/fpls.2023.1199748>.
- Till, B. J., Jankowicz-Cieslak, J., Huynh, O. A., Beshir, M. M., Laport, R. G., & Hofinger, B. J. (2015). *Low-cost methods for molecular characterization of mutant plants: Tissue desiccation, DNA extraction and mutation discovery: protocols, low-cost methods for molecular characterization of mutant plants: tissue desiccation, dna extraction and mutation discovery: protocols*. 1<sup>st</sup> ed. Austria: Springer.
- Tolera, B., Gedebo, A., & Tena, E. (2023). Genetic diversity of sugarcane (*Saccharum spp.*) genotypes based on agro-morphological and biochemical traits. *Cogent Food and Agriculture*, 9(1), 1-26. <https://doi.org/10.1080/23311932.2023.2254141>.
- Tranggono, Firnanda, L. A., Nurfiyanti, W. P., Zahara, F. A., Angelina, V., & Nagara, N. P. (2023). Faktor – faktor yang mempengaruhi rendemen tebu 51 yang masih belum memenuhi kebutuhan gula nasional. *Scientific Journal of Social*

<https://journal.csspublishing.com/index.php/azzahra/article/view/55>.

- Vatolin, S. & Weil, R. J. (2008). *Extension of Endogenous Primers as a Tool to Detect Micro-RNA Targets, Methods in Enzymology*. New York: Elsevier.
- Wages, J. M. (2020). Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID hereby grants permission to make all its COVID-19-related research that is available on the COVID-19. *Handbook of Clinical Neurology*, 123, pp. 45–66.
- Wanke, S., Jaramillo, M. A., Borsch, T., Samain, M. S., Quandt, D., & Neinhuis, C. (2007). Evolution of Piperales-*matK* gene and *trnK* intron sequence data reveal lineage specific resolution contrast. *Molecular Phylogenetics and Evolution*, 42(2), 477–497. <https://doi.org/10.1016/j.ympev.2006.07.007>.
- Wei, Y., Lewis, R., Naseri, A., Zhang, S., & Zhi, D. (2020). *Genealogical search using whole-genome genotype profiles, responsible genomic data sharing: challenges and approaches*. New York: Elsevier.
- Weiß, M., & Göker, M. (2011). Molecular phylogenetic reconstruction. *The Yeasts*, 1, 159–174. <https://doi.org/10.1016/B978-0-444-52149-1.00012-4>.
- Widyasari, W. B., Putra, L. K., Ranomahera, M. R. R., & Puspitasari, A. R. (2022). Historical notes, germplasm development, and molecular approaches to support sugarcane breeding program in Indonesia. *Sugar Tech*, 24(1), 30– 47. <https://doi.org/10.1007/s12355-021-01069-0>.
- Windiyani, I. P., Mahfut, Purnomo, & Daryono, B. S. (2022). Morphological variations of superior sugarcane cultivars (*Saccharum officinarum*) from Lampung, Indonesia. *Biodiversitas*, 23(8), 4109–4116. <https://doi.org/10.13057/biodiv/d230831>.
- Wu, H., Zhang, S., Chen, Y., Qian, C., Liu, Y., Shen, H., Wang, Z., Ping, J., Wu, J., Zhang, Y., & Chen, H. (2020). Progress in molecular detection with high-speed nucleic acids thermocyclers. *Journal of Pharmaceutical and Biomedical Analysis*, 190(2020), 1-17. <https://doi.org/10.1016/j.jpba.2020.113489>.
- Yang, X., Sood, S., Luo, Z., Todd, J., & Wang, J. (2019). Genome-wide association studies identified resistance loci to orange rust and yellow leaf virus diseases in

<https://doi.org/10.1094/PHYTO-08-18-0282-R>.

- Ye, S., Dhillon, S., Ke, X., Collins, A. R., & Day, I. N. M. (2001). An efficient procedure for genotyping single nucleotide polymorphisms. *Nucleic Acids Research*, 29(17), 88–88. <https://doi.org/10.1093/nar/29.17.e88>.
- Ziemert, N., & Jensen, P. R. (2012). Phylogenetic approaches to natural product structure prediction. *Methods in Enzymology*, 517(1), 161-182. <https://doi.org/10.1016/B978-0-12-404634-4.00008-5>.
- Yong-wen, Q., yong-bao, P., Fang-ye, L., Chui-ming, Z., Li-na, F., Hui-yi, H., Rui, L., Qin-nan, W., Shao-mou, L., Fu-ye, L., Qi-wei, L., & Hai-hua, D. (2012). Genetic structure and diversity of parental cultivars involved in China mainland sugarcane breeding programs as inferred from DNA microsatellites. *Journal of Integrative Agriculture*, 11(11), 1794–1803. [https://doi.org/10.1016/S2095-3119\(12\)60184-1](https://doi.org/10.1016/S2095-3119(12)60184-1).
- Yunita, M., Muwardi, R., & Iklima, Z. (2023). Implementation of bayesian inference MCMC algorithm in phylogenetic analysis of Dipterocarpaceae family. *Sinergi (Indonesia)*, 27(1), 23–30. <https://doi.org/10.22441/sinergi.2023.1.004>.
- Zhang, R., & Drummond, A. (2020). Improving the performance of bayesian phylogenetic inference under relaxed clock models. *BMC Evolutionary Biology*, 20(1), 1–28. <https://doi.org/10.1186/s12862-020-01609-4>.
- Zhao, D., & Li, Y. R. (2015). Climate change and sugarcane production: potential impact and mitigation strategies. *International Journal of Agronomy*, 2015, 1-10. <https://doi.org/10.1155/2015/547386>.