

DAFTAR PUSTAKA

- Ali, A., Jin-Da, W., Yong-Bao, P., Zu-Hu, D., Zhi-Wei, C., Ru-Kai, C., & San-Ji, G. (2017). Molecular Identification and Genetic Diversity Analysis of Chinese Sugarcane (*Saccharum* spp. Hybrids) Varieties using SSR Markers. *Tropical Plant Biology*, 10(4), 194–203. <https://doi.org/10.1007/s12042-017-9195-6>
- Ali, A., Pan, Y. B., Wang, Q. N., Wang, J. Da, Chen, J. L., & Gao, S. J. (2019). Genetic diversity and population structure analysis of *Saccharum* and *Erianthus* genera using microsatellite (SSR) markers. *Scientific Reports*, 9(1), 1–10. <https://doi.org/10.1038/s41598-018-36630-7>
- Ali, S. E., Yuan, Q., Wang, S., & Farag, M. A. (2021). More than sweet: A phytochemical and pharmacological review of sugarcane (*Saccharum officinarum* L.). *Food Bioscience*, 44(PB), 101431. <https://doi.org/10.1016/j.fbio.2021.101431>
- Amalraj, V. A., & Balasundaram, N. (2006). On the taxonomy of the members of “*Saccharum* complex.” *Genetic Resources and Crop Evolution*, 53(1), 35–41. <https://doi.org/10.1007/s10722-004-0581-1>
- Ambardar, S., Gupta, R., Trakroo, D., Lal, R., & Vakhlu, J. (2016). High Throughput Sequencing: An Overview of Sequencing Chemistry. *Indian Journal of Microbiology*, 56(4), 394–404. <https://doi.org/10.1007/s12088-016-0606-4>
- Aristya, G. R., Chang, W. R., Fontana, S., Necchi, O., & Liu, S. L. (2022). Species diversity of the freshwater red algal genus *Kumanoa* in Taiwan with the description of two new species: *Kumanoa taiwanensis* sp. nov. and *Kumanoa yuanyangensis* sp. nov. *Phycologia*, 61(5), 459–472. <https://doi.org/10.1080/00318884.2022.2073092>
- Aristya, G. R., Putri, F., Kasiamdari, R. S., & Musthofa, A. (2020). DNA barcoding and phylogenetic analysis sugarcane (*Saccharum officinarum* L.) based on matK (maturase K) gene. *Key Engineering Materials*, 840, 162–170. <https://doi.org/10.4028/www.scientific.net/kem.840.162>
- Babu, K. S. D., Janakiraman, V., Palaniswamy, H., Kasirajan, L., Gomathi, R., & Ramkumar, T. R. (2022). A short review on sugarcane: its domestication, molecular manipulations and future perspectives. *Genetic Resources and Crop Evolution*, 69(8), 2623–2643. <https://doi.org/10.1007/s10722-022-01430-6>
- Baldwin, B. G., Sanderson, M. J., Porter, J. M., Wojciechowski, M. F., Campbell, C. S., & Donoghue, M. J. (1996). The ITS Region of Nuclear Ribosomal DNA: A Valuable Source of Evidence on Angiosperm Phylogeny. *Annals of the Missouri Botanical Garden*, 83(1), 151. <https://doi.org/10.2307/2399971>
- Basuki, B., & Sari, V. K. (2024). Specifications of Sugar Cane Varieties Based on Land Characteristic and Typology. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 13(1), 132. <https://doi.org/10.23960/jtep-l.v13i1.132-146>
- Besse, P. (2014). Nuclear ribosomal RNA genes: ITS region. In *Methods in Molecular Biology* (Vol. 1115, pp. 141–149). Springer. https://doi.org/10.1007/978-1-62703-767-9_7
- Birch, J. L., Walsh, N. G., Cantrill, D. J., Holmes, G. D., & Murphy, D. J. (2017). Testing efficacy of distance and tree-based methods for DNA barcoding of

- grasses (Poaceae tribe Poeae) in Australia. *PLoS ONE*, 12(10), 1–22.
<https://doi.org/10.1371/journal.pone.0186259>
- Bleeker, W., Klausmeyer, S., Peintinger, M., & Dienst, M. (2008). DNA sequences identify invasive alien Cardamine at Lake Constance. *Biological Conservation*, 141(3), 692–698. <https://doi.org/10.1016/j.biocon.2007.12.015>
- Bruni, I., De Mattia, F., Galimberti, A., Galasso, G., Banfi, E., Casiraghi, M., & Labra, M. (2010). Identification of poisonous plants by DNA barcoding approach. *International Journal of Legal Medicine*, 124(6), 595–603.
<https://doi.org/10.1007/s00414-010-0447-3>
- Ceccherini, M. T., Poté, J., Kay, E., Van, V. T., Maréchal, J., Pietramellara, G., Nannipieri, P., Vogel, T. M., & Simonet, P. (2003). Degradation and transformability of DNA from transgenic leaves. *Applied and Environmental Microbiology*, 69(1), 673–678. <https://doi.org/10.1128/AEM.69.1.673-678.2003>
- Cheavegatti-Gianotto, A., de Abreu, H. M. C., Arruda, P., Bessalho Filho, J. C., Burnquist, W. L., Creste, S., di Ciero, L., Ferro, J. A., de Oliveira Figueira, A. V., de Sousa Filgueiras, T., Grossi-de-Sá, M. de F., Guzzo, E. C., Hoffmann, H. P., de Andrade Landell, M. G., Macedo, N., Matsuoka, S., de Castro Reinach, F., Romano, E., da Silva, W. J., ... César Ulian, E. (2011). Sugarcane (*Saccharum X officinarum*): A Reference Study for the Regulation of Genetically Modified Cultivars in Brazil. *Tropical Plant Biology*, 4(1), 62–89. <https://doi.org/10.1007/s12042-011-9068-3>
- Chen, S., Yao, H., Han, J., Liu, C., Song, J., Shi, L., Zhu, Y., Ma, X., Gao, T., Pang, X., Luo, K., Li, Y., Li, X., Jia, X., Lin, Y., & Leon, C. (2010a). Validation of the ITS2 region as a novel DNA barcode for identifying medicinal plant species. *PLoS ONE*, 5(1), 1–8.
<https://doi.org/10.1371/journal.pone.0008613>
- Chen, S., Yao, H., Han, J., Liu, C., Song, J., Shi, L., Zhu, Y., Ma, X., Gao, T., Pang, X., Luo, K., Li, Y., Li, X., Jia, X., Lin, Y., & Leon, C. (2010b). Validation of the ITS2 region as a novel DNA barcode for identifying medicinal plant species. *PLoS ONE*, 5(1), e8613.
<https://doi.org/10.1371/journal.pone.0008613>
- Cheng, T., Xu, C., Lei, L., Li, C., Zhang, Y., & Zhou, S. (2016). Barcoding the kingdom Plantae: New PCR primers for ITS regions of plants with improved universality and specificity. *Molecular Ecology Resources*, 16(1), 138–149.
<https://doi.org/10.1111/1755-0998.12438>
- Crossley, B. M., Bai, J., Glaser, A., Maes, R., Porter, E., Killian, M. L., Clement, T., & Toohey-Kurth, K. (2020). Guidelines for Sanger sequencing and molecular assay monitoring. *Journal of Veterinary Diagnostic Investigation*, 32(6), 767–775. <https://doi.org/10.1177/1040638720905833>
- Cuadrado, A., Acevedo, R., Moreno Díaz De La Espina, S., Jouve, N., & De La Torre, C. (2004). Genome remodelling in three modern *S. officinarum* × *S. spontaneum* sugarcane cultivars. *Journal of Experimental Botany*, 55(398), 847–854. <https://doi.org/10.1093/jxb/erh093>
- Daniels, J., & Daniels, C. (1993). Sugarcane in Prehistory. *Archaeology in Oceania*, 28(1), 1–7.
- Debastiani, V. J., Bastazini, V. A. G., & Pillar, V. D. (2021). Using phylogenetic information to impute missing functional trait values in ecological databases.

- Ecological Informatics*, 63(April), 1–9.
<https://doi.org/10.1016/j.ecoinf.2021.101315>
- Dkhar, J., Kumaria, S., Rao, S. R., & Tandon, P. (2012). Sequence characteristics and phylogenetic implications of the nrDNA internal transcribed spacers (ITS) in the genus *Nymphaea* with focus on some Indian representatives. *Plant Systematics and Evolution*, 298(1), 93–108.
<https://doi.org/10.1007/s00606-011-0526-z>
- E. Soltis, D., S. Soltis, P., & J. Doyle, J. (1998). *Molecular Systematic of Plant II DNA Sequencing* (1st ed.). Springer.
- Etter, P. D., Bassham, S., Hohenlohe, P. A., Johnson, E. A., & Cresko, W. A. (2011). SNP Discovery and Genotyping for Evolutionary Genetics Using RAD Sequencing. *Methods in Molecular Biology*, 772(2), 157–178.
https://doi.org/10.1007/978-1-61779-228-1_9
- FAO. (2022). World Food and Agriculture. In *Statistical Yearbook 2022* (pp. 150–162). Statistical Yearbook 2021. <https://www.strube.net/en/service/sugar-price>
- Fernandes, Tamado, Ghersa, & Griffin. (2016). Chapter 2. Sugarcane (*Saccharum* spp.). In *Safety Assessment of Transgenic Organisms in the Environment: Oecd Consensus Documents* (Vol. 6, pp. 69–154). <https://www.oecd-ilibrary.org/docserver/9789264253421-5-en.pdf?expires=1559436635&id=id&accname=ocid297471&checksum=EA E7D68DAB41D6FF747061071492C377>
- Ferri, G., Alù, M., Corradini, B., & Beduschi, G. (2009). Forensic botany: Species identification of botanical trace evidence using a multigene barcoding approach. *International Journal of Legal Medicine*, 123(5), 395–401.
<https://doi.org/10.1007/s00414-009-0356-5>
- Gao, T., Sun, Z., Yao, H., Song, J., Zhu, Y., Ma, X., & Chen, S. (2011). Identification of fabaceae plants using the DNA barcode matK. *Planta Medica*, 77(1), 92–94. <https://doi.org/10.1055/s-0030-1250050>
- Gao, T., Yao, H., Song, J., Liu, C., Zhu, Y., Ma, X., Pang, X., Xu, H., & Chen, S. (2010). Identification of medicinal plants in the family Fabaceae using a potential DNA barcode ITS2. *Journal of Ethnopharmacology*, 130(1), 116–121. <https://doi.org/10.1016/j.jep.2010.04.026>
- Garcia, E., Wright, D., Gatins, R., Roberts, M. B., Pinheiro, H. T., Salas, E., Chen, J. Y., Winnikoff, J. R., & Bernardi, G. (2021). Haplotype network branch diversity, a new metric combining genetic and topological diversity to compare the complexity of haplotype networks. *PLoS ONE*, 16(6), 1–15.
<https://doi.org/10.1371/journal.pone.0251878>
- Garibyan, L., & Avashia, N. (2013). Research Techniques Made Simple: Polymerase Chain Reaction (PCR). *J Invest Dermatol.*, 18(4), 1–8.
<https://doi.org/10.2807/ese.18.04.20382-en>
- Garsmeur, O., Droc, G., Antonise, R., Grimwood, J., Potier, B., Aitken, K., Jenkins, J., Martin, G., Charron, C., Hervouet, C., Costet, L., Yahiaoui, N., Healey, A., Sims, D., Cherukuri, Y., Sreedasyam, A., Kilian, A., Chan, A., Van Sluys, M. A., ... D'Hont, A. (2018). A mosaic monoploid reference sequence for the highly complex genome of sugarcane. *Nature Communications*, 9(1), 1–10. <https://doi.org/10.1038/s41467-018-05051-5>
- GBIF. (2024). *Saccharum* L. Sp. Pl.: 54 (1753).

- <https://www.gbif.org/species/2703910>
- Gomes, A., & Korf, B. (2017). Genetic Testing Techniques. In *Pediatric Cancer Genetics* (pp. 47–64). Elsevier Inc. <https://doi.org/10.1016/B978-0-323-48555-5.00005-3>
- Green, M. R., & Sambrook, J. (2018). Isolation and quantification of DNA. *Cold Spring Harbor Protocols*, 2018(6), 403–414. <https://doi.org/10.1101/pdb.top093336>
- Hayakawa, H., Akasaka, M., Shimono, Y., Kurokawa, S., Nishida, T., Ikeda, H., & Wakamatsu, T. (2014). Phylogeography based on the nuclear ribosomal DNA internal transcribed spacer region of native *Miscanthus sinensis* (Poaceae) populations in Japan. *Weed Biology and Management*, 14(4), 251–261. <https://doi.org/10.1111/wbm.12053>
- Healey, A. L., Garsmeur, O., Lovell, J. T., Shengquiang, S., Sreedasyam, A., Jenkins, J., Plott, C. B., Piperidis, N., Pompidor, N., Llaca, V., Metcalfe, C. J., Doležel, J., Cápál, P., Carlson, J. W., Hoarau, J. Y., Hervouet, C., Zini, C., Dievart, A., Lipzen, A., ... D'Hont, A. (2024). The complex polyploid genome architecture of sugarcane. *Nature*, 628(8009), 804–810. <https://doi.org/10.1038/s41586-024-07231-4>
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512), 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Hollingsworth, P. M., Graham, S. W., & Little, D. P. (2011). Choosing and using a plant DNA barcode. *PLoS ONE*, 6(5), 1–13. <https://doi.org/10.1371/journal.pone.0019254>
- Holmes, S. (2003). Bootstrapping Phylogenetic Trees: Theory and Methods. *Statistical Science*, 18(2), 241–255. <https://doi.org/10.1214/ss/1063994979>
- Hubert, N., & Hanner, R. (2016). DNA Barcoding, species delineation and taxonomy: a historical perspective. *DNA Barcodes*, 3(1), 44–58. <https://doi.org/10.1515/dna-2015-0006>
- Huelsenbeck, J. P., & Rannala, B. (2004). Frequentist properties of bayesian posterior probabilities of phylogenetic trees under simple and complex substitution models. *Systematic Biology*, 53(6), 904–913. <https://doi.org/10.1080/10635150490522629>
- Irvine, J. E. (1999). *Saccharum* species as horticultural classes. *Theoretical and Applied Genetics*, 98(2), 186–194. <https://doi.org/10.1007/s001220051057>
- Jaakola, L., Suokas, M., & Häggman, H. (2010). Novel approaches based on DNA barcoding and high-resolution melting of amplicons for authenticity analyses of berry species. *Food Chemistry*, 123(2), 494–500. <https://doi.org/10.1016/j.foodchem.2010.04.069>
- Jomhe, F. F., Thorat, A. S., & Devarumath, R. M. (2018). Assessment of genetic diversity among different sugarcane genotypes using internal transcribed spacer (ITS) region of the ribosomal DNA (rDNA). *GSC Biological and Pharmaceutical Sciences*, 5(2), 17–25. <https://doi.org/10.30574/gscbps.2018.5.2.0108>
- Joshi, M., & Deshpande, J. D. (2011). Polymerase Chain Reaction: Methods, Principles and Application. *International Journal of Biomedical Research*, 2(1), 81–97. <https://doi.org/10.7439/ijbr.v2i1.83>

- Júnior, T. C., Carraro, D. M., Benatti, M. R., Barbosa, A. C., Kitajima, J. P., & Carrer, H. (2004). Structural features and transcript-editing analysis of sugarcane (*Saccharum officinarum* L.) chloroplast genome. *Current Genetics*, 46(6), 366–373. <https://doi.org/10.1007/s00294-004-0542-4>
- Kadri, K. (2020). Polymerase Chain Reaction (PCR): Principle and Applications. In *Synthetic Biology - New Interdisciplinary Science* (pp. 1–17). IntechOpen. <https://doi.org/DOI: 10.5772/intechopen.86491>
- Kanaka, K. K., Sukhija, N., Goli, R. C., Singh, S., Ganguly, I., Dixit, S. P., Dash, A., & Malik, A. A. (2023). On the concepts and measures of diversity in the genomics era. *Current Plant Biology*, 33(March), 100278. <https://doi.org/10.1016/j.cpb.2023.100278>
- Kaushik, A., Sharma, A., & Sharma, S. (2018). Haplotype: Alleles moving together. *Journal of Pharmacognosy and Phytochemistry*, 7(2), 2334–2336.
- Kesanakurti, P. R., Fazekas, A. J., Burgess, K. S., Percy, D. M., Newmaster, S. G., Graham, S. W., Barrett, S. C. H., Hajibabaei, M., & Husband, B. C. (2011). Spatial patterns of plant diversity below-ground as revealed by DNA barcoding. *Molecular Ecology*, 20(6), 1289–1302. <https://doi.org/10.1111/j.1365-294X.2010.04989.x>
- Khew, G. S. W., & Chia, T. F. (2011). Parentage determination of vanda miss joaquim (orchidaceae) through two chloroplast genes *rbcl* and *matk*. *AoB PLANTS*, 11(1), 1–12. <https://doi.org/10.1093/aobpla/plr018>
- Kress, W. J., & Erickson, D. L. (2008). DNA barcodes: Genes, genomics, and bioinformatics. *Proceedings of the National Academy of Sciences of the United States of America*, 105(8), 2761–2762. <https://doi.org/10.1073/pnas.0800476105>
- Lahaye, R., Van Der Bank, M., Bogarin, D., Warner, J., Pupulin, F., Gigot, G., Maurin, O., Duthoit, S., Barraclough, T. G., & Savolainen, V. (2008). DNA barcoding the floras of biodiversity hotspots. *Proceedings of the National Academy of Sciences of the United States of America*, 105(8), 2923–2928. <https://doi.org/10.1073/pnas.0709936105>
- Lemey, P., Salemi, M., & Vandamme, A.-M. (2009). *The Phylogenetic Handbook* (Second Edi, Issue september 2016). Cambridge University Press.
- Lestari, D. A., Azrianingsih, R., & Hendrian, H. (2018). Filogenetik Jenis-jenis Annonaceae dari Jawa Timur Koleksi Kebun Raya Purwodadi Berdasarkan Coding dan Non-coding sekuen DNA. *Journal of Tropical Biodiversity and Biotechnology*, 3(1), 1. <https://doi.org/10.22146/jtbb.28308>
- Li, F. W., Tan, B. C., Buchbender, V., Moran, R. C., Rouhan, G., Wang, C. N., & Quandt, D. (2009). Identifying a mysterious aquatic fern gametophyte. *Plant Systematics and Evolution*, 281(1–2), 77–86. <https://doi.org/10.1007/s00606-009-0188-2>
- Li, L., Josef, B. A., Liu, B., Zheng, S., Huang, L., & Chen, S. (2017). Three-dimensional evaluation on ecotypic diversity of traditional chinese medicine: A case study of *artemisia annua* L. *Frontiers in Plant Science*, 8, 1225. <https://doi.org/10.3389/fpls.2017.01225>
- Lin, P. (2012). Genomic DNA QC using standard gel electrophoresis (for collaborators). *JGI Doe Joiny Genome Institute: Standard Operating Procedure*, 3, 1–11.
- Liu, H., Lin, X., Li, X., Luo, Z., Lu, X., You, Q., Yang, X., Xu, C., Liu, X., Liu,

- J., Wu, C., & Wang, J. (2023). Haplotype variations of sucrose phosphate synthase B gene among sugarcane accessions with different sucrose content. *BMC Genomics*, 24(1), 1–12. <https://doi.org/10.1186/s12864-023-09139-1>
- Liu, J., Möller, M., Gao, L. M., Zhang, D. Q., & Li, D. Z. (2011). DNA barcoding for the discrimination of Eurasian yews (*Taxus* L., Taxaceae) and the discovery of cryptic species. *Molecular Ecology Resources*, 11(1), 89–100. <https://doi.org/10.1111/j.1755-0998.2010.02907.x>
- Liu, J. S., & Schardl, C. L. (1994). A conserved sequence in internal transcribed spacer 1 of plant nuclear rRNA genes. *Plant Molecular Biology*, 26(2), 775–778. <https://doi.org/10.1007/BF00013763>
- Liu, X. L., Su, H. S., Ma, L., Lu, X., Ying, X. M., Cai, Q., & Fan, Y. H. (2010). Phylogenetic Relationships of Sugarcane Related Genera and Species Based on ITS Sequences of Nuclear Ribosomal DNA. *Acta Agronomica Sinica*, 36(11), 1853–1863. [https://doi.org/10.1016/S1875-2780\(09\)60083-3](https://doi.org/10.1016/S1875-2780(09)60083-3)
- Liu, Z. F., Ci, X. Q., Li, L., Li, H. W., Conran, J. G., & Li, J. (2017). DNA barcoding evaluation and implications for phylogenetic relationships in Lauraceae from China. *PLoS ONE*, 12(4), 1–20. <https://doi.org/10.1371/journal.pone.0175788>
- Lübberstedt, B. T., & Isu, W. S. (2016). Marker Based Management of Plant Genetic Resources. In *Molecular Plant Breeding*.
- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J. A., López-Guerrero, J. A., & Aguilar-Quesada, R. (2016). DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis. *Biopreservation and Biobanking*, 14(4), 264–270. <https://doi.org/10.1089/bio.2015.0064>
- Ma, X. Y., Xie, C. X., Liu, C., Song, J. Y., Yao, H., Luo, K., Zhu, Y. J., Gao, T., Pang, X. H., Qian, J., & Chen, S. L. (2010). Species identification of medicinal pteridophytes by a DNA barcode marker, the chloroplast psbA-trnH intergenic region. *Biological and Pharmaceutical Bulletin*, 33(11), 1919–1924. <https://doi.org/10.1248/bpb.33.1919>
- Medeiros, C., Balsalobre, T. W. A., & Carneiro, M. S. (2020). Molecular diversity and genetic structure of *Saccharum* complex accessions. *PLoS ONE*, 15(5), 1–17. <https://doi.org/10.1371/journal.pone.0233211>
- Michel, C. I., Meyer, R. S., Taveras, Y., & Molina, J. (2016). The nuclear internal transcribed spacer (ITS2) as a practical plant DNA barcode for herbal medicines. *Journal of Applied Research on Medicinal and Aromatic Plants*, 3(3), 94–100. <https://doi.org/10.1016/j.jarmap.2016.02.002>
- Miwa, H., Odrzykoski, I. J., Matsui, A., Hasegawa, M., Akiyama, H., Jia, Y., Sabirov, R., Takahashi, H., Boufford, D. E., & Murakami, N. (2009). Adaptive evolution of rbcL in *Conocephalum* (Hepaticae, bryophytes). *Gene*, 441(1–2), 169–175. <https://doi.org/10.1016/j.gene.2008.11.020>
- Moore, P. H., Paterson, A. H., & Tew, T. (2014). Sugarcane: The Crop, the Plant, and Domestication. In *Sugarcane: Physiology, Biochemistry, and Functional Biology* (1st ed., pp. 1–17). John Wiley & Sons, Inc. <https://doi.org/10.1002/9781118771280.ch1>
- Nair, N. V., Nair, S., Sreenivasan, T. V., & Mohan, M. (1999). Analysis of genetic diversity and phylogeny in *Saccharum* and related genera using RAPD markers. *Genetic Resources and Crop Evolution*, 46(1), 73–79.

- <https://doi.org/10.1023/A:1008696808645>
- Nazar, N., Clarkson, J. J., Goyder, D., Kaky, E., Mahmood, T., & Chase, M. W. (2019). Phylogenetic relationships in Apocynaceae based on nuclear PHYA and plastid trnL-F sequences, with a focus on tribal relationships. *Caryologia*, 72(1), 55–81. <https://doi.org/10.13128/cayologia-251>
- Nguyen, L. T., Schmidt, H. A., Von Haeseler, A., & Minh, B. Q. (2015). IQ-TREE: A fast and effective stochastic algorithm for estimating maximum-likelihood phylogenies. *Molecular Biology and Evolution*, 32(1), 268–274. <https://doi.org/10.1093/molbev/msu300>
- Nielsen, J. A., & Lovell, P. H. (2000). Value of morphological characters for cultivar identification in strawberry (*Fragaria x ananassa*). *New Zealand Journal of Crop and Horticultural Science*, 28(2), 89–96. <https://doi.org/10.1080/01140671.2000.9514128>
- Osathanunkul, M., Osathanunkul, R., & Madesis, P. (2018). Species identification approach for both raw materials and end products of herbal supplements from *Tinospora* species. *BMC Complementary and Alternative Medicine*, 18(1), 111. <https://doi.org/10.1186/s12906-018-2174-0>
- P3GI. (2024). *Varietas Komersial P3GI*. https://varietasp3gi.com/index.php/Webview/Varietas_komersial
- Paterson, A. H., Moore, P. H., & Tew, T. L. (2013). The Gene Pool of *Saccharum* Species and Their Improvement. In *Genomic of the Saccharinae* (Vol. 11, pp. 1–551). Springer. <http://www.springer.com/series/7397>
- Peakall, R., & Smouse, P. E. (2012). GenALEX 6.5: Genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics*, 28(19), 2537–2539. <https://doi.org/10.1093/bioinformatics/bts460>
- Piperidis, G., Piperidis, N., & D'Hont, A. (2010). Molecular cytogenetic investigation of chromosome composition and transmission in sugarcane. *Molecular Genetics and Genomics*, 284(1), 65–73. <https://doi.org/10.1007/s00438-010-0546-3>
- Pocovi, M. I., & Mariotti, J. A. (2015). A bayesian approach to inferring the genetic population structure of sugarcane accessions from INTA (Argentina). *Chilean Journal of Agricultural Research*, 75(2), 152–159. <https://doi.org/10.4067/S0718-58392015000200003>
- Putra, R. P., Ranomahera, M. R. R., Rizaludin, M. S., Supriyanto, R., & Dewi, V. A. K. (2020). Short communication: Investigating environmental impacts of long-term monoculture of sugarcane farming in Indonesia through dpsir framework. *Biodiversitas*, 21(10), 4945–4958. <https://doi.org/10.13057/biodiv/d211061>
- Qi, Y., Gao, X., Zeng, Q., Zheng, Z., Wu, C., Yang, R., Feng, X., Wu, Z., Fan, L., & Huang, Z. (2022). Sugarcane Breeding, Germplasm Development and Related Molecular Research in China. *Sugar Tech*, 24(1), 73–85. <https://doi.org/10.1007/s12355-021-01055-6>
- Ram, B., Hemaprabha, G., Singh, B. D., & Appunu, C. (2022). History and Current Status of Sugarcane Breeding, Germplasm Development and Molecular Biology in India. *Sugar Tech*, 24(1), 4–29. <https://doi.org/10.1007/s12355-021-01015-0>
- Rawat, S., Joshi, G., Annapurna, D., Arunkumar, A. N., & N. Karaba, N. (2016).

- Standardization of DNA Extraction Method from Mature Dried Leaves and ISSR-PCR Conditions for *Melia dubia* Cav. —A Fast Growing Multipurpose Tree Species. *American Journal of Plant Sciences*, 07(03), 437–445. <https://doi.org/10.4236/ajps.2016.73037>
- Ronquist, F., Teslenko, M., Van Der Mark, P., Ayres, D. L., Darling, A., Höhna, S., Larget, B., Liu, L., Suchard, M. A., & Huelsenbeck, J. P. (2012). Mrbayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*, 61(3), 539–542. <https://doi.org/10.1093/sysbio/sys029>
- Rozas, J., Ferrer-Mata, A., Sanchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sanchez-Gracia, A. (2017). DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*, 34(12), 3299–3302. <https://doi.org/10.1093/molbev/msx248>
- Sari, V. kartika, Haryono, K., & Basuki, B. (2021). Respon Varietas Tebu Unggul Baru Terhadap Pemberian Nano Silika Dan Cekaman Kekeringan. *Jurnal Penelitian Pertanian Terapan*, 21(2), 91–98. <https://doi.org/10.25181/jppt.v21i2.1988>
- Selvaraj, D., Sarma, R. K., & Sathishkumar, R. (2008). Phylogenetic analysis of chloroplast matK gene from Zingiberaceae for plant DNA barcoding. *Bioinformation*, 3(1), 24–27. <https://doi.org/10.6026/97320630003024>
- Skendzic, E., Columbus, T., & Cerros-Tlatilpa, R. (2007). Phylogenetics of Andropogoneae (Poaceae: Panicoideae) Based on Nuclear Ribosomal Internal Transcribed Spacer and Chloroplast trnL–F Sequences. *Aliso*, 23(1), 530–544. <https://doi.org/10.5642/aliso.20072301.40>
- Song, J., Yao, H., Li, Y., Li, X., Lin, Y., Liu, C., Han, J., Xie, C., & Chen, S. (2009). Authentication of the family Polygonaceae in Chinese pharmacopoeia by DNA barcoding technique. *Journal of Ethnopharmacology*, 124(3), 434–439. <https://doi.org/10.1016/j.jep.2009.05.042>
- Srirama, R., Senthilkumar, U., Sreejayan, N., Ravikanth, G., Gurumurthy, B. R., Shivanna, M. B., Sanjappa, M., Ganeshaiah, K. N., & Uma Shaanker, R. (2010). Assessing species admixtures in raw drug trade of *Phyllanthus*, a hepato-protective plant using molecular tools. *Journal of Ethnopharmacology*, 130(2), 208–215. <https://doi.org/10.1016/j.jep.2010.04.042>
- Statistik Tebu Indonesia. (2023). In *Indonesian Sugar Cane Statistics* (Vol. 13). BPS RI/BPS – Statistics Indonesia.
- Stech, M., Kolvoort, E., Loonen, M. J. J. E., Vrieling, K., & Kruijer, J. D. (2011). Bryophyte DNA sequences from faeces of an arctic herbivore, barnacle goose (*Branta leucopsis*). *Molecular Ecology Resources*, 11(2), 404–408. <https://doi.org/10.1111/j.1755-0998.2010.02938.x>
- Strimmer, K., von Haeseler, A., & Salemi, M. (2012). Genetic distances and nucleotide substitution models. In *The Phylogenetic Handbook* (pp. 111–141). <https://doi.org/10.1017/cbo9780511819049.006>
- Sulaiman, A. A., Subagyo, K., & Richana, D. S. N. (2018). *Menjaring investasi meraih swasembada gula*. IAARD Press. <https://repository.pertanian.go.id/handle/123456789/15850>
- Takahashi, S., Furukawa, T., Asano, T., Terajima, Y., Shimada, H., Sugimoto, A.,

- & Kadowaki, K. (2005). Very close relationship of the chloroplast genomes among *Saccharum* species. *Theoretical and Applied Genetics*, 110(8), 1523–1529. <https://doi.org/10.1007/s00122-005-1990-z>
- Tew, T., & Cobill, R. M. (2008). Genetic Improvement of Sugarcane (*Saccharum spp.*) as an Energy Crop. In *Genetic Improvement of Bioenergy Crop* (pp. 249–273). Springer.
- Udoh, L. I., Obaseoji, W. P., & Uzoebo, C. (2021). Single Nucleotide Polymorphisms: A Modern Tool to Screen Plants for Desirable Traits. In *Plant Breeding - Current and Future Views* (Issue May). IntechOpen. <https://doi.org/10.5772/intechopen.94935>
- Valentini, A., Miquel, C., & Taberlet, P. (2010). DNA barcoding for honey biodiversity. *Diversity*, 2(4), 610–617. <https://doi.org/10.3390/d2040610>
- Van De Wiel, C. C. M., Van Der Schoot, J., Van Valkenburg, J. L. C. H., Duistermaat, H., & Smulders, M. J. M. (2009). DNA barcoding discriminates the noxious invasive plant species, floating pennywort (*Hydrocotyle ranunculoides* L.f.), from non-invasive relatives. *Molecular Ecology Resources*, 9(4), 1086–1091. <https://doi.org/10.1111/j.1755-0998.2009.02547.x>
- Varma, A., Padh, H., & Shrivastava, N. (2007). Plant genomic DNA isolation: An art or a science. *Biotechnology Journal*, 2(3), 386–392. <https://doi.org/10.1002/biot.200600195>
- Vilela, M. D. M., Del Bem, L. E., Van Sluys, M. A., De Setta, N., Kitajima, J. P., Cruz, G. M. Q., Sforça, D. A., De Souza, A. P., Ferreira, P. C. G., Grativol, C., Cardoso-Silva, C. B., Vicentini, R., & Vincentz, M. (2017). Analysis of Three Sugarcane Homo/Homeologous Regions Suggests Independent Polyploidization Events of *Saccharum officinarum* and *Saccharum spontaneum*. *Genome Biology and Evolution*, 9(2), 266–278. <https://doi.org/10.1093/gbe/evw293>
- Wang, L., Jiang, Y., Shi, Q., Wang, Y., Sha, L., Fan, X., Kang, H., Zhang, H., Sun, G., Zhang, L., & Zhou, Y. (2019). Genome constitution and evolution of *Elytrigia lolioides* inferred from Acc1, EF-G, ITS, TrnL-F sequences and GISH. *BMC Plant Biology*, 19(1), 1–14. <https://doi.org/10.1186/s12870-019-1779-x>
- Wardani, I. G. A. K., Amandita, F. Y., Moura, C. C. de M., Gailing, O., & Siregar, I. Z. (2022). Molecular taxonomy via DNA barcodes for species identification in selected genera of Fabaceae. *Journal of Natural Resources and Environmental Management*, 12(1), 112–122. <https://doi.org/10.29244/jpsl.12.1.112-122>
- White, T. J., Bruns, T., Lee, S., & Taylor, J. (1990). Amplification And Direct Sequencing of Fungal Ribosomal RNA Genes for Phylogenetics. In *PCR Protocols* (Issue January, pp. 315–322). <https://doi.org/10.1016/b978-0-12-372180-8.50042-1>
- Widiasari, W. B., Putra, L. K., Ranomahera, M. R. R., & Puspitasari, A. R. (2022). Historical Notes, Germplasm Development, and Molecular Approaches to Support Sugarcane Breeding Program in Indonesia. *Sugar Tech*, 24(1), 30–47. <https://doi.org/10.1007/s12355-021-01069-0>
- Wu, C. T., Gupta, S. K., Wang, A. Z. M., Lo, S. F., Kuo, C. L., Ko, Y. J., Chen, C. L., Hsieh, C. C., & Tsay, H. S. (2012). Internal transcribed spacer

- sequence based identification and phylogenic relationship of Herba Dendrobii. *Journal of Food and Drug Analysis*, 20(1), 142–151.
<https://doi.org/10.38212/2224-6614.2051>
- Xin, T., Su, C., Lin, Y., Wang, S., Xu, Z., & Song, J. (2018). Precise species detection of traditional Chinese patent medicine by shotgun metagenomic sequencing. *Phytomedicine*, 47, 40–47.
<https://doi.org/10.1016/j.phymed.2018.04.048>
- Yang, C. F., Yang, L. T., Li, Y. R., Zhang, G. M., Zhang, C. Y., & Wang, W. Z. (2016). Sequence Characteristics and Phylogenetic Implications of the nrDNA Internal Transcribed Spacers (ITS) in Protospecies and Landraces of Sugarcane (*Saccharum officinarum* L.). *Sugar Tech*, 18(1), 8–15.
<https://doi.org/10.1007/s12355-014-0355-9>
- Yang, S., Li, X., Huang, F., Huang, Y., Liu, X., Wu, J., Wang, Q., Deng, Z., Chen, R., & Zhang, M. (2018). A new method based on SNP of nrDNA-ITS to identify *Saccharum spontaneum* and its progeny in the genus *Saccharum*. *PLoS ONE*, 13(5), 1–12. <https://doi.org/10.1371/journal.pone.0197458>
- Yao, H., Song, J. Y., Ma, X. Y., Liu, C., Li, Y., Xu, H. X., Han, J. P., Duan, L. S., & Chen, S. L. (2009). Identification of *Dendrobium* species by a candidate DNA barcode sequence: The chloroplast psbA-trnH intergenic region. *Planta Medica*, 75(6), 667–669. <https://doi.org/10.1055/s-0029-1185385>
- Zan, F., Zhang, Y., Wu, Z., Zhao, J., Wu, C., Zhao, Y., Chen, X., Zhao, L., Qin, W., Yao, L., Xia, H., Zhao, P., Yang, K., Liu, J., & Yang, X. (2020). Genetic analysis of agronomic traits in elite sugarcane (*Saccharum* spp.) germplasm. *PLoS ONE*, 15(6), 1–13. <https://doi.org/10.1371/journal.pone.0233752>
- Zerpa-Catanho, D., Zhang, X., Song, J., Hernandez, A. G., & Ming, R. (2021). Ultra-long DNA molecule isolation from plant nuclei for ultra-long read genome sequencing. *STAR Protocols*, 2(1), 1–17.
<https://doi.org/10.1016/j.xpro.2021.100343>
- Zhang, K., Wang, X., & Cheng, F. (2019). Plant Polyploidy: Origin, Evolution, and Its Influence on Crop Domestication. *Horticultural Plant Journal*, 5(6), 231–239. <https://doi.org/10.1016/j.hpj.2019.11.003>
- Zhu, S., Liu, Q., Qiu, S., Dai, J., & Gao, X. (2022). DNA barcoding: an efficient technology to authenticate plant species of traditional Chinese medicine and recent advances. *Chinese Medicine (United Kingdom)*, 17(1), 1–17.
<https://doi.org/10.1186/s13020-022-00655-y>