

## DAFTAR PUSTAKA

- Agliata, R., Bortone, A., & Mollo, L. (2021). Indicator-based approach for the assessment of intrinsic physical vulnerability of the built environment to hydro-meteorological hazards: review of indicators and example of parameters selection for a sample area. *International Journal of Disaster Risk Reduction*, 58, 102199.
- Bera, S., Guru, B., & Oommen, T. (2020). Indicator-based approach for assigning physical vulnerability of the houses to landslide hazard in the Himalayan region of India. *International Journal of Disaster Risk Reduction*, 50. <https://doi.org/10.1016/j.ijdr.2020.101891>
- Biljecki, F., Ledoux, H., & Stoter, J. (2016). An improved LOD specification for 3D building models. *Computers, environment and urban systems*, 59, 25-37. <https://doi.org/10.1016/j.compenvurbsys.2016.04.005>
- Burdeos, M., Santillan, M., & Amora, A. (2015). Automated building footprints extraction from DTM and DSM in ArcGIS. In *36th Asian Conference on Remote Sensing* (pp. 4797-4802).
- Cardinali M, Reichenbach P, Guzzetti F, Ardizzone F, Antonini G, Galli M, Cacciano M, Castellani M, Salvati P (2002) A geomorphological approach to the estimation of landslide hazard and risk in Umbria, Central Italy. *Nat Hazards Earth Syst Sci* 2:1–16. <https://doi.org/10.5194/nhess-2-57-2002>
- Cruden, D. M., & Varnes, D. J. (1996). Landslide types and processes. *Transportation Research Board Special Report*, 247, 36-75.
- Dai, F. C., Lee, C. F., Li, J., & Xu, Z. W. (2002). Assessment of landslide susceptibility on the natural terrain of Lantau Island, Hong Kong. *Environmental Geology*, 42(3), 214-223. <https://doi.org/10.1007/s00254-001-0490-2>
- Divya, R., & Murali, K. (2022). Comparative analysis of behaviour of horizontal and vertical irregular buildings with and without using shear walls by ETABS software. *Materials Today: Proceedings*, 52, 1821-1830.
- Dong, P., Zhong, R., & Yigit, A. (2018). Automated parcel-based building change detection using multitemporal *airborne* LiDAR data. *Surveing and Land Information Science*, 77(1), 5-13.
- Du, J., Yin, K., Lacasse, S., & Nadim, F. (2014). Quantitative vulnerability estimation of structures for individual landslide: application to the Metropolitan Area of San Salvador, El Salvador. *Electron J Geotech Eng*, 19(4), 1251-1264.
- Fariz, T. R., Jatmiko, R. H., & Mei, E. T. W. (2023). Pemanfaatan Foto Udara UAV Untuk Pemetaan Kerentanan Fisik Rumah Terhadap Longsor di Sub-DAS Bompon. *Jurnal Ilmu Lingkungan*, 21(4), 819–829. <https://doi.org/10.14710/jil.21.4.819-829>

- Godfrey, A., Ciurean, R. L., Van Westen, C. J., Kingma, N. C., & Glade, T. (2015). Assessing vulnerability of buildings to hydro-meteorological hazards using an expert based approach—An application in Nehoiu Valley, Romania. *International journal of disaster risk reduction*, 13, 229-241. <https://doi.org/10.1016/j.ijdr.2015.06.009>
- Guo, L., Chehata, N., Mallet, C., & Boukir, S. (2011). Relevance of *airborne* lidar and multispectral image data for urban scene classification using Random Forests. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(1), 56-66.
- Guzzetti, F., Carrara, A., Cardinali, M., & Reichenbach, P. (1999). Landslide hazard evaluation: a review of current techniques and their application in a multi-scale study, Central Italy. *Geomorphology*, 31(1-4), 181-216. [https://doi.org/10.1016/S0169-555X\(99\)00078-1](https://doi.org/10.1016/S0169-555X(99)00078-1)
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Gomez, C., & Daryono, D. (2017). Spatio-Temporal Distribution of Landslides in Java and the Triggering Factors. *Forum Geografi*, 31(1), 1–15. <https://doi.org/10.23917/forgeo.v31i1.3790>
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Hadi, P., & Winaryo. (2010). Landslide hazard and risk assessment and their application in risk management and landuse planning in eastern flank of Menoreh Mountains, Yogyakarta Province, Indonesia. *Natural Hazards*, 54(3), 623–642. <https://doi.org/10.1007/s11069-009-9490-0>
- Hodgson, M. E., & Bresnahan, P. (2004). Accuracy of *airborne* LiDAR-derived elevation: Empirical assessment and error budget. *Photogrammetric Engineering & Remote Sensing*, 70(3), 331-339. <https://doi.org/10.14358/PERS.70.3.331>
- Hron, V., & Halounová, L. (2020). Automatic generation of 3D building models from point clouds. *GeoInformatica*, 24, 351–378. <https://link.springer.com/article/10.1007/s10291-020-01000-x>
- Huang, J., Stoter, J., Peters, R., & Nan, L. (2022). City3D: Large-scale building reconstruction from *airborne* LiDAR point clouds. *Remote Sensing*, 14(9), 2254.
- Iverson, R. M. (2000). Landslide triggering by rain infiltration. *Water Resources Research*, 36(7), 1897-1910. <https://doi.org/10.1029/2000WR900090>
- Indarto, H. (2015). MODEL STRUKTUR BANGUNAN RUMAH SEDERHANA DI DAERAH RAWAN LONGSOR—GUNUNGPATI SEMARANG. *Jurnal Teknik Sipil dan Perencanaan*, 17(1), 1-6. <https://doi.org/10.15294/jtsp.v17i1.6785>
- Jaboyedoff, M., Oppikofer, T., Abellán, A., Derron, M. H., Loye, A., Metzger, R., & Pedrazzini, A. (2012). Use of LIDAR in landslide investigations: A review. *Natural Hazards*, 61(1), 5-28. <https://doi.org/10.1007/s11069-010-9634-2>

- Kappes, M. S., Papathoma-Koehle, M., & Keiler, M. (2012). Assessing physical vulnerability for multi-hazards using an indicator-based methodology. *Applied Geography*, 32(2), 577-590. <https://doi.org/10.1016/j.apgeog.2011.07.002>
- Kirilenko, A. P. (2022). Geographic Information System (GIS) Making Sense of Geospatial Data. In *Applied Data Science in Tourism: Interdisciplinary Approaches, Methodologies, and Applications* (pp. 513-526). Cham: Springer International Publishing.
- Kurniawan, R. (2024, Februari 25). Dalam sehari, longsor terjadi di 10 titik Kecamatan Salaman dan Borobudur. *Berita Magelang*. <https://www.beritamagelang.id/dalam-sehari-longsor-terjadi-di-10-titik-kecamatan-salaman-dan-borobudur>
- Li, Y., Li, L., Niu, L., Huang, T., & Li, Y. (2016, July). Research on the incomplete point cloud data repairing of the large-scale scene buildings. In *2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)* (pp. 6726-6729). IEEE.
- Li, Z., Nadim, F., Huang, H., Uzielli, M., & Lacasse, S. (2010). Quantitative vulnerability estimation for scenario-based landslide hazards. *Landslides*, 7, 125-134.
- Luo, H. Y., Zhang, L. M., Zhang, L. L., He, J., & Yin, K. S. (2023). Vulnerability of buildings to landslides: The state of the art and future needs. *Earth-Science Reviews*, 238, 104329.
- Mirdda, H. A., Bera, S., & Chatterjee, R. (2022). Vulnerability assessment of mountainous households to landslides: A multidimensional study in the rural Himalayas. *International Journal of Disaster Risk Reduction*, 71, 102809. <https://doi.org/10.1016/j.ijdr.2022.102809>
- Noveberian, M. G., & Sartohadi, J. (2017). Pemetaan Rumah Rentan Longsor dan Rentan Tertimbun Longsor di Daerah Aliran Sungai Bompon, Kabupaten Magelang. *Jurnal Bumi Indonesia*, 6(2), 228684.
- Noviyanto, A., Sartohadi, J., & Purwanto, B. H. (2020). The distribution of soil morphological characteristics for landslide-impacted Sumbing Volcano, Central Java - Indonesia. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00158-8>.
- Papathoma-Köhle, M., Gems, B., Sturm, M., & Fuchs, S. (2017). Matrices, curves and indicators: A review of approaches to assess physical vulnerability to debris flows. In *Earth-Science Reviews* (Vol. 171, pp.272–288). Elsevier B.V. <https://doi.org/10.1016/j.earscirev.2017.06.007>
- Papathoma-Köhle, M., Neuhäuser, B., Ratzinger, K., Wenzel, H., & Dominey-Howes, D. (2007). Elements at risk as a framework for assessing the vulnerability of communities to landslides. *Natural Hazards and Earth System Sciences*, 7(6), 765-779. <https://doi.org/10.5194/nhess-7-765-2007>

- Papathoma-Köhle, M., Schlögl, M., & Fuchs, S. (2019). Vulnerability indicators for natural hazards: An innovative selection and weighting approach. *Scientific Reports*, 9(1), 15026.
- Pohl, C., & Genderen, J. van. (2016). Remote Sensing Image Fusion : a Practical Guide. In CRC Press. <https://doi.org/10.1201/b18189>
- Purwoko, H. S. (2022). Pemodelan Spasial Bahaya Longsor Ruas Jalan Salaman – Bener Kabupaten Magelang Berdasarkan Respon Curah Hujan. Sekolah Pascasarjana Universitas Gadjah Mada.
- Rashed, T., & Weeks, J. (2003). Assessing vulnerability to earthquake hazards through spatial multicriteria analysis of urban areas. *International Journal of Geographical Information Science*, 17(6), 547-576. <https://doi.org/10.1080/1365881031000114071>
- Rivananda (2023). Simulasi Runout Longsor Menggunakan Model Gravitational Process Path (Gpp) Di Ruas Jalan Salaman-Bener Kabupaten Magelang. Tesis. Universitas Gadjah Mada.
- Rottensteiner, F., & Briese, C. (2002). A new method for building extraction in urban areas from high-resolution LiDAR data. *International Archives of Photogrammetry Remote Sensing and Spatial Information Sciences*, 34(3/A), 295-301.
- Sambodo, A. P., Setiawan, M. A., & Rokhmaningtyas, R. P. (2018). The evaluation of modified productivity index method on the transitional volcanic-tropical landscape. *IOP Conference Series: Earth and Environmental Science*, 200(1). <https://doi.org/10.1088/1755-1315/200/1/012011>.
- Samodra, G., Ramadhan, M. F., Sartohadi, J., Setiawan, M. A., Christanto, N., & Sukmawijaya, A. (2020). Characterization of displacement and internal structure of landslides from multitemporal UAV and ERT imaging. *Landslides*, 17(10), 2455-2468.
- Sarkar, S., Kanungo, D. P., & Sharma, S. (2015). Landslide hazard assessment in the upper Alaknanda valley of Indian Himalayas. *Geomatics, Natural Hazards and Risk*, 6(4), 308-325.
- Setyawan, B., Sartohadi, J., & Sri Hadmoko, D. (2017). Analysis of Building Position and Orientation to Assess the Building Vulnerability to Landslide Through the Interpretation of 2D Small Format Aerial Photo (Case Study in Bompon Catchment, Magelang Regency). <https://doi.org/10.2991/icge-16.2017.47>
- Shan, J., & Toth, C. K. (Eds.). (2018). *Topographic laser ranging and scanning: Principles and processing*. CRC press
- Silva, M., & Pereira, S. (2014). Assessment of physical vulnerability and potential losses of buildings due to shallow slides. *Natural hazards*, 72, 1029-1050.
- Singh, A., Kanungo, D. P., & Pal, S. (2018). A modified approach for semi-quantitative estimation of physical vulnerability of buildings exposed to

- different landslide intensity scenarios. *Georisk: Assessment and Management of Risk for Engineered Systems and Geohazards*, 13(1), 66-81. <https://doi.org/10.1080/17499518.2018.1501076>
- Singh, A., Kanungo, D. P., & Pal, S. (2019). Physical vulnerability assessment of buildings exposed to landslides in India. *Natural Hazards*, 96, 753-790.
- Rossiter, D. G. 2001. Assessing the thematic accuracy of area-class soil maps. Enschede: Soil Science Division, ITC.
- Uzielli, M., Nadim, F., Lacasse, S., & Kaynia, A. M. (2008). A conceptual framework for quantitative estimation of physical vulnerability to landslides. *Engineering geology*, 102(3-4), 251-256.
- Vinković, A., Nikçi, R., & Pinjatela, B. (2023). Automatic 3D building model generation from *airborne* LiDAR data and OpenStreetMap using procedural modeling. *Information*, 14(7), 394. <https://doi.org/10.3390/info14070394>
- Vosselman, G., & Maas, H.-G. (2010). *Airborne and Terrestrial Laser Scanning*. In Whittles Publishing (Vol. 44). <https://doi.org/10.1088/1751-8113/44/8/085201>
- Wehr, A., & Lohr, U. (1999). *Airborne laser scanning—an introduction and overview*. *ISPRS Journal of Photogrammetry and Remote Sensing*, 54(2-3), 68-82. [https://doi.org/10.1016/S0924-2716\(99\)00011-8](https://doi.org/10.1016/S0924-2716(99)00011-8)
- Wood, J. L., Harrison, S., Reinhardt, L., & Taylor, F. E. (2020). Landslide databases for climate change detection and attribution. *Geomorphology*, 355. <https://doi.org/10.1016/j.geomorph.2020.107061>
- Yeni, S. (2023). Penilaian Kerentanan Rumah terhadap Longsor Berdasarkan Orthophoto dan Digital Terrain Model. Tesis. Universitas Gadjah Mada.
- Zhang, S., Li, C., Peng, J., Lv, Y., Wang, S., Peng, D., ... & Ouyang, C. (2024). Physical vulnerability assessment of damaged buildings to the Shenzhen catastrophic CSW landslide. *Landslides*, 1-17.
- Zhou, Q. Y., & Neumann, U. (2008). Fast and extensible building modeling from *airborne* LiDAR data. *Proceedings of the 16th ACM SIGSPATIAL International Conference on Advances in Geographic Information Systems*, 1-8. <https://doi.org/10.1145/1463434.1463444>