A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Abdulsalim, S., Unnikrishnan, M. K., Manu, M. K., Alrasheedy, A. A., Godman, B., & Morisky, D. E. (2018). Structured pharmacist-led intervention programme to improve medication adherence in COPD patients: A randomized controlled study. *Research in Social and Administrative Pharmacy*, *14*, 909–914. https://doi.org/10.1016/j.sapharm.2017.10.008

Ahmad, I., Khalily, M. T., & Hallahan, B. (2017). Reasons associated with treatment non-adherence in schizophrenia in a Pakistan cohort. *Asian Journal of Psychiatry*, *30*, 39–43. https://doi.org/10.1016/j.ajp.2017.07.024

AHRQ. (2017). Treatments for Schizophrenia in Adults : A Systematic Review. *Comparative Effectiveness Review*, *198*.

Al-Hassany, L., Kloosterboer, S. M., Dierckx, B., & Koch, B. C. P. (2019). Assessing methods of measuring medication adherence in chronically ill children – a narrative review. *Patient Preference and Adherence*, *13*, 1175–1189.

Alasmee, N., & Hasan, A. A. (2020). Primary caregivers experience of anti-psychotic medication: A qualitative study. *Archives of Psychiatric Nursing*, *34*, 520–528. https://doi.org/10.1016/j.apnu.2020.09.002

Alluhayyan, O. B., Alsahly, R. J., Aldawsari, A. A., Alghabawy, K. A., Alqaan, R. S., Almutairi, A. F., & Alharbi, S. A. (2020). Illness perception and medication adherence among patients with primary hypothyroidism in al qassim, Saudi Arabia. *Patient Preference and Adherence*, *14*, 1111–1117. https://doi.org/10.2147/PPA.S250935

Ambikile, J. S., & Iseselo, M. K. (2023). Challenges to the provision of home care and support for people with severe mental illness: Experiences and perspectives of patients, caregivers, and healthcare providers in Dar es Salaam, Tanzania. *PLOS Global Public Health*, *3*(1), 1–17. https://doi.org/10.1371/journal.pgph.0001518

American Psychiatric Association. (2010). *Practice guideline for the treatment of patients with schizophrenia (2nd ed.)*. https://doi.org/10.1176/ajp.154.4.1

Angermeyer, M. C., & Matschinger, H. (2005). Causal beliefs and attitudes to people with schizophrenia Trend analysis based on data from two population

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

surveys in Germany. *British Journal of Pschiatry*, *186*, 331–334.

Anghel, L. A., Farcas, A. M., & Oprean, R. N. (2019). An overview of the common methods used to measure treatment adherence. *Medicine and Pharmacy Reports*, *92*(2), 117–122. https://doi.org/10.15386/mpr-1201

Annapally, S. R., Jagannathan, A., Kishore, T., Thirthalli, J., Daliboina, M., & Channaveerachari, N. K. (2019). Barriers to academic reintegration in students with severe mental disorders: Thematic analysis. *Asian Journal of Psychiatry*, *45*, 107–112. https://doi.org/10.1016/j.ajp.2019.09.010

APA. (2013). Diagnostic and Statistical Manual of Mental Disorders Fifth Edition DSM-5. In *American Psychiatric Publishing*. https://doi.org/10.1016/B0-12-657410-3/00457-8

Arkowitz, H., Miller, W. R., & Rollnick, S. (2015). *Motivational Interviewing in the Treatment of Psychological Problems* (Second edi). The Guildford Press.

Awad, A. G. (2004). Antipsychotic medications: compliance and attitudes towards treatment. *Current Opinion in Psychiatry*, *17*(2), 75–80. https://journals.lww.com/co-psychiatry/fulltext/2004/03000/antipsychotic_medications__compliance_and.2.aspx

Badan Penelitian dan Pengembangan Kesehatan RI. (2018). *Riset Kesehatan Dasar 2018*.

Balán, I. C., Lejuez, C. W., Hoffer, M., & Blanco, C. (2014). Integrating Motivational Interviewing and Brief Behavioral Activation Therapy: Theoretical and Practical Considerations. *Cognitive and Behavioral Practice*, *23*(2), 205–220. https://doi.org/10.1016/j.cbpra.2015.07.001

Barkhof, E., Meijer, C. J., De Sonneville, L. M. J., Linszen, D. H., & De Haan, L. (2013). The effect of motivational interviewing on medication adherence and hospitalization rates in nonadherent patients with multi-episode schizophrenia. *Schizophrenia Bulletin*, *39*(6), 1242–1251. https://doi.org/10.1093/schbul/sbt138

Behere, P. B., Verma, K., Nagdive, A. B., Mansharamani, H., Behere, A. P., Yadav, R., & Fernandes, R. (2020). Is Marriage Solution for Persons with Schizophrenia? *Medical Science*, *24*(104), 2663–2674.

Belayneh, Z., Abebaw, D., Amare, T., Haile, K., & Abebe, Z. (2019). Perception of stigma among family members of individuals with schizophrenia and

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

major affective disorders in rural Ethiopia. *BMC Public Health*, *19*(338), 1–7.

Boardman, G. H., McCann, T. V., & Clark, E. (2008). Accessing health care professionals about antipsychotic medication related concerns. *Issues in Mental Health Nursing*, *29*, 739–754. https://doi.org/10.1080/01612840802129178

Boti, N., Hussen, S., Ayele, G., Mersha, A., Gebeyehu, S., Kassa, M., Feleke, T., & Temesgen, G. (2020). Community Perception and Attitude Towards People with Schizophrenia Among Residents of Arba Minch Zuria District, Arba Minch Health and Demographic Surveillance Sites System (AM-HDSS), Ethiopia Cross-Section Study. *Risk Management and Healthcare Policy*, *13*, 437–446.

Bowie, C. R., & Harvey, P. D. (2006). Cognitive deficits and functional outcome in schizophrenia. *Neuropsychiatric Disease and Treatment*, *2*(4), 531–536.

Briesacher, B. A., Gurwitz, J. H., & Soumerai, S. B. (2007). Patients at-risk for cost-related medication nonadherence: A review of the literature. *Journal of General Internal Medicine*, *22*, 864–871. https://doi.org/10.1007/s11606-007-0180-x

Brisch, R., Saniotis, A., Wolf, R., Bielau, H., Bernstein, H. G., Steiner, J., Bogerts, B., Braun, K., Kumaratilake, J., Henneberg, M., & Gos, T. (2014). The role of dopamine in schizophrenia from a neurobiological and evolutionary perspective: Old fashioned, but still in vogue. *Frontiers in Psychiatry*, *5*, 1–11. https://doi.org/10.3389/fpsyt.2014.00047

Bromley, S., Choi, M., & Faruqui, S. (2015). *First episode psychosis: an information guide*.

Buckley, P. F., Wirshing, D. A., Bhushan, P., Pierre, J. M., Resnick, S. A., & Wirshing, W. C. (2007). Lack of insight in schizophrenia: Impact on treatment adherence. *CNS Drugs*, *21*(2), 129–141. https://doi.org/10.2165/00023210-200721020-00004

Budiono, W., Kantono, K., Kristianto, F. C., Avanti, C., & Herawati, F. (2021). Psychoeducation improved illness perception and expressed emotion of family caregivers of patients with schizophrenia. *International Journal of Environmental Research and Public Health*, *18*(1–9). https://doi.org/10.3390/ijerph18147522

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Byerly, M., Fisher, R., Whatley, K., Holland, R., Varghese, F., Carmody, T., Magouirk, B., & Rush, A. J. (2005). A comparison of electronic monitoring vs. clinician rating of antipsychotic adherence in outpatients with schizophrenia. *Psychiatry Research*, *133*, 129–133. https://doi.org/10.1016/j.psychres.2004.11.002

Cai, Y., Gong, W., He, H., Hughes, J. P., Simoni, J., Xiao, S., Gloyd, S., Lin, M., Deng, X., Liang, Z., He, W., Dai, B., Liao, J., Hao, Y., & Xu, D. (2020). Mobile texting and lay health supporters to improve schizophrenia care in a resource-poor community in rural China (LEAN Trial): Randomized controlled trial extended implementation. *Journal of Medical Internet Research*, *22*(12), 1–14. https://doi.org/10.2196/22631

Camacho-gomez, M., & Castellvi, P. (2020). Effectiveness of Family Intervention for Preventing Relapse in First-Episode Psychosis Until 24 Months of Follow-up : A Systematic Review With Meta-analysis of Randomized Controlled Trials. *Schizophrenia Bulletin*, *46*(1), 98–109. https://doi.org/10.1093/schbul/sbz038

Caqueo-urizar, A., Rus-Calafell, M., Urzua, A., Escudero, J., & Gutiérrez-Maldonado, J. (2015). The role of family therapy in the management of schizophrenia : challenges and solutions. *Neuropsychiatric Disease and Treatment*, *11*, 145–151. https://doi.org/10.2147/NDT.S51331

Castelino, R. L., Hilmer, S. N., Bajorek, B. V, Nishtala, P., & Chen, T. F. (2010). Drug Burden Index and Potentially Inappropriate Medications in Community-Dwelling Older People The Impact of Home Medicines Review. *Drugs Aging*, *27*(2), 135–148.

Chambers, R. A., Krystal, J. H., & Self, D. W. (2001). A Neurobiological Basis for Substance Abuse Comorbidity in Schizophrenia. *Society of Biological Psychiatry*, *50*(2), 71–83.

Chan, A. H. Y., Cooper, V., Lycett, H., & Horne, R. (2020). Practical Barriers to Medication Adherence : What Do Current Self- or Observer-Reported Instruments Assess ? *Frontiers in Oncology*, *11*, 1–11. https://doi.org/10.3389/fphar.2020.00572

Chandra, I. S., Kumar, K. L., Reddy, M. P., & Reddy, C. M. P. K. (2014). Attitudes toward Medication and Reasons for Non-Compliance in Patients with Schizophrenia. *Indian Journal of Psychological Medicine*, *36*(3), 294–298.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.4103/0253-7176.135383

Chaudhari, B., Saldanha, D., Kadiani, A., & Shahani, R. (2017). Evaluation of treatment adherence in outpatients with schizophrenia. *Industrial Psychiatry Journal*, *26*, 215–222. https://doi.org/10.4103/ipj.ipj

Chen, T. F. (2016). Pharmacist-Led Home Medicines Review and Residential Medication Management Review : The Australian Model. *Drugs & Aging*. https://doi.org/10.1007/s40266-016-0357-2

Chew, M. L., Mulsant, B. H., Pollock, B. G., Lehman, M. E., Greenspan, A., Kirshner, M. A., Bies, R. R., Kapur, S., & Gharabawi, G. (2006). A model of anticholinergic activity of atypical antipsychotic medications. *Schizophrenia Research*, *88*, 63–72. https://doi.org/10.1016/j.schres.2006.07.011

Chien, W. T., Cheung, E. F. C., Mui, J. H. C., Gray, R., & Ip, G. (2019). Adherence therapy for schizophrenia: a randomised controlled trial. *Hong Kong Medical Journal*, *25 Suppl 2*(1), 4–9.

Chien, W. T., Leung, S. F., Yeung, F. K., & Wong, W. K. (2013). Current approaches to treatments for schizophrenia spectrum disorders , part II : psychosocial interventions and patient-focused perspectives in psychiatric care. *Neuropsychiatric*, *9*, 1463–1481. https://doi.org/10.2147/NDT.S49263

Chien, W. T., Mui, J., Gray, R., & Cheung, E. (2016). Adherence therapy versus routine psychiatric care for people with schizophrenia spectrum disorders: A randomised controlled trial. *BMC Psychiatry*, *16*(1). https://doi.org/10.1186/s12888-016-0744-6

Chien, W. T., Mui, J. H. C., Cheung, E. F. C., & Gray, R. (2015). Effects of motivational interviewing-based adherence therapy for schizophrenia spectrum disorders: A randomized controlled trial. *Trials*, *16*(270), 1–14. https://doi.org/10.1186/s13063-015-0785-z

Chokhawala K, S. L. (2021). *Antipsychotic Medications - StatPearls - NCBI Bookshelf*. https://www.ncbi.nlm.nih.gov/books/NBK519503/?report=reader

Chow, E. P., Hassali, M. A., Saleem, F., & Aljadhey, H. (2015). Effects of pharmacist-led patient education on diabetes-related knowledge and medication adherence: A home-based study. *Health Education Journal*, 1–13. https://doi.org/10.1177/0017896915597021

Chukwujekwu, C. D., & Adesokun, O. K. (2017). Prevalence of Medication Non-Adherence among Psychiatric Patients in a Tertiary Hospital in Nigeria.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Biosciences and Medicines, *05*, 1–10. https://doi.org/10.4236/jbm.2017.54001

Cipolle, R. J., Strand, L. M., & Morley, P. C. (2012). Chapter 3. Toward a Philosophy of Pharmaceutical Care Practice. In R. J. Cipolle, L. M. Strand, & P. C. Morley (Eds.), *Pharmaceutical Care Practice: The Patient-Centered Approach to Medication Management Services, 3e*. The McGraw-Hill Companies. http://accesspharmacy.mhmedical.com/content.aspx?aid=56172429

Clifford, L., Crabb, S., Turnbull, D., Hahn, L., & Galletly, C. (2020). A qualitative study of medication adherence amongst people with schizophrenia. *Archives of Psychiatric Nursing*, *34*, 194–199. https://doi.org/10.1016/j.apnu.2020.06.002

Collaborators GBD. (2018). Global, Regional, and National Incidence, Prevalence, and Years Lived with Disability for 354 Diseases and Injuries for 195 Countries and Territories, 1990-2017: A Systematic Analysis for the Global Burden of Disease Study 2017. In *The Lancet* (Vol. 392).

Commey, I. T., Ninnoni, J. P. K., Asamoah Ampofo, E., & Miezah, D. (2023). Living with Schizophrenia: the role of interpersonal relationships. *Discover Psychology*, *3*(13), 1–11. https://doi.org/10.1007/s44202-023-00071-9

Cooper, S., Lavaysse, L. M., & Gard, D. E. (2015). Assessing motivation orientations in schizophrenia : scale development and validation. *Psychiatry Research*, *225*, 70–78. https://doi.org/10.1016/j.psychres.2014.10.013

Correll, C. U., Rubio, J. M., & Kane, J. M. (2018). What is the risk-benefit ratio of long-term antipsychotic treatment in people with schizophrenia ? *World Psychiatry*, *17*(2), 149–160.

Correll, C. U., & Schooler, N. R. (2020). Negative Symptoms in Schizophrenia: A Review and Clinical Guide for Recognition, Assessment, and Treatment. *Neuropsychiatric Disease and Treatment*, *16*, 519–534. https://doi.org/10.2147/NDT.S225643

Cozolino, L. J., Goldstein, M. J., Nuechterlein, K. H., West, K. L., & Snyder, K. S. (1988). The impact of education about schizophrenia on relatives varying in expressed emotion. *Schizophrenia Bulletin*, *14*(4), 675–687. https://doi.org/10.1093/schbul/14.4.675

Crespo-Gonzalez, C., Dineen-Griffin, S., Rae, J., & Hill, R. A. (2022). Mental

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

health training programs for community pharmacists, pharmacy staff and students: A systematic review. *Research in Social and Administrative Pharmacy*, *18*, 3895–3910. https://doi.org/10.1016/j.sapharm.2022.06.006

Daneault, J. G., Maraj, A., Lepage, M., Malla, A., Schmitz, N., Iyer, S. N., Joober, R., & Shah, J. L. (2019). Medication adherence in first episode psychosis: the role of pre-onset subthreshold symptoms. *Acta Psychiatrica Scandinavica*, *139*(4), 336–347. https://doi.org/10.1111/acps.13011

Danladi, J., Falang, K. D., Barde, R. A., Jimam, N. S., & Dangiwa, D. A. (2013). Pharmaceutical care and medication adherence in management of psychosis in a Nigerian tertiary hospital. *Journal of Research in Pharmacy Practice*, *2*(2), 83–87. https://doi.org/10.4103/2279-042x.117388

Dattani, S., Ritchie, H., & Roser, M. (2018). *Mental Health - Our World in Data*. https://ourworldindata.org/mental-health

de Beer, F., Wijnen, B., Wouda, L., Koops, S., Gangadin, S., Veling, W., van Beveren, N., de Haan, L., Begemann, M. J. H., & Sommer, I. E. C. (2024). Antipsychotic dopamine D2 affinity and negative symptoms in remitted first episode psychosis patients. *Schizophrenia Research*, *274*, 299–306. https://doi.org/10.1016/j.schres.2024.09.030

Deci, E. L., & Ryan, R. M. (2015). Self-Determination Theory. In J. D. Wright (Ed.), *International Encyclopedia of the Social & Behavioral Sciences: Second Edition* (Second Edi, Vol. 21, pp. 486–491). Elsevier. https://doi.org/10.1016/B978-0-08-097086-8.26036-4

Desai, R., & Nayak, R. (2019). Effects of medication nonadherence and comorbidity on health resource utilization in schizophrenia. *Journal of Managed Care and Specialty Pharmacy*, *25*(1), 37–44. https://doi.org/10.18553/jmcp.2019.25.1.037

Dewan, P. (2015). Words Versus Pictures: Leveraging the Research on Visual Communication. *Partnership: The Canadian Journal of Library and Information Practice and Research*, *10*(1), 1–10. https://doi.org/10.21083/partnership.v10i1.3137

DiBonaventura, M., Gabriel, S., Dupclay, L., Gupta, S., & Kim, E. (2012). A patient perspective of the impact of medication side effects on adherence: Results of a cross-sectional nationwide survey of patients with schizophrenia. *BMC Psychiatry*, *12*(20), 1–7. https://doi.org/10.1186/1471-244X-12-20

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Dickerson, F. B., & Lehman, A. F. (2011). Evidence-based psychotherapy for schizophrenia: 2011 update. *The Journal of Nervous and Mental Disease*, *199*(8), 520–526. https://doi.org/10.1097/NMD.0b013e318225ee78

Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., & Posey, L. M. (2014). Pharmacotherapy: A Pathophysiologic Approach, ed. *Connecticut: Appleton and Lange*, *4*, 141–142.

Divac, N., Prostran, M., Jakovcevski, I., & Cerovac, N. (2014). Second-Generation antipsychotics and extrapyramidal adverse effects. *BioMed Research International*, *2014*, 1–6.

Doris, F. A., & Sylvia, A. A. (2015). Perceptions and Beliefs about Mental Illness (Schizophrenia) among Adults in Zaare Community. *Developing Country Studies*, *5*(9), 150–158.

Dougall, N., Maayan, N., Lm, M., Mcintosh, A., Dougall, N., Maayan, N., Lm, M., & Mcintosh, A. (2015). Transcranial magnetic stimulation (TMS) for schizophrenia (Review). *Cochrane Database of System Reviews*, *20*(8), 1–142. https://doi.org/10.1002/14651858.CD006081.pub2.www.cochranelibrary.com

Dunja, D., Požgain, I., Grgic, M., & Filakovic, P. (2007). Psychoeducation and compliance in the treatment of the patients with schizophrenia. *Coll. Antropol*, *31*, 1111–1115. https://doi.org/https://doi.org/10.1016/S0924-977X(06)70464-3

Eisner, E., Drake, R., & Barrowclough, C. (2013). Assessing early signs of relapse in psychosis: Review and future directions. *Clinical Psychology Review*, *33*, 637–653. https://doi.org/10.1016/j.cpr.2013.04.001

El-Missiry, A., Elbatrawy, A., El Missiry, M., Moneim, D. A., Ali, R., & Essawy, H. (2015). Comparing cognitive functions in medication adherent and non-adherent patients with schizophrenia. *Journal of Psychiatric Research*, *70*, 106–112. https://doi.org/10.1016/j.jpsychires.2015.09.006

Emsley, R., Chiliza, B., Asmal, L., & Harvey, B. H. (2013). The nature of relapse in schizophrenia. *BMC Psychiatry*, *13*(50), 1–8. https://doi.org/10.1186/1471-244X-13-50

Ernest, D., Vuksic, O., Shepard-Smith, A., & Webb, E. (2017). *Schizophrenia: An Information Guide*.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Ertem, M. Y., & Duman, Z. Ç. (2019). The effect of motivational interviews on treatment adherence and insight levels of patients with schizophrenia: A randomized controlled study. *Perspectives in Psychiatric Care*, *55*(1), 75–86. https://doi.org/10.1111/ppc.12301

Eticha, T., Teklu, A., Ali, D., Solomon, G., & Alemayehu, A. (2015). Factors associated with medication adherence among patients with schizophrenia in Mekelle, Northern Ethiopia. *PloS One*, 1–11. https://doi.org/10.1371/journal.pone.0120560

Fallahi Khoshknab, M., Sheikhona, M., Rahgouy, A., Rahgozar, M., & Sodagari, F. (2013). The effects of group psychoeducational programme on family burden in caregivers of Iranian patients with schizophrenia. *Journal of Psychiatric and Mental Health Nursing*, *21*(5), 438–446. https://doi.org/10.1111/jpm.12107

Farah, F. H. (2018). Schizophrenia: An Overview. *Asian Journal of Pharmaceutics*, *12*(2), 77–87.

Farquharson, B., Johnston, M., & Bugge, C. (2011). How people present symptoms to health services: A theory-based content analysis. *British Journal of General Practice*, *61*, 267–273. https://doi.org/10.3399/bjgp11X567090

Febrinasari, N., Widayanti, A. W., Prabandari, Y. S., & Satibi, S. (2023). Role and challenges of community pharmacists in managing mental health care in Indonesia: A mix-method study. *Asian Journal of Psychiatry*, *89*, 1–5. https://doi.org/10.1016/j.ajp.2023.103773

Fink, M. (2009). Electroconvulsive therapy : a guide for professionals and their patients. In *Oxford University Press*. https://doi.org/10.1371/journal.pone.0143572

Fiorillo, A., Bassi, M., De Girolamo, G., Catapano, F., & Romeo, F. (2010). The impact of a psychoeducational intervention on family members' views about schizophrenia: Results from the OASIS Italian multi-centre study. *International Journal of Social Psychiatry*, *57*(6), 596–603. https://doi.org/10.1177/0020764010376607

Flasorgbor, D. (2015). Perceptions and Beliefs about Mental Illness (Schizophrenia) among Adults in Zaare Community. *Developing Country Studies*, *5*(9), 150–158.

Fond, G. B., Yon, D. K., Tran, B., Mallet, J., Urbach, M., Leignier, S., Rey, R.,

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Misdrahi, D., Llorca, P. M., Schürhoff, F., Berna, F., & Boyer, L. (2023). Poverty and inequality in real-world schizophrenia: a national study. *Frontiers in Public Health*, *11*, 01–09. https://doi.org/10.3389/fpubh.2023.1182441

Fountoulakis, K. N., Moeller, H.-J., Kasper, S., Tamminga, C., Yamawaki, S., Kahn, R., Tandon, R., Correll, C. U., & Javed, A. (2020). The report of the joint WPA/CINP workgroup on the use and usefulness of antipsychotic medication in the treatment of schizophrenia. *CNS Spectrums*, *22*, 1–25.

Fowler, D., Hodgekins, J., Berry, C., Clarke, T., Palmier-Claus, J., Sacadura, C., Graham, A., Lowen, C., Steele, A., Pugh, K., Fraser, S., Fitzsimmons, M., & French, P. (2019). Social recovery therapy: a treatment manual. *Psychosis*, 261–272. https://doi.org/10.1080/17522439.2019.1607891

Freedman, R. (2003). Schizophrenia. *N Engl J Med*, *349*, 1738–1749. https://doi.org/10.1177/1461444810365020

Gaebel, W., & Zielasek, J. (2015). Schizophrenia in 2020: Trends in diagnosis and therapy. *Psychiatry and Clinical Neurosciences*, 1–13. https://doi.org/10.1111/pcn.12322

Gaines, R. (2014). *Culture & Schizophrenia : How the Manifestation of Schizophrenia Symptoms in Hue Reflects Vietnamese Culture*. https://digitalcollections.sit.edu/isp_collection/1826

Galderisi, S., Kaiser, S., Bitter, I., Nordentoft, M., Mucci, A., Sabe, M., Giordano, G. ., Nielsen, M. Ø., Glenthøj, L. B., Pezzella, P., Falkai, P., Dollfus, S., & Gaebel, W. (2021). EPA_guidance treatment of negative symptoms.pdf. *European Psychiatry*, *6*(1), 1–14.

García-Pérez, L., Linertová, R., Serrano-Pérez, P., Trujillo-Martín, M., Rodríguez-Rodríguez, L., Valcárcel-Nazco, C., & del Pino-Sedeño, T. (2020). Interventions to improve medication adherence in mental health: the update of a systematic review of cost-effectiveness. *International Journal of Psychiatry in Clinical Practice*, *24*(4), 416–427. https://doi.org/10.1080/13651501.2020.1782434

Garcia, S., Martinez-Cengotitabengoa, M., Lopez-Zurbano, S., Zorrilla, I., Lopez, P., Vieta, E., & Gonzalez-Pinto, A. (2016). Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients A Systematic Review. *Journal of Clinical Psychopharmacology*, *36*(4), 355–371.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1097/JCP.0000000000000523

Gard, D. E., Sanchez, A. H., Starr, J., Cooper, S., Fisher, M., Rowlands, A., & Vinogradov, S. (2014). Deficits in Schizophrenia : The ‘ Why ’ of Motivated Behavior. *Schizophr*, *156*(0), 217–222. https://doi.org/10.1016/j.schres.2014.04.027.Using

GDaH collaborators. (2018). Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, *392*(10159), 1859–1922. https://doi.org/10.1016/S0140-6736(18)32335-3

Girma, E., & Tesfaye, M. (2011). Patterns of treatment seeking behavior for mental illnesses in Southwest Ethiopia : a hospital based study. *BMC Psychiatry*, *11*(138), 1–7.

Girma, S., Abdisa, E., & Fikadu, T. (2017). Prevalence of Antipsychotic Drug Non Adherence and Associated Factors Among Patients with Schizophrenia Attending at Amanuel Mental Specialized Hospital , Addis Ababa , Ethiopia : Institutional Based Cross Sectional Study. *Health Science Journal*, *11*(4), 1–7. https://doi.org/10.21767/1791-809X.1000520

Glick, I. D., Stekoll, A. H., & Hays, S. (2011). The role of the family and improvement in treatment maintenance, adherence, and outcome for schizophrenia. *Journal of Clinical Psychopharmacology*, *31*(1), 82–85. https://doi.org/10.1097/JCP.0b013e31820597fa

Grover, S., Sahoo, S., Rabha, A., & Koirala, R. (2018). ECT in schizophrenia : a review of the evidence. *Acta Neuropsychiatrica*, 1–13. https://doi.org/10.1017/neu.2018.32

Güner, P. (2014). Illness Perception in Turkish Schizophrenia Patients: A Qualitative Explorative Study. *Archives of Psychiatric Nursing*, *28*, 405–412. https://doi.org/10.1016/j.apnu.2014.08.016

Habibi, R., Nayer, M. S., & Zadeh, M. K. (2015). Educational Needs of Families of Patients with Schizophrenia : A Literature Review. *International Journal of Medical Reviews*, *2*(2), 250–255.

Haddad, P. M., Brain, C., & Scott, J. (2014). Nonadherence with antipsychotic medication in schizophrenia: challenges and management strategies. *Patient Related Outcome Measures*, *5*, 43–62.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Haddad, P. M., & Correll, C. U. (2018). The acute efficacy of antipsychotics in schizophrenia : a review of recent meta-analyses. *Therapeutic Advances in Psychopharmacology*, *8*(11), 303–318. https://doi.org/10.1177/2045125318781475

Hakulinen, C., McGrath, J. J., Timmerman, A., Skipper, N., Mortensen, P. B., Pedersen, C. B., & Agerbo, E. (2019). The association between early-onset schizophrenia with employment, income, education, and cohabitation status: nationwide study with 35 years of follow-up. *Social Psychiatry and Psychiatric Epidemiology*, *54*, 1343–1351. https://doi.org/10.1007/s00127-019-01756-0

Hamann, J., Holzhüter, F., Blakaj, S., Becher, S., Haller, B., Landgrebe, M., Schmauß, M., & Heres, S. (2020). schizophrenia (SDM-PLUSImplementing shared decision-making on acute psychiatric wards: a cluster-randomized trial with inpatients suffering from). *Epidemiology and Psychiatric Sciences*, *29*, e137. https://doi.org/10.1017/S2045796020000505

Hammond, R. W., Schwartz, A. H., Campbell, M. J., Remington, T. L., Chuck, S., Blair, M. M., Vassey, A. M., Rospond, R. M., Herner, S. J., & Webb, C. E. (2003). Collaborative drug therapy management by pharmacists--2003. *Pharmacotherapy*, *23*(9), 1210–1225. https://doi.org/10.1592/phco.23.10.1210.32752

Hanlon, C., Wondimagegn, D., & Alem, A. (2012). Lessons learned in developing community mental health care in East and South East Asia. *World Psychiatry*, *9*(3), 185–189. https://doi.org/10.1002/j.2051-5545.2012.tb00129.x

Harvey, C. (2018). Family psychoeducation for people living with schizophrenia and their families. *BJPsych Advances*, *24*, 9–19. https://doi.org/10.1192/bja.2017.4

Harvey, P. D., Heaton, R. K., Carpenter, W. T., Green, M. F., Gold, J. M., & Schoenbaum, M. (2012). Functional impairment in people with schizophrenia: focus on employability and eligibility for disability compensation. *Schizophr Res.*, *140*(1–3), 1–19. https://doi.org/10.1016/j.schres.2012.03.025.Functional

Hasan, A. A.-H., & Van Belkum, C. (2019). Psychoeducational Interventions for People with Schizophrenia: Findings from the Systematic Reviews. *Issues in Mental Health Nursing*, 1–14.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1080/01612840.2018.1509405

Hasan, A. A., Callaghan, P., & Lymn, J. S. (2015a). Evaluation of the impact of a psychoeducational intervention for people diagnosed with schizophrenia and their primary caregivers in Jordan: A randomized controlled trial. *BMC Psychiatry*, *15*(72), 1–10. https://doi.org/10.1186/s12888-015-0444-7

Hasan, A. A., Callaghan, P., & Lymn, J. S. (2015b). Evaluation of the impact of a psychoeducational intervention for people diagnosed with schizophrenia and their primary caregivers in Jordan: A randomized controlled trial. *BMC Psychiatry*, *15*(72), 1–10. https://doi.org/10.1186/s12888-015-0444-7

He, H., Liu, Q., Li, N., Guo, L., Gao, F., Bai, L., Gao, F., & Lyu, J. (2020). Trends in the incidence and DALYs of schizophrenia at the global, regional, and national levels: results from the Global Burden of Disease Study 2017. *Epidemiology and Psychiatric Sciences*, *29*(e91), 1–11. https://doi.org/10.1016/j.jad.2021.10.022

Hepler, C. D., & Strand, L. M. (1990). Opportunities and responsibilities in pharmaceutical care. *American Journal of Hospital Pharmacy*, *47*(3), 533–543.

Herz, M. I., Lamberti, J. S., Mintz, J., Scott, R., O'Dell, S. P., McCartan, L., & Nix, G. (2000). A program for relapse prevention in schizophrenia: A controlled study. *Archives of General Psychiatry*, *57*(3), 277–283. https://doi.org/10.1001/archpsyc.57.3.277

Higashi, K., Medic, G., Littlewood, K. J., Diez, T., Granström, O., & De Hert, M. (2013). Medication adherence in schizophrenia: factors influencing adherence and consequences of nonadherence, a systematic literature review. *Therapeutic Advances in Psychopharmacology*, *3*(4), 200–218. https://doi.org/10.1177/2045125312474019

Hiwot, Sumesh, & Henock A. (2018). A Study to Assess the Prevalence of Antipsychotics Non-Adherence and it's Associated Factors Among Patients with Schizophrenia in. *JOJ Nurse Health Care*, *6*(5), 001–005. https://doi.org/10.19080/JOJNHC.2018.06.555700

Ho, P. M., Bryson, C. L., & Rumsfeld, J. S. (2009). Medication Adherence: Its Importance in Cardiovascular Outcomes. *Circulation*, *119*, 3028–3035. https://doi.org/10.1161/CIRCULATIONAHA.108.768986

Holder, S., & Wayhs, A. (2014). Schizophrenia. *American Family Physician*,

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

90(11), 775–782.

Horne, R., Chapman, S. C. E., Parham, R., Freemantle, N., Forbes, A., & Cooper, V. (2013). Understanding Patients' Adherence-Related Beliefs about Medicines Prescribed for Long-Term Conditions: A Meta-Analytic Review of the Necessity-Concerns Framework. *PLoS ONE*, *8*(12), 1–24. https://doi.org/10.1371/journal.pone.0080633

Horne, R., & Weinman, J. (1999). Patients' beliefs about prescribed medicines and their role in adherence to treatment in chronic physical illness. *Journal of Psychosomatic Research*, *47*(6), 555–567. https://doi.org/10.1016/s0022-3999(99)00057-4

Howe, J., & Lindsey, L. (2023). The role of pharmacists in supporting service users to optimise antipsychotic medication. *International Journal of Clinical Pharmacy*, *45*, 1293–1298. https://doi.org/10.1007/s11096-023-01630-9

Hu, J., Zheng, Q., Zhang, Y., Liu, C., Tian, X., Liu, X., Wang, D., & Ma, J. (2021). Help - seeking behavior of individuals with schizophrenia in the general population of Hunan, China. *Scientific Reports*, *11*(23012), 1–9.

Hudson, T. J., Owen, R. R., Thrush, C. R., Han, X., Pyne, J. M., Thapa, P., & Sullivan, G. (2004). A pilot study of barriers to medication adherence in schizophrenia. *The Journal of Clinical Psychiatry*, *65*(2), 211–216. https://doi.org/10.4088/jcp.v65n0211

Huguelet, P., Mohr, S., Borras, L., Gillieron, C., & Brandt, P.-Y. (2006). Spirituality and religious practices among outpatients with schizophrenia and their clinicians. *Psychiatric Services*, *57*(3), 366–372. https://doi.org/10.2190/PM.44.1.c

Hui, C. L. M., Lo, M. C. L., Chan, E. H. C., Chen, E. S. M., Ko, R. W. T., Lee, E. H. M., Chang, W. C., Chan, S. K. W., & Chen, E. Y. H. (2016). Perception towards relapse and its predictors in psychosis patients: A qualitative study. *Early Intervention in Psychiatry*, 1–7. https://doi.org/10.1111/eip.12378

Hunt, G. E., Large, M. M., Cleary, M., Lai, H. M. X., & Saunders, J. B. (2018). Prevalence of comorbid substance use in schizophrenia spectrum disorders in community and clinical settings, 1990–2017: Systematic review and meta-analysis. *Drug and Alcohol Dependence*, *191*, 234–258. https://doi.org/10.1016/j.drugalcdep.2018.07.011

Hussain, S., Imran, N., Hotiana, U. A., Mazhar, N., & Asif, A. (2017). Illness

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

perceptions in patients of schizophrenia: A preliminary investigation from Lahore, Pakistan. *Pakistan Journal of Medical Sciences*, *33*(4), 829–834. https://doi.org/10.12669/pjms.334.13128

Immonen, J., Jääskeläinen, E., Korpela, H., & Miettunen, J. (2017). Age at onset and the outcomes of schizophrenia: A systematic review and meta-analysis. *Early Intervention in Psychiatry*, *11*(6), 453–460. https://doi.org/10.1111/eip.12412

Jenkins, R., Othieno, C., Okeyo, S., Aruwa, J., Kingora, J., & Jenkins, B. (2013). Health system challenges to integration of mental health delivery in primary care in Kenya-perspectives of primary care health workers. *BMC Health Services Research*, *13*, 1–8. https://doi.org/10.1186/1472-6963-13-368

Joel, J. J. (2014). Schizophrenic Patient Care-Pharmacists Role. *Scholars Academic Journal of Pharmacy (SAJP)*, *3*(5), 356–362.

Kahn, R. S., Sommer, I. E., Murray, R. M., Meyer-Lindenberg, A., Weinberger, D. R., Cannon, T. D., O'Donovan, M., Correll, C. U., Kane, J. M., Van Os, J., & Insel, T. R. (2015). Schizophrenia. *Nature Reviews Disease Primers*, *1*, 1–24. https://doi.org/10.1038/nrdp.2015.67

Kane, J. M. (2014). Attitudinal barriers to prescribing LAI antipsychotics in the outpatient setting: communicating with patients, families, and caregivers. *The Journal of Clinical Psychiatry*, *75*(12). https://doi.org/10.4088/JCP.13024tx2c

Karabulut, B., & Uslu, E. (2024). Schizophrenia and medication adherence: Associated factors. *Archives of Psychiatric Nursing*, *49*, 47–54. https://doi.org/10.1016/j.apnu.2024.01.015

Karge, R. A., Curtain, C. M., & Salahudeen, M. S. (2023). Community Pharmacists' Role in Reducing the Incidence of Cardiometabolic Adverse Drug Events in Schizophrenia: Insights from Mental Health Professionals. *Medicina*, *59*(2052), 1–12. https://doi.org/10.3390/medicina59122052

Kassew, T., Demilew, D., Birhanu, A., Wonde, M., Liyew, B., & Shumet, S. (2019). Attitude towards Antipsychotic Medications in Patients Diagnosed with Schizophrenia: A Cross-Sectional Study at Amanuel Mental Specialized Hospital, Addis Ababa, Ethiopia. *Schizophrenia Research and Treatment*, *2019*, 1–9. https://doi.org/10.1155/2019/5094017

Kate, N., Grover, S., Kulhara, P., & Nehra, R. (2012). Supernatural beliefs,

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

aetiological models and help seeking behaviour in patients with schizophrenia. *Industrial Psychiatry Journal*, *21*(1), 49–54. https://doi.org/10.4103/0972-6748.110951

Kay, S R Fiszbein A, L. a O. (1987). Positive and Negative Syndrome Scale (Panss) Rating Criteria. *Schizophrenia Bulletin*, *13*(2), 261–276. www.ncbi.nlm.nih.gov

Kay, S. R., Fiszbein, A., & Opler, L. A. (1987). The positive and negative syndrome scale (PANSS) for schizophrenia. *Schizophrenia Bulletin*, *13*(2), 261–276. https://doi.org/10.1093/schbul/13.2.261

Keating, D., Mcwilliams, S., Boland, F., Doyle, R., Behan, C., Strawbridge, J., & Clarke, M. (2021). Prescribing pattern of antipsychotic episode psychosis : a medication for first- - retrospective cohort study. *BMJ Open*, *11*, 1–11. https://doi.org/10.1136/bmjopen-2020-040387

KeMenKes. (2019). *InfoDatin Pusat Data dan Informasi Kementerian Kesehatan RI Situasi Kesehatan Jiwa di Indonesia*.

Kim, J., Ozzoude, M., Nakajima, S., Shah, P., Caravaggio, F., Iwata, Y., De Luca, V., Graff-Guerrero, A., & Gerretsen, P. (2020). Insight and medication adherence in schizophrenia: An analysis of the CATIE trial. *Neuropharmacology*, *168*, 1–8. https://doi.org/10.1016/j.neuropharm.2019.05.011

Kiran, C., & Chaudhury, S. (2009). Understanding delusions. *Industrial Psychiatry Journal*, *18*(1), 3–18. https://doi.org/10.4103/0972-6748.57851

Klinpiboon, P., & Chanthapasa, K. (2023). The Medication Use Issues and Challenges of Mental Illness Exacerbation in Patients with Schizophrenia: A Qualitative Study in Thailand [Response to Letter]. *Patient Preference and Adherence*, *17*, 2927–2937. https://doi.org/10.2147/PPA.S453624

Kucukarslan, S. N. (2012). A review of published studies of patients' illness perceptions and medication adherence: Lessons learned and future directions. *Research in Social and Administrative Pharmacy*, *8*(5), 371–382. https://doi.org/https://doi.org/10.1016/j.sapharm.2011.09.002

Kurihara, T., Kato, M., Reverger, R., & Tirta, I. G. R. (2006). Beliefs About Causes of Schizophrenia Among Family Members : A Community-Based Survey in Bali. In *Psychiatric Services* (Vol. 57, Issue 12).

Kvarnström, K., Westerholm, A., Airaksinen, M., & Liira, H. (2021). Factors

UNIVERSITAS GADJAH MADA
A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

contributing to medication adherence in patients with a chronic condition: A scoping review of qualitative research. *Pharmaceutics*, *13*, 1–41. https://doi.org/10.3390/pharmaceutics13071100

Lacro, J. P., Dunn, L. B., Dolder, C. R., Leckband, S. G., & Jeste, D. V. (2002). Prevalence of and Risk Factors for Medication Nonadherence in Patients With Schizophrenia: A Comprehensive Review of Recent Literature. *J Clin Psychiatry*, *63*(10), 892–909. https://www.psychiatrist.com/jcp/schizophrenia/prevalence-risk-factors-medication-nonadherence-patients/

Lam, W. Y., & Fresco, P. (2015). Medication Adherence Measures : An Overview. *Biomarkers in Neuropsychiatry*, *2015*, 1–12. https://doi.org/10.1155/2015/217047

Lamarche, L., Tejpal, A., & Mangin, D. (2018). Self-efficacy for medication management: A systematic review of instruments. *Patient Preference and Adherence*, *12*, 1279–1287. https://doi.org/10.2147/PPA.S165749

Larson, M. K., Walker, E. F., & Compton, M. T. (2010). Early signs, diagnosis and therapeutics of the prodromal phase of schizophrenia and related psychotic disorders. *Expert Review of Neurotherapeutics*, *10*(8), 1347–1359. https://doi.org/10.1586/ern.10.93.Early

Lauber, C., & Rössler, W. (2007). Stigma towards people with mental illness in developing countries in Asia. *International Review of Psychiatry*, *19*(2), 157–178. https://doi.org/10.1080/09540260701278903

Law, M. R., Cheng, L., Dhalla, I. A., Heard, D., & Morgan, S. G. (2012). The effect of cost on adherence to prescription medications in Canada. *CMAJ. Canadian Medical Association Journal*, *184*(3), 297–302. https://doi.org/10.1503/cmaj.111270

Legault, L. (2017). Encyclopedia of Personality and Individual Differences. In *Encyclopedia of Personality and Individual Differences*. Springer International Publishing. https://doi.org/10.1007/978-3-319-28099-8_1162-1

Lehman, A. F., Kreyenbuhl, J., Buchanan, R. W., Dickerson, F. B., Dixon, L. B., Goldberg, R., Green-Paden, L. D., Tenhula, W. N., Boerescu, D., Tek, C., Sandson, N., & Steinwachs, D. M. (2004). The Schizophrenia Patient Outcomes Research Team (PORT): updated treatment recommendations 2003. *Schizophrenia Bulletin*, *30*(2), 193–217.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1093/oxfordjournals.schbul.a007071

Lehman, A. F., Lieberman, J. A., Dixon, L. B., McGlashan, T. H., Miller, A. L., & Perkins, D. O. (2004). American Psychiatric Association Practice Guidelines; Work Group on Schizophrenia. Practice guideline for the treatment of patients with schizophrenia. *Am J Psychiatry*, *161*(suppl 2), 1–56.

Leucht, S., Barabássy, Á., Laszlovszky, I., Szatmári, B., Acsai, K., Szalai, E., Harsányi, J., Earley, W., & Németh, G. (2019). Linking PANSS negative symptom scores with the Clinical Global Impressions Scale: understanding negative symptom scores in schizophrenia. *Neuropsychopharmacology*, *44*, 1589–1596. https://doi.org/10.1038/s41386-019-0363-2

Leucht, S., Barnes, T. R. E., Kissling, W., Engel, R. R., Correll, C., & Kane, J. M. (2003). Relapse Prevention in Schizophrenia With New-Generation Antipsychotics: A Systematic Rewview and Exploratory Meta-Analysis of Randomized, controlled Trials. *Am J Psychiatry*, *160*, 1209–1222.

Li, R., Ma, X., Wang, G., Yang, J., & Wang, C. (2016). Why sex differences in schizophrenia? *Journal of Translational Neuroscience*, *1*(1), 37–42. https://pubmed.ncbi.nlm.nih.gov/29152382

Li, X. J., Wu, J. H., Liu, J. B., Li, K. P., Wang, F., Sun, X. H., & Ma, S. H. (2015). The influence of marital status on the social dysfunction of schizophrenia patients in community. *International Journal of Nursing Sciences*, 149–152. https://doi.org/10.1016/j.ijnss.2015.04.015

Liechti, S., Capodilupo, G., Opler, D. J., Opler, M., & Yang, L. H. (2017). A Developmental History of the Positive and Negative Syndrome Scale (PANSS). *Innovations in Clinical Neuroscience*, *14*(11–12), 12–17. http://www.ncbi.nlm.nih.gov/pubmed/29410932%0Ahttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5788246

Liemburg, E., Castelein, S., Stewart, R., van der Gaag, M., Aleman, A., & Knegtering, H. (2013). Two subdomains of negative symptoms in psychotic disorders: Establish and confirmed in two large cohorts. *Journal of Psychiatric Research*, *47*, 718–725. https://doi.org/10.1007/s002130000459

Lippi, G. (2016). Schizophrenia in a member of the family : Burden , expressed emotion and addressing the needs of the whole family. *South African Journal of Psychiatry*, *22*(1), 1–7.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Ljungdalh, P. M. (2017). Non-adherence to pharmacological treatment in schizophrenia and schizophrenia spectrum disorders - An updated systematic literature review. *The European Journal of Psychiatry*, *31*(4), 172–186.

Llorca, P. M., Pereira, B., Jardri, R., Brousse, G., & Misdrahi, D. (2016). Hallucinations in schizophrenia and Parkinson ' s disease : an analysis of sensory modalities involved and the repercussion on patients. *Scientific Reports*, *6*(38152), 1–9. https://doi.org/10.1038/srep38152

Lobban, F., Barrowclough, C., & Jones, S. (2004). The impact of beliefs about mental health problems and coping on outcome in schizophrenia. *Psychological Medicine*, *34*, 1165–1176. https://doi.org/10.1017/S003329170400203X

Loots, E., Goossens, E., Vanwesemael, T., Morrens, M., Van Rompaey, B., & Dilles, T. (2021). Interventions to improve medication adherence in patients with schizophrenia or bipolar disorders: A systematic review and meta-analysis. *International Journal of Environmental Research and Public Health*, *18*, 1–22. https://doi.org/10.3390/ijerph181910213

Lotfabadi, M. K., Bayazi, M. H., & Rajaei, A. R. (2021). The effect of cognitive-behavioral group training of self-care skills on self-care in patients with schizophrenia. *Nursing Practice Today*, *9*(1), 24–36. https://doi.org/10.18502/npt.v9i1.7327

Lucca, J. M., Ramesh, M., Parthasarathi, G., & Ram, D. (2015). Incidence and factors associated with medication nonadherence in patients with mental illness: A cross-sectional study. *Journal of Postgraduate Medicine*, *61*(4), 251–256. https://doi.org/10.4103/0022-3859.166514

Lundahl, B., Moleni, T., Burke, B. L., Butters, R., Tollefson, D., Butler, C., & Rollnick, S. (2013). Patient Education and Counseling Motivational interviewing in medical care settings : A systematic review and meta-analysis of randomized controlled trials. *Patient Education and Counseling*, *93*, 157–168. https://doi.org/10.1016/j.pec.2013.07.012

Lutfiyya, M. N., Chang, L. F., McGrath, C., Dana, C., & Lipsky, M. S. (2019). The state of the science of interprofessional collaborative practice: A scoping review of the patient health-related outcomes based literature published between 2010 and 2018. *PLoS ONE*, *14*(6), 1–18. https://doi.org/10.1371/journal.pone.0218578

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Lyngdoh, L. A. ., Antony, S., Basavarajappa, C., Kalyanasundaram, J. ., & Ammapattian, T. (2023). Marriage in persons with severe mental illness: A narrative review-based framework for a supported relationship. *Journal of Family Medicine and Primary Care |*, *12*(12), 3033–3041. https://doi.org/10.4103/jfmpc.jfmpc

Marchira, C. R., Supriyanto, I., & Good, B. J. (2016). The association between duration of untreated psychosis in fi rst psychotic episode patients and help seeking behaviors in Jogjakarta , Indonesia. *International Journal of Culture and Mental Health*, *9*(2), 120–126.

Mari, J. D. J., Razzouk, D., Thara, R., Eaton, J., & Thornicroft, G. (2009). Packages of care for schizophrenia in low- and middle-income countries. *PLoS Medicine*, *6*(10), 1–8. https://doi.org/10.1371/journal.pmed.1000165

Marthoenis, M., Aichberger, M. C., & Schouler-ocak, M. (2016). Patterns and Determinants of Treatment Seeking among Previously Untreated Psychotic Patients in Aceh Province , Indonesia : A Qualitative Study. *Scientifica*, *2016*, 1–7. https://doi.org/10.1155/2016/9136079

Martin, V., Brereton, A., & Tang, J. (2020). Learning and Motivation for Rewards in Schizophrenia: Implications for Behavioral Rehabilitation. *Current Behavioral Neuroscience Reports*, *7*, 147–157. https://doi.org/10.1007/s40473-020-00210-9

Marwaha, S., Johnson, S., Bebbington, P., Stafford, M., Angermeyer, M. C., Brugha, T., Azorin, J. M., Kilian, R., Hansen, K., & Toumi, M. (2007). Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. *British Journal of Psychiatry*, *191*, 30–37. https://doi.org/10.1192/bjp.bp.105.020982

Masoumi, T., Shafaroodi, N., & Razvan, Z. (2018). Participation of people with schizophrenia in everyday life: Family's perspective. *Iranian Rehabilitation Journal*, *16*(3), 297–305. https://doi.org/10.32598/irj.16.3.297

McWilliams, S., Hill, S., Mannion, N., Fetherston, A., Kinsella, A., & O'Callaghan, E. (2012). Schizophrenia: a five-year follow-up of patient outcome following psycho-education for caregivers. *European Psychiatry*, *27*, 56–61. https://doi.org/10.1016/j.eurpsy.2010.08.012

Medalia, A., & Brekke, J. (2010). In search of a theoretical structure for understanding motivation in schizophrenia. *Schizophrenia Bulletin*, *36*(5),

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

912–918. https://doi.org/10.1093/schbul/sbq073

Medic, G., Higashi, K., Littlewood, K. J., Diez, T., Granström, O., & Kahn, R. S. (2013). Dosing frequency and adherence in chronic psychiatric disease: systematic review and meta-analysis. *Neuropsychiatric Disease and Treatment*, *9*, 119–131.

Meepring, S., Tulyakul, P., Sathagathonthun, G., & Supasri, J. (2021). A Review of Factors Relating to Medication Non-Adherence in Patients with Schizophrenia. *Global Journal of Health Science*, *13*(10), 52–60. https://doi.org/10.5539/gjhs.v13n10p52

Mihaljeviü-Peleš, A., Janoviü, M. B., Šagud, M., Živkoviü, M., Janoviü, Š., & Jevtoviü, S. (2019). Cognitive deficit in schizophrenia: An overview. *Psychiatria Danubina*, *31*(2), S139–S142.

Miller, W. R., & Rollnick, S. (2013). *Motivational Interviewing Helping People Change* (Third Edit). The Guilford Press.

Millet, C. (2012). Sick Societies: responding to the Global Challenge of Chronic Disease. Stuckler D. Siegel K (eds). *International Journal of Epidemiology*, *41*(2), 574. https://doi.org/10.1093/ije/dys036

Milosavljevic, A., Aspden, T., & Harrison, J. (2018). Community pharmacist-led interventions and their impact on patients' medication adherence and other health outcomes: a systematic review. *International Journal of Pharmacy Practice*, 1–11. https://doi.org/10.1111/ijpp.12462

Mishra, A., Sai Krishna, G., Sravani, A., Kurian, T. D., Kurian, J., Ramesh, M., & Kishor, M. (2017). Impact of pharmacist-led collaborative patient education on medication adherence and quality of life of schizophrenia patients in a tertiary care setting. *Bulletin of Faculty of Pharmacy, Cairo University*, *55*, 345–349. https://doi.org/10.1016/j.bfopcu.2017.08.001

Mohammed, F., Geda, B., Yadeta, T. A., & Dessie, Y. (2024). Antipsychotic medication non-adherence and factors associated among patients with schizophrenia in eastern Ethiopia. *BMC Psychiatry*, *24*(108), 1–11. https://doi.org/10.1186/s12888-024-05554-0

Mohiuddin, A. (2018). Patient Education: Effective Vision for True Compliance. *Advanced Nursing & Patient Care International Journal*, *1*(3), 1–10. https://chembiopublishers.com/ANPCIJ/ANPCIJ180012.pdf

Montes, J. M., Medina, E., Gomez-Beneyto, M., & Maurino, J. (2012). A short

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

message service (SMS)-based strategy for enhancing adherence to antipsychotic medication in schizophrenia. *Psychiatry Research*, *200*, 89–95. https://doi.org/10.1016/j.psychres.2012.07.034

Moore, T. A., Buchanan, R. W., Buckley, P. F., Chiles, J. A., Conley, R. R., Crismon, M. L., Essock, S. M., Finnerty, M., Marder, S. R., Miller, D. D., McEvoy, J. P., Robinson, D. G., Schooler, N. R., Shon, S. P., Stroup, T. S., & Miller, A. L. (2007). The Texas Medication Algorithm Project antipsychotic algorithm for schizophrenia: 2006 update. *The Journal of Clinical Psychiatry*, *68*(11), 1751–1762. https://doi.org/10.4088/jcp.v68n1115

Moritz, S., Favrod, J., Andreou, C., Morrison, A. P., Bohn, F., Veckenstedt, R., Tonn, P., & Karow, A. (2013). Beyond the usual suspects: positive attitudes towards positive symptoms is associated with medication noncompliance in psychosis. *Schizophrenia Bulletin*, *39*(4), 917–922. https://doi.org/10.1093/schbul/sbs005

Moritz, S., Hünsche, A., & Lincoln, T. M. (2014). Nonadherence to antipsychotics: the role of positive attitudes towards positive symptoms. *European Neuropsychopharmacology*, *24*, 1745–1752. https://doi.org/10.1016/j.euroneuro.2014.09.008

Morony, S., McCaffery, K. J., Kirkendall, S., Jansen, J., & Webster, A. C. (2017). Health Literacy Demand of Printed Lifestyle Patient Information Materials Aimed at People With Chronic Kidney Disease: Are Materials Easy to Understand and Act On and Do They Use Meaningful Visual Aids? *Journal of Health Communication*, *00*, 1–9. https://doi.org/10.1080/10810730.2016.1258744

Mortimer, A. M. (2007). Symptom rating scales and outcome in schizophrenia. *The British Journal of Psychiatry. Supplement*, *50*, s7-14. https://doi.org/10.1192/bjp.191.50.s7

Muench, J., & Hamer, A. M. (2010). Adverse effects of antipsychotic medications. In *American Family Physician*.

Nakane, Y., Jorm, A. F., Yoshioka, K., Christensen, H., Nakane, H., & Griffiths, K. M. (2005). Public beliefs about causes and risk factors for mental disorders : a comparison of Japan and Australia. *BMC Psychiatry*, *5*(33), 1–9. https://doi.org/10.1186/1471-244X-5-33

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

National Institute for Health and Care Excellence. (2014). *Psychosis and schizophrenia in adults: prevention and management*. Nice. https://www.nice.org.uk/guidance/cg178

Ng, R., El-Den, S., Stewart, V., Collins, J. C., Roennfeldt, H., McMillan, S. S., Wheeler, A. J., & O'Reilly, C. L. (2021). Pharmacist-led interventions for people living with severe and persistent mental illness: A systematic review. *Australian & New Zealand Journal of Psychiatry*, *00*(0), 1–24. https://doi.org/10.1177/00048674211048410

Ngoc, T. N., Weiss, B., & Trung, L. T. (2016). Effects of the family schizophrenia psychoeducation program for individuals with recent onset schizophrenia in Viet Nam. *Asian Journal of Psychiatry*, *22*, 162–166. https://doi.org/10.1016/j.ajp.2016.06.001

Nguyen, T., Caze, A. La, & Cottrell, N. (2013). What are validated self-report adherence scales really measuring ?: a systematic review. *British Journal of Clinical Pharmacology*, *77*(3), 427–445. https://doi.org/10.1111/bcp.12194

Nicolino, P. S., Vedana, K. G. G., Miasso, A. I., Cardoso, L., & Galera, S. A. F. (2011). Schizophrenia : adherence to treatment and beliefs about the disorder and the drug treatment. *Revisa Da Escpola de Enfermagen Da USP*, *45*(3), 706–713.

Novak-Grubic, V., & Tavcar, R. (2002). Predictors of noncompliance in males with first-episode schizophrenia, schizophreniform and schizoaffective disorder. *European Psychiatry*, *17*, 148–154. https://doi.org/10.1016/S0924-9338(02)00645-4

Novitayani, S., Chanchong, W., & Suttharangsee, W. (2018). Illness perception of schizophrenia among schizophrenic outpatients. *Aceh International Nursing Conference (AINC 2018)*, 242–249. https://doi.org/10.5220/0008397002420249

Nyer, M., Kasckow, J., Fellows, Di., Lawrence, E. C., Golshan, S., Solorzano, E., & Zisook, S. (2010). The relationship of marital status and clinical characteristics in middle-aged and older patients with schizophrenia and depressive symptoms. *Annals of Clinical Psychiatry*, *22*(3), 172–179.

O'Brien, B. C., Harris, I. B., Beckman, T. J., Reed, D. A., & Cook, D. A. (2014). Standards for reporting qualitative research: A synthesis of recommendations. *Academic Medicine*, *89*(9), 1245–1251.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1097/ACM.0000000000000388

O'Reilly, C. L., Bell, J. S., Kelly, P. J., & Chen, T. F. (2011). Impact of mental health first aid training on pharmacy students' knowledge, attitudes and self-reported behaviour: a controlled trial. *Australian and New Zealand Journal of Psychiatry*, *45*, 549–557. https://doi.org/10.3109/00048674.2011.585454

Odinka, P. C., Muomah, R. C., Ndukuba, C. A., Oche, M., Osika, M. U., Bakare, M. O., Agomoh, A. O., & Uwakwe, R. (2015). The sociocultural conceptualisations of schizophrenia and patterns of help seeking in south-east Nigeria. *Mental Health, Religion & Culture*, 1–14. https://doi.org/10.1080/13674676.2014.1000842

Ogorchukwu, J. M., Sekaran, V. C., Nair, S., & Ashok, L. (2016). Mental Health Literacy Among Late Adolescents in South India : What They Know and What Attitudes Drive Them. *Indian Pschiatric Society*, *38*, 234–241. https://doi.org/10.4103/0253-7176.183092

Oh, S., Lee, T. Y., Kim, M., Kim, S. H., Lee, S., Cho, S., Kim, J. H., & Kwon, J. S. (2020). Effectiveness of antipsychotic drugs in schizophrenia: a 10-year retrospective study in a Korean tertiary hospital. *Npj Schizophrenia*, *6*(32), 1–7. https://doi.org/10.1038/s41537-020-00122-3

Opler, M. G. ., Yavorsky, C., & Daniel, D. G. (2017). Positive and Negative Syndrome Scale (PANSS) Training: Challenges, Solutions, and Future Directions. *Innovations in Clinical Neuroscience*, *14*(11–12), 77–81.

Oum, V., Kobashi, Y., Tsubokura, M., Hori, A., Hayashi, Y., & Chhim, S. (2020). Factors Affecting the Help-Seeking Behaviours of Patients with Schizophrenia in Rural Cambodia. *Case Reports in Psychiatry*, *2020*, 1–3.

Pajaree, M., & Chuenjid, K. (2017). Medication Non-Adherence Identified at Home: A Systematic Review and Meta-analysis. *Quality in Primary Care*, *25*(2), 73–80. http://www.epistemonikos.org/documents/0990d3e372dabbfc8f0f08b7564dd5408ea10845

Park, H. Y., Seo, S. A., Yoo, H., & Lee, K. (2018). Medication adherence and beliefs about medication in elderly patients living alone with chronic diseases. *Patient Preference and Adherence*, *12*, 175–181. https://doi.org/10.2147/PPA.S151263

Patel, K. R., Cherian, J., Gohil, K., & Atkinson, D. (2014a). Schizophrenia:

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Overview and treatment options. *P and T*, *39*(9), 638–645.

Patel, K. R., Cherian, J., Gohil, K., & Atkinson, D. (2014b). Schizophrenia: overview and treatment options. *P & T Pharmacy and Therapeutics*, *39*(9), 638–645. https://pubmed.ncbi.nlm.nih.gov/25210417

Paterson, D. L., Swindells, S., Mohr, J., Brester, M., & Vergis, E. N. (2000). Adherence to Protease Inhibitor Therapy and Outcomes in Patients with HIV Infection. *Annals of Internal Medicine*, *133*, 21–30.

PCNE. (2013). *Position Paper on the definition of Pharmaceutical Care 2013*.

Peluso, M. J., Lewis, S. W., Barnes, T. R. E., & Jones, P. B. (2012). Extrapyramidal motor side-effects of first-and second-generation antipsychotic drugs. *British Journal of Psychiatry*, *200*, 387–392. https://doi.org/10.1192/bjp.bp.111.101485

Pérez-Surio, A. F. (2017). Second-Generation Antipsychotics Clinical Pharmacy Plan Developed from Hospital Pharmacy to Primary Health Care. *Pharmacy & Pharmacology International Journal*, *5*(4), 127–129. https://doi.org/10.15406/ppij.2017.05.00126

Petrie, K. J., Jago, L. A., & Devcich, D. A. (2007). The role of illness perceptions in patients with medical conditions. *Curr Opin Psychiatry*, *20*, 163–167.

Petrie, K. J., & Weinman, J. (2012). Patients' perceptions of their illness: The dynamo of volition in health care. *Current Directions in Psychological Science*, *21*(1), 60–65.

Petrie, K. J., & Weinman, J. A. (2013). *Perceptions of Health and Illness*. Taylor & Francis. https://books.google.co.id/books?id=875kAgAAQBAJ

Pfeiffer, P. N., Ganoczy, D., & Valenstein, M. (2008). Dosing Frequency and Adherence to Antipsychotic Medications. *Psychiatric Services*, *59*(10), 1207–1210.

Phan, S. V. (2016). Medication adherence in patients with schizophrenia. *The International Journal of Psychiatry in Medicine*, *51*(2), 211–219. https://doi.org/10.1177/0091217416636601

Phillips, M. R., Li, Y., Stroup, T. S., & Xin, L. (2000). Causes of schizophrenia reported by patients' family members in China. *The British Journal of Psychiatry*, *177*(1), 20–25.

Pote, H. L., & Orrell, M. W. (2002). Perceptions of Schizophrenia in Multi-Cultural Britain. *Ethnicity & Health*, *7*(1), 7–20.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1080/13557850220146966

Pushpa, Prasad, D., Hemrom, S., Jahan, M., Verma, A. N., & Singh, A. R. (2009). Efficacy of psycho-education with the patients of schizophrenia. *Eastern J. Psychiatry*, *12*, 37–40.

Putri, N. A. R., Kurnianingsih, T., & Andayani, S. (2020). Daily Living Performance in Schizophrenic Patients in Correlation with Positive and Negative Symptoms. *Althea Medical Journal*, *7*(2), 72–78. https://doi.org/10.15850/amj.1870

Raghavan, V., Mohan, G., Gopal, S., Ramamurthy, M., & Rangaswamy, T. (2019). Medication adherence in first-episode psychosis and its association with psychopathology. *Indian Journal of Psychiatry*, *61*(4), 342–346. https://doi.org/10.4103/psychiatry.IndianJPsychiatry_148_17

Ramadan, A. A., Taha, A. T., Madbouly, N., & Albasosi, A. I. (2018). Effect of Motivational Interviewing- Based Intervention on Medication Attitude and Adherence in Patients with Mental Illness. *Journal of Nursing and Health Science*, *7*(5), 13–24. https://doi.org/10.9790/1959-0705101324

Rasool, S., Zafar, M. Z., Ali, Z., & Erum, A. (2018). Schizophrenia: An Overview. *Clin.Pract*, *15*(5), 847–851. https://doi.org/10.1001/jamapsychiatry.2019.3360

Raynsford, J., Dada, C., Stansfield, D., & Cullen, T. (2020). Impact of a specialist mental health pharmacy team on medicines optimisation in primary care for patients on a severe mental illness register: a pilot study. *European Journal of Hospital Pharmacy : Science and Practice*, *27*, 31–35. https://doi.org/10.1136/ejhpharm-2018-001514

Razali, M. S., & Yahya, H. (1995). Compliance with treatment in schizophrenia: a drug intervention program in a developing country. *Acta Psychiatrica Scandinavica*, *91*, 331–335. https://doi.org/10.1111/j.1600-0447.1995.tb09790.x

Remington, G., Foussias, G., Agid, O., Fervaha, G., Takeuchi, H., & Hahn, M. (2014). The neurobiology of relapse in schizophrenia. *Schizophrenia Research*, *152*(2–3), 381–390. https://doi.org/10.1016/j.schres.2013.10.009

Richardson, T. E., O'Reilly, C. L., & Chen, T. F. (2013). A comprehensive review of the impact of clinical pharmacy services on patient outcomes in mental health. *Int J Clin Pharm*. https://doi.org/10.1007/s11096-013-9900-y

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Riordan, H. J., Antonini, P., & Murphy, M. F. (2011). Atypical antipsychotics and metabolic syndrome in patients with schizophrenia: risk factors, monitoring, and healthcare implications. *American Health & Drug Benefits*, *4*(5), 292–302. https://pubmed.ncbi.nlm.nih.gov/25126357

Robinson, D. G., Woerner, M. G., Alvir, J. M. J., Bilder, R. M., Hinrichsen, G. A., & Lieberman, J. A. (2002). Predictors of medication discontinuation by patients with first-episode schizophrenia and schizoaffective disorder. *Schizophrenia Research*, *57*, 209–219. https://doi.org/10.1016/s0920-9964(01)00312-7

Rognoni, C., Bertolani, A., & Jommi, C. (2021). Second-Generation Antipsychotic Drugs for Patients with Schizophrenia: Systematic Literature Review and Meta-analysis of Metabolic and Cardiovascular Side Effects. *Clinical Drug Investigation*, 1–17. https://doi.org/10.1007/s40261-021-01000-1

Roquini, G. R., Avelar, N. R. N., Santos, T. R., Oliveira, M. R. A. de C., Neto, N. M. G., de Sousa, M. R. M. G. C., & Trevisan, D. D. (2021). Construction and validation of an educational booklet to promote adherence to oral antidiabetics. *Cogitare Enfermagem*, *26*, 1–12. https://doi.org/10.5380/CE.V26I0.80659

Rosenheck, R., Leslie, D., Keefe, R., McEvoy, J., Swartz, M., Perkins, D., Stroup, S., Hsiao, J. K., & Lieberman, J. (2006). Barriers to employment for people with schizophrenia. *American Journal of Psychiatry*, *163*, 411–417. https://doi.org/10.1176/appi.ajp.163.3.411

Rubio-valera, M., Chen, T. F., & O' Reilly, C. L. (2014). New Roles for Pharmacists in Community Mental Health Care : A Narrative Review. *Int.J.Environ.Res.Public Health*, *11*, 10967–10990. https://doi.org/10.3390/ijerph111010967

Rubio-Valera, M., Serrano-Blanco, A., Magdalena-Belío, J., Fernández, A., García-Campayo, J., Pujol, M. M., & Hoyo, Y. L. Del. (2011). Effectiveness of pharmacist care in the improvement of adherence to antidepressants: A systematic review and meta-analysis. *Annals of Pharmacotherapy*, *45*(1), 39–48. https://doi.org/10.1345/aph.1P429

Ryan, R. M., & Deci, E. L. (2000). Self-Determination Theory and the Facilitation of Intrinsic Motivation, Social Development, and Well-Being. *American Psychological Association*, *55*(1), 68–78.

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Saba, N. U., & Muraraiah, S. (2022). Medication Adherence And Its Associated Factor: A Cross-Sectional Study Among Patients with Schizophrenia. *Pharmacology and Clinical Pharmacy Research*, *7*(1), 31–39. https://doi.org/10.15416/pcpr.v7i1.35121

Sadock, B. J., Sadock Alcott, V., & Ruiz, P. (2015). Synopsis of psychiatry behavioral sciences/clinical psychiatry. In *Psychiatry*. https://doi.org/10.1002/9781118753378.ch73

Sadock, B. J., Sadock Alcott, V., & Ruiz, P. (2017). *Kaplan & Sadock's Comprehensive TextBook of Psychiatry Tenth Edition* (10th ed.). Wolters Kluwer.

Sawyer, A. T., Harris, S. L., & Koenig, H. G. (2019). Illness perception and high readmission health outcomes. *Health Psychology Open*, 1–11. https://doi.org/10.1177/2055102919844504

Schulz, M., Gray, R., Spiekermann, A., Abderhalden, C., Behrens, J., & Driessen, M. (2013). Adherence therapy following an acute episode of schizophrenia: a multi-centre randomised controlled trial. *Schizophrenia Research*, *146*(1–3), 59–63. https://doi.org/10.1016/j.schres.2013.01.028

Semahegn, A., Torpey, K., Manu, A., Assefa, N., Tesfaye, G., & Ankomah, A. (2020). Psychotropic medication non-adherence and its associated factors among patients with major psychiatric disorders: A systematic review and meta-analysis. *Systematic Reviews*, *9*(17), 1–18. https://doi.org/10.1186/s13643-020-1274-3

Sendt, K. V., Tracy, D. K., & Bhattacharyya, S. (2015). A systematic review of factors influencing adherence to antipsychotic medication in schizophrenia-spectrum disorders. *Psychiatry Research*, *225*, 14–30. https://doi.org/10.1016/j.psychres.2014.11.002

Shakya, R., Shrestha, S., Gautam, R., Rai, L., Maharjan, S., Satyal, G. K., Bhuvan, K., & Rai, M. K. (2020). Perceived Illness and Treatment Adherence to Hypertension Among Patients Attending a Tertiary Hospital in Kathmandu, Nepal. *Patient Preference and Adherence*, *14*, 1–14. https://doi.org/10.2147/PPA.S270786

Shepard-Smith, A., Vuksic, O., & Ernest, D. (2017). *Schizophrenia: An Information Guide*. CENTRE FOR ADDICTION AND MENTA. https://books.google.co.id/books?id=eQq7tAEACAAJ

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Shimada, T., Ohori, M., Inagaki, Y., Shimooka, Y., Sugimura, N., Ishihara, I., Yoshida, T., & Kobayashi, M. (2018). A multicenter, randomized controlled trial of individualized occupational therapy for patients with schizophrenia in Japan. *PloS One*, *13*(4), e0193869. https://doi.org/10.1371/journal.pone.0193869

Smeerdijk, M., Keet, R., de Haan, L., Barrowclough, C., Linszen, D., & Schippers, G. (2014). Feasibility of teaching motivational interviewing to parents of young adults with recent-onset schizophrenia and co-occurring cannabis use. *Journal of Substance Abuse Treatment*, *46*(3), 340–345. https://doi.org/10.1016/j.jsat.2013.09.006

Smith-East, M. (2020). *Geographic Access to Community Mental Healthcare and Adherence to Treatment Among Patients with Schizophrenia Spectrum Disorders*.

Spaniel, F., Bakstein, E., Anyz, J., Hlinka, J., Sieger, T., Hrdlicka, J., Görnerová, N., & Höschl, C. (2016). Relapse in schizophrenia: Definitively not a bolt from the blue. *Neuroscience Letters*, 1–7. https://doi.org/10.1016/j.neulet.2016.04.044

Stroup, T. S., & Gray, N. (2018). Management of common adverse effects of antipsychotic medications. *World Psychiatry*, *17*, 341–356. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6127750/

Stuhec, M., Bratović, N., & Mrhar, A. (2019). Impact of clinical pharmacist's interventions on pharmacotherapy management in elderly patients on polypharmacy with mental health problems including quality of life: A prospective non-randomized study. *Scientific Reports*, *9*(16856), 1–8. https://doi.org/10.1038/s41598-019-53057-w

Subramaniam, M., Abdin, E., Jeyagurunathan, A., Chang, S., Samari, E., Shafie, S., Wei, K. C., Verma, S., & Chong, S. A. (2018). Exploration of illness perception among patients with mental illness in a multi-ethnic Asian sample. *Psychiatry Research*, *267*, 516–527. https://doi.org/10.1016/j.psychres.2018

Tak, Y., Jungsun, J., Yeon, L., & Joo, H. (2021). Fever as a Side Effect after Electroconvulsive Therapy. *Neuropsychobiology*, 1–9. https://doi.org/10.1159/000511542

Tan, Y. M., Chong, C. P., & Cheah, Y. C. (2019). Impact of hospital pharmacist-led home medication review program for people with schizophrenia : A

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

prospective study from Malaysia. *Journal of Applied Pharmaceutical Science*, *9*(07), 34–41. https://doi.org/10.7324/JAPS.2019.90705

Tauscher-wisniewski, S., & Zipursky, R. B. (2002). The role of maintenance pharmacotherapy in achieving recovery from a rst episode of schizophrenia. *International Review of Psychiatry*, *14*, 284–292. https://doi.org/10.1080/0954026021000016923

Tesli, M., Degerud, E., Plana-Ripoll, O., Gustavson, K., Torvik, F. A., Ystrom, E., Ask, H., Tesli, N., Høye, A., Stoltenberg, C., Reichborn-Kjennerud, T., Nesvåg, R., & Næss, Ø. (2022). Educational attainment and mortality in schizophrenia. *Acta Psychiatrica Scandinavica*, *145*, 481–493. https://doi.org/10.1111/acps.13407

Thara, R., & Kamath, S. (2015). Women and schizophrenia. *Indian Journal of Psychiatry*, *57*(Suppl 2), S246–S251. https://doi.org/10.4103/0019-5545.161487

The Institute for Health Metrics and Evaluation. (2019). Schizophrenia-Level 3 cause. In *The Lancet* (Vol. 393).

Tiwari, R. R., Pandey, B., & Chaudhari, K. S. (2023). Image-Based Communication for Strengthening Patient Health Education in Rural and Underserved Settings. *Cureus*, *15*(7), 1–5. https://doi.org/10.7759/cureus.41279

Torras, M. G., & Tomàs, E. P. (2018). Interventions to improve therapeutic adherence in subjects with schizophrenia. *Papeles Del Psicologo*, *39*(1), 31–39. https://doi.org/10.23923/pap.psicol2018.2850

Tran Nhu Minh, H., Nguyen Van, T., & Nguyen Ngoc Quang, L. (2024). Medication adherence and related psychosocial and clinical factors among schizophrenic patients: a cross - sectional analytical study in National Psychiatric Hospital 2, Vietnam. *Hue Journal of Medicine and Pharmacy*, *14*(2), 43–50. https://doi.org/10.34071/jmp.2024.2.6

Tranulis, C., Goff, D., Henderson, D. C., & Freudenreich, O. (2011). Becoming adherent to antipsychotics: A qualitative study of treatment-experienced schizophrenia patients. *Psychiatric Services*, *62*(8), 888–892. https://doi.org/10.1176/ps.62.8.pss6208_0888

Uppinkudru, C., Gopalakrishnan, R., Noel, J., & Kuruvilla, A. (2023). Prevalence, correlates and explanatory models of cognitive deficits in patients with

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

schizophrenia - A cross sectional study. *Indian Journal of Psychiatry*, *65*, 1025–1034. https://doi.org/10.4103/indianjpsychiatry.indianjpsychiatry_102_23

Valenstein, M., Kavanagh, J., Lee, T., Reilly, P., Dalack, G. W., Grabowski, J., Smelson, D., Ronis, D. L., Ganoczy, D., Woltmann, E., Metreger, T., Wolschon, P., Jensen, A., Poddig, B., & Blow, F. C. (2011). Using a pharmacy-based intervention to improve antipsychotic adherence among patients with serious mental illness. *Schizophrenia Bulletin*, *37*(4), 727–736. https://doi.org/10.1093/schbul/sbp121

Vallet, T., Michelon, H., Orlu, M., Jani, Y., Leglise, P., Laribe-Caget, S., Piccoli, M., Fur, A. Le, Liu, F., Ruiz, F., & Boudy, V. (2020). Acceptability in the older population: The importance of an appropriate tablet size. *Pharmaceutics*, *12*, 1–11. https://doi.org/10.3390/pharmaceutics12080746

Vargas, T., Conley, R. E., & Mittal, V. A. (2020). Chronic stress, structural exposures and neurobiological mechanisms: A stimulation, discrepancy and deprivation model of psychosis. *International Review of Neurobiology*, *152*, 41–69. https://doi.org/10.1016/bs.irn.2019.11.004

Varkey, B. (2021). Principles of Clinical Ethics and Their Application to Practice. *Medical Principles and Practice*, *30*, 17–28. https://doi.org/10.1159/000509119

Vega, D., Acosta, F. J., & Saavedra, P. (2021). Nonadherence after hospital discharge in patients with schizophrenia or schizoaffective disorder: A six-month naturalistic follow-up study. *Comprehensive Psychiatry*, *108*, 1–8. https://doi.org/10.1016/j.comppsych.2021.152240

Velligan, D. I., Weiden, P. J., Sajatovic, M., Scott, J., Carpenter, D., Ross, R., & Docherty, J. P. (2009). The expert consensus guideline series: Adherence problems in patients with serious and persistent mental illness. *The Journal of Clinical Psychiatry*, *70*(SUPPL. 4), 1–46. https://doi.org/10.4088/JCP.7090su1cj

Velligan, D., Mintz, J., Maples, N., Xueying, L., Gajewski, S., Carr, H., & Sierra, C. (2013). A randomized trial comparing in person and electronic interventions for improving adherence to oral medications in schizophrenia. *Schizophrenia Bulletin*, *39*(5), 999–1007. https://doi.org/10.1093/schbul/sbs116

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Ventriglio, A., Ricci, F., Magnifico, G., Chumakov, E., Torales, J., Watson, C., Castaldelli-Maia, J. M., Petito, A., & Bellomo, A. (2020). Psychosocial interventions in schizophrenia: Focus on guidelines. *International Journal of Social Psychiatry*, *00*(0), 1–13. https://doi.org/10.1177/0020764020934827

Verma, P. K., Walia, T. S., Chaudhury, S., & Srivastava, S. (2019). Family psychoeducation with caregivers of schizophrenia patients : Impact on perceived quality of life. *Industry Psychiatry Journal*, *28*, 19–23. https://doi.org/10.4103/ipj.ipj

Walsh, C. A., Cahir, C., Tecklenborg, S., Byrne, C., Culbertson, M. A., & Bennett, K. E. (2019). The association between medication non-adherence and adverse health outcomes in ageing populations: A systematic review and meta-analysis. *British Journal of Clinical Pharmacology*, *85*, 2464–2478. https://doi.org/10.1111/bcp.14075

Wardani, L. K., & Priyanto. (2022). The Influence of Family Psycoeducation on the Ability of Families in Careing for Schizophrenia Patients in Sumberpucung Village Community Health Center, Sambigede Village Kecamatan Sumberpucung, District. Poor. *Journal of Global Research in Public Health*, *7*(2), 141–148. https://doi.org/10.30994/jgrph.v7i2.408

Weinberger, D. R., & Harrison, P. (2011). *Schizophrenia*. Wiley. https://books.google.co.id/books?id=B3smwFtVRjYC

WHO. (2003). Adherence to Long -Term Therapies Evidence for action. In *Applied Mechanics and Materials*. https://doi.org/10.4028/www.scientific.net/AMM.321-324.1779

WHO. (2022). *Schizophrenia*. Www.Who.Int/News-Room/Fact-Sheets/Detail/Schizophrenia. https://www.who.int/news-room/fact-sheets/detail/schizophrenia

Wiesjahn, M., Jung, E., Lamster, F., Rief, W., & Lincoln, T. M. (2014). Explaining attitudes and adherence to antipsychotic medication: the development of a process model. *Schizophrenia Research and Treatment*, *2014*, 1–11. https://doi.org/10.1155/2014/341545

Williams, A. B., Amico, K. R., Bova, C., & Womack, J. A. (2013). A proposal for quality standards for measuring medication adherence in research. *AIDS Behavior*, *17*(1), 284–297. https://doi.org/10.1007/s10461-012-0172-7

Winklbaur, B., Ebner, N., Sachs, G., Thau, K., & Fischer, G. (2006).

A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Pharmacological aspects. Substance abuse in patients with schizophrenia. *Dialogues in Clinical Neuroscience*, *8*(1), 37–43. https://doi.org/10.31887/dcns.2006.8.1/bwinklbaur

Wong, D. T. L., Tong, S. F., Daud, T. I. M., Aziz, S. A., & Midin, M. (2020). Factors Influencing Professional Help-Seeking Behavior During First Episode Psychosis in Schizophrenia : An Exploratory Study on Caregivers' Perspective. *Frontiers in Psychiatry*, *10*, 1–12. https://doi.org/10.3389/fpsyt.2019.00962

Wong, Y. X., Khan, T. M., Wong, Z. J., Ab Rahman, A. F., & Jacob, S. A. (2020). Perception of Community Pharmacists in Malaysia About Mental Healthcare and Barriers to Providing Pharmaceutical Care Services to Patients with Mental Disorders. *Community Mental Health Journal*, *56*, 88–98. https://doi.org/10.1007/s10597-019-00496-4

World Health Organization. (2003). Mental health policy and service guidance package. *Organization of Services for Mental Health. Geneva*. https://iris.who.int/handle/10665/333104

Xu, D., Xiao, S., He, H., Caine, E. D., Gloyd, S., Simoni, J., Hughes, J. P., Nie, J., Lin, M., He, W., Yuan, Y., & Gong, W. (2019). Lay health supporters aided by mobile text messaging to improve adherence, symptoms, and functioning among people with schizophrenia in a resource-poor community in rural China (LEAN): A randomized controlled trial. *PLoS Medicine*, *16*(4), 1–21. https://doi.org/10.1371/journal.pmed.1002785

Yıldız, M., Kaytaz Yılmaz, B. N., İncedere, A., Abut, F. B., Aydın, A. Ö., Sarandöl, A., Örüm, T. G. Y., Kurt, A., & Erşan, E. E. (2019). Rates and correlates of employment in patients with schizophrenia: A multicenter study in Turkey. *International Journal of Social Psychiatry*, *00*(0), 1–10. https://doi.org/10.1177/0020764019839082

Z, N. U. S., Muraraiah, S., & H, C. (2019). Medication adherence in schizophrenia: Understanding patient's views. *National Journal of Physiology, Pharmacy and Pharmacology*, *9*(5), 373–378. https://doi.org/10.5455/njppp.2019.9.0206002032019

Zafar, S. N., Syed, R., Tehseen, S., Gowani, S. A., Waqar, S., Zubair, A., Yousaf, W., Zubairi, A. J., & Naqvi, H. (2008). Perceptions about the cause of schizophrenia and the subsequent help seeking behavior in a Pakistani

UNIVERSITAS
GADJAH MADA
**A Pharmacyâ€™s Si-Care (Schizophrenia Care) Program to Improve Medication Adherence and Therapy
Outcome in Patients with Schizophrenia**
Noor Cahaya, Prof. Dr. apt. Susi Ari kristina, M.Kes; apt. Anna Wahyuni Widayanti, M.PH, Ph.D; Prof. James A Green
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

population- results of cross-sectional survey. *BMC Psychiatry*, *8*(56), 1–8. https://doi.org/10.1186/1471-244X-8-56

Zanin, G. B., & Morejón, A. J. V. (2013). Causal Attribution in Psychosis : A Study on Patients and Relatives. *Annuary of Clinical and Health Psychology*, *09*, 7–8.