

DAFTAR PUSTAKA

- Alkabbanie, R., Aktas, B., Demircan, G., & Yalcin, S. (2024). Short carbon fiber-reinforced PLA composites: influence of 3D-printing parameters on the mechanical and structural properties. *Iranian Polymer Journal (English Edition)*, 33(8), 1065–1074. <https://doi.org/10.1007/s13726-024-01315-8>
- Antony, S., Cherouat, A., & Montay, G. (2020). Fabrication and Characterization of Hemp Fibre Based 3D Printed Honeycomb Sandwich Structure by FDM Process. *Applied Composite Materials*, 27(6), 935–953. <https://doi.org/10.1007/s10443-020-09837-z>
- ASTM C365/C365M-05. (2005). *Standard Test Method for Flatwise Compressive Properties of Sandwich Cores*. ASTM International.
- ASTM C393/C393M-11. (2011). *Standard Test Method for Core Shear Properties of Sandwich Constructions by Beam Flexure*. ASTM International.
- Aziz, M. S., & Sherif, A. Y. El. (2016). Biomimicry as an approach for bio-inspired structure with the aid of computation. *Alexandria Engineering Journal*, 55(1), 707–714. <https://doi.org/10.1016/j.aej.2015.10.015>
- Brischetto, S., Ferro, C. G., Torre, R., & Maggiore, P. (2018). 3D FDM production and mechanical behavior of polymeric sandwich specimens embedding classical and honeycomb cores. *Curved and Layered Structures*, 5(1), 80–94. <https://doi.org/10.1515/cls-2018-0007>
- Bru, J., Leite, M., Ribeiro, A. R., Reis, L., Deus, A. M., & Fátima Vaz, M. (2020). Bioinspired structures for core sandwich composites produced by fused deposition modelling. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 234(3). <https://doi.org/10.1177/1464420719886906>
- Chennakesava, P., & Naryan, Y. S. (2017). Fused Deposition Modeling - Insights. *International Conference on Advances in Design and Manufacturing (ICAD&M'14)*, July.
- Chiarotti, F. (2004). Detecting assumption violations in mixed-model analysis of variance. *Annali Dell'Istituto Superiore Di Sanita*, 40(2), 165–171.
- Connors, M., Yang, T., Hosny, A., Deng, Z., Yazdandoost, F., Massaadi, H., Eernisse, D., Mirzaeifar, R., Dean, M. N., Weaver, J. C., Ortiz, C., & Li, L. (2019). Bioinspired design of flexible armor based on chiton scales. *Nature Communications*, 10(1). <https://doi.org/10.1038/s41467-019-13215-0>
- Dave, H. K., & Patel, S. T. (2021). *Fused Deposition Modeling Based 3D Printing* (H. K. Dave & J. P. Davim, Eds.). Springer International Publishing. https://www.google.co.id/books/edition/Fused_Deposition_Modeling_Based_3D_Print/8MMqEAAAQBAJ?hl=en&gbpv=1&kptab=overview
- DeBoer, B., Nguyen, N., Diba, F., & Hosseini, A. (2021). Additive, subtractive, and formative manufacturing of metal components: a life cycle assessment comparison. *The International Journal of Advanced Manufacturing Technology*, 115. <https://doi.org/10.1007/s00170-021-07173-5>

- Dey, A., & Yodo, N. (2019). A Systematic Survey of FDM Process Parameter Optimization and Their Influence on Part Characteristics. *Manufacturing and Materials Processing*, 3(3), 64. <https://doi.org/https://doi.org/10.3390/jmmp3030064>
- Dizon, J. R. C., Espera, A. H., Chen, Q., & Advincula, R. C. (2018). Mechanical characterization of 3D-printed polymers. In *Additive Manufacturing* (Vol. 20, pp. 44–67). Elsevier B.V. <https://doi.org/10.1016/j.addma.2017.12.002>
- Dodge, Y. (2008). *The Concise Encyclopedia of Statistics*. Springer.
- Doshi, M., Mahale, A., Singh, S. K., & Deshmukh, S. (2022). Printing parameters and materials affecting mechanical properties of FDM-3D printed Parts: Perspective and prospects. *Materials Today: Proceedings*, 50, 2269–2275. <https://doi.org/10.1016/J.MATPR.2021.10.003>
- Du, Y., Gu, D., Xi, L., Dai, D., Gao, T., Zhu, J., & Ma, C. (2020). Laser additive manufacturing of bio-inspired lattice structure: Forming quality, microstructure and energy absorption behavior. *Materials Science and Engineering: A*, 773. <https://doi.org/10.1016/j.msea.2019.138857>
- Ergin, M., & Koşkan, Ö. (2023). Assessing transformation methods for group comparisons under violated assumptions: type I error rate and test power. *Arquivo Brasileiro de Medicina Veterinaria e Zootecnia*, 75(5), 883–892. <https://doi.org/10.1590/1678-4162-13026>
- eSun. (n.d.). *PLA Filaments*. Retrieved 23 November 2024, from https://www.esun3d.com/pla-filaments/?gad_source=1&gclid=CjwKCAiA14a6BhBqEiwAqvrquua5N-JM2w3l_hmckpBrlPpfEdPSj6LPX7jX4EdI9I6ae2iRj9laXxoCBSYQAvD_BwE
- Faidallah, R. F., Hanon, M. M., Szakál, Z., & Oldal, I. (2023). Study of the Mechanical Characteristics of Sandwich Structures FDM 3D-printed. *Acta Polytechnica Hungarica*, 20(6), 7–26. <https://doi.org/10.12700/APH.20.6.2023.6.1>
- Fitrianto, A., & Berahim, N. S. (2017). Effects of outliers in the analysis of taguchi experiments. *Advanced Science Letters*, 23(2), 1465–1469. <https://doi.org/10.1166/asl.2017.8364>
- Gohar, S., Hussain, G., Ali, A., & Ahmad, H. (2023). Mechanical performance of honeycomb sandwich structures built by FDM printing technique. *Journal of Thermoplastic Composite Materials*, 36(1), 182–200. <https://doi.org/10.1177/0892705721997892>
- Greco, L., Buccino, F., Xu, Z., Vergani, L., Berto, F., Guagliano, M., Razavi, S. M. J., & Bagherifard, S. (2023). Design and Analysis of Energy Absorbent Bioinspired Lattice Structures. *Journal of Bionic Engineering*. <https://doi.org/10.1007/s42235-023-00358-6>
- Gunes, S., Manay, E., Senyigit, E., & Ozceyhan, V. (2011). A Taguchi approach for optimization of design parameters in a tube with coiled wire inserts. *Applied Thermal Engineering*, 31(14–15), 2568–2577. <https://doi.org/10.1016/J.APPLTHERMALENG.2011.04.022>
- Hair, J. F. Jr., Black, W. C., Babin, B. J., & Anderson, R. E. (2010). *Multivariate Data Analysis* (Seventh). Pearson Prentice Hall.

- Hedayati, R., Sadighi, M., Mohammadi Aghdam, M., & Zadpoor, A. A. (2016). Mechanical properties of additively manufactured thick honeycombs. *Materials*, 9(8), 613. <https://doi.org/10.3390/ma9080613>
- Herrmann, C., Dewulf, W., Hauschild, M., Kaluza, A., Kara, S., & Skerlos, S. (2018). Life cycle engineering of lightweight structures. *CIRP Annals*, 67(2), 651–672. <https://doi.org/10.1016/j.cirp.2018.05.008>
- Huang, M.-S., & Chang, C. H. (2024). Hyperparameter optimization strategy of multilayer perceptron model for injection molding quality prediction. *International Journal of Advanced Manufacturing Technology*, 131(3–4), 1879–1895. <https://doi.org/10.1007/s00170-024-13228-0>
- Imani, M., Donn, M., & Balador, Z. (2019). Bio-inspired Materials: Contribution of Biology to Energy Efficiency of Buildings. In L. M. T. Martínez, O. V. Kharissova, & B. I. Kharisov (Eds.), *Handbook of Ecomaterials* (pp. 2213–2236). Springer International Publishing. https://doi.org/10.1007/978-3-319-68255-6_136
- Islam, M. K., Wang, H., Hazell, P. J., Kader, M. A., & Escobedo, J. P. (2022). Quasi-static response of horse hoof inspired biomimetic structures. *Materials Today: Proceedings*, 59, 1168–1173. <https://doi.org/10.1016/j.matpr.2022.03.185>
- Jaya Christiyan, K. G., Chandrasekhar, U., Rajesh Mathivanan, N., & Venkateswarlu, K. (2018). Influence of manufacturing parameters on the strength of PLA parts using Layered Manufacturing technique: A statistical approach. *IOP Conference Series: Materials Science and Engineering*, 310(1). <https://doi.org/10.1088/1757-899X/310/1/012134>
- Khan, W. A., Hassan, M., Ahmed, I., Xiao, M., Faraz, M. I., Li, K., Fatih, I., Muhammad, R., Wu, H., & Hussain, G. (2024). Insights into Flexural and Impact Properties of Polymer Based Materials Printed Through Fused Filament Fabrication: Progress in The Last Decade. *International Journal of Lightweight Materials and Manufacture*. <https://doi.org/10.1016/j.ijlmm.2024.05.011>
- Kumar, M. S., Farooq, M. U., Ross, N. S., Yang, C. H., Kavimani, V., & Adediran, A. A. (2023). Achieving effective interlayer bonding of PLA parts during the material extrusion process with enhanced mechanical properties. *Scientific Reports*, 13(1), 1–21. <https://doi.org/10.1038/s41598-023-33510-7>
- Li, J., Fu, Y., Li, Y., & Fu, S. (2024). Research progress on mechanical performance optimization and functional design of additive manufactured biomimetic structures. *Fuhe Cailiao Xuebao/Acta Materiae Compositae Sinica*, 41(9), 4435–4456. <https://doi.org/10.13801/j.cnki.fhclxb.20240423.004>
- Lv, X., Wang, S., Xu, Z., Liu, X., Liu, G., Cao, F., & Ma, Y. (2023). Structural Mechanical Properties of 3D Printing Biomimetic Bone Replacement Materials. *Biomimetics*, 8(2), 166. <https://doi.org/10.3390/biomimetics8020166>
- Magaluri, N., Suresh, G., & Rao, K. V. (2023). Assessing the effect of FDM processing parameters on mechanical properties of PLA parts using Taguchi method. *Journal of Thermoplastic Composite Materials*, 36(4), 1472–1488. <https://doi.org/10.1177/08927057211053036>

- Malik, W. A., & Piepho, H.-P. (2016). On generalized exponential transformations for proportions. *Communications in Statistics - Theory and Methods*, 45(19), 5857–5870. <https://doi.org/10.1080/03610926.2014.950753>
- Mandoc, A. C., Maier, R. L., Opran, C. G., Curti, V. D., & Lamanna, G. (2022). Biomimetic Cellular Structures for Turbine System Components. *International Journal of Modern Manufacturing Technologies*, 14(2), 151–158. <https://doi.org/10.54684/ijmmt.2022.14.2.151>
- Martini, R., Balit, Y., & Barthelat, F. (2017). A comparative study of bio-inspired protective scales using 3D printing and mechanical testing. *Acta Biomaterialia*, 55, 360–372. <https://doi.org/10.1016/j.actbio.2017.03.025>
- Miazio, L. (2019). Impact of Print Speed on Strength of Samples Printed in FDM Technology. *Agricultural Engineering*, 23(2), 33–38. <https://doi.org/10.1515/agriceng-2019-0014>
- Montgomery, D. C., & Runger, G. C. (2011). *Applied Statistics and Probability for Engineers* (Fifth). John Wiley & Sons.
- Murariu, M., Da Silva Ferreira, A., Alexandre, M., & Dubois, P. (2008). Polylactide (PLA) designed with desired end-use properties: 1. PLA compositions with low molecular weight ester-like plasticizers and related performances. *Polymers for Advanced Technologies*, 19(6), 636–646. <https://doi.org/10.1002/pat.1131>
- Natarajan, G. S., & Rose, B. R. J. (2022). Performance enhancement of futuristic airplanes by nature inspired biomimetic fish scale arrays—A design approach. *Biomimetic Intelligence and Robotics*, 2(2). <https://doi.org/10.1016/j.birob.2022.100045>
- Nyabadza, A., Mc Donough, L. M., Manikandan, A., Ray, A. B., Plouze, A., Muilwijk, C., Freeland, B., Vazquez, M., & Brabazon, D. (2024). Mechanical and antibacterial properties of FDM additively manufactured PLA parts. *Results in Engineering*, 21. <https://doi.org/10.1016/j.rineng.2023.101744>
- Oladapo, B., Zahedi, A., Ismail, S., Fernando, W., & Ikumapayi, O. (2023). 3D-printed biomimetic bone implant polymeric composite scaffolds. *International Journal of Advanced Manufacturing Technology*, 126(9–10), 4259–4267. <https://doi.org/10.1007/s00170-023-11344-x>
- Ostertagová, E., Ostertag, O., & Kováč, J. (2014). Methodology and application of the Kruskal-Wallis test. In *Applied Mechanics and Materials* (Vol. 611). <https://doi.org/10.4028/www.scientific.net/AMM.611.115>
- Pak, S.-I., & Oh, T. (2010). The application of analysis of variance (ANOVA). *Journal of Veterinary Clinics*, 27, 71–78.
- Pollard, D., Ward, C., Herrmann, G., & Etches, J. (2017). The manufacture of honeycomb cores using Fused Deposition Modeling. *Advanced Manufacturing: Polymer and Composites Science*, 3(1), 21–31. <https://doi.org/10.1080/20550340.2017.1306337>
- Qi, C., Jiang, F., & Yang, S. (2021). Advanced honeycomb designs for improving mechanical properties: A review. *Composites Part B: Engineering*, 227, 109393. <https://doi.org/10.1016/J.COMPOSITESB.2021.109393>
- Raja Ram, N., & Nikhil, G. N. (2024). Anaerobic digestion of food waste with a selective mixed-microbial consortium and its evaluation with different

- optimization methods. *Journal of Material Cycles and Waste Management*, 26(6), 3370–3383. <https://doi.org/10.1007/s10163-024-02034-1>
- Rice, C., & Tan, K. T. (2019). Horse hoof inspired biomimetic structure for improved damage tolerance and crack diversion. *Composite Structures*, 220, 362–370. <https://doi.org/10.1016/j.compstruct.2019.04.009>
- Rizk, T. H. (2023). Analysis of variance. In *Translational Interventional Radiology*. <https://doi.org/10.1016/B978-0-12-823026-8.00024-9>
- Ross, P. J. (1996). *Taguchi Techniques for Quality Engineering* (Second). McGraw-Hill.
- Rueda, A. P. M. (2023). Analysis of variance: ANOVA. *Translational Sports Medicine*, 157–160. <https://doi.org/10.1016/B978-0-323-91259-4.00099-0>
- Sheoran, A. J., & Kumar, H. (2020). Fused Deposition modeling process parameters optimization and effect on mechanical properties and part quality: Review and reflection on present research. *Materials Today: Proceedings*, 21, 1659–1672. <https://doi.org/10.1016/J.MATPR.2019.11.296>
- Singh, H., & Kumar, P. (2006). Optimizing feed force for turned parts through the Taguchi technique. *Sadhana - Academy Proceedings in Engineering Sciences*, 31(6), 671–681. <https://doi.org/10.1007/BF02716887>
- Sun, J., Yu, S., Wade-Zhu, J., Wang, Y., Qu, H., Zhao, S., Zhang, R., Yang, J., Binner, J., & Bai, J. (2022). 3D printing of ceramic composite with biomimetic toughening design. *Additive Manufacturing*, 58. <https://doi.org/10.1016/j.addma.2022.103027>
- Sun, Y., Tian, W., Zhang, T., Chen, P., & Li, M. (2020). Strength and toughness enhancement in 3d printing via bioinspired tool path. *Materials and Design*, 185. <https://doi.org/10.1016/j.matdes.2019.108239>
- Taguchi, G. (1990). *Introduction to Quality Engineering*. Asian Productivity Organization.
- Top, N., Gökçe, H., & Şahin, I. (2023). Additive Manufacturing of Bio-Inspired Microstructures for Bone Tissue Engineering. *Experimental Techniques*. <https://doi.org/10.1007/s40799-023-00630-8>
- Uchiyama, Y., Blanco, E., & Kohsaka, R. (2020). Application of biomimetics to architectural and urban design: A review across scales. In *Sustainability (Switzerland)* (Vol. 12, Issue 23, pp. 1–15). MDPI. <https://doi.org/10.3390/su12239813>
- Wang, C., Yu, J., Jiang, M., & Li, J. (2024). Effect of Selective Enhancement on the Bending Performance of Fused Deposition Methods 3D-Printed PLA Models. *BioResources*, 19(2), 2660–2669. <https://doi.org/10.15376/biores.19.2.2660-2669>
- Wu, X. W., & Lai, D. (2015). Comparison of statistical methods for pretest-posttest designs in terms of type i error probability and statistical power. *Communications in Statistics: Simulation and Computation*, 44(2), 284–294. <https://doi.org/10.1080/03610918.2013.775295>
- Wu, Y., Gao, X., Wu, J., Zhou, T., Nguyen, T. T., & Wang, Y. (2023). Biodegradable Polylactic Acid and Its Composites: Characteristics, Processing, and Sustainable Applications in Sports. In *Polymers* (Vol. 15,

- Issue 14). Multidisciplinary Digital Publishing Institute (MDPI).
<https://doi.org/10.3390/polym15143096>
- Xu, W., Wang, C., Liu, B., & Jia, S. (2023). Crushing responses and energy absorption of bionic inspired corrugated honeycombs. *International Journal of Impact Engineering*, 179. <https://doi.org/10.1016/j.ijimpeng.2023.104641>
- Yan, L., Zhu, K., Zhang, Y., Zhang, C., & Zheng, X. (2020). Effect of absorbent foam filling on mechanical behaviors of 3D-printed honeycombs. *Polymers*, 12(9). <https://doi.org/10.3390/POLYM12092059>
- Yan, X., Bethers, B., Chen, H., Xiao, S., Lin, S., Tran, B., Jiang, L., & Yang, Y. (2021). Recent Advancements in Biomimetic 3D Printing Materials with Enhanced Mechanical Properties. In *Frontiers in Materials* (Vol. 8). Frontiers Media S.A. <https://doi.org/10.3389/fmats.2021.518886>
- Yoon, Y.-J., Moon, S. K., & Hwang, J. (2014). 3D printing as an efficient way for comparative study of biomimetic structures — trabecular bone and honeycomb. *Journal of Mechanical Science and Technology*, 28(11), 4635–4640. <https://doi.org/10.1007/s12206-014-1031-4>
- Zaharia, S. M., Enescu, L. A., & Pop, M. A. (2020). Mechanical performances of lightweight sandwich structures produced by material extrusion-based additive manufacturing. *Polymers*, 12(8). <https://doi.org/10.3390/POLYM12081740>