

DAFTAR PUSTAKA

- Achdiawan, R., & Puntodewo, A. (2011). Livelihood of furniture producers in Jepara. Annex 12, FVC Annual Report. CIFOR. Bogor, Indonesia.
- Adinugraha, H.A., & Leksono, B. (2013). Kinerja jati asal Muna pada plot uji klon jati di empat lokasi. *Jurnal Penelitian Kehutanan Wallacea*. 2(2): 138-153.
- Adinugraha, H.A., & Mahfudz. (2016). Estimasi parameter genetika uji klon jati umur 5 tahun di Wonogiri, Jawa Tengah. *Jurnal Wasian*. 3(1): 17-24.
- Adinugraha, H.A., & Pudjiono, S. (2014). Evaluasi pertumbuhan tanaman uji klon jati pada umur 10 tahun di Wonogiri, Jawa Tengah. *Jurnal Hutan Tropis*. 2(2): 163-169.
- Aiso-Sanada, H., Ishiguri, F., Diloksumpun, S., Nezu, I., Tanabe, J., Ohshima, J., & Yokota, S. (2019). Effect of thinning on anatomical characteristics and wood properties of 12-year-old *Eucalyptus camaldulensis* trees planted in Thailand. *Tropics*. 28(3): 67-73.
- Akachuku, A.E. (1984). The possibility of tree selection and breeding for genetic improvement of wood properties in *Gmelina arborea*. *For Sci*. 30:275-283.
- Altona, T. (1922). Teak and Hindoos. *Tectona* 15:457-506.
- Amoah, M. & Inyong, S. (2019). Comparison of some physical, mechanical and anatomical properties of smallholder plantation teak (*Tectona grandis* Linn. f.) from dry and wet localities of Ghana. *J Indian Acad Wood Sci* 16(2): 125-138.
- Amodei, J.B., Latorraca, J.V.F., Santos, G.C.V., & Martins, B.C. (2021). Wood quality of young teak in different planting spaces. *Floresta e Ambiente* 28(4): e20210026.
- Awang, S.A., Wiyono, E.B., & Sadiyo, S. (2007). Unit Manajemen Hutan Rakyat: Proses Konstruksi Pengetahuan Lokal. Yogyakarta: Banyumili.
- Becker, W.A. (1992). Manual of Quantitative Genetics. Cetakan kelima. Academic Enterprise. USA.
- Barabaschi, D., Tondelli, A., Desiderio, F., Volante, A., Vaccino, P., Valè, G., & Cattivelli, L. (2016). Next generation breeding. *Plant Science*. 242: 3-13.
- Baslaugh, S., & Watters, P.A. (2008). Statistics in a Nutshell: A Desktop Quick Reference. O'Reilly Media, Inc. USA.
- Basri, E., & Wahyudi, I. (2013). Sifat dasar kayu jati Plus Perhutani dari berbagai umur dan kaitannya dengan sifat dan kualitas pengeringan. *Jurnal Penelitian Hasil Hutan*. 31(2): 93-102.
- Basri, E., Yuniarti, K., Wahyudi, I., Saefudin, & Damayanti, R. (2015). Effects of girdling on wood properties and drying characteristics of *Acacia Mangium*. *Journal of Tropical Forest Science* 27(4): 498-505.



- Beadle, C.L., Trieu, D.T., & Harwood, C.E. (2013). Thinning increases saw-log values in fast-growing plantations of acacia hybrid in Vietnam. *J Trop For Sci.* 25(1): 42-51.
- Behaghel, I. (1999). The state of teak (*Tectona grandis* L.f.) plantations in the world. *Bois For. Trop.* 262: 6-81.
- Berrocal, A., Moya, R., Rodríguez-Solis, A.M., & Muñoz, F. (2017). Drying of plantation-grown *Tectona grandis* wood with daily-controlled drying rate schedules. *Journal of Tropical Forest Science.* 29(1): 69-79.
- Bhat, K.M., & Indira, E.P. (1997). Specific gravity as selection criterion of genetic improvement of wood quality in teak: tree breeder's prespective. Dalam: Zhang, S.Y., Grosselin, R., & Chauret, G. (Eds). *Timber management toward wood quality and end-product value. Proc. CTIAIUFRO Intern. Wood Quality Workshop.* (PP 91-96). Quebec, Canada.
- Bhat, K.M., & Priya, P.B. (2004). Influence of provenance variation on wood properties of teak from the Western Ghat region in India. *IAWA J.* 25: 273-282.
- Bhat, K.M., Priya, P.B., & Rugmini, P. (2001). Characterization of juvenile wood in teak. *Wood Sci Technol.* 34: 517-532.
- Badan Pusat Statistik. (2017). *Statistik Indonesia 2017.* Badan Pusat Statistik. Jakarta
- Badan Pusat Statistik. (2023). *Produksi Perusahaan Pembudidaya Tanaman Kehutanan Menurut Jenis Produksi, 2011-2022.* Badan Pusat Statistik.
- Badan Pusat Statistik. (2024). *Statistik Perdagangan Luar Negeri Indonesia: Ekspor 2023. Volume 19. Buku I. Katalog: 8292926. ISSN: 2745-3979. Nomor Publikasi: 06100.24030.* BPS RI.
- Badan Pusat Statistik Kabupaten Blora. (2011). *Kabupaten Blora Dalam Angka Tahun 2011.* Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33163.1101. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2012). *Kabupaten Blora Dalam Angka Tahun 2012.* Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33163.1201. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2013). *Kabupaten Blora Dalam Angka Tahun 2013.* Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33163.1301. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2014). *Kabupaten Blora Dalam Angka Tahun 2014.* Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33166.1401. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2015). *Kabupaten Blora Dalam Angka Tahun 2015.* Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33166.1401. <http://blorakab.bps.go.id>.



- Badan Pusat Statistik Kabupaten Blora. (2016). Kabupaten Blora Dalam Angka Tahun 2016. Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33160.1605. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2017). Kabupaten Blora Dalam Angka Tahun 2017. Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33160.1605. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2018). Kabupaten Blora Dalam Angka Tahun 2018. Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33160.1605. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2019). Kabupaten Blora Dalam Angka Tahun 2019. Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33160.1605. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2020). Kabupaten Blora Dalam Angka Tahun 2020. Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33160.2003. <http://blorakab.bps.go.id>.
- Badan Pusat Statistik Kabupaten Blora. (2021). Kabupaten Blora Dalam Angka Tahun 2021. Badan Pusat Statistik Kabupaten Blora dan Bappeda Kabupaten Blora. ISSN: 0215-5354. No. Publikasi: 33160.2105. <http://blorakab.bps.go.id>.
- Bateman, A.J. (1951). Controlled Plant Breeding. Science Progress. 39(154): 239-252. <https://www.jstor.org/stable/43426546>.
- Br. Pelawi, D.F. (2020). Evaluasi Uji Klon Jati (*Tectona grandis* L.f.) Umur 20 Tahun di KPH Cepu Perum Perhutani. Tesis. Program Studi Ilmu Kehutanan, Program Pascasarjana Fakultas Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Br. Pelawi, D.F., Indrioko, S., Hidayati, F., & Wibowo, A. (2020). Evaluasi Uji Klon Jati (*Tectona grandis* L.f.) Umur 20 Tahun di KPH Cepu Perum Perhutani. Jurnal Pemuliaan Tanaman Hutan. 14(1): 29-41.
- Brackmann, K., Qi, J., Gebert, M., Jouannet, V., Schlamp, T., Grünwald, K., Wallner, E., Novikova, D.D., Levitsky, V.G., Agusti, J., Sanchez, P., Lohmann, J.U., & Greb, T. (2018). Spatial specificity of auxin responses coordinates wood formation. Nature Communication. 9: 875. DOI: 10.1038/s41467-018-03256-2.
- Brashaw, B.K., Bucur, V., Divos, F., Gonçalves, R., Lu, J., Meder, R., Pellerin, R.F., Potter, S., Ross, R.J., & Wang, X., Yin, Y. (2009). Nondestructive testing and evaluation of wood: A worldwide research update. Forest Products Journal 59: 7-14.
- Bréda, N., Granier, A., & Aussenac, G. (1995). Effects of thinning on soil and tree water relations, transpiration and growth in an oak forest (*Quercus petraea* (Matt.) Liebl.). Tree Physiology 15: 295-306.
- British Standards Institution. (1957). Methods of testing small clear specimens of timber (BS 373: 1957). British Standards Institution. London. England.



- Budde, K.B., Nielsen, L.R., Ravn, H.P., & Kjaer, E.D. (2016). The Natural Evolutionary Potential of Tree Populations to Cope with Newly Introduced Pests and Pathogens- Lessons Learned From Forest Health Catastrophes in Recent Decades. *Curr. Forestry Rep.* 2: 18-29.
- Budiadi, Widiyatno, Prianto, S.D., & Kurniawan, W.A. (2012). Early growth response of an improved teak stand after thinning and pruning practices. Dalam: Hardiyanto, E.B., Solberg, S., & Osaki, M. (Eds). *Proceedings of International Conference on New Perspectives of Tropical Forest Rehabilitation for Better Forest Functions and Management*. 17-19 October 2011. (Pp 211-213). Yogyakarta, Indonesia. Faculty of Forestry Universitas Gadjah Mada.
- Budiadi, Widiyatno, & Ishii, H. (2017). Response of Clonal Teak Plantation to Thinning and Pruning in Java, Indonesia. *Journal of Tropical Forest Science.* 29(1): 44-53.
- Budiadi, Wiyono, Lestari, L.D., Sofiyulloh, M., & Suyanto. (2023). *Tumpangsari dan Hutan Rakyat: Dinamika Budidaya Kayu dan Pangan Petani Jawa. Seri Katalog Agroforestri Nusantara Volume 2.* Dalam: Pranoto, H., & Leimona, B. (Eds). Bogor, Indonesia: World Agroforestry (ICRAF).
- Burkhardt, H.E., & Tomé, M. (2012). *Modeling Forest Trees and Stands.* Dordrecht. Springer Science + Business Media. DOI 10.1007/978-90-481-3170-9.
- Burdon, R.D. (2004). *Quantitative Genetic Principles.* Dalam: Burley, J., Evans, J., & Youngquist, J.A. (Eds). *Encyclopedia of Forest Sciences.* (Pp 182-187). Elsevier Academic Press.
- CABI. (2019). *Tectona grandis.* Dalam: *Invasive Species Compendium.* Wallingford, UK: CAB International. www.cabi.org/isc.
- Callister, A.N. (2021). Genetic Improvement of Teak. Dalam: Ramasamy, Y., Galeano, E., & Win, T.T. (Eds.). *The Teak Genome.* (Pp 191-218). *Compendium of Plant Genomes.* Switzerland. Springer Nature Switzerland AG. ISBN: 978-3-030-79310-4. <https://doi.org/10.1007/978-3-030-79311-1>.
- Callister, A.N., & Collins, S.L. (2008). Genetic parameter estimates in a clonally replicated progeny test of teak (*Tectona grandis* Linn. f.). *Tree Genetics & Genomes.* 4: 237-245. <https://doi.org/10.1007/s11295-007-0104-2>.
- Cassens, D.L. (1980). *Drying Small Quantities of Hardwood Lumber: Understanding the Effects of Moisture on Wood.* Purdue University, West Lafayette, IN, USA.
- Cassidy, M., Palmer, G., Glencross, K., Nichols, J.D., & Smith, R.G.B. (2012). Stocking and intensity of thinning affect log size and value in *Eucalyptus pilularis*. *For Ecol Manage.* 264: 220-227.
- Chase, C.W., Kimsey, M.J., Shaw, T.M., & Coleman, M.D. (2016). The response of light, water, and nutrient availability to pre-commercial thinning in dry inland Douglas-fir forest. *Forest Ecology and Management.* 363: 98-109.



- Chauhan, S.S., & Walker, J.C.F. (2006). Variation in acoustic velocity and density with age, and their interrelationships in radiata pine. *For Ecol Manage.* 229 (1-3): 388-394.
- Chelliah, B., Ravi, A., & Muthurasu, N. (2021). Modern Silvicultural Practices and Productivity of Teak. Dalam: Ramasamy, Y., Galeano, E., & Win, T.T. (Eds.). *The Teak Genome*. (Pp 26-44). *Compendium of Plant Genomes*. Switzerland. Springer Nature Switzerland AG. ISBN: 978-3-030-79310-4. <https://doi.org/10.1007/978-3-030-79311-1>.
- Chen, Z.Q., Karlsson, B., Lundqvist, S.Q., Gil, M.R.G., Olsson, L., & Wu, H.X. (2015). Estimating solid wood properties using Pilodyn and acoustic velocity on standing trees of Norway spruce. *Ann For Sci.* 71: 499-508.
- Christoforo, A.L., de Almeida, T.H., de Almeida, D.H., dos Santos, J.C., Panzera, T.H., & Lahr, F.A.R. (2016). Shrinkage for some wood species estimated by density. *International Journal of Materials Engineering.* 6(2): 23-27.
- Cibrián-Llenderal, V. C., González-Hernandez, H., Cibrián-Tovar, D., Campos-Figueroa, M., Santos-Posadas, H. D. L., Rodríguez-Maciel, J. C., & Aldrete, A. (2015). Incidence of *hyblaea puera* (Lepidoptera: Hyblaeidae) in Mexico. *Southwestern Entomologist.* 40(2): 441–444. <https://doi.org/10.3958/059.040.0220>.
- Cotterill, P. P., & Dean, C. A. (1990). *Successful Tree Breeding with Index Selection*. CSIRO-Division of Forestry and Forest Product. Australia.
- Clutter, J.L., Fortson, J.C., Pienaar, L.V., Brister, G.H., & Bailey, R.L. (1983). *Timber management: a qualitative approach*. John Wiley & Sons. 333 p.
- Dah, U.S.E., & Baw, U.S. (2001). Regional Teak Marketing and Trade. Dalam: Hardiyanto, E.B. (Ed.), *Potentials and Opportunities in Marketing and Trade of Plantation Teak: Challenge for the New Millennium*. Proceedings of Third Regional Seminar on Teak. July 31-August 4, 2000. (pp. 3-20). Yogyakarta, Indonesia: Faculty of Forestry Gadjah Mada University.
- Deal, R.L., Barbour, R.J., McClellan, M.H., & Parry, D.L. (2003). Development of epicormic sprouts in Sitka spruce following thinning and pruning in south-east Alaska. *Forestry.* 76: 401–412.
- Desponts, M., Perron, M., & DeBlois, J. (2017). Rapid assessment of wood traits for large-scale breeding selection in *Picea mariana* [Mill.] B.S.P. *Ann For Sci.* 74: 53.
- Dhillon, G.P.S., Singh, A., Singh, P., & Sindhu, D.S. (2010). Field evaluation of *Populus deltoides* Bartr. Ex Marsh. at two sites in Indo-gangetic Plains of India. *Silvae Genetica.* 59-1: 1-7.
- Diaconu, D., Kahle, H.P., & Spiecker, H. (2015). Tree-and stand-level thinning effects on growth of European Beech (*Fagus sylvatica* L.) on a Northeast-and a Southwest-facing slope in Southwest Germany. *Forest.* 6:3256-3277.



- Ditjen PHL. (2023). Statistik Direktorat Jenderal PHL. Direktorat Jenderal Pengelolaan Hutan Lestari. Kementrian Lingkungan Hidup dan Kehutanan.
- Direktorat Jenderal Kehutanan. (1976). Vademecum Kehutanan Indonesia. Departemen Pretanian Republik Indonesia. Jakarta.
- Djati, I.D., Tauchi, T., Kubo, M., & Terauchi, F. (2015). Mechanical properties and characteristics of young teak for making products. *Bulletin of Japanese Society for Science of Design* 62(3): 25-34.
- Edwards, S.M. (2017). Standard errors of heritability estimates. Online: <http://www.iysik.com/dmu/heritabilities>.
- Enters, T. (2000). Site, technology and productivity of teak plantations in Southeast Asia. *Unasylva*. 201(51): 55–61.
- Etterson, J.R., & Shaw, R.G. (2001). Constrains to adaptive evolution in response to global warming. *Science*. 294(5540): 151-154. Doi: 10.1126/science.1063656.
- Falconer, D.S., & Mackay, T.F.C. (1996). Introduction to quantitative genetics. Cetakan keempat. Longman. Edinburgh Gate. Harlow. England. Longman Group Ltd.
- FAO. (2019). FAO Year Book of Forest Products 2017. Terbitan ke-71. Food and Agriculture Organization of The United Nations. Roma.
- FAO. (2015). Global teak trade in the aftermath of Myanmar's log export ban by Kollert W., Walotek P.J. *Planted Forest and Trees Working Paper FP/49/E*. Rome. Italy.
- Ferguson, D.E., Byrne, J.C., Wykoff, W.R., Kummet, B., & Hensold, T. (2011). Response of ponderosa pine stands to pre-commercial thinning on Nez Perce and Spokane Tribal forests in the Inland Northwest, USA. Res. Pap. RMRS-RP-88. Fort Collins, CO: U.S. Department of agriculture, forest service, rocky mountain research station. 33 p. <https://doi.org/10.2737/RMRS-RP-88>.
- Filho, A.C.F., Mola-Yudego, B., González-Olabarria, J.R., & Scolforo, J.R.S. (2018). Thinning regimes and initial spacing for Eucalyptus plantations in Brazil. *Anais da Academia Brasileira de Ciências (Annals of the Brazilian Academy of Sciences)* 90(1): 255-265.
- Forrester, D.I. (2015). Transpiration and water-use efficiency in mixed-species forests versus monocultures: effects of tree size, stand density and season. *Tree Physiology* 35:289-304.
- Forrester, D.I., Collopy, J.J., Beadle, C.L., Warren, C.R., & Baker, T.G. (2012). Effect of thinning, pruning and nitrogen fertiliser application on transpiration, photosynthesis and water-use efficiency in a young Eucalyptus nitens plantation. *Forest Ecology and Management* 266: 286-300.
- Fransson, P., Brännström, Å., & Franklin, O. (2021). A tree's quest for light-optimal height and diameter growth under a shading canopy. *Tree Physiology*. 41(1): 1-11. <https://doi.org/10.1093/treephys/tpaa110>.



- Fujimoto, T., Akutso, H., Nei, M., Kita, K., Kuromaru, M. & Oda, K. (2006). Genetic variation in wood stiffness and strength properties of hybrid larch (*Larix gmelinii* var. *japonica* L. kaempferi). *J For Res* 11: 343–349.
- Gartner, B.L., Robbins, J.M., & Newton, M. (2005). Effects of pruning on wood density and tracheid length in young Douglas-Fir. *Wood and Fiber Science* 37(2): 304-313.
- George, D., & Mallery, M. (2010). *SPSS for Windows Step by Step: A Simple Guide and Reference*. 17.0 update (10a ed.) Boston: Pearson.
- Gittinger, J.P. (1972). *Economic analysis of agricultural projects*. Edisi Paperback. The Economic Development Institute of the World Bank. Baltimore and London. The Johns Hopkins University Press.
- Goh, D., & Monteuiis, O. (2005). Rationale for developing intensive teak clonal plantations, with special reference to Sabah. *Bois et For* forestry purposes. 285: 5-15.
- Goh, D.K.S., Japarudin, Y., Alwi, A., Lapammu, M., Flori, A., & Monteuiis. (2013). Growth differences and genetic parameter estimates of 15 teak (*Tectona grandis* L.f) genotypes of various ages clonally propagated by microcuttings and planted under humid tropical conditions. *Silvae Genetica*. 62/4-5:196-206.
- Gomez, K.A., & Gomez, A.A. (1984). *Statistical Prodedures for Agricultural Research*. Edisi kedua. International Rice Research Institute Book. John Wiley & Sons, Inc.
- Griffin, A.R. (2014). Clones or improved seedling of Eucalyptus? Not a simple choice. *International Forestry Review*. 16 (2): 216-224.
- Guo, T., & Li, X. (2023). Machine learning for predicting phenotype from genotype and environment. *Current Opinion in Biotechnology*. 79: 102853. <https://doi.org/10.1016/j.copbio.2022.102853>.
- Haines, R.J., & Woolaston, R.R. (1991). The influence of reproductive traits on the capture of genetic gain. *Can. J. For. Res.* 21: 272-275.
- Hansen, C.P. (2000). *Application of the Pilodyn in Forest Tree Improvement*. DFSC Series Technical Noes. TN55. Danida Forest Seed Centre, Humlebaek, Denmark.
- Hardjodarsono. (1987). *Jati*. Cetakan ke-4. Yayasan Pembina Fakultas Kehutanan UGM.
- Hegazy, S.S., Aref, I.M., & Iqbal, M. (2014). Effect of thinning regime on wood quality of *Acacia salicina* trees growing in Saudi Arabia. *Wood Research* 59(1): 109-122.
- Hegyi, F. A. (1974). Simulation model for managing jack-pine stands. In *Growth Models for Tree and Stand Simulation*. Dalam: Fries, J. (Ed.). *Proceedings IUFRO Meeting S4.01.04*. Royal College of Forestry: Stockholm, Sweden. Pp. 74–90.
- Hein, P.R.G. (2011). Genetic and environmental control of microfibril angle on Eucalyptus wood: its effects on wood traits and implication for selection. *Life Sciences*. Universit'e Montpellier II - Sciences et Techniques du Languedoc. English. <tel-00623042>.
- Hidayati, F., Fajrin, I.T., Ridho, M.R., Nugroho, W.D., Marsoem, S.R., & Mohammad Na'iem. (2016). Sifat fisika dan mekanika kayu jati unggul "Mega" dan kayu jati



- konvensional yang ditanam di hutan Pendidikan Wanagama, Gunung Kidul, Yogyakarta. *Jurnal Ilmu Kehutanan*. 10(2): 98-107.
- Hidayati, F., Ishiguri, F., Iizuka, K., Makino, K., Marsoem, S.N., & Yokota, S. (2014). Among-clone Variations of Anatomical Characteristics and Wood Properties in *Tectona grandis* Planted in Indonesia. *Wood and Fiber Science*. 46(3): 386-393.
- Hidayati, F., Ishiguri, F., Izuka, K., Makino, K., Takashima, Y., Danarto, S., Winarni, W. W., Irawati, D., Na'iem, M., & Yokota, S. (2013^a). Variation in tree growth characteristics, stress-wave velocity, and Pilodyn penetration of 24-year-old teak (*Tectona grandis*) trees originating in 21 seed provenances planted in Indonesia. *J Wood Sci*. 59(5): 512-516.
- Hidayati, F., Ishiguri, F., Izuka, K., Makino, K., Tanabe, J., Marsoem, S.N., Na'iem, M., Yokota, S., & Yoshizawa, N. (2013^b). Growth characteristic, stress-wave velocity, and pilodyn penetration of 15 clones of 12-year-old *Tectona grandis* trees planted at two different sites in Indonesia. *J Wood Sci*. 59: 249-254.
- Hidayati, F., Lukmandaru, G., Listyanto, T., Irawati, D., Pujiarti, R., & Purwanta, S. (2022). Effect of different seed sources on the physical and mechanical properties of 15-year-old teak trees planted in West Java, Indonesia. *Journal of the Indian Academy of Wood Science*. 19(2): 87-93.
- Hidayati, F., Sulisty, J., Lukmandaru, G., Listyanto, T., Praptoyo, H., & Pujiarti, R. (2015). Physical and mechanical properties of 10-year old superior and conventional teak planted in Randublatung Central Java Indonesia. *J. Ilmu Teknol. Kayu Tropis*. 13(1): 11-21.
- Hine, A., Rojas, A., Suarez, L., Murillo, O., & Espinoza, M. (2019). Optimization of Pollen Germination in *Tectona grandis* (Teak) for Breeding Programs. *Forests*. 10(10): 908. <https://doi.org/10.3390/f10100908>.
- Hlaing, T., (2018). Government Orders Cut in Teak Production, Bans Private Timber Operations. The Irrawaddy. www.irrawaddy.com/news/burma/government-orders-cut-teak-production-bans-private-timber-operations.html. Diakses pada tanggal 29 Januari 2018.
- Hodge, G. R., & Dvorak, W. S. (2015). Provenance variation and within-provenance genetic parameters in *Eucalyptus urophylla* across 125 test sites in Brazil, Colombia, Mexico, South Africa and Venezuela. *Tree Genetics & Genomes*. 11(57): 1–18.
- Hong, N.E., Won, K.R., Jung, S.Y., Lee, K.S., & Byeon, H.S. (2015). Wood properties of *Quercus acuta* due to thinning intensity. *J. Korean Wood Sci. Technol*. 43(6): 721-729.
- Hung, T. D., Brawner, J. T., Meder, R., Lee, D. J., Southerton, S., Thinh, H., & Dieters, M. (2014). Estimates of genetic parameters for growth and wood properties in *Eucalyptus pellita* F. Muell. to support tree breeding in Vietnam. *Annals of Forest Science* (Vol. 72). <https://doi.org/10.1007/s13595-014-0426-9>.



- Indrajaya, Y. (2012). Daur Optimal Hutan Rakyat Monokultur Dalam Konteks Perdagangan Karbon: Suatu Tinjauan Teoritis. *Penelitian Sosial dan Ekonomi Kehutanan*. 9(2): 55-65.
- Ishiguri, F., Matsui, R., Iizuka, K., Yokota, S., & Yoshizawa, N. (2008). Prediction of the mechanical properties of lumber by stress-wave velocity and Pilodyn penetration of 36-year-old Japanese larch trees. *Holz Roh Werkst*. 66: 275-280.
- Ishiguri, F., Takeuchi, M., Makino, K., Wahyudi, I., Takashima, Y., Iizuka, K., Yokota, S., & Yoshizawa, N. (2012). Cell morphology and wood properties of *Shorea acuminatissima* planted in Indonesia. *IAWA Journal*. 33: 25-38.
- Ishiguri, F., Wahyudi, I., Takeuchi, M., Takashima, Y., Iizuka, K., Yokota, S., & Yoshizawa, N. (2011). Wood properties of *Pericopsis mooniana* grown in a plantation in Indonesia. *J Wood Sci*. 57: 241-246.
- Iskak, M. (2005). Produktivitas Tegakan Jati JPP Intensif Sampai Umur 20 Tahun Ke Depan. Dalam: Siswamartana, S., Rosalina, U., & Wibowo, A. (eds.). *Seperempat Abad Pemuliaan Jati Perum Perhutani*. Pusat Pengembangan Sumber Daya Hutan. Cepu: Perum Perhutani.
- ITTO. (2006). Development of value-adding process of short-rotation, small-diameter community teak plantation in Java and eastern Indonesia. Pre-project proposal submitted by Directorate of Forest Products, Processing and Marketing of Forestry, Indonesia.
- ITTO. (2022). Biennial review and assessment of the world timber situation 2021-2022. International Tropical Timber Organization. Division of Trade and Industry, ITTO. Yokohama. Japan. ISBN: 978-4-86507-096-5. <http://www.itto.int/>.
- Iwanuddin, M. Na'im, T.A. Prayitno. 2013. Variasi Genetik Pertumbuhan dan Berat Jenis Kayu Tanaman Uji Klon Jati Umur 13 Thun di KPH Cepu dan KPH Ciamis. Tesis. Program Studi Ilmu Kehutanan, Program Pascasarjana Fakultas Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Jacques, D., Marchal, M., & Curnel, Y. (2004). Relative efficiency of alternative methods to evaluate wood stiffness in the frame of hybrid larch (*Larix X eurolepis* Henry) clonal selection. *Ann For Sci*. 61: 35-43.
- Kadambi, K. (1972). Silviculture and management of teak. *Forestry Bulletin* No. 24. Stephen F. Austin State University. SFA ScholarWorks Pp 2-4.
- Kanninen, M., Pérez, D., Montero, M., & Viquez, E. (2004). Intensity and timing of the first thinning of *Tectona grandis* plantations in Costa Rica: result of a thinning trial. *Forest Ecology and Management*. 203: 89-99.
- Kaosa-ard, A. (1981). Teak (*Tectona grandis* L.f.) - its natural distribution and related factors. *Nat. Hist. Bull Siam Soc*. 29:55-74.



- Kaosa-ard, A. (2000). Gains from Provenance Selection. Proceeding Site, Technology and Productivity of Teak Plantation. Bangkok.
- Kien, N. D., Jansson, G., Harwood, C. E., & Almqvist, C. (2010). Clonal Variation and Genotype by Environment Interactions in Growth and Wood Density in *Eucalyptus camaldulensis* at Three Contrasting Sites in Vietnam. *Silvae Genetica*, 59(1), 17–28.
- Kim, M., Lee, W., Kim, Y., Lim, C., Song, C., Park, T., Son, Y., & Son, Y. (2016). Impact of thinning intensity on the diameter and height growth of *Larix kaempferi* stands in central Korea. *For Sci Tech*. 12(2): 77-78.
- KLHK. (2019). Statistik lingkungan hidu dan kehutanan tahun 2018. Kementerian Lingkungan Hidu dan Kehutanan Republik Indonesia. Jakarta.
- Kokutse, A.D., Brancheriau, L., & Chaix, G. (2010). Rapid prediction of shrinkage and fibre saturation point on teak (*Tectona grandis*) wood based on near-infrared spectroscopy. *Ann. For. Sci*. 67: 403. DOI: 10.1051/forest/2009123.
- Kollert, W., & Cherubini, L. (2012). Teak resource and market assessment 2010. FAO Planted Forest and Trees Working Paper FP/47/E, Rome.
- Kollert, W., & Kleine, M. (eds). (2017). The Global Teak Study. Analysis, Evaluation and Future Potential of Teak Resources. IUFRO World Series Volume 36. Vienna.
- Kollert, W., Sandeep, S., & Sreelakshmy, M.P. (2024). Global Teak Resources and Market Assessment 2022. IUFRO World Series Volume 44. Vienna. 92p.
- Kollert, W., & Walotek, P.J. (2015). Global teak trade in the aftermath of Myanmar's log export ban. FAO Planted Forests and Trees Working Paper FP/49/E. Roma, Italia.
- Koskela, J., Vinceti, B., Dvorak, W., Bush, D., Dawson, I.K., Loo, J., Kjaer, E.D., Navarro, C., Padolina, C., Bordács, S., Jamnadass, R., Graudal, L., & Ramamonjisoa, L. (2014). Utilization and transfer of forest genetic resources: a global review. *For Ecol Manage*. 333: 22-34.
- Kumar, S. (2004). Genetic parameter estimates for wood stiffness, strength, internal checking, and resin bleeding for radiate pine. *Can J For Res* 34: 2601–2610.
- Kumar, A.N.A., Srinivasa, Y.B., & Chauhan, S.S. (2002). Growth rate convergence in teak (*Tectona grandis* L.). *Curr Sci*. 83: 808-809.
- Kyaw, T.Y., Germain, R.H. Stehman, S.V., & Quackenbush, L.J. (2020). Quantifying forest loss and forest degradation in Myanmar's "Home of Teak". *Canadian Journal of Forest Research*. 50(2): 89-101.
- Lan, J. (2011). Genetic parameter estimate for growth and wood properties in *Corymbia citriodora* subs. *Variegata* in Australia and *Eucalyptus urophylla* in Cina. Thesis. Southern Cross University, Lismore, New South Wales.



- Laurila, J., Lauhanen, R., & Hakonen, T. (2014). The effect of girdling on the moisture content of small-sized trees. *Scandinavian Journal of Forest Research*. 29(3): 259-265.
- Lautenschlager, R.A. (2000). Can intensive silviculture contribute to sustainable forest management in northern ecosystems? *The Forestry Chronicle* 76(2): 283-295.
- Leksono, B. (2001). Pentingnya Benih Unggul dalam Program Penanaman Jati dan Strategi Pencapaiannya. Puslitbang Bioteknologi dan Pemuliaan Tanaman Hutan. Yogyakarta.
- Luechanimitichit, P., Luangviriyasaeng, V., Laosakul, S., Pinyopusarerk, K., & Bush, D. (2017). Genetic parameter estimates for growth, stem-form and branching traits of *Casuarina junghuhniana* clones grown in Thailand. *Forest Ecology and Management*, 404, 251–257.
- Lugo, A.E., & Scatena, F.N. (1996). Background and catastrophic tree mortality in tropical moist wet and rainforest. *Biotropica*. 28: 55-599.
- Li, B., Cantino, P.D., Olmstead, R.G., Bramley, G.L.C., Xiang, C.L., Ma, Z.H., Tan, Y.H., & Zhang, D.X. (2016). A large-scale chloroplast phylogeny of the Lamiaceae sheds new light on its subfamilial classification. *Scientific Report*. 6: 34343. DOI: 10.1038/srep34343.
- Li, B., & Olmstead, R. (2017). Two new subfamilies in Lamiaceae. *Phytotaxa*. 313 (2): 222-226. <https://doi.org/10.11646/phytotaxa.313.2.9>.
- Libby, W.J. (1982). What is a safe number of clones per plantation? In *Resistance to Disease and Pests in Forest Trees*. Dalam: Heybroek, H.M., Stephan, B.R., & von Weissenberg, K. (Eds.). Proceedings of the Third International Workshop on the Genetics of Host-Parasite Interactions in Forestry Sep 14–21. (Pp. 342–360). Wageningen (Netherlands): Centre for Agricultural Publishing and Documentation.
- Lothrop, J.E., Atkins, R.E., & Smith, O.S. (1985). Variability for yield and yield components in IAP1R grain sorghum random-mating population. I. Reratas, variance components, and Heritabilities. *Crop Science*. 25: 235-240.
- Louppe, D. (2005). *Tectona grandis* L.f. Dalam: Louppe, D., Oteng-Amoako, A.A., & Brink, M. (Eds). PROTA (Plant Resources of Tropical Africa / Ressources végétales de l'Afrique tropicale). Wageningen, Netherlands. Diakses tanggal 7 Oktober 2019.
- Lugo, A.E., & Scatena, F.N. (1996). Background and catastrophic tree mortality in tropical moist, wet, and rain forests. *Biotropica*. 28(4): 585-599.
- Lukmandaru, G., & Takahashi, K. (2008). Variation in the natural termite resistance of teak (*Tectona grandis* Linn.fil.) wood as a function of tree age. *Ann For Sci*. 65: 708.
- Machado, J.S., Louzada, J.L., Santor, A.J.A., Nunes, L., Anjos, O., Rodrigues, J., Simores, R.M.S., & Pereira, H. (2014). Variation of wood (*Acaciamelanoxylon* R. Br.). *Mater Des*. 56: 975–980



- Marsoem, S.N., Prasetyo, V.E., Sulistyio, J., Sudaryono, & Lukmandaru, G. (2014). Studi Mutu Kayu Jati di Hutan Rakyat Gunung Kidul III. Sifat Fisika Kayu. Jurnal Ilmu Kehutanan. 8(2): 75-88.
- Marsoem, S.N. (2015). Studi Mutu Kayu Jati di Hutan Rakyat Gunung Kidul IV. Sifat Mekanika Kayu. Jurnal Ilmu Kehutanan. 9(2): 117-127.
- Martawijaya, A., Kartasujana, I., Kadir, K., & Prawira, S.A. (1981). Atlas Kayu Indonesia. Jilid I. Pusat Penelitian dan Pengembangan Kehutanan. Bogor.
- Martha, R., Basri, E., Setiono, L., Batubara, I., Rahayu, I.S., Gérardin, P., & Darmawan, W. (2021^a). The effect of heat treatment on the characteristics of the short rotation teak. International Wood Products Journal. 12(3): 218-227. <https://doi.org/10.1080/20426445.2021.1953723>.
- Martha, R., Mubarak, M., Batubara, I., Rahayu, I.S., Setiono, L., Darmawan, W., Akong, F.O., George, B., Gérardin, C., & Gérardin, P. (2021^b). Effect of fufurylation treatment on technological properties of short rotation teak wood. Journal of Materials Research and Technology. 12: 1689-1699.
- McKeand, S. (2015). The success of tree breeding in the southren US. BioResources. 10(1): 1-2. <https://doi.org/10.15376/biores.10.1.1-2>.
- Medeiros, R.A., de Paiva, H.N., Soares, A.A., da Cruz, J.P., & Leite, H.G. (2017). Thinning from below: effects on height of dominant trees and diameter distribution in Eucalyptus stands. J Trop For Sci. 29(2): 238-247.
- Midgley, S., Somaiya, R.T., Stevens, P.R., Brown, A., Nguyen, D.K., & Laity, R. (2015). Planted teak: global production and markets, with reference to Solomon Islands. ACIAR Technical Reports No. 85. Australian Centre for International Agricultural Research: Canberra. 92 pp.
- Miranda, I., Sousa, V., & Pereira, H. (2011). Wood properties of teak (*Tectona grandis*) from a mature unmanaged stand in East Timor. J Wood Sci. 57: 171-178.
- Mohd Farid, A., Lee, S.S., Rosli, H.M., Maziah, Z., & Norwati, M. (2005). Incidence of teak basal root rot caused by *Phellinus noxius* in Malaysia. Australasian Plant Pathology. 34: 277-278.
- Mon, M.S., Mizoue, N., Htun, N.Z., Kajisa, T., & Yoshida, S. (2012). Factors affecting deforestation and forest degradation in selectively logged production forest: A case study in Myanmar. For Ecol Manage. 267: 190-198.
- Montero, R.S., Moya, R., Berrocal, A., Trejos, G.G. & Foglia, R.C. (2015). General, physical and mechanical properties, termites resistance and drying defects of lumber of *Tectona grandis* from plantation of different climatic and sites fertility condition. Journal of the Indian Academy of Wood Science. 12: 63-73.
- Monteuuis, O., & Goh, D.K.S. (2015). Field growth performances of teak genotypes of different ages clonally produced by rooted cuttings, in vitro microcuttings, and

- meristem culture. *Canadian Journal of Forest Research*. 45(1): 9–14. <https://doi.org/10.1139/cjfr-2014-0339>.
- Montgomery, D.C. (2013). *Design and Analysis of Experiments*. Cetakan kedelapan. John Wiley & Sons, Inc. ISBN: 978-1-118-14692-7.
- Moya, R.R., & Arce, V.L. (2003). Effect of plantation spacing on physical properties of teak wood along the stem (Efecto del espaciamiento en plantación sobre dos propiedades físicas de madera de teca a lo largo del fuste). *Madera y Bosques* 9(2): 15-27.
- Mulyadiana, A., Trikoesoemaningtyas, & Siregar, I.Z. (2020). Evaluation of early growth performance of 41 clones of teak (*Tectona grandis* Linn. f.) at four microsites in Purwakarta, Indonesia. *J. For. Res.* 31: 901-907. <https://doi.org/10.1007/s11676-019-00878-0>.
- Na'iem, M. (2000). Prospek Perhutanan Klon Jati di Indonesia. Dalam: Hardiyanto, E.B. (ed). *Prosiding Seminar Nasional Status Silvikultur 1999: Peluang dan Tantangan Menuju Produktivitas dan Kelestarian Sumberdaya Hutan Jangka Panjang*. (pp. 173-180). Yogyakarta: Fakultas Kehutanan Universitas Gadjah Mada.
- Na'iem, M. (2001). Early Performance of Clonal Test of Teak. Dalam: Hardiyanto, E.B. (Ed.), *Potentials and Opportunities in Marketing and Trade of Plantation Teak: Challenge for the New Millennium*. *Proceedings of Third Regional Seminar on Teak*. July 31-August 4, 2000. (pp. 271-275). Yogyakarta, Indonesia: Faculty of Forestry Gadjah Mada University.
- Na'iem, M. (2014). Peningkatan produktivitas hutan berbasis silvikultur intensif (SILIN): strategi efisiensi penggunaan kawasan hutan. Dalam: Nugraha, A. et al. (Eds.). *Darurat Hutan Indonesia, Mewujudkan Arsitektur Baru Kehutanan Indonesia*. (pp. 162-183). Cetakan ke-2. Banten: Wana Aksara.
- Na'iem, M. (2015). Peningkatan Produktivitas Hutan dari Rotasi ke Rotasi. Dalam: Prehaten, D., Syahbudin, A., & Andiyani, R.D. (Eds.). *Prosiding Seminar Nasional Silvikultur II: Pembaruan Silvikultur untuk Mendukung Pemulihan Fungsi Hutan Menuju Ekonomi Hijau*. Yogyakarta, 28 Agustus 2014. (Pp 3-11). UGM Yogyakarta.
- Na'iem, M. (2022). Pemuliaan Pohon: Konsep Dasar, Penggunaan Materi Genetik Unggul, dan Pengembangan Hutan Prospektif. Pp 228. *Mega Cakrawala*. Yogyakarta. ISBN: 978-623-98048-9-3.
- Nakai, K., Ishizuka, M., Otha, S., Timothy, J., Jasper, M., Lyatura, N.M., Shau, V., & Yoshimura, T. (2019). Environmental factors and wood qualities of African blackwood, *Dalbergia melanoxylon*, in Tanzania Miombo natural forest. *J Wood Sci.* 65(1): 39.
- Napier, J.D., Heckman, R.W., & Juenger, T.E. (2023). Gene-by-environment interaction in plants: Molecular mechanism, environmental drivers, and adaptive plasticity. *The Plant Cell*. 35: 109-124. <https://doi.org/10.1093/plcell/koac322>.



- Naranjo, S.S., Moya, R., & Chauhan, S. (2012). Early genetic evaluation of morphology and some wood properties of *Tectona grandis* L. clones. *Silvae Genetica*. 61-1/2: 58-65.
- Niamké, F.B., Amusat, N., Augustin, A.A., & Chaix, G. (2021). Teakwood Chemistry and Natural Durability. Dalam: Ramasamy, Y., Galeano, E., & Win, T.T. (Eds.). *The Teak Genome*. (Pp 83-102). *Compendium of Plant Genomes*. Switzerland. Springer Nature Switzerland AG. ISBN: 978-3-030-79310-4. <https://doi.org/10.1007/978-3-030-79311-1>.
- Nirsatmanto, A., Setyaji, T., & Surip. (2013). Trend of Realized Genetic Gain Observed In Second-Generation Seedling Seed Orchard of *Acacia Mangium* in South Kalimantan, Indonesia. *Journal of Forestry Research*. 10(1): 57-65.
- Noel, A.R.A. (1970). The girdled tree. *Botanical Review*. 36: 162-195.
- Nugroho, E., Ihle, R., Heijman, W., & Oosting, S. (2024^a). The role of forest user group membership in the extraction of teak forest resources for smallholder cattle farming. *Land Use Policy*. 139: 107053.
- Nugroho, W.D., Na'iem, M., Lukmandaru, G., Widiyatno, Feriawan, Y., Prastiwi, F.W., Wibowo, A., & Puspitasari, D. (2024^b). Physical and Mechanical Properties of 20-Year-Old Clonal Teak Trees in Ngawi, East Java, Indonesia. *J. Korean Wood Sci. Technol*. 52(5); 459-472. <https://doi.org/10.5658/WOOD.2024.52.5.459>.
- Nurtjahjaningsih, I.L.G., Rimbawanto, A., Fauzi, M.A., Dormontt, E.E., Lowe, A.J., Hendrati, R.L., Baskorowati, L., Susanto, M., Sulistiadi, H.B.S., Mashudi, Pudjiono, S., Setiadi, D., Sumardi, & Pujiono, E. (2023). Assessing the genetic structure of teak from Southeast Sulawesi and its implication for genetic conservation and utilization in Indonesia. *Forest Science and Technology*. 19(1): 21-29. DOI: 10.1080/21580103.2023.2165281.
- Nyland, R.D., Kenefic, L.S., Bohn, K.K., & Stout, S.L. (2016). *Silviculture: concepts and applications*. Edisi ketiga. United State of America: Waveland Press, Inc. ISBN 978-1-4786-2714-2.
- O'Hara, K.L., York, R.A., & Heald, R.C. (2008). Effect of pruning severity and timing of treatment on epicormic sprout development in giant sequoia. *Forestry*. 81(1): 103-110. DOI:10.1093/forestry/cpm049.
- Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., & Anthony, S. (2009). *Agroforestry Database: a tree reference and selection guide version 4.0*. <http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp>.
- Pachas, A.N.A., Sakanphet, S., Soukhy, O., Lao, M., Savathvong, S., Newby, J.C., Souliyasack, B., Keoboulapha, B., & Dieters, M.J. (2019). Initial spacing of teak (*Tectona grandis*) in northern Lao PDR: Impacts on the growth of teak and companion crops. *Forest Ecology and Management*. 435: 77-88. <https://doi.org/10.1016/j.foreco.2018.12.031>.



- Palanisamy, K., Gireesan, K., & Hedge, M. (2009^b). Selection and clonal multiplication of superior trees of teak (*Tectona grandis*) and preliminary evaluation of clones. *Journal of Tropical Forest Science*. 21(2): 168-174.
- Palanisamy, K., Hedge, M., & Yi, J.S. (2009^a). Teak (*Tectona grandis* Linn. f.): A Renowed Commercial Timber Species. *Journal of Forest Science*. 25(1): 1-24.
- Palupi, E.R., & Owens, J.N. (1997). Pollination, fertilization and embryogenesis of teak (*Tectona grandis* L.f.). *Int. J. Plant Sci*. 158(3): 259–273. DOI:10.1086/297437.
- Pandey, D., & Brown, C. (2000). Teak: a global overview. *Unasylva* 201(50): 3-13.
- Panshin, A.J., & de Zeeuw, C. (1980). *Text Book of Wood Technology: Structure, Identification, Properties and Uses of The Commercial Woods of The United States and Canada*. McGraw-Hill Book Company, Inc. New york.
- Pari, R., Rahmanto, R.G.H., Djarwanto, Damayanti, R., Agustiningrum, D.A., Dewi, L.M., Sofianto, I.A., & Alifah, C.N. (2024). Effect of girdling on the physical and mechanical properties of teak wood. *AIP Conf. Proc.* 2973: 020010. <https://doi.org/10.1063/5.0184593>.
- Patel, J.K., Patel, N.M., & Shiyani, R.L. (2001). Coefficient of Variation in Field Experiments and Yardstick Thereof-An Empirical Study. *Current Science*. 81: 1163-1164.
- Pérez, D. (2008). Growth and volume equation developed from stem analysis for *Tectona grandis* in Costa Rica. *Journal of Tropical Forest Science*. 20: 66-75.
- Pérez, D., & Kanninen, M. (2005^a). Effect of Thinning on Stem Form and Wood Characteristic of Teak (*Tectona grandis*) in a Humid Tropical Site in Costa Rica. *Silva Fennica*. 39(2): 217-225.
- Pérez, D., & Kanninen, M. (2005^b). Stand growth scenario for *Tectona grandis* plantation in Costa Rica. *For Ecol Manag.* 210: 425-441.
- Pérez, D., Viquez, E. & Kanninen, M. (2003). Preliminary pruning programme for *Tectona grandis* plantations in Costa Rica. *Journal of Tropical Forest Science*. 15(4): 557–569.
- Pérez-Cordero, L.D., & Kanninen, M. (2003). Heartwood, Sapwood and Bark Content, and Wood Dry Density of Young and Mature Teak (*Tectona grandis*) Trees grown in Costa Rica. *Silva Fennica* 37(1): 45-54.
- Perdana, A., & Roshetko, J.M. (2015). Survival strategy: traders of smallholder teak in Indonesia. *Commonwealth Forestry Association*. 8: 461-468. <https://doi.org/10.1505/146554815817476477>.
- Perum Perhutani. (2015). Laporan Tahunan 2015 Annual Report. Perum Perhutani. <https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.



- Perum Perhutani. (2016). Laporan Tahunan 2016 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2017). Laporan Tahunan 2017 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2018). Laporan Tahunan 2018 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2019). Laporan Tahunan 2019 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2020). Laporan Tahunan 2020 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2021). Laporan Tahunan 2021 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2022). Laporan Tahunan 2022 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Perum Perhutani. (2023). Laporan Tahunan 2023 Annual Report. Perum Perhutani.
<https://www.perhutani.co.id/laporan-category/laporan-tahunan/>.
- Pinto, I., Pereira, H., & Usenius, A. (2004). Heartwood and sapwood development within maritime pine (*Pinus pinaster* Ait.) stems. *Trees* 18(3): 284-294.
- Pliura, A., Zhang, S.Y., MacKay, J., & Bousquet, J. (2007). Genotypic variation in wood density and growth traits of poplar hybrids at four clonal trials. *For Ecol. Manag.* 238: 92–106. DOI: 10.1016/j.foreco.2006.09.082.
- Pramono, A.A., Fauzi, M.A., Widyani, N., Heriansyah, I., & Roshetko, J.M. (2010). Pengelolaan hutan jati rakyat: panduan lapangan untuk petani. CIFOR. Bogor. Indonesia.
- Pramono, A.A. (2011). Managing smallholder teak plantations: field guide for farmers. CIFOR.
- Prasetyo, E., Widiyatno., Indrioko, S., Na'iem, M., Matsui, T., Matsuo, A., Suyama, Y., & Tsumura, Y. (2020). Genetic diversity and the origin of commercial plantation of Indonesian teak on Java Island. *Tree Genetics & Genomes.* 16: 34.
<https://doi.org/10.1007/s11295-020-1427-5>.
- Prehaten, D., Hardiwinoto, S., Na'iem, M., Supriyo, H., Widiyatno, W., & Rodiana, D. (2021). Productivity of arrowroots and taro grown under superior teak clones with several levels of stand density. *Biosaintifika.* 13(1): 51-57.
- Prehaten, D., Indrioko, S., Hardiwinoto, S., Na'iem, M., & Supriyo, H. (2018). Pengaruh Beberapa Karakter Kimia dan Fisika Tanah pada Pertumbuhan 30 Famili Uji

Keturunan Jati (*Tectona grandis*) Umur 10 Tahun. Jurnal Ilmu Kehutanan. 12: 52-60.

- Pretzsch, H., Biber, P., Uhl, E., Dahlhausen, J., Rötzer, T., Caldentey, J., Koike, T., van Con, T., Chavanne, A., Seifert, T., du Toit, B., Farnden, C., & Pauleit, S. (2015). Crown size and growing spce requirement of common tree species in urban centres, parks, and forests. *Urban Forestry & Urban Greening*. 14: 466-479. <http://dx.doi.org/10.1016/j.ufug.2015.04.006>.
- Proto, A.R., Marci, G., Bernardini, V., Russo, D., & Zimbalatti, G. (2017). Acoustic evaluation of wood quality with a non-destructive method in standing trees: a first survey in Italy. *iForest*. 10: 700-706.
- Purwanta, S., & Corryanti. (2015). Penyerbukan terkendali dan uji keturunan full-sib (*Tectona grandis* L.f.): Strategi pemuliaan untuk meningkatkan produktivitas. Dalam: Prehaten, D., Syahbudin, A., & Andiyani, R.D. (Eds.). *Prosiding Seminar Nasional Silvikultur II: Pembaruan Silvikultur untuk Mendukung Pemulihan Fungsi Hutan Menuju Ekonomi Hijau*. Yogyakarta, 28 Agustus 2014. (Pp 343-349). UGM Yogyakarta.
- Purwanto, R.H., & Sisfanto, N. (2014). *Pengaturan Kelestarian Hasil Hutan Kayu: Teori dan Aplikasinya*. Yogyakarta. Gadjah Mada Univeristy Press. ISBN: 9794209112.
- Pusdatin KEMENPERIN. (2022). *Peran Strategis dan Potensi Penguatan Industri Furnitur Terhadap Perekonomian Nasional*. Buku Analisis Pembangunan Industri 2022. Psat Data dan Informasi Kementerian Perindustrian Republik Indonesia.
- Quarles, S.L., & Valachovic, Y. (2012). *Using Wood Quality Measures to Evaluate Second-Growth Redwood*. U.S. Department of Agriculture Forest Service, Washington, DC, USA. pp. 553-559.
- Rahman, M.M., Fujiwara, S., Hirakawa, Y., & Kanagawa, Y. (2004). Wood density in relation to growth rate and tissue proportions of teak grown in Bangladesh. *Journal of Forest Planning* 10(2): 53-57.
- Rahmawati, R.B., Hardiwinoto, S., Widiyatno, Budiadi, Amin, Y., & Hasanusi, A. (2021). Space planting, competition, and productivity of a seven-year-old clonal teak plantation in the East Java monsoon forest area. *Jurnal Manajemen Hutan Tropika* 27(2): 123-131.
- Rahmawati, R.B., Hardiwinoto, S., Widiyatno, Budiadi, & Wibowo, A. (2024). Productivity of clonal teak plantation under different spacing and thinning intensity in Java Monsoon Forest. *IOP Conf. Ser.: Earth Environ. Sci.* 1299: 012004. DOI:10.1088/1755-1315/1299/1/012004.
- Ramadan, A., Indrioko, S., & Hardiyanto, E.B. (2018). Parameter Genetik Sifat Pertumbuhan dan Kerapatan Kayu Klon *Eucalyptus pellita* F. Muell. Di Dua Tapak Yang Berbeda Di Kalimantan Timur. *Jurnal Pemuliaan Tanaman Hutan*. 12(2): 115-125.



- Rezende, D.G.S.P., de Rezende, M.D.V., & de Assis, T.F. (2013). Eucalyptus breeding for clonal forestry. Dalam: Fenning, T.M. (Ed.). Challenges and opportunities for the world's forests in the 21st century. Forestry Sciences. 81. (Pp. 393–424). Springer Science + Business Media Dordrecht 2014. DOI:10.1007/978-94-007-7076-8_16.
- Rini, D.S. 2013. Effect of girdling period time on physical properties of teak (*Tectona grandis* L.f) from community forest. M.S. Tesis. Universitas Gadjah Mada, Indonesia.
- Rizanti, D.E., Darmawan, W., George, B., Merlin, A., Dumarcay, S., Chapuis, H., Gèraldin, C., Gelhay, E., Raharivelomanana, P., Sari, R.K., Syafii, W., Mohamed, R., & Gerardin, P. (2018). Comparison of teak wood properties according to forest management: short versus long rotation. Annals of Forest Science. 75: 39. <https://doi.org/10.1007/s13595-018-0716-8>.
- Rocha, M.F.V., Veiga, T.R.L.A., Soares, B.C.D., de Araújo, A.C.C., Carvalho, A.M.M., & Hein, P.R.G. (2019). Do the Growing Condition of Trees Influence the Wood Properties? Floresta e Ambiente. 26(3): e20180353. <https://doi.org/10.1590/2179-8087.035318>.
- Roda, J.M., Cadene, P., Guizol, P., Santoso, I., & Fauzan, A.U. (2007). Atlas Industri Mebel Kayu di Jepara Indonesia. Jakarta, Indonesia. CIFOR and CIRAD.
- Rodiana, D., Hasanusi, A., Yunianto, Z., Utomo, & Winduro, G. (2019). Kajian Penjarangan Tanaman Jati Plus Perhutani (JPP) Stek Pucuk. Letin Penelitian. 22: 14-19.
- Rohman, Warsito, S.P., Purwanto, R.H., & Supriyatno, N. Normalitas Tegakan Berbasis Resiko ntk Pengaturan Kelestarian Hasil Hutan Tanaman Jati di Perum Perhutani. Jurnal Ilmu Kehutanan. VII (2): 81-92.
- Roshetko, J.M., & Perdana, A. (2017). The Significance of Planted Teak for Smallholder Farmers. Dalam: Kollert, W., & Kleine, M. (Eds.). The Global Teak Study. Analysis, Evaluation and Future Potential of Teak Resources. IUFRO World Series Volume 36. Vienna.
- Roshetko, J.M., Sabastian, G.E., Perdana, A., Martini, E., Ekawati, D., & Fauzi, M.A. (2023). Smallholder Teak Systems: Indigenous innovation to improve fallow management. Dalam: Cairns, M., Hill, B., & Kurupunya, T. (Eds.). Farmer Innovations and Best Practices by Shifting Cultivators in Asia-Pacific. CABI International. (Pp. 616-646). Boston, MA, USA.
- Ross, R.J. (2010). Wood handbook: wood as an engineering material. Centennial ed. General technical report FPL. GTR-190. Madison, WI: U.S. Dept. of Agriculture. Forest Service. Forest Products Laboratory: 1v.
- Russo, D., Marziliano, P.A., Macri, G., Proto, A.R., Zimbalatti, G., & Lombardi, F. (2019). Does thinning intensity affect wood quality? An analysis of Calabrian pine in Southern Italy using a non-destructive acoustic method. Forest. 10: 303.



- Sadono, R. (2014). Determining competition level for high genetic value of teak (*Tectona grandis* L. f.) aged 6 to 11 years in Madiun forest district, East Java, Indonesia. *Adv. Environ. Biol.* 8(17): 750-756.
- Sadono, R. (2019). Effects of Competition on the Crown Width Allometry for Dominant Trees on Good Sites of Vegetative Clonal Teak (*Tectona grandis* Linn. f.) in Java, Indonesia. *Jurnal Manajemen Hutan Tropika*. 25(2): 104-114.
- Salsabila, A.N., Putri, F.H., Nariswari, I.Z. (2024). Pengaruh Nilai Tambah Ekspor dalam Pemanfaatan Pengolahan Kayu Jati Sebagai Produk Furnitur. *Jurnal Ilmiah Ekonomi dan Manajemen*. Kampus Akademik Publising. 2(12): 145-158.
- Sargent, R. (2019). Evaluating dimensional stability in solid wood: a review of current practice. *Journal of Wood Science* 65: 36.
- Sarjono. (1984). *Pemuliaan Jati Thailand*. Jakarta: Perhutani.
- Sasidharan, S., Ramasamy, Y. (2021). Teak: the king of timbers. Dalam: Ramasamy, Y., Galeano, E., & Win, T.T. (Eds.). *The Teak Genome*. (Pp 1-11). *Compendium of Plant Genomes*. Switzerland. Springer Nature Switzerland AG. ISBN: 978-3-030-79310-4. <https://doi.org/10.1007/978-3-030-79311-1>.
- Sasidharan, S. (2021). Teak plantations and wood production. Dalam: Ramasamy, Y., Galeano, E., & Win, T.T. (Eds.). *The Teak Genome*. (Pp 13-25). *Compendium of Plant Genomes*. Switzerland. Springer Nature Switzerland AG. ISBN: 978-3-030-79310-4. <https://doi.org/10.1007/978-3-030-79311-1>.
- Savero, A.M., Wahyudi, I., Rahayu, I.S., Yunianti, A.D., & Ishiguri, F. (2020). Investigating the anatomical and physical-mechanical properties of the 8-year-old superior teakwood planted in Muna Island, Indonesia. *J. Korean Wood Sci. Technol.* 48(5): 618-630.
- Sawitri, Na'iem, M., Indrioko, S., & Widiyatno. (2019). The effects of rooting media, IBA, and clones on rooting ability of Teak's shoot cutting. *IOP Conf. Series: Earth and Environmental Sciences*. 449: 012042. DOI:10.1088/1755-1315/449/1/012042.
- Schimleck, L., Dahlen, J., Apiolaza, L.A., Downes, G., Emms, G., Evans, R., Moore, J., Pâques, L., Van den Buckle, J., & Wang, X. (2019). Non-destructive evaluation techniques and what they tell us about wood property variation. *Forest*. 10(9): 728. <https://doi.org/10.3390/f10090728>.
- Schmidt, F.H., & Ferguson, J.H.A. (1951). *Rainfall Type Based on Wet and Dry Period Ratios for Indonesia with Western New Guinea*. *Verhandelingen Djawatan Meterologi de Geofisik*. Jakarta.
- Seo, Y., Pathammavongsa, S., Chhorn, V., Lee, D., Choi, J., & Cha, D. (2019). DBH growth for three years after thinning on even-aged Pinus koraiensis and Larix kaempferi plantations in South Korea. *For Sci Tech*. 15(1): 1-6.



Shmulsky, R., & Jones, P.D. (2011). Forest products and wood science: an introduction. 6th ed. U.K: Wiley-Blackwell.

Shukla, S.R., & Viswanath, S. (2014). Comparative study on growth, wood quality and financial returns of teak (*Tectona grandis* L.f.) managed under three different agroforestry practices. *Agroforest Syst* 88: 331-341.

Shukla, S.R., Rao, R.V., Shashikala, S., Kumar, P., & Sharma, S.K. (2011). Wood quality variation in *Tectona grandis* (teak) clones from CSO raised at Maredumilli (Rajahmundry), Andhra Pradesh. *J. Indian Acad. Wood Sci.* 8(2): 116-119. DOI: 10.1007/s13196-012-0045-8.

Simatupang, M.H. (2001). Some Notes on The Origin and Establishment of Teak Forest (*Tectona gandis* L.f.) in Java, Indonesia. Dalam: Hardiyanto, E.B. (Ed.), Potentials and Opportunities in Marketing and Trade of Plantation Teak: Challenge for the New Millennium. Proceedings of Third Regional Seminar on Teak. July 31 -August 4, 2000. (pp. 3-20). Yogyakarta, Indonesia: Faculty of Forestry Gadjah Mada University.

Siswamartana, S., Rosalina, U., & Wibowo, A. (eds.). 2005. Seperempat abad pemuliaan jati Perum Perhutani. Pusat Pengembangan Sumber Daya Hutan Perum Perhutani.

Silva-Albuês, T.A., Corradi-Pereira, B.L., Guimarães-Carvalho, A., Môra, R., & Costa-Oliveira, A. (2024). Quality of *Tectona grandis* for Sawn Wood Production. *Maderas. Ciencia y tecnología*. 6(26): 1-16. DOI: 10.22320/s0718221x/2024.06.

Smith, D.M. (1986). The practice of silviculture. Edisi kedelapan. New York: John Wiley and Sons Inc.

Soekotjo. (2009). Teknik Silvikultur Intensif (SILIN). Yogyakarta. Gadjah Mada University Press.

Soekotjo. (2015). Peran Teknik SILIN untuk Pencapaian Ekonomi Hijau yang Ekonomis, Kompetitif, dan Berkesinambungan. Dalam: Prehaten, D., Syahbudin, A., & Andiyani, R.D. (Eds.). Prosiding Seminar Nasional Silvikultur II: Pembaruan Silvikultur untuk Mendukung Pemulihan Fungsi Hutan Menuju Ekonomi Hijau. Yogyakarta, 28 Agustus 2014. (Pp 1-2). UGM Yogyakarta.

Soerianegara, I, & Lemmens, R.H.M.J. (1994). Plant resource of South-East Asia 5. (1) Timber trees: Major commercial timbers. Prosea. Bogor. Pp 1-610.

Solorzano, S., Moya, R., & Murillo, O. (2012). Early prediction of basic density, shrinking, presence of growth stress, and dynamic elastic modulus based on the morphological tree parameters of *Tectona grandis*. *J Wood Sci.* 58: 290-299.

Stener, L.G., Rytter, L., & Jasson, G. (2017). Effects of pruning on wood properties of planted silver birch in southern Sweden. *Silva Fennica* 51(2): 1713.

Sterba, H. (1988). Increment losses by full-tree harvesting in Norway spruce (*Picea abies*). *For, Ecol. Manage.* 24: 283-292.



Stewart, H., Rohadi, D., Schmidt, D.M., Race, D., Dovita, D.A., Silvia D., & Darisman, A. (2020). Financial models for smallholder sengon and teak planting in the Pati district, Indonesia. Canberra: ACIAR.

Strugnell, E.J. (1932). The teak forests of Java. *Empire Forestry Journal* 11(1): 34-41.

Sudomo, M.F.A., Hardiwinoto, S., Indrioko, S., Budiadi, Prehaten, D., & Wibowo, A. (2021). Respon Pertumbuhan Tanaman Jati Plus Perhutani Umur 11 Tahun Terhadap Intensitas Penjarangan dan Tumpang Sari (Studi Kasus di BKPH Begal KPH Ngawi, Perhutani Jawa Timur. *Jurnal Pemuliaan Tanaman Hutan*. 15(1): 11-21.

Sunarti, S., Nirsatmanto, A., Brawner, J., Setyaji, T., Kartikaningtyas, D., Handayani, B.R., Surip, & Hidayati, F. Effect of genetic gain in diameter and wood density on advanced generation breeding strategy of *Acacia mangium* in Indonesia. *Journal of Tropical Forest Science*. 34(1): 92-102. DOI:10.26525/jtfs2022.34.1.92.

Suranto, Y. (2015). Pengaruh umur pohon, bonita, dan posisi aksial batang terhadap kualitas kayu sebagai bahan mebel: Studi kasus kesatuan pemangku hutan Kendal, Jawa Tengah. Disertasi. Program Doktor Fakultas Kehutanan Universitas Gadjah Mada Yogyakarta.

Suranto, Y. (2020). Effect of breeding technology and trunk axial position on shrinkage and quality of 10 year old teak wood as a furniture's raw material. *IOP Conf. Series: Materials Science and Engineering*. 935: 012037. DOI:10.1088/1757-899X/935/1/012037.

Tangmitcharoen, S., & Owens, J.N. (1997^a). Floral Biology, Pollination, Pistil Receptivity, and Pollen Tube Growth of Teak (*Tectona grandis* Linn. f.). *Annals of Botany*. 79(3): 227-241. <https://doi.org/10.1006/anbo.1996.0317>.

Tangmitcharoen, S., & Owens, J.N. (1997^b). Pollen Viability and Pollen-tube Growth Following Controlled Pollination and their Relation to Low Fruit Production in Teak (*Tectona grandis* Linn. f.). *Annals of Botany*. 80(4): 401-410. <https://doi.org/10.1006/anbo.1996.0440>.

Telford, A., Cavers, S. Ennos, R.A., & Cottrell, J.E. (2015). Can we protect forests by harnessing variation in resistance to pests and pathogens?. *Forestry*. 88: 3-12. DOI: 10.1093/forestry/cpu012.

Thibodeau, L., Raymond, P., Camiré, C., Munson, A.D. (2000). Impact of precommercial thinning in balsam fir stands on soil nitrogen dynamics, microbial biomass, decomposition, and foliar nutrition. *Canadian Journal of Forest Research*. 30(2): 229-238. DOI: 10.1139/x99-202.

Thulasidas, P.K., & Bhat, K.M. (2012). Mechanical properties and wood structure characteristics of 35-year-old home-garden teak from wet and dry localities of Kerala, India in comparison with plantation teak. *J Indian Acad Wood Sci*. 9(1): 23-32.



- Todaro, L., Macchioni, N. (2011). Wood properties of young Douglas-fir in Southern Italy: results over a 12-year post-thinning period. *Eur J Forest Res.* 130: 251-261.
- Trockenbrodt, M., & Jouse, J. (1999). Wood properties and utilisation potential of plantation teak (*Tectona grandis*) in Malaysia – a critical review. *J. of Tropical Forest Product* 5(1): 58-70.
- Tylor, F.W. (1981). Rapid determination of southern pine specific gravity with Pilodyn tester. *For Sci.* 27: 59–61.
- Unenor, E., Tanjung, R.HR., & Keiluhu, H.J. (2012). Implementasi sistem silvikultur TPTI dan TPTJ teknik Silvikultur Intensif (SILIN) dalam pengelolaan hutan di Papua. *Jurnal Biologi Papua.* 7(2): 53-60.
- Vallejos, J., Moya, R., Serrano, R. (2015). Effect of thinning on diameter, heartwood, density and drying defects of Gmelina arborea. *Maderas: Ciencia y tecnologia.* 17(2): 365-372.
- Vasudeva, R., Hanumantha, M., & Gunaga, R.P. (2004). Genetic variation for floral traits among teak (*Tectona grandis* Linn. f.) clones: Implications to seed orchard fertility. *Current Science.* 87(3): 358-362.
- Verhaegen, D., Fofana, I.J., Logossa, Z.A., & Ofori, D. (2010). What is the genetic origin of teak (*Tectona grandis* L.) introduced in Africa and in Indonesia?. *Tree Genetics & Genome.* 6: 717-733. DOI: 10.1007/s11295-010-0286-x.
- Víquez, E., & Pérez, D. (2005). Effect of pruning on tree growth, yield, and wood properties of *Tectona grandis* plantations in Costa Rica. *Silva Fennica.* 39930: 381-390.
- Wahyudi, I. (2000). Studies on the growth and wood qualities of tropical plantation species. Disertasi. Nagoya University. Nagoya. <https://doi.org/10.11501/3165293>.
- Wahyudi, I., & Arifien, A.F. (2005). Perbandingan struktur anatomis, sifat fisis dan sifat mekanis kayu jati unggul dan kayu jati konvensional. *J Ilmu & Teknologi Kayu Tropis* 3(2): 9-15.
- Walotek, P.J., & Glauner, R. (2017). Long-term Price Trends of Teak Wood. Dalam: Kollert, W., & Kleine, M. (Eds). *The Global Teak Study. Analysis, Evaluation and Future Potential of Teak Resources.* IUFRO World Series Volume 36. Vienna.
- Wang, S.Y., Lin, C.J., & Chiu, C.M. (2005). Evaluation of wood quality of Taiwan trees grown with different thinning and pruning treatments using ultrasonic wave testing. *Wood Fiber Sci.* 37(2): 192-200.
- Wang, X., Divos, F., Pilon, C., Nrashaw, B.K., Ross, R.J., & Pellerin, R.F. (2004). Assessment of decay in standing timber using stress wave timing nondestructive evaluation tools: a guide for use and interpretation. Gen. Tech. Madison (WI): Forest Products Laboratory, Department of Agriculture; Rep. FPL-GTR147.



- Wang, X., Ross, R.J., McClellan, M., Barbour, R.J., Erickson, J.R., Forsman, J.W., & McGinnis, G.D. (2000). Strength stiffness assessment of standing trees using a nondestructive stress wave technique. Department of Agriculture USA. Research Paper FPL-RP-585.
- Wang, X., Ross, R.J., McClellan, M., Barbour, R.J., Erickson, J.R., Forsman, J.W., & McGinnis, G.D. (2001). Nondestructive evaluation of standing trees with a stress wave method. *Wood Fiber Sci.* 33: 522-533.
- Wanneng, P.X., Ozarska, B., & Daian, M.S. (2014). Physical properties of *Tectona grandis* grown in Laos. *Journal of Tropical Forests Science* 26(3): 389-396.
- Wardani, B. W. (2008). Evaluasi uji klon jati (*Tectona grandis* L.f.) umur 9 tahun di KPH Ciamis dan KPH Cepu Perum Perhutani. Tesis S2. Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Waring, K.M. & O'Hara, K.L. (2005). Ten-year growth and epicormic sprouting response of western larch to pruning in western Montana. *West. J. Appl. For.* 20: 228–232.
- Weng, Y., Park, Y. S., & Lindgren, D. (2012). Unequal clonal deployment improves genetic gains at constant diversity levels for clonal forestry. *Tree Genetics and Genomes*. 8: 77–85. <https://doi.org/10.1007/s11295-011-0422-2>.
- Wessels, C.B., Malan, F.S., Rypstra, T. (2011). A review of measurement methods used on standing trees for the prediction of some mechanical properties of timber. *Eur J Forest Res.* 130: 881-893.
- White, T.L., Adams, W.T., & Neale, D.B. (2007). *Forest Genetics*. Centre for Agriculture and Bioscience International. Wallingford. ISBN 1845932862.
- Wibowo, A. (2005). Sejarah Pemuliaan Pohon Jati. Dalam: Siswamartana, S., Rosalina, U., dan Wibowo, A. (eds.). *Seperempat Abad Pemuliaan Jati Perum Perhutani*. Pusat Pengembangan Sumber Daya Hutan. Cepu: Perum Perhutani.
- Widiyatno, Wibowo, A., Novitasari, D., Seta, G.W., Prehaten, D., Hidayati, F., Nugroho, W.D., Hardiwinoto, S., Na'iem, M., & Tani, N. (2023). Effect of improved planting stock on tree growth, wood properties, and soil fertility of teak plantations 10 years after planting. *Forest Science and Technology*. 20(1): 8-15. DOI: 10.1080/21580103.2023.2277190.
- Widiyatno, Hidayati, F., Hardiwinoto, S., Indrioko, S., Purnomo, S., Jatmoko, Tani, N., & Naiem, M. (2020). Selection of dipterocarps species for enrichment planting in secondary tropical rainforest. *Forest Science and Technology*. 16: 206-215.
- Widiyatno, Soekotjo, Suryamojo, H., Supriyo, H., Purnomo, S., & Jatmoko. (2014). Dampak penerapan sistem silvikultur tebang pilih tanam jalur terhadap kelestarian kesuburan tanah dalam menunjang kelestarian pengelolaan hutan alam. *Jurnal Manusia dan Lingkungan*. 2(1): 50-59.



- Widiyatmoko, A., Rimbawanto, A., & Chasani, A.R. (2013). Genetic relationship among teak (*Tectona grandis*, Linn. f.) populations based on RAPD (Random Amplified Polymorphic DNA) markers. *J. Pemuliaan tanaman Huta*. 7(3): 151-166.
- Win, T.T., Watanabe, A., Hirao, T., Isoda, K., Ishizuka, W., & Goto, S. (2015). Genetic diversity of teak population in native regions and plantations in Myanmar detected by microsatellite markers. *Bull Univ Tokyo For*. 132: 1–15.
- Wu, H.X. (2019). Benefits and risks of using clones in forestry – a review. *Scan J For Res*. 34(5): 352-359. <https://doi.org/10.1080/02827581.2018.1487579>.
- Wu, S.J., Xu, J.M., Li, G.Y., Risto, V., Lu, Z.H., Li, B.Q., & Wang, W. (2010). Use of the Pilodyn for assessing wood properties in standing trees of Eucalyptus clones. *J For Res* 21: 68-72.
- Wu, S.J., Xu, J.M., Li, G.Y., Risto, V., Lu, Z.H., Li, B.Q., & Wang, W. (2011). Estimation on basic density and modulus of elasticity of eucalypt clones in Southern China using non-destructive methods. *J Trop For Sci*. 23: 51-56.
- Yahya, A.Z., Saaiffudin, K.A., Hashim, M.N. (2011). Growth response and yield of plantation grown teak (*Tectona grandis*) after low thinning treatments at Pagoh, Peninsular Malaysia. *J Trop For Sci*. 23: 453-45.
- Yanchuk, A.D., Bishir, J.W., Russell, J.H., & Polsson, K.R. (2006). Variation in volume production through clonal deployment: results from a simulation model to minimize risk for both a currently known and unknown future pest. *Silvae Genet*. 55(1): 25–37.
- Yang, H., Weng, Q., Li, F., Zhou, C., Li, M., Chen, S., & Gan, S. (2018). Genotypic Variation and Genotype-by-Environment Interactions in Growth and Wood Properties in a Cloned Eucalyptus urophylla × E. tereticornis Family in Southern China. *Forest Science*: 1–8.
- Yovi, E.Y., Bahruni, & Nurrochmat, D.R. (2009). Sources of timber and constraints to the timber acquisition of Jepara's small-scale furniture industries. *JMHT*. 15(1): 32-40.
- Yove, E.Y., Nurrochmat, D.R., & Sidiq, M. (2013). Domestic market of Jepara's small scale wooden furniture industries: its potential and barriers. Laporan tidak dipublikasikan dari the ACIAR project Mahogany and teak furniture: Action research to improve value chain efficiency and enhance livelihoods (FST/2007/119). Australia Center for International Agricultural Research. Canberra.
- Zobel, J.B. (1964). Breeding for wood properties in forest trees. Dalam: Osara, N.A., Westoby, J.C., and Vernell, L.J. (1964). An International Review of Forestry and Forest Products. *Unasylva*. 18(2-3): 73-74. FAO/IUFRO meeting on forest genetics. <https://www.fao.org/4/03650e/03650e00.htm#Contents>.



Zobel, J.B., & Jett, J.B. (1995). The Genetics of Wood Production. Springer-Verlag Berlin. ISBN 3540588418.

Zobel, J.B., & Talbert, J. (1984). Applied forest tree improvement. John Wiley & Sons, Inc. United States of America. ISBN 0-471-09682-2.

Zobel, J.B., & van Buijtenen, J.P. (1989). Wood variation: Its Causes and Control. Springer-Verlag Berlin Heidelberg. 978-3-642-74069-5.