



DAFTAR PUSTAKA

- Ancheta, T. D., Darragh, R. B., Stewart, J. P., Seyhan, E., Silva, W. J., Chiou, B. S. J., Wooddell, K. E., Graves, R. W., Kottke, A. R., Boore, D. M., Kishida, T., & Donahue, J. L. (2013). *PEER NGA-West2 Database*. Pacific Earthquake Engineering Research Center, University of California, Berkeley.
- Arulnathan, R., Boulanger, R., Kutter, B., & Sluis, W. (2000). New Tool for Shear Wave Velocity Measurements in Model Tests. *Geotechnical Testing Journal*, 23(4), 444–453. <https://doi.org/10.1520/GTJ11065J>
- Badan Standarisasi Nasional. (2019). *SNI 1726:2019 Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan nongedung*. Jakarta: Badan Standarisasi Nasional.
- Baker, J. W. (2007). Quantitative Classification of Near-Fault Ground Motions Using Wavelet Analysis. *Bulletin of the Seismological Society of America*, 97(5), 1486–1501. <https://doi.org/10.1785/0120060255>
- Bardet, J. P., Huang, Q., & Chi, S. (1993). Numerical prediction model No. 1. In: *Proceedings of International Conference on the Verification of Numerical Procedures for the Analysis of Soil Liquefaction Problems*. U.C. Davis, USA.
- Bellier, O., Sébrier, M., Beaudouin, T., Villeneuve, M., Braucher, R., Boulès, D., Siame, L., Putranto, E., & Pratomo, I. (2001). High slip rate for a low seismicity along the Palu-Koro active fault in central Sulawesi (Indonesia). *Terra Nova*, 13(6), 463–470. <https://doi.org/10.1046/j.1365-3121.2001.00382.x>
- BMKG. (2018). *Press Release NO: UM.505/9/D3/IX/2018*. <https://www.bmkg.go.id/berita/?p=gempabumi-tektunik-m7-7-kabupaten-donggala-sulawesi-tengah-pada-hari-jumat-28-september-2018-berpotensi-tsunami&tag=press-release&lang=ID>
- BNPB, (Badan Nasional Penanggulangan Bencana). (2019). *Gempabumi dan Tsunami Sulawesi Tengah*. <https://bnpb.go.id/infografis/infografis-gempabumi-m74-tsunami-sulawesi-tengah>
- Bolt, B. A. (1973). Duration of Strong Ground Motion. In *Proceedings of the 5th world conference on earthquake engineering (Vol. 1, pp. 1304-1313)*.
- Boore, D. M., Joyner, W. B., Oliver, A. A., & Page, R. A. (1980). Peak acceleration, velocity, and displacement from strong-motion records. *Bulletin of the Seismological Society of America*, 70(1), 305–321. <https://doi.org/10.1785/BSSA0700010305>
- Boore, D. M., Stewart, J. P., Seyhan, E., & Atkinson, G. M. (2014). NGA-West2 Equations for Predicting PGA, PGV, and 5% Damped PSA for Shallow Crustal Earthquakes. *Earthquake Spectra*, 30(3), 1057–1085. <https://doi.org/10.1193/070113EQS184M>
- Boulanger, R. W., & Idriss, I. M. (2006). Liquefaction Susceptibility Criteria for Silts and Clays. *Journal of Geotechnical and Geoenvironmental Engineering*, 132(11), 1413–1426. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2006\)132:11\(1413\)](https://doi.org/10.1061/(ASCE)1090-0241(2006)132:11(1413))
- Boulanger, R. W., & Idriss, I. M. (2014). *CPT and SPT Based Liquefaction Triggering Procedures*. Report No. UCD/CGM-14/01, Department of Civil and Environmental Engineering, University of California, Davis, CA.



- Bradley, B. A. (2010). Site-Specific and Spatially Distributed Ground-Motion Prediction of Acceleration Spectrum Intensity. *Bulletin of the Seismological Society of America*, 100(2), 792–801. <https://doi.org/10.1785/0120090157>
- Bradley, B. A. (2011). Correlation of Significant Duration with Amplitude and Cumulative Intensity Measures and Its Use in Ground Motion Selection. *Journal of Earthquake Engineering*, 15(6), 809–832. <https://doi.org/10.1080/13632469.2011.557140>
- Bradley, B. A. (2012a). Empirical Correlations between Peak Ground Velocity and Spectrum-Based Intensity Measures. *Earthquake Spectra*, 28(1), 17–35. <https://doi.org/10.1193/1.3675582>
- Bradley, B. A. (2012b). Strong ground motion characteristics observed in the 4 September 2010 Darfield, New Zealand earthquake. *Soil Dynamics and Earthquake Engineering*, 42, 32–46. <https://doi.org/10.1016/j.soildyn.2012.06.004>
- Bradley, B. A. (2015). Correlation of Arias intensity with amplitude, duration and cumulative intensity measures. *Soil Dynamics and Earthquake Engineering*, 78, 89–98. <https://doi.org/10.1016/j.soildyn.2015.07.009>
- Bradley, B. A., & Cubrinovski, M. (2011). Near-source Strong Ground Motions Observed in the 22 February 2011 Christchurch Earthquake. *Seismological Research Letters*, 82(6), 853–865. <https://doi.org/10.1785/gssrl.82.6.853>
- Bray, J. D., Sancio, R. B., Riemer, M., & Durgunoglu, H. T. (2004b). Liquefaction Susceptibility of Fine-Grained Soils. *Proc., 11th Int. Conf. On Soil Dynamics and Earthquake Engineering and 3rd Int. Conf. On Earthquake Geotechnical Engineering, Stallion Press, Berkeley, Calif., Vol. 1*, 655–662.
- Building Seismic Safety Council. (2004). *National earthquake hazards reduction program recommended provisions and commentary for seismic regulations for new buildings and other structures (FEMA450), part 1: Provisions*. Federal Emergency Management Agency, Washington D.C.
- Caltrans. (2019). *Caltrans Seismic Design Criteria Version 2.0*. California Department of Transportation, Sacramento, CA.
- Caltrans. (2022). *Site-Specific Dynamic Ground Response Analysis*. California Department of Transportation, Sacramento, CA.
- Campbell, K. W. (1981). Near-source attenuation of peak horizontal acceleration. *Bulletin of the Seismological Society of America*, 76(6), 2039–2070.
- Campbell, K. W., & Bozorgnia, Y. (2010). A Ground Motion Prediction Equation for the Horizontal Component of Cumulative Absolute Velocity (CAV) Based on the PEER-NGA Strong Motion Database. *Earthquake Spectra*, 26(3), 635–650. <https://doi.org/10.1193/1.3457158>
- Carlton, B. (2014). *An improved description of the seismic response of sites with high plasticity soils, organic clays, and deep soft soil deposits*. Ph.D. thesis, University of California, Berkeley.
- Carvajal, M., Araya-Cornejo, C., Sepúlveda, I., Melnick, D., & Haase, J. S. (2019). Nearly Instantaneous Tsunamis Following the Mw 7.5 2018 Palu Earthquake. *Geophysical Research Letters*, 46(10), 5117–5126. <https://doi.org/10.1029/2019GL082578>
- Chattamvelli, R. (2024). *Correlation in Engineering and the Applied Sciences: Applications in R*. Springer Nature Switzerland. <https://doi.org/10.1007/978-3-031-51015-1>



- Cilia, M. G., Mooney, W. D., & Nugroho, C. (2021). Field Insights and Analysis of the 2018 Mw 7.5 Palu, Indonesia Earthquake, Tsunami and Landslides. *Pure and Applied Geophysics*, 178(12), 4891–4920. <https://doi.org/10.1007/s00024-021-02852-6>
- Cipta, A., Rudyanto, A., Afif, H., Robiana, R., Solikhin, A., Omang, A., Supartoyo, & Hidayati, S. (2021). Unearthing the buried Palu–Koro Fault and the pattern of damage caused by the 2018 Sulawesi Earthquake using HVSR inversion. *Geological Society, London, Special Publications*, 501(1), 185–203. <https://doi.org/10.1144/SP501-2019-70>
- Cubrinovski, M., Ntritsos, N., Dhakal, R., & Rhodes, A. (2019). Key aspect in the engineering assessment of soil liquefaction. In *Earthquake Geotechnical Engineering for Protection and Development of Environment and Constructions, Silvestri & Moraci (Eds), Proceedings of the 7th International Conference on Earthquake Geotechnical Engineering, (ICEGE 2019), June 17-20, 2019, Rome, Italy, CRC Press.*
- Cubrinovski, M., Rhodes, A., Ntritsos, N., & Van Ballegooy, S. (2019). System response of liquefiable deposits. *Soil Dynamics and Earthquake Engineering*, 124, 212–229. <https://doi.org/10.1016/j.soildyn.2018.05.013>
- Darendeli, M. B. (2001). *Development of a new family of normalized modulus reduction and material damping curves*. Ph.D. thesis, Dept. of Civil and Environmental Engineering, Univ. of Texas at Austin.
- Daryono, M. R. (2016). *Paleoseismology of Tropical Indonesia (Cases study in Sumatran Fault, Palukoro-Matano Fault, and Lembang Fault) (Paleoseismologi Tropis Indonesia (Dengan Studi Kasus di Sesar Sumatra, Sesar Palukoro-Matano, dan Sesar Lembang))*. Dissertation Doctoral Program, Institut Teknologi Bandung, Unpublished.
- D'Ayala, D., Free, M., Bilham, R., Doyle, P., Evans, R., Greening, P., May, R., Stewart, A., Teymur, B., & Vince, D. (2003). *The Kocaeli, Turkey Earthquake of 17 August 1999*. Earthquake Engineering Field Investigation Team. Institution of Structural Engineers. London.
- Dinas PU Kimpraswil Kota Palu. (2004). *Gambar Rencana Struktur Jembatan Ponulele, Kota Palu, Provinsi Sulawesi Tengah*. Dinas PU Kimpraswil Kota Palu, Sulawesi Tenggara.
- Dobry, R. (1982). *Prediction of pore water pressure buildup and liquefaction sands during earthquake by the cyclic strain method*. US. Dept. Commerce, National Bureau of Standards.
- Dong, W., Gao, G., Chen, J., & Jian, S. (2018). Effects of Near-Fault Pulse-Like Ground Motion on Site Liquefaction and Settlement. Dalam T. Qiu, B. Tiwari, & Z. Zhang (Ed.), *Proceedings of GeoShanghai 2018 International Conference: Advances in Soil Dynamics and Foundation Engineering* (hlm. 148–157). Springer Singapore. https://doi.org/10.1007/978-981-13-0131-5_17
- Douglas, J., & Boore, D. M. (2018). Peak ground accelerations from large ($M \geq 7.2$) shallow crustal earthquakes: A comparison with predictions from eight recent ground-motion models. *Bulletin of Earthquake Engineering*, 16(1), 1–21. <https://doi.org/10.1007/s10518-017-0194-7>
- Dowrick, D. J. (1992). Attenuation of modified mercalli intensity in New Zealand earthquakes. *Earthquake Engineering & Structural Dynamics*, 21(3), 181–196. <https://doi.org/10.1002/eqe.4290210301>
- Efron, B., & Tibshirani, R. J. (1994). *An Introduction to the Bootstrap*. Chapman and Hall/CRC. <https://doi.org/10.1201/9780429246593>



- El-Sherbiny, R. M., & Salem, M. A. (2013). Evaluation of SPT energy for Donut and Safety hammers using CPT measurements in Egypt. *Ain Shams Engineering Journal*, 4(4), 701–708. <https://doi.org/10.1016/j.asej.2013.04.001>
- EPRI. (1988). *Criterion for Determining Exceedance of the Operating Basis Earthquake* (Report No. EPRI NP-5930). Electrical Power Research Institute, Palo Alto, California.
- Fang, J., Xu, C., Wen, Y., Wang, S., Xu, G., Zhao, Y., & Yi, L. (2019). The 2018 Mw 7.5 Palu Earthquake: A Supershear Rupture Event Constrained by InSAR and Broadband Regional Seismograms. *Remote Sensing*, 11(11), 1330. <https://doi.org/10.3390/rs11111330>
- Gazetas, G., Dakoulas, P., & Papageorgiou, A. (1990). Local-soil and source-mechanism effects in the 1986 kalamata (Greece) earthquake. *Earthquake Engineering & Structural Dynamics*, 19(3), 431–456. <https://doi.org/10.1002/eqe.4290190310>
- GEER, PuSGeN, & HATTI. (2019). *Geotechnical Extreme Events Reconnaissance The 28 September 2018 M7.5 Palu-Donggala, Indonesia Earthquake (Version 1.0; 3 April 2019)*. Research Institute for Housing and Human Settlements, Agency for Research and Development, Ministry of Public Works and Housing, Republic of Indonesia.
- Goda, K., Mori, N., Yasuda, T., Prasetyo, A., Muhammad, A., & Tsujio, D. (2019). Cascading Geological Hazards and Risks of the 2018 Sulawesi Indonesia Earthquake and Sensitivity Analysis of Tsunami Inundation Simulations. *Frontiers in Earth Science*, 7, 261. <https://doi.org/10.3389/feart.2019.00261>
- Green, R. A., Lee, J., White, T. M., & Baker, J. W. (2008). *The Significance of Near-Fault Effects on Liquefaction*. In: Proc. The 14th World Conference on Earthquake Engineering, Beijing, China.
- Gusman, A. R., Supendi, P., Nugraha, A. D., Power, W., Latief, H., Sunendar, H., Widiyantoro, S., Daryono, Wiyono, S. H., Hakim, A., Muhari, A., Wang, X., Burbidge, D., Palgunadi, K., Hamling, I., & Daryono, M. R. (2019). Source Model for the Tsunami Inside Palu Bay Following the 2018 Palu Earthquake, Indonesia. *Geophysical Research Letters*, 46(15), 8721–8730. <https://doi.org/10.1029/2019GL082717>
- Hancock, J., & Bommer, J. J. (2005). The effective number of cycles of earthquake ground motion. *Earthquake Engineering & Structural Dynamics*, 34(6), 637–664. <https://doi.org/10.1002/eqe.437>
- Hardin, B. O., & Black, W. L. (1968). Vibration Modulus of Normally Consolidated Clay. *Journal of the Soil Mechanics and Foundations Division*, 94(2), 353–369. <https://doi.org/10.1061/JSFEAQ.0001100>
- Harmon, J. A. (2017). *Nonlinear Site Amplification Functions for Central and Eastern North America*. Dissertation, University of Illinois at Urbana-Champaign.
- Harp, E. L., & Wilson, R. C. (1995). Shaking intensity thresholds for rock falls and slides: Evidence from 1987 Whittier Narrows and superstition hills earthquake strong-motion records. *Bulletin of the Seismological Society of America*, 85(6), 1739–1757. <https://doi.org/10.1785/BSSA0850061739>
- Hashash, Y. M. A., Musgrove, M. I., Harmon, J. A., Ilhan, O., Xing, G., Numanoglu, O., Groholski, D. R., Phillips, C. A., & Park, D. (2020). DEEPSOIL 7.0, User Manual. Urbana, IL, Board of Trustees of University of Illinois at Urbana-Champaign.



- Hidayat, R. F., Kiyota, T., Tada, N., Hayakawa, J., & Nawir, H. (2020). Reconnaissance on Liquefaction-induced Flow Failure Caused by the 2018 Mw 7.5 Sulawesi Earthquake, Palu, Indonesia. *Journal of Engineering and Technological Sciences*, 52(1), 51–65. <https://doi.org/10.5614/j.eng.technol.sci.2020.52.1.4>
- Hu, J. J., Xie, L. L., & Yang, Y. Q. (2011). Directivity Effect in the Peak Ground Acceleration Fields and Attenuation Relations—A Case Study of the Ms 8.0 Wenchuan Earthquake. *Advanced Materials Research*, 250–253, 2554–2557. <https://doi.org/10.4028/www.scientific.net/AMR.250-253.2554>
- Idriss, I. M. (1999). An update to the Seed-Idriss simplified procedure for evaluating liquefaction potential. in *Proceedings, TRB Workshop on New Approaches to Liquefaction, Publication No. FHWA- RD-99-165, Federal Highway Administration, January*.
- Idriss, I. M., & Boulanger, R. W. (2004). Semi-empirical procedures for evaluating liquefaction potential during earthquakes. in *Proceedings, 11th International Conference on Soil Dynamics and Earthquake Engineering, and 3rd International Conference on Earthquake Geotechnical Engineering, D. Doolin et al., eds., Stallion Press, Vol. 1*.
- Idriss, I. M., & Boulanger, R. W. (2006). Semi-empirical procedures for evaluating liquefaction potential during earthquakes. *Soil Dynamics and Earthquake Engineering*, 26(2–4), 115–130. <https://doi.org/10.1016/j.soildyn.2004.11.023>
- Idriss, I. M., & Boulanger, R. W. (2008). *Soil liquefaction during earthquakes*. Earthquake Engineering Research Institute (EERI).
- Idriss, I. M., & Boulanger, R. W. (2010). SPT-based liquefaction triggering procedures. *Report UCD/CGM-10/02, Department of Civil and Environmental Engineering*(University of California, Davis, CA), 259 pp.
- Irsyam, M., Cummins, P. R., Asrurifak, M., Faizal, L., Natawidjaja, D. H., Widiyantoro, S., Meilano, I., Triyoso, W., Rudyanto, A., Hidayati, S., Ridwan, M., Hanifa, N. R., & Syahbana, A. J. (2020). Development of the 2017 national seismic hazard maps of Indonesia. *Earthquake Spectra*, 36(1_suppl), 112–136. <https://doi.org/10.1177/8755293020951206>
- Ishihara, K. (1985). Stability of Natural Deposits During Earthquakes. *Proceedings of the Eleventh International Conference on Soil Mechanics and Foundation Engineering, A. A. Balkema Publishers, Rotterdam, Netherlands*.
- Iwasaki, T., Arakawa, T., & Tokida, K.-I. (1984). Simplified procedures for assessing soil liquefaction during earthquakes. *International Journal of Soil Dynamics and Earthquake Engineering*, 3(1), 49–58. [https://doi.org/10.1016/0261-7277\(84\)90027-5](https://doi.org/10.1016/0261-7277(84)90027-5)
- Jalil, A., Fathani, T. F., Satyarno, I., & Wilopo, W. (2021). Liquefaction in Palu: The cause of massive mudflows. *Geoenvironmental Disasters*, 8(1), 21. <https://doi.org/10.1186/s40677-021-00194-y>
- JICA Project Team. (2019). *Geotechnical Survey Report Partial Palu Bridge IV Project (PB4 Project)*.
- JICA-BMKG. (2018). *Palu Earthquake Strong Motion Waveform by Observation System Developed by Japan*. https://committees.jsce.or.jp/eec205/system/files/%E3%83%91%E3%83%AB%E5%9C%B0%E9%9C%87%E5%BC%B7%E9%9C%87%E6%B3%A2%E5%BD%A2%E8%A8%98%E9%8C%B2%E9%80%9F%E5%A0%B11022_0.pdf



- JRC. (2018). *JRC_Mw 7.5 Earthquake in Indonesia 28 Sept 2018.pdf*. JRC Emergency Reporting - Activation # 02, Global Disaster Alert and Coordination System, European Commission.
- Katili, J. A. (1970). Large transcurrent faults in Southeast Asia with special reference to Indonesia. *Geologische Rundschau*, 59(2), 581–600. <https://doi.org/10.1007/BF01823809>
- Kayen, R. E., & Mitchell, J. K. (1997). Assessment of Liquefaction Potential during Earthquakes by Arias Intensity. *Journal of Geotechnical and Geoenvironmental Engineering*, 123(12), 1162–1174. [https://doi.org/10.1061/\(ASCE\)1090-0241\(1997\)123:12\(1162\)](https://doi.org/10.1061/(ASCE)1090-0241(1997)123:12(1162))
- Kempton, J. J., & Stewart, J. P. (2006). Prediction Equations for Significant Duration of Earthquake Ground Motions considering Site and Near-Source Effects. *Earthquake Spectra*, 22(4), 985–1013. <https://doi.org/10.1193/1.2358175>
- Kiyota, T., Furuichi, H., Hidayat, R. F., Tada, N., & Nawir, H. (2020). Overview of long-distance flow-slide caused by the 2018 Sulawesi earthquake, Indonesia. *Soils and Foundations*.
- Knappett, J. A., & Madabhushi, S. P. (2008). Liquefaction-Induced Settlement of Pile Groups in Liquefiable and Laterally Spreading Soils. *Journal of Geotechnical and Geoenvironmental Engineering*, 134(11), 1609–1618. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2008\)134:11\(1609\)](https://doi.org/10.1061/(ASCE)1090-0241(2008)134:11(1609))
- Ko, Y.-Y., Li, Y.-T., Chen, C.-H., Yeh, S.-Y., & Hsu, S.-Y. (2021). Influences of repeated liquefaction and pulse-like ground motion on the seismic response of liquefiable ground observed in shaking table tests. *Engineering Geology*, 291, 106234. <https://doi.org/10.1016/j.enggeo.2021.106234>
- Kostadinov, M. V., & Towhata, I. (2002). Assessment of liquefaction-inducing peak ground velocity and frequency of horizontal ground shaking at onset of phenomenon. *Soil Dynamics and Earthquake Engineering*, 22(4), 309–322. [https://doi.org/10.1016/S0267-7261\(02\)00018-0](https://doi.org/10.1016/S0267-7261(02)00018-0)
- Kramer, S. L. (1996). *Geotechnical earthquake engineering*. Prentice Hall.
- Kuo, C. H., Chao, S. H., Hsu, C. C., & Lu, X. M. (2019). *Database of near-fault pulse like time history*. Technical Report NCREE-19-010.
- Kusumawardani, R., Chang, M., Upomo, T. C., Huang, R.-C., Fansuri, M. H., & Prayitno, G. A. (2021). Understanding of Petobo liquefaction flowslide by 2018.09.28 Palu-Donggala Indonesia earthquake based on site reconnaissance. *Landslides*, 18(9), 3163–3182. <https://doi.org/10.1007/s10346-021-01700-x>
- Leeuwen, T. V., & Pieters, P. E. (2011). Mineral deposits of Sulawesi. *Proceedings of The Sulawesi Mineral Resources 2011 Seminar MGEI-IAGI 28-29 November 2011, Manado, North Sulawesi, Indonesia*. <https://doi.org/10.13140/2.1.3843.2322>
- Liao, S. S. C., & Whitman, R. V. (1986). Overburden Correction Factors for SPT in Sand. *Journal of Geotechnical Engineering*, 112(3), 373–377. [https://doi.org/10.1061/\(ASCE\)0733-9410\(1986\)112:3\(373\)](https://doi.org/10.1061/(ASCE)0733-9410(1986)112:3(373))
- Liu, A. H., Stewart, J. P., Abrahamson, N. A., & Moriwaki, Y. (2001). Equivalent Number of Uniform Stress Cycles for Soil Liquefaction Analysis. *Journal of Geotechnical and*



- Look, B. (2007). *Handbook of geotechnical investigation and design tables*. Taylor & Francis.
- Maulana, A., Imai, A., Van Leeuwen, T., Watanabe, K., Yonezu, K., Nakano, T., Boyce, A., Page, L., & Schersten, A. (2016). Origin and geodynamic setting of Late Cenozoic granitoids in Sulawesi, Indonesia. *Journal of Asian Earth Sciences*, 124, 102–125. <https://doi.org/10.1016/j.jseaes.2016.04.018>
- Mei, X. (2018). *Porewater pressure generation and liquefaction analysis using nonlinear, effective stress-based site response analysis*. Ph. D. thesis, Dept. of Civil and Environment Engineering, Univ. of Illinois, Urbana-Champaign.
- Mei, X., Olson, S. M., & Hashash, Y. M. A. (2018). Empirical porewater pressure generation model parameters in 1-D seismic site response analysis. *Soil Dynamics and Earthquake Engineering*, 114, 563–567. <https://doi.org/10.1016/j.soildyn.2018.07.011>
- Mei, X., Olson, S. M., & Hashash, Y. M. A. (2020). Evaluation of a simplified soil constitutive model considering implied strength and pore-water pressure generation for one-dimensional (1D) seismic site response. *Canadian Geotechnical Journal*, 57(7), 974–991. <https://doi.org/10.1139/cgj-2018-0893>
- Natawidjaja, D. H., Daryono, M. R., Prasetya, G., Udrek, Liu, P. L.-F., Hananto, N. D., Kongko, W., Triyoso, W., Puji, A. R., Meilano, I., Gunawan, E., Supendi, P., Pamumpuni, A., Irsyam, M., Faizal, L., Hidayati, S., Sapiie, B., Kusuma, M. A., & Tawil, S. (2020). The 2018 Mw7.5 Palu ‘supershear’ earthquake ruptures geological fault’s multi-segment separated by large bends: Results from integrating field measurements, LiDAR, swath bathymetry, and seismic-reflection data. *Geophysical Journal International*, ggaa498. <https://doi.org/10.1093/gji/ggaa498>
- National Research Council. (1985). *Liquefaction of Soils During Earthquakes*. National Academy Press, Washington.
- Notash, N. H., Dabiri, R., Bonab, M. H., Khodadadi, L., & Sarand, F. B. (2024). Evaluation of the Inertial and Kinematic Interactions Effects on the Seismic Behavior of Single Piles Embedded in Sand Using Different Theoretical Approaches. *Geotechnical and Geological Engineering*, 42(1), 285–305. <https://doi.org/10.1007/s10706-023-02571-w>
- Novikova, E. I., & Trifunac, M. D. (1994). Duration of strong ground motion in terms of earthquake magnitude, epicentral distance, site conditions and site geometry. *Earthquake Engineering & Structural Dynamics*, 23(9), 1023–1043. <https://doi.org/10.1002/eqe.4290230907>
- Numanoglu, O. A., Musgrove, M., Harmon, J. A., & Hashash, Y. M. A. (2018). Generalized Non-Masing Hysteresis Model for Cyclic Loading. *Journal of Geotechnical and Geoenvironmental Engineering*, 144(1), 06017015. [https://doi.org/10.1061/\(ASCE\)GT.1943-5606.0001816](https://doi.org/10.1061/(ASCE)GT.1943-5606.0001816)
- Olson, S. M., Mei, X., & Hashash, Y. M. A. (2020). Nonlinear Site Response Analysis with Pore-Water Pressure Generation for Liquefaction Triggering Evaluation. *Journal of Geotechnical and Geoenvironmental Engineering*, 146(2), 04019128. [https://doi.org/10.1061/\(ASCE\)GT.1943-5606.0002191](https://doi.org/10.1061/(ASCE)GT.1943-5606.0002191)
- Orense, R. P. (2005). Assessment of liquefaction potential based on peak ground motion parameters. *Soil Dynamics and Earthquake Engineering*, 25(3), 225–240. <https://doi.org/10.1016/j.soildyn.2004.10.013>



- Patria, A., & Putra, P. S. (2020). Development of the Palu–Koro Fault in NW Palu Valley, Indonesia. *Geoscience Letters*, 7(1), 1. <https://doi.org/10.1186/s40562-020-0150-2>
- Paulik, R., Gusman, A., Williams, J. H., Pratama, G. M., Lin, S., Prawirabhakti, A., Sulendra, K., Zachari, M. Y., Fortuna, Z. E. D., Layuk, N. B. P., & Suwarni, N. W. I. (2019). Tsunami Hazard and Built Environment Damage Observations from Palu City after the September 28 2018 Sulawesi Earthquake and Tsunami. *Pure and Applied Geophysics*, 176(8), 3305–3321. <https://doi.org/10.1007/s00024-019-02254-9>
- PuSGeN, (Pusat Studi Gempa Nasional). (2017). *Peta sumber dan bahaya gempa Indonesia tahun 2017* (Cetakan pertama). Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian Pekerjaan Umum.
- PuSGeN, (Pusat Studi Gempa Nasional). (2018). *Kajian Gempa Palu Provinsi Sulawesi Tengah 28 September 2018 (M7.4)*. Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Ramdhan, M. & Priyobudi. (2019). Hypocenter relocation analysis of 7.5 Mw Palu and its aftershocks: A preliminary result. *Journal of Physics: Conference Series*, 1341(8), 082009. <https://doi.org/10.1088/1742-6596/1341/8/082009>
- Rathje, E. M., Stokoe, K. H., & Rosenblad, B. (2003). Strong Motion Station Characterization and Site Effects during the 1999 Earthquakes in Turkey. *Earthquake Spectra*, 19(3), 653–675. <https://doi.org/10.1193/1.1596212>
- Reed, J. W., & Kassawara, R. P. (1990). A criterion for determining exceedance of the operating basis earthquake. *Nuclear Engineering and Design*, 123(2–3), 387–396. [https://doi.org/10.1016/0029-5493\(90\)90259-Z](https://doi.org/10.1016/0029-5493(90)90259-Z)
- Robertson, P. K., & Wride, (née Fear), C. E. (1998). Cyclic liquefaction and its evaluation based on the SPT and CPT. In *Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, Edited by T.L. Youd and I.M. Idriss(NCEER-97-0022).
- Sahadewa, A., Irsyam, M., Hanifa, R., Mikhail, R., Pamumpuni, A., Nazir, R., Pramono, S., Sabaruddin, A., Faizal, L., Ridwan, M., Himawan, A., Simatupang, P., Alatas, I. M., Harninto, D. S., Djarwadi, D., Kartawiria, A., Djunaidy, M., Suhendra, I., Kawanda, A., & Widodo, Y. (2019). Overview of the 2018 Palu Earthquake. In *Earthquake Geotechnical Engineering for Protection and Development of Environment and Constructions, Silvestri & Moraci (Eds), Proceedings of the 7th International Conference on Earthquake Geotechnical Engineering, (ICEGE 2019), June 17-20, 2019, Rome, Italy, CRC Press*.
- Santucci De Magistris, F., Lanzano, G., Forte, G., & Fabbrocino, G. (2013). A database for PGA threshold in liquefaction occurrence. *Soil Dynamics and Earthquake Engineering*, 54, 17–19. <https://doi.org/10.1016/j.soildyn.2013.07.011>
- Sassa, S., & Takagawa, T. (2019). Liquefied gravity flow-induced tsunami: First evidence and comparison from the 2018 Indonesia Sulawesi earthquake and tsunami disasters. *Landslides*, 16(1), 195–200. <https://doi.org/10.1007/s10346-018-1114-x>
- Seed, H. B., & Idriss, I. M. (1982). *Ground Motions and soil liquefaction during earthquakes*. Earthquake Engineering Research Institute.
- Seed, H. B., Idriss, I. M., Makdisi, F., & Banerjee, N. (1975). *Representation of Irregular Stress Time Histories by Equivalent Uniform stress Series in Liquefaction Analyses*. Earthquake Engineering Research Center, University of California, Berkeley.



- Seed, H. B., Tokimatsu, K., Harder, L. F., & Chung, R. M. (1985). Influence of SPT Procedures in Soil Liquefaction Resistance Evaluations. *Journal of Geotechnical Engineering*, *111*(12), 1425–1445. [https://doi.org/10.1061/\(ASCE\)0733-9410\(1985\)111:12\(1425\)](https://doi.org/10.1061/(ASCE)0733-9410(1985)111:12(1425))
- Shahi, S. K. (2013). *A probabilistic framework to include the effects of near-fault directivity in seismic hazard assessment*. Ph.D. Thesis, Stanford University, Stanford, CA.
- Shahi, S. K., & Baker, J. W. (2011). An Empirically Calibrated Framework for Including the Effects of Near-Fault Directivity in Probabilistic Seismic Hazard Analysis. *Bulletin of the Seismological Society of America*, *101*(2), 742–755. <https://doi.org/10.1785/0120100090>
- Shahi, S. K., & Baker, J. W. (2014). An Efficient Algorithm to Identify Strong-Velocity Pulses in Multicomponent Ground Motions. *Bulletin of the Seismological Society of America*, *104*(5), 2456–2466. <https://doi.org/10.1785/0120130191>
- Skempton, A. W. (1986). Standard penetration test procedures and the effects in sands of overburden pressure, relative density, particle size, ageing and overconsolidation. *Géotechnique*, *36*(3), 425–447. <https://doi.org/10.1680/geot.1986.36.3.425>
- Socquet, A., Hollingsworth, J., Pathier, E., & Bouchon, M. (2019). Evidence of supershear during the 2018 magnitude 7.5 Palu earthquake from space geodesy. *Nature Geoscience*, *12*(3), 192–199. <https://doi.org/10.1038/s41561-018-0296-0>
- Socquet, A., Simons, W., Vigny, C., McCaffrey, R., Subarya, C., Sarsito, D., Ambrosius, B., & Spakman, W. (2006). Microblock rotations and fault coupling in SE Asia triple junction (Sulawesi, Indonesia) from GPS and earthquake slip vector data. *Journal of Geophysical Research: Solid Earth*, *111*(B8), 2005JB003963. <https://doi.org/10.1029/2005JB003963>
- Somerville, P. G. (1997). *The Characteristics and Quantification of Near Fault Ground Motion: Vol. Proceedings of the FHWA/NCEER Workshop on the National Representation of Seismic Ground Motion for New and Existing Highway Facilities*. Center for Earthquake Engineering Research, Buffalo, NY, Technical Report 97-0010, State University of New York at Buffalo.
- Somerville, P. G. (2002). *Characterizing Near Fault Ground Motion For The Design And Evaluation Of Bridges: Vol. Proceedings of the Third National Seismic Conference and Workshop on Bridges and Highways* (April 28 – May 1, 2002).
- Somerville, P. G., Smith, N. F., Graves, R. W., & Abrahamson, N. A. (1997). Modification of Empirical Strong Ground Motion Attenuation Relations to Include the Amplitude and Duration Effects of Rupture Directivity. *Seismological Research Letters*, *68*(1), 199–222. <https://doi.org/10.1785/gssrl.68.1.199>
- Sonmez, H., & Gokceoglu, C. (2005). A liquefaction severity index suggested for engineering practice. *Environmental Geology*, *48*(1), 81–91. <https://doi.org/10.1007/s00254-005-1263-9>
- Spudich, P., Bayless, J. R., Baker, J. W., Chiou, B. S. J., Rowshandel, B., Shahi, S. K., & Somerville, P. (2013). *Final Report of the NGA-West2 Directivity Working Group*.
- Sunardi, B., Sulastri, Karnawati, D., Haryoko, U., Rohadi, S., Pramono, S., & Sungkowo, A. (2019). Acceleration Response Spectra for M 7.4 Donggala Earthquake and Comparison with Design Spectra. *Journal of Sustainable Engineering: Proceedings Series*, *1*(1), 20–26. <https://doi.org/10.35793/joseps.v1i1.3>



- Terzaghi, K., Peck, R. B., & Mesri, G. (1996). *Soil mechanics in engineering practice* (3rd ed). Wiley.
- Thein, P. S., Pramumijoyo, S., Brotopuspito, K. S., Kiyono, J., Wilopo, W., Furukawa, A., & Setianto, A. (2014). *Estimation Of Seismic Ground Motion And Shaking Parameters Based On Microtremor Measurements At Palu City, Central Sulawesi Province, Indonesia*. <https://doi.org/10.5281/ZENODO.1092938>
- Tokimatsu, K., & Yoshimi, Y. (1983). Empirical Correlation of Soil Liquefaction Based on SPT N-Value and Fines Content. *Soils and Foundations*, 23(4), 56–74. https://doi.org/10.3208/sandf1972.23.4_56
- Travasarou, T., Bray, J. D., & Abrahamson, N. A. (2003). Empirical attenuation relationship for Arias Intensity. *Earthquake Engineering & Structural Dynamics*, 32(7), 1133–1155. <https://doi.org/10.1002/eqe.270>
- Trinufac, M. D., & Brady, A. G. (1975). A study of the duration of strong earthquake ground motion. *Bulletin of the Seismological Society of America*, 65, 581–626.
- Tsai, C.-C., & Li, P.-C. (2024). Quantifying near-fault motion effects on soil liquefaction through effective stress site response analysis. *Soil Dynamics and Earthquake Engineering*, 183, 108779. <https://doi.org/10.1016/j.soildyn.2024.108779>
- Tsuchida, H. (1970). Evaluation of liquefaction potential of sandy deposits and measures against liquefaction induced damage. *Proceedings of the annual seminar of the Port and Harbour Research Institute, 1970, (3-1)-(3-33)(in Japanese)*.
- van Leeuwen, T. M. & Muhandjo. (2005). Stratigraphy and tectonic setting of the Cretaceous and Paleogene volcanic-sedimentary successions in northwest Sulawesi, Indonesia: Implications for the Cenozoic evolution of Western and Northern Sulawesi. *Journal of Asian Earth Sciences*, 25(3), 481–511. <https://doi.org/10.1016/j.jseaes.2004.05.004>
- Von Specht, S., Ozturk, U., Veh, G., Cotton, F., & Korup, O. (2019). Effects of finite source rupture on landslide triggering: The 2016 Mw 7.1 Kumamoto earthquake. *Solid Earth*, 10(2), 463–486. <https://doi.org/10.5194/se-10-463-2019>
- Vucetic, M., & Dorby, R. (1986). *Pore pressure build-up and liquefaction at level sandy sites during earthquakes: Vol. Research Rep. CE-86-3, Dept. of Civil Engineering, Rensselaer Polytechnic Institute, Troy, NY*.
- Wang, C. Y. (2007). Liquefaction beyond the Near Field. *Seismological Research Letters*, 78(5), 512–517. <https://doi.org/10.1785/gssrl.78.5.512>
- Wang, G.-Q., Zhou, X.-Y., Zhang, P.-Z., & Igel, H. (2002). Characteristics of amplitude and duration for near fault strong ground motion from the 1999 Chi-Chi, Taiwan Earthquake. *Soil Dynamics and Earthquake Engineering*, 22(1), 73–96. [https://doi.org/10.1016/S0267-7261\(01\)00047-1](https://doi.org/10.1016/S0267-7261(01)00047-1)
- Watkinson, I. M. (2011). Ductile flow in the metamorphic rocks of central Sulawesi. *Geological Society, London, Special Publications*, 355(1), 157–176. <https://doi.org/10.1144/SP355.8>
- Werner, S. D. (1976). Engineering characteristics of earthquake ground motions. *Nuclear Engineering and Design*, 36(3), 367–395. [https://doi.org/10.1016/0029-5493\(76\)90029-7](https://doi.org/10.1016/0029-5493(76)90029-7)
- Widyaningrum, R. (2012). *Penyelidikan Geologi Teknik Potensi Likuifaksi Daerah Palu, Provinsi Sulawesi Tengah*. Pusat Sumber Daya Air Tanah dan Geologi Lingkungan.



- Wilson, D. W. (1998). *Soil-pile-superstructure interaction in Liquefying Sand and Soft Clay*. Departement of Civil & Environmental Engineering, University of California, Davis.
- Wilson, D. W., Boulanger, R. W., & Kutter, B. L. (1997). *Soil-pile-superstructure interaction at soft or liquefiable soil sites-Centrifuge data report for CSP02: Vol. Report No. UCD/CGMDR-97/05*. Center for Geotechnical Modeling, Departement of Civil & Environmental Engineering, University of California, Davis.
- Wu, Q., Li, D.-Q., Liu, Y., & Du, W. (2021). Seismic performance of earth dams founded on liquefiable soil layer subjected to near-fault pulse-like ground motions. *Soil Dynamics and Earthquake Engineering*, *143*, 106623. <https://doi.org/10.1016/j.soildyn.2021.106623>
- Xie, J., Wang, W., An, Z., Li, K., Tian, X., Wu, L., Gao, S., Zhang, W., & Yuan, J. (2023). Quantification of rupture directivity effects on strong ground motion during the 8 January 2022 MS6.9 Menyuan earthquake in Qinghai, China. *Frontiers in Earth Science*, *10*, 1068536. <https://doi.org/10.3389/feart.2022.1068536>
- Xie, J., Zimmaro, P., Li, X., & Wen, Z. (2017). Rupture Directivity Effects on Strong Ground Motion during the 15 April 2016 M_w 7.0 Kumamoto Earthquake in Japan. *Bulletin of the Seismological Society of America*, *107*(3), 1265–1276. <https://doi.org/10.1785/0120160258>
- Yang, J., Sato, T., Savidis, S., & Li, X. S. (2002). Horizontal and vertical components of earthquake ground motions at liquefiable sites. *Soil Dynamics and Earthquake Engineering*, *22*(3), 229–240. [https://doi.org/10.1016/S0267-7261\(02\)00010-6](https://doi.org/10.1016/S0267-7261(02)00010-6)
- Youd, T. L., Idriss, I. M., Andrus, R. D., Arango, I., Castro, G., Christian, J. T., Dobry, R., Finn, W. D. L., Harder, L. F., Hynes, M. E., Ishihara, K., Koester, J. P., Liao, S. S. C., Marcuson, W. F., Martin, G. R., Mitchell, J. K., Moriwaki, Y., Power, M. S., Robertson, P. K., ... Stokoe, K. H. (2001). Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils. *Journal of Geotechnical and Geoenvironmental Engineering*, *127*(10), 817–833. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2001\)127:10\(817\)](https://doi.org/10.1061/(ASCE)1090-0241(2001)127:10(817))