

## DAFTAR PUSTAKA

- AASHTO. (1998). *AASHTO LRFD Bridge Design Specifications* (Second Edi). American Association of State Highway and Transportation.
- Abercrombie, R. E., Antolik, M., Felzer, K., & Ekstrom, G. (2001). The 1994 Java Tsunami Earthquake: Slip Over a Subducting Seamount. *Journal of Geophysical Research*, 106(4), 6595–6607.
- Ahamad, M. N., Patel, N., & Singh, V. P. (2024). Site Specific Liquefaction Mapping Using Standard Penetration Test Data of Bahraich District. *Indian Geotechnical Journal*. <https://doi.org/10.1007/s40098-024-01046-w>
- Aini, I. (2024). *Pengaruh Potensi Likuefaksi dan Stabilitas Fondasi Tiang Bor Pada Jembatan (Studi Kasus: Pembangunan Jembatan Sungai Wampu Proyek Jalan Tol Ruas Binjai-Langsa)*. Universitas Gadjah Mada.
- Aini, I., Wilopo, W., & Fathani, T. F. (2024a). Development of Peak Ground Acceleration Using a Non-Linear Approach to Evaluate Liquefaction Potential in Sei Wampu Bridge, Langkat, North Sumatra, Indonesia. *ASEAN Engineering Journal*, 14(3), 41–52. <https://doi.org/10.11113/aej.V14.20606>
- Aini, I., Wilopo, W., & Fathani, T. F. (2024b). The Correlation of Liquefaction with Excess Pore Water Pressure in Langkat, North Sumatra. *International Journal of GEOMATE*, 26(114), 117–125. <https://doi.org/10.21660/2024.114.4150>
- Amalina, A. N. (2021). *Non-Linear Site Response Analysis for Evaluating Liquefaction Hazard Maps*. Universitas Gadjah Mada.
- Amalina, A. N., Faisal Fathani, T., & Wilopo, W. (2022). Comparison of SPT and V s-based liquefaction assessment on young volcanic sediment: a case study in Bantul District of Yogyakarta, Indonesia. In *Civil and Environmental Science Journal* (Vol. 05, Nomor 02).
- Ambraseys, N. N. (1988). Engineering Seismology Part II. *Earthquake Engineering and Structural Dynamics*, 17, 1–105.
- Ambraseys, N. N., Douglas, J., Sarma, S. K., & Smit, P. M. (2005). Equations for the estimation of strong ground motions from shallow crustal eUsing data from Europe and the middle east: Vertical peak ground acceleration and spectral acceleration. *Bulletin of Earthquake Engineering*, 3(1), 55–73. <https://doi.org/10.1007/s10518-005-0186-x>
- Amir, F., Maricar, S., & Mallisa, Z. (2023). Feasibility Study of Palu Bridge III Structure. *IOP Conference Series: Earth and Environmental Science*, 1157(1). <https://doi.org/10.1088/1755-1315/1157/1/012017>
- Ardianto, Y. W., & Dibyosaputro, S. (2017). *Analisis Morfometri Butir Material Dasar Sungai Jali, Jawa Tengah*.
- Arduino, P., McGann, C. R., & Ghofrani, A. (2017). *Design Procedure for Bridge Foundations Subject to Liquefaction-Induced Lateral Spreading*.
- Ashikuzzaman, M., Hossain, A., & Salan, M. S. A. (2023). Liquefaction Assessment of Rajshahi City Corporation, Bangladesh. *Indian Geotechnical Journal*, 53(2), 455–464. <https://doi.org/10.1007/s40098-022-00671-7>
- Aytaş, Z., Alpaslan, N., & Özçep, F. (2023). Evaluation of liquefaction potential by standard penetration test and shear wave velocity methods: a case study. *Natural Hazards*, 118(3),

2377–2417. <https://doi.org/10.1007/s11069-023-06093-9>

- Badan Standardisasi Nasional. (2012). *Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan non gedung*. [www.bsn.go.id](http://www.bsn.go.id)
- Badan Standardisasi Nasional. (2016a). *SNI 1725:2016 Pembebanan untuk Jembatan*. [www.bsn.go.id](http://www.bsn.go.id)
- Badan Standardisasi Nasional. (2016b). *SNI 2833:2016 Perencanaan Jembatan Terhadap Beban Gempa*. [www.bsn.go.id](http://www.bsn.go.id)
- Badan Standardisasi Nasional. (2017). *SNI 8460:2017 Persyaratan Perancangan Geoteknik*. [www.bsn.go.id](http://www.bsn.go.id)
- Badan Standardisasi Nasional. (2020). *SNI 8899:2020 Tata Cara Pemilihan dan Modifikasi Gerak Tanah Permukaan untuk Perencanaan Gedung Tahan Gempa*.
- BAPPENAS, Pemerintah Provinsi dan Daerah Daerah Istimewa Yogyakarta, Pemerintah Provinsi dan Daerah Jawa Tengah, & Mitra Internation. (2006). *Penilaian Awal Kerusakan dan Kerugian Bencana Alam di Yogyakarta dan Jawa Tengah*.
- Basavana Gowda, G. M., Dinesh, S. V., Govindaraju, L., & Babu, R. R. (2021). Effect of Liquefaction Induced Lateral Spreading on Seismic Performance of Pile Foundations. *Civil Engineering Journal (Iran)*, 7, 58–70. <https://doi.org/10.28991/CEJ-SP2021-07-05>
- Baziar, M. H., & Mollahassani Lashkajani, M. H. (2024). Prediction of Excess Pore Water Pressure Generation in Sand–Silt Mixtures During Cyclic Loading: A Dissipated Energy-Based Model. *Geotechnical and Geological Engineering*, 42(6), 5209–5228. <https://doi.org/10.1007/s10706-024-02837-x>
- Bensoula, M., Bousmaha, M., & Missoum, H. (2022). Relative Density Influence on the Liquefaction Potential of Sand with Fines. *Revista de la Construcción*, 21(3), 692–702. <https://doi.org/10.7764/RDLC.21.3.692>
- Bensoula, M., Missoum, H., & Bendani, K. (2018). Liquefaction Potential Sand-Silt Mixtures Under Static Loading. *Revista de la Construcción*, 17(2), 196–208. <https://doi.org/10.7764/RDLC.17.2.196>
- Berilgen, S. A., Berilgen, M. M., & Ozaydin, I. K. (2006). Compression and permeability relationships in high water content clays. *Applied Clay Science*, 31(3–4), 249–261. <https://doi.org/10.1016/j.clay.2005.08.002>
- Berilgen, S. A., Kılıc, H., & Ozaydin, K. (2007). Determination of Undrained Shear Strength for Dredged Golden Horn Marine Clay with Laboratory Tests. *Proceedings of the Sri Lankan Geotechnical Society's First International Conference on Soil & Rock Engineering*.
- Berkat, B., Akhssas, A., & Elfilali, O. (2024). Assessing Liquefaction Potential in Alluvial Plains Through Spatiotemporal Analysis Using Liquefaction Probability Index. *Civil Engineering Journal (Iran)*, 10(6), 2007–2018. <https://doi.org/10.28991/CEJ-2024-010-06-018>
- Bock, Y. (2003). Crustal motion in Indonesia from Global Positioning System measurements. *Journal of Geophysical Research*, 108(B8). <https://doi.org/10.1029/2001jb000324>
- Bolton Seed, H. (1979). *Considerations in the earthquake-resistant design of earth and rockfill dams* (Vol. 29, Nomor 3).



- Bolton Seed, H., & Idriss, I. M. (1970). *A Simplified Procedure For Evaluating Soil Liquefaction Potential*.
- Bonnefoy-Claudet, S., Cornou, C., Bard, P.-Y., Cotton, F., Moczo, P., Kristek, J., & Fah, D. (2006). H/V ratio: a tool for site effects evaluation. Results from 1-D noise simulations. *Geophysical Journal International*, 167(2). <https://doi.org/10.1111/j.1365-246X.2006.03154.xi>
- Boore, D. M., Stewart, J. P., Seyhan, E., & Atkinson, G. M. (2014). NGA-West2 equations for predicting PGA, PGV, and 5% damped PSA for shallow crustal earthquakes. *Earthquake Spectra*, 30(3), 1057–1085. <https://doi.org/10.1193/070113EQS184M>
- Boulanger, R. W., & Idriss, I. M. (2014). *CPT and SPT Based Liquefaction Triggering Procedures CPT And SPT Based Liquefaction Triggering Procedures*.
- Brandenberg, S. J., Bellana, N., & Shantz, T. (2010). Shear wave velocity as function of standard penetration test resistance and vertical effective stress at California bridge sites. *Soil Dynamics and Earthquake Engineering*, 30(10), 1026–1035. <https://doi.org/10.1016/j.soildyn.2010.04.014>
- Broms, B. (1977). Negative Skin Friction. *Proc 6th Asian reg conf soil mech*, 1–75.
- Buana, T. W., Hermawan, W., Rahdiana, R. N., Widyaningrum, R., Wahyudin, Hasibuan, G., Wiyono, & Sollu, W. P. (2019). *Atlas Zona Kerentanan Likuefaksi Indonesia (I)*. Pusat Survei Geologi, Badan Geologi, Kementerian Energi dan Sumber Daya Mineral.
- Campbell, K. W. (2003). Prediction of strong ground motion using the hybrid empirical method and its use in the development of ground-motion (attenuation) relations in Eastern North America. *Bulletin of the Seismological Society of America*, 93(3), 1012–1033. <https://doi.org/10.1785/0120020002>
- Campbell, K. W., & Bozorgnia, Y. (2014). NGA-West2 ground motion model for the average horizontal components of PGA, PGV, and 5% damped linear acceleration response spectra. *Earthquake Spectra*, 30(3), 1087–1114. <https://doi.org/10.1193/062913EQS175M>
- Carlton, B. (2014). *An Improved Description of the Seismic Response of Sites with High Plasticity Soils, Organic Clays, and Deep Soft Soil Deposits*. <https://escholarship.org/uc/item/38b4z1wf>
- Catello Acerra, Gerardo Aguacil, Anastasios Anastasiadis, Kuvvet Atakan, Riccardo Azzara, Pierre-Yves Bard, Roberto Basili, Etienne Bertrand, Bruno Bettig, Fabien Blarel, Sylvette Bonnefoy-Claudet, Paola Bordoni, Antonio Borges, Mathilde Bøttger Sørensen, Laurence Bourjot, Héloïse Cadet, Fabrizio Cara, Arrigo Caserta, Jean-Luc Chatelain, ... Stratos Zacharopoulos. (2004). *Guidelines For The Implementation Of The H/V Spectral Ratio Technique On Ambient Vibrations Measurements, Processing And Interpretation SESAME European research project WP12-Deliverable D23.12*. <http://sesame-fp5.obs.ujf-grenoble.fr/index.htm>
- Chiou, B. S. J., & Youngs, R. R. (2014). Update of the Chiou and Youngs NGA model for the average horizontal component of peak ground motion and response spectra. *Earthquake Spectra*, 30(3), 1117–1153. <https://doi.org/10.1193/072813EQS219M>
- Coduto, D. P. ., Kitch, W. A. ., & Yeung, M. R. (2016). *Foundation design : principles and practices* (3 ed.). Pearson.

- Dang, Q. H., Reiffsteck, P., Vu, M. N., Nguyen-Sy, T., & Pham, V. H. (2024). Effect of Plastic Fine Content on the Static Liquefaction Potential of Sandy Soil. *Applied Sciences (Switzerland)*, 14(13). <https://doi.org/10.3390/app14135881>
- Darendeli, M. B. (2021). Development of a New Family of Normalized Modulus Reduction and Material Damping Curves. In Texas. University of Texas Austin.
- Das, B. M., & Ramana, G. V. (2011). *Principles of Soil Dynamics* (II). Cengage Learning.
- Das, B. M., & Sobhan, K. (2014). *Principles of Geotechnical Engineering* (8 ed.). Cengage Learning.
- Day, R. W. (2012). *Geotechnical Earthquake Engineering*. The McGraw-Hill Companies, Inc. [www.iccsafe.org](http://www.iccsafe.org)
- Ding, Y., Jia, Y., Wang, X., Zhang, J., & Chen, X. (2023). Experimental Study on the Liquefaction Characteristics of Basalt Fiber-Reinforced Saturated Sand. *Indian Geotechnical Journal*, 53(3), 538–547. <https://doi.org/10.1007/s40098-022-00687-z>
- Direktorat Jenderal Bina Marga. (2021). *Panduan Praktis Perencanaan Teknis Jembatan* (02/M/BM/2021).
- Direktorat Jenderal Bina Marga. (2022). *Pedoman Pembahasan Penyelenggaraan Keamanan Jembatan Khusus* (07/SE/Db/2022).
- Domokos, G., Jerolmack, D. J., Sipos, A. Á., & Török, Á. (2013). *How river rocks round: resolving the shape-size paradox*.
- Elnashai, A. S., Kim, S. J., Yun, G. J., & Sidarta D. (2006). *The Yogyakarta Earthquake of May 27, 2006*. Mid-America Earthquake Center, University of Illinois, Urbana Campaign, MAE Center Report No 07-02. <https://mae.cee.illinois.edu/publications/reports/Report07-02.pdf>
- Faisal Fathani, T., Darmawan Adi, A., Pramumijoyo, S., & Karnawati, D. (2006). *The Determination of Peak Ground Acceleration at Bantul Regency, Yogyakarta Province, Indonesia*.
- Fathani, T. F., & Wilopo, W. (2017). Seismic microzonation studies considering local site effects for Yogyakarta City, Indonesia. *International Journal of GEOMATE*, 12(32), 152–160. <https://doi.org/10.21660/2017.32.63655>
- FHWA (Federal Highway Administration). (1998). *Geotechnical Earthquake Engineering Reference Manual: Vol. Module 9* (FHWA HI99-012). FHWA (Federal Highway Administration).
- Frings, R. M. (2004). *Downstream fining-a literature review*. <https://www.researchgate.net/publication/27694231>
- Fukushima, Y., & Tanaka, T. (1990). A new attenuation relation for peak horizontal acceleration of strong earthquake ground motion in Japan. In *Bulletin of the Seismological Society of America* (Vol. 80, Nomor 4). <https://www.researchgate.net/publication/279901672>
- GEER, HATTI, & PuSGen. (2019). *Geotechnical Extreme Events Reconnaissance The 28 September 2018 M 7.5 Palu-Donggala, Indonesia Earthquake*.
- Geotechnical Engineering Bureau. (2015). *Geotechnical Design Procedure-9 Liquefaction Potential of Cohesionless Soils Geotechnical Design Procedure* (3 ed.). Department of



Transportation, State of New York.

- Groholski, D. R., Hashash, Y. M. A., Kim, B., Musgrove, M., Harmon, J., & Stewart, J. P. (2016). Simplified Model for Small-Strain Nonlinearity and Strength in 1D Seismic Site Response Analysis. *Journal of Geotechnical and Geoenvironmental Engineering*, 142(9). [https://doi.org/10.1061/\(asce\)gt.1943-5606.0001496](https://doi.org/10.1061/(asce)gt.1943-5606.0001496)
- Hanindya, K. A., Makrup, L., Widodo, & Paulus, R. (2023). Deterministic Seismic Hazard Analysis to Determine Liquefaction Potential Due to Earthquake. *Civil Engineering Journal (Iran)*, 9(5), 1203–1216. <https://doi.org/10.28991/CEJ-2023-09-05-012>
- Hardiyatmo, H. C. (2020). *Analisis dan Perancangan Fondasi I* (4 ed.). Gadjah Mada University Press.
- Hardiyatmo, H. C. (2022). *Rekayasa Gempa*. Gadjah Mada University Press.
- Hardiyatmo, H. C. (2023). *Analisis dan Perancangan Fondasi II* (5 ed.). Gadjah Mada University Press.
- Hartono, N., & Fathani, T. F. (2023). Design of Stone Column to Mitigate Soil Liquefaction: Cases Study of Yogyakarta International Airport. *Journal of the Civil Engineering Forum*, 195–208. <https://doi.org/10.22146/jcef.5933>
- Hashash, Y. M. A., Musgrove, M. I., Harmon, J. A., Okan, I., Xing, G., Numanoglu, O., Groholski, D. R., Phillips, C. A., & Park, D. (2020). *Nonlinear and Equivalent Linear Seismic Site Response of One-Dimensional Soil Columns USER MANUAL*. Board of Trustees of University of Illinois at Urbana-Champaign. <http://deepsoil.cee.illinois.edu/>
- Heath, D. C., Wald, D. J., Worden, C. B., Thompson, E. M., & Smoczyk, G. M. (2020). A global hybrid VS30 map with a topographic slope-based default and regional map insets. *Earthquake Spectra*, 36(3), 1570–1584. <https://doi.org/10.1177/8755293020911137>
- Hossain, M. B., Roknuzzaman, M., & Rahman, M. M. (2022). Liquefaction Potential Evaluation by Deterministic and Probabilistic Approaches. *Civil Engineering Journal (Iran)*, 8(7), 1459–1481. <https://doi.org/10.28991/CEJ-2022-08-07-010>
- Idriss I. M. (1999). An Update to the Seed-Idriss Simplified Procedure for Evaluating Liquefaction Potential. *Proceedings of TRB Workshop on New Approaches to Liquefaction, Federal Highway Administration*.
- Idriss, I. M., & Boulanger, R. W. (2004). Evaluating The Potential for Liquefaction or Cyclic Failure of Silts and Clays. *Neuroscience Letters*, 339(December), 123–126.
- Idriss, I. M., & Boulanger, R. W. (2008). *Soil Liquefaction During Earthquakes*.
- Idriss, I. M., & Boulanger, R. W. (2010). *SPT-Based Liquefaction Triggering Procedure*.
- Irdhiani, Rifa'i, A., Fathani, T. F., & Adi, A. D. (2024). Post-Earthquake Liquefaction Vulnerability Mapping by Swedish Weight Sounding and Standard Penetration Test. *Civil Engineering Journal (Iran)*, 10(7), 2216–2232. <https://doi.org/10.28991/CEJ-2024-010-07-09>
- Ishihara, K. (1977). Simple Method of Analysis for Liquefaction of Sand Deposits during Earthquakes. *Soils and Foundations*, 17(3), 1–17.
- Ishihara, K. (1985). Stability of Natural Deposits During Earthquakes. *International Society for Soil Mechanics and Geotechnical Engineering*, 321–376. <https://www.issmge.org/publications/online-library>

- Ishihara, K., & Yoshimine, M. (1992). Evaluation of Settlements in Sand Deposits Following Liquefaction During Earthquakes. In *SOILS AND FOUNDATIONS* (Vol. 32, Nomor 1).
- Ishikawa, T., Yoshimi, M., Isobe, K., & Yokohama, S. (2021). Reconnaissance report on geotechnical damage caused by 2018 Hokkaido Eastern Iburi earthquake with JMA seismic intensity 7. *Soils and Foundations*, 61(4), 1151–1171. <https://doi.org/10.1016/j.sandf.2021.06.006>
- Iwasaki, T., Tokida, K., & Tatsuoka, F. (1981). Soil Liquefaction Potential Evaluation with Use of the Simplified Procedure. *International Conferences on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*. <https://scholarsmine.mst.edu/icrageesd/01icrageesd/session02/12>
- Jalil, A., Fathani, T. F., Satyarno, I., & Wilopo, W. (2021a). Liquefaction in Palu: the cause of massive mudflows. *Geoenvironmental Disasters*, 8(1). <https://doi.org/10.1186/s40677-021-00194-y>
- Jalil, A., Fathani, T. F., Satyarno, I., & Wilopo, W. (2021b). Nonlinear site response analysis approach to investigate the effect of pore water pressure on liquefaction in Palu. *IOP Conference Series: Earth and Environmental Science*, 871(1). <https://doi.org/10.1088/1755-1315/871/1/012053>
- Johannessen, I. J., & Bjerrum, L. (1965). *Measurement of the Compression of a Steel Pile to Rock due to Settlement of the Surrounding Clay*. <https://www.issmge.org/publications/online-library>
- Kamel, F., & Badreddine, S. (2020). Liquefaction analysis using shear wave velocity. *Civil Engineering Journal (Iran)*, 6(10), 1944–1955. <https://doi.org/10.28991/cej-2020-03091594>
- Kanai, K. (1966). Improved Empirical Formula for Characteristics of Strong Earthquake Motions. *Proc. of Japan Earthquake Engineering Symposium, Tokyo*, 1–4.
- Kanai, K. (1983). *Engineering Seismology*. University of Tokyo Press.
- Kanno, T., Narita, A., Morikawa, N., Fujiwara, H., & Fukushima, Y. (2006). A new attenuation relation for strong ground motion in Japan based on recorded data. *Bulletin of the Seismological Society of America*, 96(3), 879–897. <https://doi.org/10.1785/0120050138>
- Kanth, A., Bishoyi, N., & Kumar, R. (2024). Development of Energy-Based Site-Specific Correlations to Evaluate Liquefaction Potential. *Geotechnical and Geological Engineering*, 42(3), 1793–1809. <https://doi.org/10.1007/s10706-023-02646-8>
- Karnawati, D., Pramumijoyo, S., & Hendrayana, H. (2006). Geology of Yogyakarta, Java: The dynamic volcanic arc city. *International Association for Engineering Geology and the Environment (IAEG)*, 363. [www.pemda-diy.go.id](http://www.pemda-diy.go.id)
- Kempton, J. J., & Stewart, J. P. (2006). Prediction equations for significant duration of earthquake ground motions considering site and near-source effects. *Earthquake Spectra*, 22(4), 985–1013. <https://doi.org/10.1193/1.2358175>
- Kishida, H. (1969). Characteristics of Liquefied Sands During Mino-Owari, Tohnankai and Fukui Earthquakes. *Soils and Foundations*, 9(1), 75–92. <https://doi.org/https://doi.org/10.3208/sandf1960.9.75>
- Kosa, K., Setiawan, H., Miyajima, M., Ono, Y., & Yoshida, M. (2020). Damage to Teluk Palu Bridge in the 2018 Sulawesi Earthquake, Indonesia. *MATEC Web of Conferences*, 331,

02003. <https://doi.org/10.1051/mateconf/202033102003>
- Kramer, S. L. (1996). *Geotechnical Earthquake Engineering*. Prentice-Hall, Inc.
- Kramer, S. L. (2008). *Evaluation Of Liquefaction Hazards in Washington State*. Department of Civil and Environmental Engineering University of Washington.
- La Ode, M., & Okto, A. (2020). Analisis Granulometri dan Morfologi Butir pada Endapan Pasir dan Kerakal di Sepanjang Aliran Sungai Trens Daerah Boro-Boro. *Jurnal Ophiolite Geologi Terapan*, 2(2), 1–6.
- Lee, Y. T., Ma, K. F., Wang, Y. J., & Wen, K. L. (2015). An empirical equation of effective shaking duration for moderate to large earthquakes. *Natural Hazards*, 75(2), 1779–1793. <https://doi.org/10.1007/s11069-014-1398-7>
- Li, P., Gao, H., Yan, T., Li, Z., Wu, Y., & Liu, F. (2023). The nature and controls on downstream change of channel sediment along the Shiyang River, Northwest China. *Frontiers in Earth Science*, 11. <https://doi.org/10.3389/feart.2023.1112772>
- Liao, S. S. C., & Whitman, R. V. (1986). Overburden Correction Factors for SPT in Sand. *Journal of Geotechnical Engineering*, 112(3), 373–377. [https://doi.org/https://doi.org/10.1061/\(ASCE\)0733-9410\(1986\)112:3\(373\)](https://doi.org/https://doi.org/10.1061/(ASCE)0733-9410(1986)112:3(373))
- Loehr, J. ., Bowders, L. G., W.J. Likos, R. Luna, N. Maerz, B.L. Rosenblad, & R.W. Stephenson. (2011). *Engineering Policy Guidelines for Design of Drilled Shafts*.
- Look, B. G. (2007). *Handbook of Geotechnical Investigation and Design Tables*. Taylor & Francis Group/Balkema, Proceedings and Monographs in Engineering, Water and Earth Sciences.
- Manoppo, F. J., Warouw, A. G. D., Talumepa, J. R., & Manoppo, C. J. (2019). Potential failure of Soekarno Bridge Foundation Cause of Liquefaction. In *International Association of Lowland Technology* (Vol. 21, Nomor 3). IALT.
- Mase, L. Z. (2017). Shaking table test of soil liquefaction in southern Yogyakarta. *International Journal of Technology*, 8(4), 747–760. <https://doi.org/10.14716/ijtech.v8i4.9488>
- Mase, L. Z., Agustina, S., Hardiansyah, Farid, M., Supriani, F., Tanapalungkorn, W., & Likitlersuang, S. (2023). Application of Simplified Energy Concept for Liquefaction Prediction in Bengkulu City, Indonesia. *Geotechnical and Geological Engineering*, 41(3), 1999–2021. <https://doi.org/10.1007/s10706-023-02388-7>
- Matasovic, N. (1993). *Seismic Response of Composite Horizontally-Layered Soil Deposits*.
- Matasovic, N., & Vucetic, M. (1993). Cyclic Characterization of Liquefiable Sands. *Journal of Geotechnical Engineering*, 119(11), 1805–1822. [https://doi.org/10.1061/\(ASCE\)0733-9410\(1993\)119:11\(1805\)](https://doi.org/10.1061/(ASCE)0733-9410(1993)119:11(1805))
- Matasovic, N., & Vucetic, M. (1995). Generalized Cyclic Degradation-Pore Pressure Generation Model for Clays. In *J. Geotech. Engrg* (Vol. 121).
- Mei, X., Olson, S. M., & Hashash, Y. M. A. (2018). Empirical porewater pressure generation model parameters in 1-D seismic site response analysis. *Soil Dynamics and Earthquake Engineering*, 114, 563–567. <https://doi.org/10.1016/j.soildyn.2018.07.011>
- Moehle, J., Bozorgnia, Y., Jayaram, N., Jones, P., Rahnama, M., Shome, N., Tuna, Z., Wallace, J., Yang, T., & Zareian, F. (2011). *Case Studies of the Seismic Performance of Tall Buildings Designed by Alternative Means Task 12 Report for the Tall Buildings Initiative*.

- Mokhberi, M., Haghshenas, E., Davoodi, M., & Jafari, M. K. (2017). Evaluating the Correspondence of H/V Spectral ratio to Rayleigh Wave's Ellipticity. *Geotechnical and Geological Engineering*, 35(6), 2817–2825. <https://doi.org/10.1007/s10706-017-0280-2>
- Nagasei, H., & Kenji, I. (1988). Liquefaction-Induced Compaction And Settlement Of Sand During Earthquakes. In *SOILS AND FOUNDATIONS* (Vol. 28, Nomor 1).
- Nakamura, Y. (1989). *A Method for Dynamic Characteristics Estimation of Subsurface using Microtremor on the Ground Surface*.
- Nakamura, Y. (2008). *On The H/V Spectrum*. [https://www.sdr.co.jp/papers/14wcee/14wcee\\_hv.pdf](https://www.sdr.co.jp/papers/14wcee/14wcee_hv.pdf)
- O'Neill, M. W., & Reese, L. C. (1999). *Drilled Shafts: Construction Procedures and Design Methods*. <http://www.vulcanhammer.org>
- Olson, S. M., Mei, X., & Hashash, Y. M. A. (2020). Nonlinear Site Response Analysis with Pore-Water Pressure Generation for Liquefaction Triggering Evaluation. *Journal of Geotechnical and Geoenvironmental Engineering*, 146(2), 1–17. [https://doi.org/10.1061/\(asce\)gt.1943-5606.0002191](https://doi.org/10.1061/(asce)gt.1943-5606.0002191)
- Palupi, I. R., Saputra, D. O., Setiahadiwibowo, A. P., & Nurhaci, D. S. (2020). Microzonation analysis using the microseismic method based on soil vulnerability index and ground profiles value of wave speed in Piyungan District, Bantul Regency, Special Region of Yogyakarta. *AIP Conference Proceedings*, 2245. <https://doi.org/10.1063/5.0011796>
- Pawirodikromo, W. (2018). The Estimated Pga Map of The Mw 6.4 2006 Yogyakarta Indonesia Earthquake, Constructed from The Modified Mercalli Intensity I MM. In *Bulletin of the New Zealand Society for Earthquake Engineering* (Vol. 51, Nomor 2).
- Pawirodikromo, W. (2020). Middle value ground acceleration map and site effect in the Merapi sedimentary basin under the 2006 Yogyakarta, Indonesia earthquake. *Natural Hazards*, 102(1), 419–443. <https://doi.org/10.1007/s11069-020-03932-x>
- Pawirodikromo, W. (2022). Ground Motions, Site Amplification and Building Damage at Near Source of the 2006 Yogyakarta, Indonesia Earthquake. *Geotechnical and Geological Engineering*, 40(12), 5781–5798. <https://doi.org/10.1007/s10706-022-02249-9>
- Perdhana, R., & Nurcahya, B. E. (2019). Seismic microzonation based on microseismic data and damage distribution of 2006 Yogyakarta Earthquake. *E3S Web of Conferences*, 76. <https://doi.org/10.1051/e3sconf/20197603008>
- Poedjoprajitno, S. (2011). *Peta Geomorfologi Foto Pulau Jawa dan Madura*.
- Prakoso, W., Mazaya, D., & Kartika, R. A. (2022). Pore Pressure Responses of Liquefied Numerical Sand Columns. *Journal of the Civil Engineering Forum*, 225–236. <https://doi.org/10.22146/jcef.3395>
- Pramaditya, A., & Fathani, T. F. (2020). Physical Modelling of Earthquake-induced Liquefaction on Uniform Soil Deposit and Settlement of Earth Structures. *Journal of the Civil Engineering Forum*, 1000(1000). <https://doi.org/10.22146/jcef.59467>
- Purinton, B., & Bookhagen, B. (2021). Tracking Downstream Variability in Large Grain-Size Distributions in the South-Central Andes. *Journal of Geophysical Research: Earth Surface*, 126(8). <https://doi.org/10.1029/2021JF006260>
- Pusat Studi Gempa Nasional. (2017). *Peta sumber dan bahaya gempa Indonesia tahun 2017*



- (1). Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Pusat Studi Gempa Nasional. (2022). *Peta Deagregasi Bahaya Gempa Indonesia untuk Perencanaan dan Evaluasi Infrastruktur Tahan Gempa* (I). Direktorat Bina Teknik Permukiman dan Perumahan.
- Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. D. (1977). *Peta Geologi Lembar Yogyakarta, Jawa*.
- Randa, A. M., Patandianan, E. A., & Marisan, I. (2021). Sebaran Sedimen Berdasarkan Analisis Ukuran Butir di Sepanjang Sungai Nuni Kabupaten Manokwari Provinsi Papua Barat. *JURNAL MARITIM*, 3(1), 8–17.
- Reese, L. C., Cox, W. R., & Koch, F. D. (1975). Field Testing and Analysis of Laterally Loaded Piles in Stiff Clay. *VII Annual Offshore Technology Conference*, 672–690.
- Reese, L. C., Cox, W. R., & Koop, F. D. (1974). Analysis of Laterally Loaded Piles in Sand. *Sixth Annual Offshore Technology Conference*, 473–480.
- Reese, L. C., & O'Neill, M. W. (1989). New Design Method for Drilled Shaft From Common Soil and Rock Tests. In *Foundation Engineering - Current Principles and Practices*, ASCE, 1026–1039.
- Reiter, L. (1990). *Earthquake Hazard Analysis*. Columbia University Press.
- Rocscience Inc. (2022a). *Axially Loaded Piles Theory Manual*.
- Rocscience Inc. (2022b). *Bored Pile Manual Theory*.
- Rocscience Inc. (2022c). *Laterally Loaded Piles Theory Manual*.
- Sarah, D., & Soebowo, E. (2013). Liquefaction due to the 2006 Yogyakarta Earthquake: Field Occurrence and Geotechnical Analysis. *Procedia Earth and Planetary Science*, 6, 383–389. <https://doi.org/10.1016/j.proeps.2013.01.050>
- Satilah, S. E., Hardiyatmo, H. C., & Satyarno, I. (2024). Study of The Axial and Lateral Bearing Capacity of Bored Piles Affected by Liquefaction. *IOP Conference Series: Earth and Environmental Science*, 1373(1), 012021. <https://doi.org/10.1088/1755-1315/1373/1/012021>
- Seed, H. B., & Idriss, I. M. (1982). *Ground Motions and Soil Liquefaction During Earthquakes*. Earthquake Engineering Research Institute.
- Serafini, D. C., & Perlea, V. (2010). *Comparison of Liquefaction Triggering Analysis Approaches for an Embankment Dam and Foundation* (Vol. 10). <https://scholarsmine.mst.edu/icrageesdhttps://scholarsmine.mst.edu/icrageesd/05icrageesd/session04b/10>
- Setiawan, Y. (2024). *Non-Linear Analysis of Pile Foundation in Liquefiable Soil Using Dynamic Constitutive Model and Seismic Hazard Analysis*. Universitas Gadjah Mada.
- Sharma Wagle, K., Joshi, Y., & Ghimire, U. (2024). Soil Characterization and Liquefaction Potential Mapping in Nepal's Terai Region. *Geotechnical and Geological Engineering*. <https://doi.org/10.1007/s10706-024-02745-0>
- Shimobe, S., & Spagnoli, G. (2020). Relationships Between Undrained Shear Strength, Liquidity Index, and Water Content Ratio of Clays. *Bulletin of Engineering Geology and*

- the Environment*, 79(9), 4817–4828. <https://doi.org/10.1007/s10064-020-01844-5>
- Siadari, D. A. D., Wilopo, W., & Fathani, T. F. (2023). Seismic Microzonation Studies In Jogja–Bawen Toll Road, Magelang Regency, Indonesia. *International Journal of GEOMATE*, 25(110), 176–183. <https://doi.org/10.21660/2023.110.4020>
- Soebowo, E., Tohari, A., & Sarah, D. (2009). Potensi Likuifaksi Akibat Gempabumi Berdasarkan Data CPT Dan N-SPT di Daerah Patalan Bantul, Yogyakarta. *Jurnal Riset Geologi dan Pertambangan*, 19(2), 85–97.
- Soehaimi, A., Sopyan, Y., Ma'mur, & Agustin, F. (2019). *Peta Patahan Aktif Indonesia*.
- Sonmez, H., & Gokceoglu, C. (2005). A liquefaction severity index suggested for engineering practice. *Environmental Geology*, 48(1), 81–91. <https://doi.org/10.1007/s00254-005-1263-9>
- Terzaghi, K., Peck, R. B., & Mesri, G. (1996). *Soil Mechanics in Engineering Practice*.
- Tint, Z. L., Kyaw, N. M., & Kyaw, K. (2018). Development of Soil Distribution and Liquefaction Potential Maps for Downtown Area in Yangon, Myanmar. *Civil Engineering Journal*, 4(3), 689. <https://doi.org/10.28991/cej-0309108>
- Tsuchida, T. (1970). Prediction and Countermeasure Against the Liquefaction in Sand Deposits. *The Seminar of the Port and Harbour Research Institute*, 1–33.
- Ulinnuha, H., Lestari, D., Widjajanti, N., Pratama, C., Sophia Heliani, L., & Tresna Novianti, S. (2022). Estimasi Potensi Gempa Tektonik di Wilayah Sesar Opak Berdasarkan Data Pengamatan GPS. *Journal of Geodesy and Geomatics*, 18(1).
- USGS. (2023). *United States Geological Survey (USGS) Earthquake Report*. <https://earthquake.usgs.gov/earthquakes/map/>
- Verma, P., Candidate, P. D., Seidalinova, A., & Crippen Berger, K. (2018). Equivalent number of uniform cycles versus earthquake magnitude relationships for fine-grained soils. *Canadian Geotechnical Journal*, 1–49. <https://doi.org/10.1139/cgj-2018-0331>
- Vucetic, M., & Dobry, R. (1986). *Pore Pressure Buildup and Liquefaction at Level sandy Sites During Earthquake Troy*. Department of Civil Engineering Resselaer Polytechnic Institute.
- Wang, W. (1979). Some Findings in Soil Liquefaction. *Chinese Journal of Geotechnical Engineering*, 55–63.
- Wicaksono, A. (2024). *Evaluasi Stabilitas Fondasi Tiang Bor Jembatan Terhadap Pengaruh Likuefaksi Pada Pembangunan Jalan Tol Solo-Yogyakarta-Nyia Kulon Progo Seksi 1.2 (STA 29+000 – STA 36+000)*. Universitas Gadjah Mada.
- Wicaksono, A., Hardiyatmo, H. C., & Satyarno, I. (2023). Analysis of liquefaction potential in Opak Fault nearby area (case study: Solo-Yogyakarta-NYIA Kulon Progo Toll Road construction section I.2). *E3S Web of Conferences*, 429. <https://doi.org/10.1051/e3sconf/202342904008>
- Widjajanti, N., Pratama, C., Parseno, Sunantyo, T. A., Heliani, L. S., Ma'ruf, B., Atunggal, D., Lestari, D., Ulinnuha, H., Pinasti, A., & Umami, R. F. (2020). Present-day crustal deformation revealed active tectonics in Yogyakarta, Indonesia inferred from GPS observations. *Geodesy and Geodynamics*, 11(2), 135–142.

<https://doi.org/10.1016/j.geog.2020.02.001>

- Yoshimine, M., Nishizaki, H., Amano, K., & Hosono, Y. (2006). Flow deformation of liquefied sand under constant shear load and its application to analysis of flow slide of infinite slope. *Soil Dynamics and Earthquake Engineering*, 26(2-4 SPEC. ISS.), 253–264. <https://doi.org/10.1016/j.soildyn.2005.02.016>
- Youd, T. L. (1984). Recurrence of liquefaction at the same site. *Proceedings of 8th World Conference on Earthquake Engineering*, 231–238.
- Youd, T. L. (1993). Liquefaction-Induced Damage to Bridges. *Transportation Research Record*, 1411, 35–41.
- Youd, T. L., Idriss, I. M., Andrus, R. D., Arango, I., Castro, G., Christian, J. T., Dobry, R., Liam Finn, W. D., Harder Jr, L. F., Ellen Hynes, M., Ishihara, K., Koester, J. P., C Liao, S. S., Marcuson III, W. F., Martin, G. R., Mitchell, J. K., Moriwaki, Y., Power, M. S., Robertson, P. K., ... Stokoe II, K. H. (2001). *Liquefaction Resistance Of Soils: Summary Report From The 1996 NCEER And 1998 NCEER/NSF Workshops On Evaluation Of Liquefaction Resistance Of Soils*.
- Youd, T. L., & Perkins, D. M. (1978). Mapping Liquefaction-Induced Ground Failure Potential. *ASCE J Geotech Eng Div*, 104(4), 433–446. <https://doi.org/10.1061/ajgeb6.0000612>
- Youd, T. L., Tinsley, J., Perkins, D. M., & King, E. J. (1979). *Progress on Seismic Zonation in the San Francisco Bay Region* (807 ed.). Geological Survey Circular.
- Zakariya, A. (2022). *Pengaruh Potensi Likuefaksi Dan Mitigasi Sistem Fondasi Bored Pile Jembatan Kretek 2 Yogyakarta*. Universitas Gadjah Mada.
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2022). Seismic Load Reduction on The Bridge Over Liquefaction Vulnerability Zone by Lead Rubber Bearing. *7th International Conference on Sustainable Built Environment*. <https://doi.org/10.22085/icsbe.vol2.art35>
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2023a). Behaviour of Axial Bearing Pile under Liquefaction Condition Based on Empirical and 3D Numerical Simulation. *Jurnal Teknik Sipil dan Perencanaan*, 25(1), 34–51. <https://doi.org/10.15294/jtsp.v25i1.42954>
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2023b). The Correlation of Liquefaction Potential and Probability on Excess Pore Water Pressure in Kretek 2 Bridge Area. *Journal of the Civil Engineering Forum*, 39–48. <https://doi.org/10.22146/jcef.7002>
- Zakariya, A., Rifa'i, A., Ismanti, S., & Hidayat, M. S. (2023). Axial and lateral bearing capacity assessment of bored piles on medium-dense sand and liquefiable potential based on numerical simulation. *IOP Conference Series: Earth and Environmental Science*, 1184(1). <https://doi.org/10.1088/1755-1315/1184/1/012007>
- Zalbuin Mase, L. (2017). Experimental Liquefaction Study of Southern Yogyakarta Using Shaking Table. *Jurnal Teknik Sipil*, 24(1). <https://doi.org/10.5614/jts.2017.24.1.2>
- Zhang, G., Robertson, ; P K, Asce, M., & Brachman, R. W. I. (2004). *Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test*. <https://doi.org/10.1061/ASCE1090-02412004130:8861>