



## DAFTAR PUSTAKA

- Abarca, M. & Spahn, R. (2021). Direct and Indirect Effects of Altered Temperature Regimes and Phenological Mismatches on Insect Populations. *Current Opinion in Insect Science*. 47, 67 – 74. Doi: <https://doi.org/10.1016/j.cois.2021.04.008>
- Abbas, M. (2018). Relationship Between – Directions and Fruit Distribution on Trees and Infestation Percentage by The Peach Fruit Fly *B. zonata* (Sunders) (Tephritidae) on Guava Host Trees. *Advances in Plants & Agriculture Research*. 8(6), 500 – 503. Doi: 10.15406/apar.2018.08.00375
- Abouzari A. & Nafiseh, M. N. (2016). The investigation of Citrus fruit quality. Popular Characteristic and Breeding. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 64, 725 - 740.
- Alaserhat, I. (2022). Determination of Preference of Tree Direction and Orchard Direction of Cherry Fruit Fly, *Rhagoletis cerasi* L. (Diptera: Tephritidae). *Erwebs-Obstbou*, 64, 407 – 412. Doi: 10.1007/s10341-022-00642-5
- Aluja, M. & Birke, A. (1993). Habitat Use by Adults of *Anastrepha obliqua* (Diptera: Tephritidae) in a Mixed Mango and Tropical Plum Orchard. *Annual Entomological Society of America*, 86, 799 – 812
- Aluja, M., Jácome, I., Birke, A., Lozada, N., & Quintero, G. (1993). Basic Patterns of Behavior in Wild *Anastrepha striata* (Diptera: Tephritidae) Flies Under Field-Cage Conditions. *Annual Entomological Society of America*. 86, 776 – 793
- Aluja, M., Rull, K. Sivinski, J., Norrbom, A. L., Wharton, R. A., & Macias-Ordóñez, R. (2003). Fruit Flies of The Genus *Anastrepha* (Diptera: Tephritidae) and Associated Native Parasitoids (Hymenoptera) in The Tropical Rainforest Biosphere Reserve of Montes Azules, Chiapas, Mexico. *Environ Entomol*, 32(6), 1377 – 1385.
- APHIS. (2022). U.S. Regulated Plant Pest List. USA: U.S. Department of Agriculture, Animal and Plant Health Inspection Service.
- Ariningsih, E., Ashari, Saptana, Saliem, H. P., & Septanti, K. S. (2022). Kerugian Ekonomi dan Manajemen Pengendalian Serangan Lalat Buah pada Komoditas Hortikultura di Indonesia. *Forum Penelitian Agro Ekonomi*, 40(2), 71 – 89. Doi: <http://dx.doi.org/10.21082/fae.v40n2.2022.71-89>
- Aryuwandari, V. E. F., Trisyono, Y. A., Suputa, De Faveri, S., & Vijaysegaran, S. 2020. Survey of Fruit Flies (Diptera: Tephritidae) from 23 Species of Fruits Collected in Sleman, Yogyakarta. *Jurnal Perlindungan Tanaman Indonesia*, 24(2), 122 – 132. Doi: 10.22146/jpti.57634.
- Baker, R., Sansford, C., Jarvis, C., Cannon, R., Macleod, A., & Walters, K. (2000). The Role of Climate Mapping in Predicting The Potential Geographical Distribution of Non-Indigenous Pests Under Current and Future Climates. *Agriculture, Ecosystems and Environment*, 82, 57 – 71.
- Bale, J., Masters, G., Hodkinson, I., Awmack, C., Bezemer, T. M., Brown, V., Butterfield, J., Buse, A., Coulson, J., Farrar, J., Good, J., Harrington, R., Hartley, S., Jones, T., Lindroth, R., Press, M., Symrnioudis, I., Watt, A., &



- Whittaker, J. (2002). Herbivory in Global Climate Change Research: Direct Effects of Rising Temperature on Insect Herbivores. *Global Change Biology*, 8, 1–16. Doi: <https://doi.org/10.1046/j.1365-2486.2002.00451.x>
- Balfagó, D., Arbona, V., & Gómez-Cadenas, A. (2022). The Future of Citrus Fruit: The Impact of Climate Change on Citriculture. *Metode Science Studies Journal*, 12, 123 – 129. Doi: 10.7203/metode.12.20319
- Berrones-Morales, M., Vanoye-Eligio, V., Coronado-Blanco, J. M., Gaona-Garcia, G., & Sanchez-Ramos, G. (2020). Species Diversity of Fruit Flies (Diptera: Tephritidae) through Different Ecosystems in a Neotropical Transition Zone in Mexico. *J. Insect. Conserv.*, 24(1), 219 – 231
- Biologische Bundesanstalt, & Bundessortenamt and CHEMical industry (BBCH). (2001). BBCH monograph: growth stages of mono- and dicotyledonous plants. Di dalam: U. Meier (Ed.), BBCH Monograph (2nd ed.). *Federal Biological Research Centre for Agriculture and Forestry*.
- Bota, L., Fabiao, B., De Meyer, M., Manuel, L., Mwatawala, M., Virgilio, M., Canhanga, L., & Cugala, D. 2020. Fine Scale Infestation Pattern of *Bactrocera dorsalis* (Diptera: Tephritidae) in a Mango Orchard in Central Mozambique. *International Journal of Tropical Insect Science*, 40, 943 – 950
- BPS. (2023). Produksi Tanaman Buah-Buahan, 2021-2021. Diakses dari <https://www.bps.go.id/id/statisticstable/2/NjljMg==/produksi-tanaman-buah-buahan.html> pada 2 November 2023.
- Bradley, F. M., Barbara, W. E., & Deborah, L. M. (2009). Identifying Pests and Diseases - The Organic Gardener's Handbook of Natural Pest and Disease Control: A Complete Guide to Maintaining a Healthy Garden and Yard the Earth-Friendly Way. *Rodale Press*. Pennsylvania.
- Bragard, C., Dehnen-Schutz, K., Di Serio, F., Gonthier, P., Jacques, M. A., Jaques M. J. A., Justesen, A. F., Magnusson, C. S., Milonas, P., Navas-Cortes, J. A., Parnell, S., Potting, R., Reignault, P. L., Thulke, H. H., Van der Werf, W., Vicent, C. A., Yuen, J., Zappala, L., Malumphy, C., Czwieneczek, E., Kertesz, V., Maiorano, A., & MacLeod, A. (2021). Pest Categorisation of *Citripestis sagittiferella*. *EFSA Journal*. 19(6), 1 – 22. Doi: 10.2903/j.efsa.2021.6664.
- Brunner, J. F. (2014). Integrated Pest Management in Tree Fruit Crops. *Encyclopedia of Agriculture and Food Systems*. pp 15-30.
- Budiharto, K. & Sugiharto, A. N. (2021). Teknologi Inovatif jeruk Sehat Nusantara. *IPB Press*. Bogor.
- CABI. (2019). *Citripestis sagittiferella* (Citrus Fruit Borer). CABI Compendium. <https://doi.org/10.1079/cabicompendium.16857>
- CABI. (2020). *Bactrocera dorsalis* (Oriental Fruit Fly). CABI Compendium. <https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.17685>.
- CABI. (2021). Invasive Species Compendium Datasheet Report for *Citripestis sagittiferella* (Citrus Fruit Borer). CABI Compendium.
- CABI. (2022). *Prays endocarpa* (Citrus Rind Borer). CABI Compendium. <https://doi.org/10.1079/cabicompendium.4391>



- Chun, Y., Zhao, R., Zhou, W., Pan, Y., Tian, H., Yin, Z., & Chen, W. (2022). Fruit Fly in a Challenging Environment: Impact of Short-Term Temperature Stress on The Survival, Development, Reproduction, and Trehalose Metabolism of *Bactrocera dorsalis* (Diptera: Tephritidae). *Insects*, 13(8), 753. Doi: <https://doi.org/10.3390/insects13080753>
- Chungtai, G. H., Khan, S., & Baloch, U. K. (1985). A New Record of Infestation of Melon Fruits by an Anthomyiid Fly in Indus River Beach Areas of DI Khan. *Pakistan Journal of Zoology*, 17(2), 165 – 168.
- Clausen, C. P. (1933). The Citrus Insects of Tropical Asia. *United States Department of Agriculture Circular*. p 35.
- Davies, J. C. & Reddy, K. V. S. (1981). Shootfly Species and Their Gramineous Hosts in Andhra Pradesh, India. *Insect Science and its Application*. 2, 33 – 37.
- Dias, N. P., Nava, D. E., Garcia, M. S., Silva, F. F., & Valgas, R. A. (2018). Oviposition of Fruit Flies (Diptera: Tephritidae) and Its Relation with The Pericarp of Citrus Fruits. *Brazilian Journal of Biology*, 78(3), 443 – 448. Doi: 10.1590/1519-6984.167661
- Dhillon, M. K., Singh, R., Naresh, J., & Sharma, H. (2005). The Melon Fruit Fly, *Bactrocera cucurbitae*: A Review of Its Biology and Management. *J. Insect Sci*, 5, 1-16.
- Dhondt, A. A. (2011). Interspecific Competition in Birds. *Oxford University Press*. Oxford.
- Dominiak, B. C., Worsley, P. M. & Nicol, H. (2013). Release from a Point Source and Dispersal of Sterile Queensland Fruit Fly (*Bactrocera tryoni* (Froggatt)) (Diptera: Tephritidae) at Wagga Wagga. *Plant Prot. Q.* 28, 120 – 125.
- Doughlas, A. E. (2018). Strategies for Enhanced Crop Resistance to Insect Pests. *Annual Reviews of Plant Biology*, 69, 637 – 660. Doi: 10.1146/annurev-arplant-042817-040248
- Drew, R. A. I. & Hancock, D. L. (2022). Biogeography, Speciation and Taxonomy within The Genus *Bactrocera* Macquart with Application to The *Bactrocera dorsalis* (Handel) Complex of Fru Flies (Diptera: Tephritidae: Dacinae). *Zootaxa*. 5190(3), 333 – 360. Doi: 10.11646/zootaxa.5190.3.2
- Drew, R.A.I. & Romig, M. C. (2013). Tropical Fruit Flies (Tephritidae: Dacinae) of South-East Asia: Indomalaya to North-West Australasia. *CAB International*. Wallingford. p 653.
- Duffy, G. A., Coetzee, B. W., Janion-Scheepers, C., & Chown, S. L. (2015). Microclimate-Based Macrophysiology: Implications for Insects in A Warming World. *Current Opinion of Insect Science*, 11, 84–89.
- Dung, T. T., Hanh, D. K., Linh, T. P., Chi, D. T., Thy, T. T., Vang, L. V., & Phen, T. B. (2021). Preliminary Identification of The Sex Pheromones of The Citrus Fruit Borer (*Citripestis sagittiferella* Moore) Inhabiting the Mekong Delta of Vietnam. *International Journal of Plant, Animal, and Environmental Sciences*. 11, 194-205.
- Dweck, H. K. M., Ebrahim, S. A. M., Kromann, S., Brown, D., Hillbur, Y., Sachse, S., Hansson, B. S., & Stensmyr, M. C. (2013). Olfactory Preference for



Egg Laying on Citrus Substrates in *Drosophila*. *Current Biology*, 23, 2472 – 2480. Doi: 10.1016/j.cub.2013.10.047

- Dwiastuti, M. E., Triwiratno, A., Endarto, O., Wuryantini, S., & Yunimar. (2011). Introduction and Control of Citrus Pests and Disease. Research Institute for Citrus and Subtropical Fruit, Agricultural Research and Development Agency. Batu. pp 96.
- El-Kareim, A. I., Moustafa, S. A., Fathy, D. M., & Amara, T. M. (2017). Ecological and Biological Studies on The Citrus Flower Moth, *Prays citri* (Millière) (Lepidoptera: Hyponomeutidae). *Journal of Plant Protection and Pathogen*, 8(8), 397 – 402.
- Emameh, R. Z., Syrjänen, L., Barker, H., Supuran, C. T., & Parkkila, S. (2015). *Drosophila melanogaster*: A Model Organism for Controlling Dipteran Vectors and Pests. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 30, 505 – 513. Doi: <https://doi.org/10.3109/14756366.2014.944178>
- EPPO. (2020). PM 3/90 (1) Inspection of Citrus Fruits Consignments. PM 3 Phytosanitary Procedures. Dalam: *EPPO Bulletin*, 50(3), 383-400. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/epp.12684>
- Falcão de Sá, R., Castellani, M. A., Ribeiro, A. E. L., Pérez-Maluf, R., Moreira, A. A., Nagamoto, N. S., & Nascimento, A. S. (2012). Faunal Analysis of the Species *Anastrepha* in the Fruit Growing Complex Gavião River, Bahia, Brazil. *Bulletin of Insectology*. 65(1), 37-42
- FAO. (2001). Projections of World Production and Consumption of Citrus to 2010. China/FAO Citrus Symposium, Beijing, China.
- FAO. (2009). Project Proposal for Submission to The Common Fund for Commodities: Participatory Validation and Dissemination of Management Technologies for *Bactrocera invadens* and Other Major Pests That Constrain Production And Export of Fruits and Vegetables in East And Southern Africa. The Joint Meeting of The Fourth Session of The Sub-Group on Bananas and The Fifth Session of The Sub-Group on Tropical Fruits. 9–11.
- Froerer, K. M., Peck, S. L., McQuate, G. T., Vargas, R. I., Jang, E. B., & McInnis, D. O. (2010). Long-Distance Movement of *Bactrocera dorsalis* (Diptera: Tephritidae) in Puna, Hawaii: How Far Can They Go?. *American Entomologist*. 56(2), 88 – 95. Doi: 10.1093/ae/56.2.88.
- García-Tejero, I., Romero-Vicente R., Jiménez-Bocanegra, J. A., Martínez-García, G., Durán-Zuazo, V. H., & Muriel-Fernández, J. L. (2010). Response of citrus trees to deficit irrigation during different phenological periods in relation to yield, fruit quality, and water productivity. *Agric Water Manag*, 97, 689-699. <https://doi.org/10.1016/j.agwat.2009.12.012>
- He, Y., Xu, Y., & Chen, X. (2023). Biology, Ecology and Management of Tephritid Fruit Flies in China: A Review. *Insects*. 14, 196. Doi: 10.3390/insects14020196.
- Herawani, F., Rauf, A., & Santoso, S. (2019). Status of Infestation and Biology of Pepper Fruit Fly, *Atherigona orientalis* (Schiner) (Diptera: Muscidae). *Jurnal Hama dan Penyakit Tumbuhan Tropika*. 19, 64 – 73. Doi: 10.23960/j.hptt.11964-73



- Hibbard, K. L. & Overholt, W. A. (2012). Pepper Fruit Fly *Atherigona orientalis* (Schiner) (Insecta: Diptera: Muscidae). *EDIS*. 2012, 1 – 4. Doi: <https://doi.org/10.32473/edis-in948-2012>
- Hidayat, P., Adilah, N. B., Maryana, N., & Suputa. (2023). Review of Species, Host Plants, and Distribution of Fruit Flies (Diptera: Tephritidae) in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1208, 012018. Doi: <https://doi.org/10.1088/1755-1315/1208/1/012018>
- Hidayani, Yunisman, Tasari, N., & Ikhsan, Z. (2024). Species of Fruit Flies Attacking Citrus (*Citrus* sp.) and Their Control Using Various Attractants in Padang, West Sumatera, Indonesia. *AGRIVITA, Journal of Agricultural Science*, 46, 518 – 526. Doi: <http://doi.org/10.17503/agrivita.v46i3.4164>
- Hudiwaku, S., Himawan, T., & Rizali, A. (2021). Diversity and Species Composition of Fruit Flies (Diptera: Tephritidae) in Lombok Island, Indonesia. *Biodiversitas*. 22(10), 4608 – 4616.
- Hsiao, T. C. (1993). Effects of drought and elevated CO<sub>2</sub> on plant water use efficiency and productivity. Di dalam: Hsiao, T.C. (Ed.). *Interacting stresses on plants in a changing climate*. Springer. London. p. 435-465.
- Huan, L., Dong-ju, Z., Yi-juan, X., Lei, W., Dai-feng, C., Yi-xiang, Q., Ling, Z., & Yong-yue, L. (2019). Invasion, Expansion, and Control of *Bactrocera dorsalis* (Hendel) in China. *Journal of Integrated Agriculture*, 18(4), 771 – 787. Doi: [10.1016/S2095-3119\(18\)62015-5](https://doi.org/10.1016/S2095-3119(18)62015-5)
- Inskip, J. S., Allen, A. P., Taylor, P. W., Rempoulakis, P., & Weldon, C. W. (2021). Canopy Distribution and Microclimate Preference of Sterile and Wild Queensland Fruit Flies. *Scientific Report*, 11(13010)
- Jayanthi, P. D. K. & Verghese, A. (2011). Host-Plant Phenology and Weather Based Forecasting Models for Population Prediction of the Oriental Fruit Fly, *Bactrocera dorsalis* Hendel. *Crop Protection*, 30(2011), 1557 – 1562.
- Jennings, B. H. (2011). *Drosophila – A Versatile Model in Biology & Medicine*. *Materials Today*, 14, 190 – 195
- Kalshoven, L. G. E. (1981). Pests of crops in Indonesia. *Ichtiar Baru*. Jakarta. pp 701.
- Katsikogiannis, G., Kavroudakis, D., Tschulin, T., & Kizos, T. (2019). Population Dynamics of The Olive Fly, *Bactrocera oleraceae* (Diptera: Tephritidae), are Influenced by Different Climates, Season, and Pest Management. *Sustainability*, 15, 1 – 14. Doi: [10.3390/su151914466](https://doi.org/10.3390/su151914466)
- Kliwer, W. M. & Lider, L. A. (1968). Influence of Cluster Exposure to The Sun on The Composition of Thompson Seedless Fruit. *American Journal of Enology and Viticulture*. 19, 175 – 184. Doi: [10.5344/ajev.1968.19.3.175](https://doi.org/10.5344/ajev.1968.19.3.175)
- Krittika, S., Lenka, A. & Yadav, P. (2019). Evidence of Dietary Protein Restriction Regulating Pupation Height, Development Time and Lifespan in *Drosophila melanogaster*. *Biologi Open*. 8, bio042952. Doi: [10.1242/bio.042952](https://doi.org/10.1242/bio.042952)
- Lewis, J. A. & Sohn, J. C., 2015. *World Catalogue of Insects: Lepidoptera: Yponomeutoidea I (Argyresthiidae, Attevidae, Praydidae, Scythropiidae, and Yponomeutidae)*. Brill.
- Lynch, K. E., White, T. E., & Kemp, D. J. (2018). The Effect of Captive Breeding



- Upon Adult Thermal Preference in The Queensland Fruit Fly (*Bactrocera tryoni*). *Journal of Thermal Biology*, 78, 290 – 297.
- Maharani, M. P., Panggabean, N. H. G. T., & Dianty, Z. P. (2023). Analisis Impor Komoditi Buah dan Sayuran China di Indonesia 2018 – 2022. *Jurnal Penelitian Multidisiplin*, 1(12), 1 – 9.
- Marchioro, C. A. (2016). Global Potential Distribution of *Bactrocera carambolae* and The Risks for Fruit Production in Brazil. *Plos One*. 11(11), e0166142. Doi: 10.1371/journal.pone.0166142.
- Markow, T. A. & O'Grady, P. M. (2006). *Drosophila: A Guide to Species Identification and Use*. Academic Press. London
- Mas, F., Manning, L., Alavi, M., Osborne, T., Reynolds, O., & Kralicek, A. (2021). Early Detection of Fruit Infested with *Bactrocera tryoni*. *Postharvest Biology and Technology*, 175, 111496. Doi: <https://doi.org/10.1016/j.postharvbio.2021.111496>
- McQuate, G. T., Bokonon-Ganta, A. H., & Peck, S. L. (2007). Population Biology and Prospects for Suppression of The Solanaceous Fruit Fly, *Bactrocera latifrons* (Diptera: Tephritidae). *Proceeding of Hawaiian Entomological Society*, 39, 111 – 115.
- Moran-Tejeda, E., Lopez-Moreno, J. I., & Beniston, M. (2013). The Changing Roles of Temperature and Precipitation on Snowpack Variability in Switzerland as a Function of Altitude. *Geophys Res Lett*, 40(10), 2131 – 2136.
- Nafus, D. M. (1997). An Insect Survey of The Federated States of Micronesia and Palau. *Technical Paper, South Pacific Commission*, 210, 1-55.
- Napoleão, G. M., Leonel, S., Souza, J. M. A., Leonel, M., Martins, R. C., Cardoso, C. P., Tecchio, M. A., & Filho, J. D. (2023). Germplasm Diversification in Citrus Orchards in A Mesothermal Climate in Brazil. *Agriculture*. 13(8), 1551. Doi: 10.3390/agriculture13081551
- Nirwana, A. Z., Setyoleksono, A., & Penatagama, Z. (2024). Refugia Blog to Increase The Diversity of Natural Enemies That Function as Control of Fruit Fly Pests *Bactrocera dorsalis* in Malang Orange Groves Garden. *Berkala Penelitian Hayati*, 30(2), 67-75. Doi: 10.23869/bphjbr.30.2.2024
- Nufio, C. R. & Papaj, D. R. (2004). Superparasitism of Larval Hosts by The Walnut Fly, *Rhagoletis juglandis*, and Its Implications for Female and Offspring Performance. *Oecologia*. 141, 460–467
- Ocitti, P., Ndlela, S., Akol, A. M., Muyinza, H., & Mohamed, S.A. (2021). Non-chemical Post-harvest Disinfestation of *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae) in Tommy Atkins Mango using Hot-water Immersion Treatment. *Afr Entomol*, 29(1), 238-247. Doi: 10.4001/003.029.0238.
- Otsuka, A., Matsumura, M., Nakamura, H., Yamaguchi, T., & Sadoyama, Y. (2018). Possible Domestic Dispersal of *Bactrocera dorsalis* During 2015 Occurrence on The Small Islands of South-Western Japan. *Journal of Applied Entomology*. 143(5), 556 – 565. doi: 10.1111/jen.12598.
- Pagden, H. T. (1931). Two Citrus Borers. *Federation of Malay States Department of Agriculture Scientific Service*, 7, 1–16



- Pangestika, M. & Yuliawati, Y. (2019). Pengaruh Lag Impor, Produksi, Harga Domestik, Harga Impor, Nilai Tukar dan PDB Terhadap Impor Jeruk Serta Peramalan Impor Jeruk di Indonesia. *Jurnal Ekonomi Pertanian dan Agribisnis*, 3(3), 477 – 486.
- Pérez-Pérez, J. G., Robles, J. M., & Botía, P. (2009). Influence of Deficit Irrigation in Phase III of Fruit Growth on Fruit Quality in 'Lane Late' Sweet Orange. *Agriculture and Water Management*, 96, 969 – 974. Doi: <https://doi.org/10.1016/j.agwat.2009.01.008>
- Peshin, R., Jayaratne, K. S. U., & Sharma, R. (2014). IPM Extension: A Global Overview. Di dalam: Abrol, D. P. (Ed.). *Integrated Pest Management, Current Concepts and Ecological Perspective*. Elsevier Inc. London. pp 493 – 529.
- Petrakis, P. V. (2000). Larval Performance in Relation to Oviposition Site Preference in *Oliva Kernel Moth (Prays oleae Bern, Yponomeutidae, Praydinae)*. *Agricultural and Forest Entomology*, 2(4), 271 – 282. Doi: 10.1046/j.1461-9563.2000.00076.x.
- Pincebourde, S., Sinoquet, H., Combes, D., & Casas, J. (2007). Regional Climate Modulates The Canopy Mosaic of Favourable and Risky Microclimates for Insects. *Journal Animal Ecology*. 76, 424–438.
- Pont, A. C. & Magpayo, F. R. (1995). Muscid Shoot-Flies of The Philippine Islands (Diptera: Muscidae, genus *Atherigona* Rondani). *Bulletin of Entomological Research Suppl. Ser. 3*, 1 – 121.
- Putri, Y. D., Gunadi, R., Pranowo, D., Affandi, & Suputa. (2024). Population Dynamic of Fruit Fly Pests *Bactrocera* spp. in Salacca Orchard in Relation to Host Plants and Climate Factors. *AGRIVITA Journal of Agricultural Science*, 46(1), 1-14. Doi: <http://doi.org/10.17503/agrivita.v46i1.4257>.
- Raghu, S., Drew, R. A. I., & Clarke, A. R. (2004). Influence of Host Plant Structure and Microclimate on The Abundance and Behavior of a Tephritid Fly. *Journal of Insect Behaviour*. 17, 179 – 190.
- Rahmawati, Y. F., Leksono, A. S., Rizali, A., & Gama, Z. P. (2024). Population Dynamics of *Bactrocera* spp., and Parasitization Efficacy of *Opius* sp. (Hymenoptera: Braconidae) in Citrus Varieties. *Biodiversitas*. 22(11), 4350 – 4359. Doi: 10.13057/biodiv/d251134
- Rambe, S. S. M., Dinata, K., Fami, A., Sya'diah, A., Renaldi, M. A., & Luthfi, M. (2021). Pengendalian Hama dan Penyakit Tanaman Jeruk. *Balai Besar Pengkajian dan Pengembangan Teknologi Pertanian (BBP2TP)*. Bogor.
- Rattanapun, W., Amornsak, W., & Clarke, A. R. (2009). *Bactrocera dorsalis* Preference for and Performance on Two Mango Varieties at Three Stages of Ripeness. *Entomologia Experimentalis et Applicata*. 131, 243 – 253. Doi: 10.1111/j.1570-7458.2009.00850.x
- Reykande, J. M., Amiri, N. A., & Shahabian, M. (2013). Analyzing Phenological Stages of Three Citrus Varieties at Foothills, Plain, and Shoreline Areas of Sari in North of Iran. *International Journal of Agriculture and Crop Sciences*, 6(8), 452 – 457.
- Ridwan, A., Muliani, S., & Poerwanti, H. (2021). Preying Ability of Weaver Ants *Oecophylla smaragdina* Against Pummelo Pest *Prays endocarpa*. *Agroplanta*, 10(2), 96 – 103.



- Robinson, G. S., Ackery, P. R., Kitching, I. J., Beccaloni, G. W., & Hernández, L. M. (2001). Hostplants of The Moth and Butterfly Caterpillars of the Oriental Region. Natural History Museum. London. pp 744.
- Saeed, M., Ahmad, T., Alam, M., Al-Shuraym, L. A., Ahmed, N., Alshehri, A. M., Ullah, H., & Sayed, S. M. (2022). Preference and Performance of Peach Fruit Fly (*Bactrocera zonata*), and Melon Fruit Fly (*Bactrocera cucurbitae*) Under Laboratory Conditions. *Saudi Journal of Biological Science*, 29, 2402 – 2408. Doi: 10.1016/j.sjbs.2021.12.001
- Salazar-Mendoza, P., Peralta-Aragon, I., Romero-Ricas, L., Salamanca, J., & Rodriguez-Saona, C. (2021). The Abundance and Diversity of Fruit Flies and Their Parasitoids Change with Elevation in Guava Orchards in a Tropical Andean Forest of Peru, Independent of Seasonality. *PLoS ONE*, 16(4), e0250731.
- Saphira, K. (2019). Kerjasama Indonesia dengan China terhadap Impor Buah Jeruk. *International Relations Journal*, 2(2), 128 – 141.
- Scolari, F., Valerio, F., Benelli, G., Papadopoulos, N. T., & Vanířková, L. (2021). Tephritid Fruit Fly Semiochemicals: Current Knowledge and Future Perspectives. *Insects*. 12, 408. Doi: 10.3390/insects12050408.
- Serna-Escolano, V., Giménez, M. J., Serrano, M., Valero, D., Garcia-Pastor, M. E., Dobón-Suarez, A., Gutiérrez-Pozo, M., Giménez-Berenguer, M., & Zapata, P. J. (2024). Fruit Position on Tree Canopy Affects Fruit Quality Traits in 'Sanguinelli' Blood Oranges. *Horticulture*. 10(9), 949. Doi: <https://doi.org/10.3390/horticulturae10090949>
- Shelly, T. E. & Kennelly, S. S. (2007). Settlement Patterns of Mediterranean Fruit Flies in The Tree Canopy: An Experimental Analysis. *Journal of Insect Behaviour*. 20, 453 – 472.
- Siwi, S. S. (2005). Eko-biologi Hama Lalat Buah. *BB-Biogen*. Bogor.
- Sofiyanti, N., Wahyuni, P. I., & Iriani, D. (2022). Stomatal Characteristics of 5 *Citrus* L. Species (Rutaceae) from Pekanbaru, Riau Province. *Jurnal Biologi Tropis*. 22(1), 173 – 178. Doi: 10.29303/jbt.v22i1.3100
- Sohn, J. C. & Wu, C. S. (2011). A Taxonomic Review of *Prays* Hübner, 1825 (Lepidoptera, Yponomeutoidea, Praydidae) from China with Descriptions of Two New Species. *Tijdschrift voor Entomologie*, 154(1), 25 – 32.
- Suputa, Cahyaniati, Arminudin, A.T., Kustaryati, A., Railan, M., & Issusilaningtyas. (2007). Pedoman Koleksi dan Preservasi Lalat Buah (Diptera: Tephritidae). *Kementerian Pertanian*. Jakarta. p 32.
- Suputa, Trisyono, Y. A., Martono, E., & Siwi, S. S. (2010). Update on The Host Range of Different Species of Fruit Flies in Indonesia. *Jurnal Perlindungan Tanaman Indonesia*. 16(2), 62-75. Doi: 10.22146/jpti.11725.
- Susanto, A., Fathoni, F., Atami, N. I. N., & Tohidin. (2017). Fluktuasi Populasi Lalat Buah (*Bactrocera dorsalis* Kompleks.) (Diptera: Tephritidae) pada Pertanaman Pepaya di Desa Margaluyu, Kabupaten Garut. *Jurnal Agrikultura*, 28(1), 32 – 38.
- Susanto, A., Tohidin, Sunarto, T., Sinaga, L. V., Nugroho, A., Basuki, M., Djaya, L., & Fadillah, A. (2004). Effect of Trap Height Level on The Capture of Fruit Fly (*Bactrocera* spp.) on Crystal Guava Field. *IOP Conference*



Series: *Earth and Environmental Science*. 1208 012004. Doi: 10.1088/1755-1315/1208/1/012004

- Swingle, W. T. (1943). The Botany of Citrus and Its Wild Relatives of The Orange Family, *The Citrus Industry*. Berkeley.
- Swingle, W. T., & Reece, P. C. 1967. The Botany of Citrus and Its Wild Relatives, *The Citrus Industry*. Berkeley.
- Taylor, R., Herms, D., Cardina, J., & Moore, R. (2018). Climate Change and Pest Management: Unanticipated Consequences of Trophic Dislocation. *Agronomy*, 8, 1 – 23. Doi: <https://doi.org/10.3390/agronomy8010007>
- Teets, N. M. & Denlinger, D. L. (2013). Physiological Mechanisms of Seasonal and Rapid Cold-Hardening in Insects. *Physiological Entomology*, 38, 105–116
- Toorani, A. H. & Abbasipour. (2017). Effect of Geographical Directions, Height and The Color of Yellow Traps in Capture of Mediterranean Fruit Fly, *Ceratitis capitata* (Wiedemann, 1824) in Citrus Orchards. *Acta Agriculturae Slovenica*, 109(3), 561 – 575. Doi: 10.14720/aas.2017.109.3.08
- Vang, L.V., Do, N.D., An, L.K., Son, P.K., & Ando, T. (2011). Sex Pheromone Components and Control of the Citrus Pock Caterpillar, *Prays endocarpa*, Found in the Mekong Delta of Vietnam. *Journal of Chemical Ecology*, 37(1), 134 – 140.
- Vang, L.V., Son, P.K., & Khanh, C.N.Q. (2018). Monitoring Population Dynamics of the Citrus Pock Caterpillar (*Prays endocarpa*) by Sex Pheromone Traps in the Mekong Delta of Vietnam. *Can Tho University Journal of Science*, 54(2), 35-39.
- Vargas, R. I., Piñero, J. C., & Leblanc, L. (2015). An Overview of Pest Species of *Bactrocera* Fruit Flies (Diptera: Tephritidae) and the Integration of Biopesticides with Other Biological Approaches for their Management with a Focus on the Pacific Region. *Insects*. 6, 297 – 318.
- Vayssières, J. F., De Meyer, M., Ouagoussounon, M., Sinzogan, A., Adandonon, A., Korie, S., Wargui, R., Anato, F., Hougbo, H., Didier, C., De Bon, H., & Goergen, G. (2015) Seasonal Abundance of Mango Fruit Flies (Diptera: Tephritidae) and Ecological Implications for Their Management in Mango and Cashew Orchards in Benin (Centre & North). *J Econ Entomol*, 108, 2213 – 2230. <https://doi.org/10.1093/jee/tov143>
- White, I. (2000). Morphological Features of the Tribe Dacini (Dacinae): Their Significance to Behavior and Classification. Di dalam: Aluja, M. dan Norrbom, A. (Eds.). *Fruit Flies (Tephritidae): Phylogeny and Evolution of Behavior*. CRC Press. Boca Raton. p. 505–533.
- White, I.M. & Elson-Harris, M.M. (1992) *Fruit Flies of Economic Significance: Their Identification and Bionomics*. CABI International, Wallingford.
- Wijaya, I. N., Adiartayasa, W., & Dwipananda, I. G. B. (2018). Kerusakan dan Kerugian Akibat Serangan Lalat Buah (Diptera: Tephritidae) pada Pertanaman Jeruk. *Agrotrop*. 8(1), 65–70
- Woods, H. A., Dillon, M. E., & Pincebourde, S. (2015). The Roles of Microclimatic Diversity and of Behavior in Mediating the Responses of Ectotherms to Climate Change. *Journal of Thermal Biology*, 54, 86 – 97.



- Yassin, A. & David. J. R. (2010). Revision of The Afrotropical Species of *Zaprionus* (Diptera, Drosophilidae) with Descriptions of Two New Species and Notes on Internal Reproductive Structures and Immature Stages. *Zookeys*, 51, 33 – 72. DOI: <https://doi.org/10.3897/zookeys.51.380>
- Yuliadhi, K. A. & Susila, I. W. (2018). Persebaran, Populasi, dan Persentase Serangan *Citripestis sagittiferella* Moore (Lepidoptera: Pyralidae) di Sentra Pertanaman Jeruk Provinsi Bali. *Jurnal Ojs Unud*, 7(3), 1-12.
- Youssef, N. M., Salma, Ragab, K., & Ghanim, N. M. (2022). Host Preference and Distribution Within The Tree's Canopy of Some Insect Pests Infestating Citrus Species with Response to Certain Weather Factors. *International Journal of Entomology Research*, 7(12), 70 – 77.
- Yulianti, F., Arirejo, A. L., Soetopo, L., & Ashari, S. (2020). Short Communication: Morphology and Genetic Characteristics of Potential Citrus Rootstock in Indonesia. *Biodiversitas*, 21(11), 5514 – 5520.
- Zhang, P., van Leeuwen, C., Bogers, D., Poelma, M., Xu, J., & Bakker, E. (2020). Ectothermic Omnivores Increase Herbivory in Response to Rising Temperature. *Oikos*, 129, 1028 – 1039. Doi: 10.1111/oik.07082
- Zingore, K. M., Sithole, G., Abdel-Rahman, E. M., Mohamed, S. A., Ekesi, S., Tanga, C. M., & Mahmoud, M. E. E. (2020). Global Risk of Invasion by *Bactrocera zonata*: Implications on Horticultural Crop Production Under Changing Climatic Condition. *Plos One*, 15(12), e0243047. Doi: 20.371/journal.pone.024304