

DAFTAR PUSTAKA

- Amaliah, R., Yani, A. 2021. Effects of intestinal strangulation release on liver following intestinal ischemia-reperfusion injury on Sprague Dawley rat. *Chir.*, 34(6):246–250.
- Amini, A., Nagalli, S. 2023. Bowel Ischemia. *Natl. Libr. Med.* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554527/>.
- Azcutia, V., Kelm, M., Kim, S., Luissint, A.C., Flemming, S., Abernathy-Close, L., Young, V.B., Nusrat, A., Miller, M.J., Parkos, C.A. 2022. Distinct stimulus-dependent neutrophil dynamics revealed by real-time imaging of intestinal mucosa after acute injury. *PNAS Nexus*, 1(5):1–13.
- Blikslager, A., Gonzalez, L. 2018. Equine Intestinal Mucosal Pathobiology. *Annu. Rev. Anim. Biosci.*, 6:157–175.
- Blikslager, A.T. 2014. Pathophysiology of Gastrointestinal Disease: Obstruction and Strangulation. *Equine Acute Abdomen*, 115–132.
- Cheng, J. *et al.* (2013) ‘The role of intestinal mucosa injury induced by intra-abdominal hypertension in the development of abdominal compartment syndrome and multiple organ dysfunction syndrome’, *Critical Care*, 17(6). doi: 10.1186/cc13146.
- Chu, C. *et al.* (2020) ‘Early intravenous administration of tranexamic acid ameliorates intestinal barrier injury induced by neutrophil extracellular traps in a rat model of trauma/hemorrhagic shock’, *Surgery (United States)*, pp. 340–351. doi: 10.1016/j.surg.2019.10.009.
- Coman, I. S. *et al.* (2019) ‘Histopathological elements analyzed in dynamics in mechanical bowel obstructions - Experimental study on laboratory animals’, *Romanian Journal of Morphology and Embryology*, 60(2), pp. 589–599.
- Fournier, B.M., Parkos, C.A. 2012. The role of neutrophils during intestinal inflammation. *Mucosal Immunol.*, 5(4):354–366.
- Gong, G., Wang, P., Ding, W., Zhao, Y., Li, J. 2009. Microscopic and ultrastructural changes of the intestine in abdominal compartment syndrome. *J. Investig. Surg.*, 22(5):362–367.
- Hahn, S., Giaglis, S., Chowdury, C.S., Hösli, I., Hasler, P. 2013. Modulation of neutrophil NETosis: Interplay between infectious agents and underlying host physiology. *Semin. Immunopathol.*, 35(4):439–453.
- Hundorfean, G., Neurath, M.F., Mudter, J. 2012. Functional relevance of T helper 17 (Th17) cells and the IL-17 cytokine family in inflammatory bowel disease. *Inflamm. Bowel Dis.*, 18(1):180–186.
- Georgopoulos, I. *et al.* (2021) ‘Experimental Intestinal Stenosis Alters Crohn’s Disease- Like Intestinal Inflammation in Ileitis-Prone Mice’, *Digestive Diseases and Sciences*, (0123456789). doi: 10.1007/s10620-021-07161-5.

- Gjorevski, N. *et al.* (2020) 'Neutrophilic infiltration in organ-on-a-chip model of tissue inflammation', *Lab on a Chip*, 20(18), pp. 3365–3374. doi: 10.1039/d0lc00417k.
- Hemmila, M. R. (2015) *Compartment syndrome, Clinical Scenarios in Vascular Surgery: Second Edition*.
- Holloway, A., Pivetta, M. and Rasotto, R. (2019) 'Ultrasonographic and histopathological features in 8 cats with fibrotic small intestinal stricture', *Veterinary Radiology and Ultrasound*, 60(4), pp. 423–431. doi: 10.1111/vru.12756.
- Jackson Patrick and Cruz Vigiola Mariana (2018) 'Intestinal Obstruction: Evaluation and Management', *American Family Physician*, 98(6), pp. 362–367.
- Keppler, S.J., Goess, M.C., Heinze, J.M. 2021. The Wanderings of Gut-Derived IgA Plasma Cells: Impact on Systemic Immune Responses. *Front. Immunol.*, 12(April):1–7.
- Kolaczowska, E., Kubes, P. 2013. Neutrophil recruitment and function in health and inflammation. *Nat. Rev. Immunol.*, 13(3):159–175.
- Lemke, A. *et al.* (2016) 'Long-lived plasma cells are generated in mucosal immune responses and contribute to the bone marrow plasma cell pool in mice', *Mucosal Immunology*, 9(1), pp. 83–97. doi: 10.1038/mi.2015.38.
- Laws, E.G., Freeman, D.E. 1995. Significance of reperfusion injury after venous strangulation obstruction of equine jejunum. *J. Investig. Surg.*, 8(4):263–270.
- Leng, Y. *et al.* (2014) 'Effect of acute, slightly increased intra-abdominal pressure on intestinal permeability and oxidative stress in a rat model', *PLoS ONE*, 9(10). doi: 10.1371/journal.pone.0109350.
- Leng, Y. *et al.* (2016) 'Effects of acute intra-abdominal hypertension on multiple intestinal barrier functions in rats', *Scientific Reports*, 6(49), pp. 1–9. doi: 10.1038/srep22814.
- Li, Y. *et al.* (2018) 'Intra-abdominal infection combined with intra-abdominal hypertension aggravates the intestinal mucosal barrier dysfunction †', 0(December 2017), pp. 1–10.
- Liu, R. Q. *et al.* (2019) 'Prospective evaluation of intestinal decompression in treatment of acute bowel obstruction from Crohn's disease', *Gastroenterology Report*, 7(4), pp. 263–271. doi: 10.1093/gastro/goz002.
- Lockhart, A., Mucida, D., Bilate, A.M. 2024. Intraepithelial Lymphocytes of the Intestine. *Annu. Rev. Immunol.*, 42(1):289–316.
- Luissint, A.-C., Parkos, C.A., Nusrat, A. 2016. Inflammation and the Intestinal Barrier: Leukocyte–Epithelial Cell Interactions, Cell Junction Remodeling, and Mucosal Repair. *Gastroenterology*, 151(4):616–632.
- Ma, H., Tao, W. and Zhu, S. (2019) 'T lymphocytes in the intestinal mucosa: defense and tolerance', *Cellular and Molecular Immunology*, 16(3), pp. 216–224. doi: 10.1038/s41423-019-0208-2.
- Ma, Y. *et al.* (2020) 'Gut Ischemia Reperfusion Injury Induces Lung Inflammation

- via Mesenteric Lymph-Mediated Neutrophil Activation', *Frontiers in Immunology*, 11(September), pp. 1–12. doi: 10.3389/fimmu.2020.586685.
- Matsuda, A. *et al.* (2019) 'Short-term outcomes of a self-expandable metallic stent as a bridge to surgery vs. a transanal decompression tube for malignant large-bowel obstruction: a meta-analysis', *Surgery Today*, 49(9), pp. 728–737. doi: 10.1007/s00595-019-01784-y.
- Mesin, L., Di Niro, R., Thompson, K.M., Lundin, K.E.A., Sollid, L.M. 2011. Long-Lived Plasma Cells from Human Small Intestine Biopsies Secrete Immunoglobulins for Many Weeks In Vitro. *J. Immunol.*, 187(6):2867–2874.
- Milanesi, R. and Caregnato, R. C. A. (2016) 'Intra-abdominal pressure: an integrative review', *Einstein (Sao Paulo, Brazil)*, 14(3), pp. 423–430. doi: 10.1590/S1679-45082016RW3088.
- Olivares-Villagómez, D., Van Kaer, L. 2018. Intestinal Intraepithelial Lymphocytes: Sentinels of the Mucosal Barrier. *Trends Immunol.*, 39(4):264–275.
- Orr, S.E., Gokulan, K., Boudreau, M., Cerniglia, C.E., Khare, S. 2019. Alteration in the mRNA expression of genes associated with gastrointestinal permeability and ileal TNF- α secretion due to the exposure of silver nanoparticles in Sprague-Dawley rats. *J. Nanobiotechnology*, 17(1):1–11.
- Otte, M.L., Tamang, R.L., Papapanagiotou, J., Ahmad, R., Dhawan, P., Singh, A.B. 2023. Mucosal healing and inflammatory bowel disease: Therapeutic implications and new targets. *World J. Gastroenterol.*, 29(7):1157–1172.
- Párraga Ros, E. *et al.* (2018) 'Intestinal histopathological changes in a porcine model of pneumoperitoneum-induced intra-abdominal hypertension', *Surgical Endoscopy*, 32(9), pp.3989–4002. doi: 10.1007/s00464-018-6142-z.
- Pereira, B. M. (2019) 'Abdominal compartment syndrome and intra-abdominal hypertension', *Current Opinion in Critical Care*, 25(6), pp. 688–696. doi: 10.1097/MCC.0000000000000665.
- Rajasurya, V. and Surani, S. (2020) 'Abdominal compartment syndrome: Often overlooked conditions in medical intensive care units', *World Journal of Gastroenterology*, 26(8), pp. 266–278. doi: 10.3748/wjg.v26.i3.266.
- Ros, E. P. *et al.* (2018) 'Time-course evaluation of intestinal structural disorders in a porcine model of intraabdominal hypertension by mechanical intestinal obstruction', *PLoS ONE*, 13(1), pp. 1–17. doi: 10.1371/journal.pone.0191420.
- Sadjadi, J. and Victorino, G. P. (2018) *Intra-abdominal hypertension and abdominal compartment syndrome, Surgical Critical Care Therapy: A Clinically Oriented Practical Approach*. doi: 10.1007/978-3-319-71712-8_23.
- Shah, S. K. *et al.* (2012) 'Strategies for modulating the inflammatory response after decompression from abdominal compartment syndrome', *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 20, pp. 1–11.

- Shigeta, K., Baba, H. and Yamafuji, K. (2014) 'Outcomes for Patients with Obstructing Colorectal Cancers Treated with One-Stage Surgery Using Transanal Drainage Tubes'. doi: 10.1007/s11605-014-2541-1.
- Shimura, T. and Joh, T. (2016) 'Evidence-based clinical management of acute malignant colorectal obstruction', *Journal of Clinical Gastroenterology*, 50(4), pp. 273–285. doi: 10.1097/MCG.0000000000000475.
- Smit, M., van Meurs, M., Zijlstra, J.G. 2022. Intra-abdominal hypertension and abdominal compartment syndrome in critically ill patients: A narrative review of past, present, and future steps. *Scand. J. Surg.*, 111(1).
- Sullivan, D.P., Bui, T., Muller, W.A., Butin-Israeli, V., Sumagin, R. 2018. In vivo imaging reveals unique neutrophil transendothelial migration patterns in inflamed intestines. *Mucosal Immunol.*, 11(6):1571–1581.
- Sumagin, R., Robin, A.Z., Nusrat, A., Parkos, C.A. 2014. Transmigrated neutrophils in the intestinal lumen engage ICAM-1 to regulate the epithelial barrier and neutrophil recruitment. *Mucosal Immunol.*, 7(4):905–915.
- Sun, D. *et al.* (2018) 'The Turning Point for Morphomechanical Remodeling During Complete Intestinal Obstruction in Rats Occurs After 12–24 h', *Annals of Biomedical Engineering*, 46(5), pp. 705–716. doi: 10.1007/s10439-018-1992-z.
- Takeyama, H. *et al.* (2016) 'Self-expanding metallic stent improves histopathological edema compared with transanal drainage tube for malignant colorectal obstruction', *Digestive Endoscopy*, 28(4), pp. 456–464. doi: 10.1111/den.12585.
- Tayebi, S. *et al.* (2021) 'A concise overview of non-invasive intra-abdominal pressure measurement techniques: from bench to bedside', *Journal of Clinical Monitoring and Computing*, 35(1), pp. 51–70. doi: 10.1007/s10877-020-00561-4.
- Thabet, F. C. and Ejike, J. C. (2017) 'Intra-abdominal hypertension and abdominal compartment syndrome in pediatrics. A review', *Journal of Critical Care*, 41, pp. 275–282. doi:10.1016/j.jcrc.2017.06.004.
- Van Hooft, J. E. *et al.* (2007) 'Colonic stenting as bridge to surgery versus emergency surgery for management of acute left-sided malignant colonic obstruction: A multicenter randomized trial (Stent-in 2 study)', *BMC Surgery*, 7, pp. 1–7. doi: 10.1186/1471-2482-7-12.
- Vidal-Lletjós, S., Andriamihaja, M., Blais, A., Grauso, M., Lepage, P., Davila, A.M., Gaudichon, C., Leclerc, M., Blachier, F., Lan, A. 2019. Mucosal healing progression after acute colitis in. *World J. Gastroenterol.*, 25(27):3572–3589.
- Wang, X., Hao, G.L., Wang, B.Y., Gao, C.C., Wang, Y.X., Li, L.S., Xu, J.D. 2019. Function and dysfunction of plasma cells in intestine. *Cell Biosci.*, 9(1):1–16.
- Wu, C. C. *et al.* (2010) 'Role of myosin light chain kinase in intestinal epithelial barrierdefects in a rat model of bowel obstruction', *BMC Gastroenterology*,



- Xu, J. *et al.* (2020) 'Transanal drainage tubes vs metallic stents for acute malignant left-sided bowel obstruction', pp. 1–9.
- Zeitouni, N.E., Chotikatun, S., von Köckritz-Blickwede, M., Naim, H.Y. 2016. The impact of hypoxia on intestinal epithelial cell functions: consequences for invasion by bacterial pathogens. *Mol. Cell. Pediatr.*, 3(1).
- Zhang, J., Wu, X., Ma, J., Long, K., Sun, J., Li, M., Ge, L. 2022. Hypoxia and hypoxia-inducible factor signals regulate the development, metabolism, and function of B cells. *Front. Immunol.*, 13(August):1–11.