

## DAFTAR PUSTAKA

- [1] H. Kobayashi, A. Hayakawa, K. Somarathne, and E. Okafor, “Science and technology of ammonia combustion,” *Proceedings of the Combustion Institute*, vol. 37, no. 1, pp. 109–133, 2019. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1540748918306345>
- [2] JWG.A1/C4.66, *Guide on the Assessment, Specification and Design of Synchronous Condenser for Power System with Predominance of Low or Zero Inertia Generators*. CIGRE, 2022.
- [3] P. Veers, K. Dykes, S. Basu, A. Bianchini, A. Clifton, P. Green, H. Holttinen, L. Kitzing, B. Kosovic, J. K. Lundquist, J. Meyers, M. O’Malley, W. J. Shaw, and B. Straw, “Grand challenges: wind energy research needs for a global energy transition,” *Wind Energy Science*, vol. 7, no. 6, pp. 2491–2496, 2022. [Online]. Available: <https://wes.copernicus.org/articles/7/2491/2022/>
- [4] REN21, *Renewables 2024 Global Status Report Collection*. REN21, 2024.
- [5] IESR, *Beyond 443 GW: Indonesia’s infinite renewable energy potentials*. Institute for Essential Services Reform, 2021.
- [6] D. Schlachtberger, S. Becker, S. Schramm, and M. Greiner, “Backup flexibility classes in emerging large-scale renewable electricity systems,” *Energy Conversion and Management*, vol. 125, pp. 336–346, 2016, sustainable development of energy, water and environment systems for future energy technologies and concepts. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0196890416302606>
- [7] M. S. Alam, F. S. Al-Ismael, A. Salem, and M. A. Abido, “High-level penetration of renewable energy sources into grid utility: Challenges and solutions,” *IEEE Access*, vol. 8, pp. 190 277–190 299, 2020.
- [8] H. Zhang, Z. Lu, W. Hu, Y. Wang, L. Dong, and J. Zhang, “Coordinated optimal operation of hydro–wind–solar integrated systems,” *Applied Energy*, vol. 242, pp. 883–896, 2019. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0306261919304738>
- [9] M. Huber, D. Dimkova, and T. Hamacher, “Integration of wind and solar power in europe: Assessment of flexibility requirements,” *Energy*, vol. 69, pp. 236–246, 2014. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0360544214002680>
- [10] R. H. Lasseter, Z. Chen, and D. Pattabiraman, “Grid-forming inverters: A critical asset for the power grid,” *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 8, no. 2, pp. 925–935, 2020.

- [11] J. Fang, H. Li, Y. Tang, and F. Blaabjerg, “Distributed power system virtual inertia implemented by grid-connected power converters,” *IEEE Transactions on Power Electronics*, vol. 33, no. 10, pp. 8488–8499, 2018.
- [12] L. Meegahapola, A. Sguarezi, J. S. Bryant, M. Gu, E. R. Conde D., and R. B. A. Cunha, “Power system stability with power-electronic converter interfaced renewable power generation: Present issues and future trends,” *Energies*, vol. 13, no. 13, 2020. [Online]. Available: <https://www.mdpi.com/1996-1073/13/13/3441>
- [13] J. Qi, W. Zhao, and X. Bian, “Comparative Study of SVC and STATCOM Reactive Power Compensation for Prosumer Microgrids With DFIG-Based Wind Farm Integration,” *IEEE Access*, vol. 8, pp. 209 878–209 885, 2020.
- [14] L. Bao, L. Fan, and Z. Miao, “Wind farms in weak grids stability enhancement: SynCon or STATCOM?” *Electric Power Systems Research*, vol. 202, p. 107623, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0378779621006040>
- [15] H. Tariq, S. Czapp, S. Tariq, K. M. Cheema, A. Hussain, A. H. Milyani, S. Alghamdi, and Z. M. S. Elbarbary, “Comparative analysis of reactive power compensation devices in a real electric substation,” *Energies*, vol. 15, no. 12, 2022. [Online]. Available: <https://www.mdpi.com/1996-1073/15/12/4453>
- [16] G. M. Tina, G. Maione, and S. Licciardello, “Evaluation of technical solutions to improve transient stability in power systems with wind power generation,” *Energies*, vol. 15, no. 19, 2022. [Online]. Available: <https://www.mdpi.com/1996-1073/15/19/7055>
- [17] F. Khalafian and A. Saffarian, “Providing control method using UPQC and wind turbine to reduce voltage drop and harmonics during distribution network faults,” *Journal of Operation and Automation in Power Engineering*, vol. 12, no. 1, pp. 14–25, 2024. [Online]. Available: [https://joape.uma.ac.ir/article\\_1801.html](https://joape.uma.ac.ir/article_1801.html)
- [18] H. Saadat, *Power System Analysis*. McGraw-Hill, 1999.
- [19] P. Kundur, *Power System Stability and Control*. McGraw-Hill, 1994.
- [20] H. Li and Z. Chen, “Overview of different wind generator systems and their comparisons,” *Renewable Power Generation, IET*, vol. 2, pp. 123 – 138, 07 2008.
- [21] U. Karaagac, I. Kocar, J. Mahseredjian, L. Cai, and Z. Javid, “STATCOM integration into a DFIG-based wind park for reactive power compensation and its impact on wind park high voltage ride-through capability,” *Electric Power Systems Research*, vol. 199, p. 107368, 10 2021. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0378779621003497>

- [22] EPRI, “Technical update on generic wind and solar PV model development and validation,” EPRI, Tech. Rep., 2011.
- [23] W. Chen, Z. Teng, J. Zhao, and J. Qiu, “Small-signal performance of type 4 wind turbine generator-based clusters in power systems,” *Energies*, vol. 11, no. 6, 2018. [Online]. Available: <https://www.mdpi.com/1996-1073/11/6/1486>
- [24] EPRI, “WECC type 4 wind turbine generator model – phase II,” EPRI, Tech. Rep., 2013.
- [25] Y. Zhou, D. D. Nguyen, P. C. Kjær, and S. Saylor, “Connecting wind power plant with weak grid - challenges and solutions,” in *2013 IEEE Power & Energy Society General Meeting*, 2013, pp. 1–7.
- [26] Nahid-Al-Masood, S. U. Mahmud, M. N. Ansary, and S. R. Deeba, “Improvement of system strength under high wind penetration: A techno-economic assessment using synchronous condenser and SVC,” *Energy*, vol. 246, p. 123426, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0360544222003292>
- [27] S. O. Sanni, M. F. Akorede, and G. A. Olarinoye, “Strength assessment of electric power systems containing inverter-based distributed generation,” *Electric Power Systems Research*, vol. 207, p. 107825, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0378779622000554>
- [28] H. Gu, R. Yan, T. K. Saha, and E. Muljadi, “System strength and inertia constrained optimal generator dispatch under high renewable penetration,” *IEEE Transactions on Sustainable Energy*, vol. 11, no. 4, pp. 2392–2406, 2020.
- [29] D. Wu, G. Li, M. Javadi, A. M. Malyscheff, M. Hong, and J. N. Jiang, “Assessing impact of renewable energy integration on system strength using site-dependent short circuit ratio,” *IEEE Transactions on Sustainable Energy*, vol. 9, no. 3, pp. 1072–1080, 2018.
- [30] A. Yogarathinam, J. Kaur, and N. R. Chaudhuri, “Impact of Inertia and Effective Short Circuit Ratio on Control of Frequency in Weak Grids Interfacing LCC-HVDC and DFIG-Based Wind Farms,” *IEEE Transactions on Power Delivery*, vol. 32, no. 4, pp. 2040–2051, 2017.
- [31] N.-A. Masood, R. Yan, T. K. Saha, and S. Bartlett, “Post-retirement utilisation of synchronous generators to enhance security performances in a wind dominated power system,” *IET Generation, Transmission & Distribution*, vol. 10, no. 13, pp. 3314–3321, 2016. [Online]. Available: <https://ietresearch.onlinelibrary.wiley.com/doi/abs/10.1049/iet-gtd.2016.0267>
- [32] L. Liyanarachchi, N. Hosseinzadeh, A. Gargoom, and E. M. Farahani, “A new index for the assessment of power system strength considering reactive power

- injection and interaction of inverter based resources,” *Sustainable Energy Technologies and Assessments*, vol. 60, p. 103460, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2213138823004538>
- [33] R. Hiremath and T. Moger, “Comprehensive review on low voltage ride through capability of wind turbine generators,” *International Transactions on Electrical Energy Systems*, vol. 30, no. 10, p. e12524, 2020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/2050-7038.12524>
- [34] X. Zhou, K. Wei, Y. Ma, and Z. Gao, “A review of reactive power compensation devices,” in *2018 IEEE International Conference on Mechatronics and Automation (ICMA)*, 2018, pp. 2020–2024.
- [35] F. O. Igbinoia, G. Fandi, J. Švec, Z. Müller, and J. Tlustý, “Comparative review of reactive power compensation technologies,” in *2015 16th International Scientific Conference on Electric Power Engineering (EPE)*, 2015, pp. 2–7.
- [36] S. K. Kodsı, C. A. Cañizares, and M. Kazerani, “Reactive current control through SVC for load power factor correction,” *Electric Power Systems Research*, vol. 76, no. 9, pp. 701–708, 2006. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0378779605002282>
- [37] W. Yanjuan, L. Linchuan, and Z. Fang, “Installation SVC to improve output active power of large-scale wind farm based on the transient stability,” in *2012 Power Engineering and Automation Conference*, 2012, pp. 1–3.
- [38] R. Ghazi, N. Pariz, and R. a. Zeinali, “Nonlinear analysis of interaction with SVC in stressed power systems: Effect of SVC controller parameters,” *IRANIAN JOURNAL OF ELECTRICAL AND ELECTRONIC ENGINEERING*, vol. 9, no. 2, 2013. [Online]. Available: <http://ijeee.iust.ac.ir/article-1-508-en.html>
- [39] N. G. Hingorani and L. Gyugyi, *Understanding FACTS: Concepts and Technology of Flexible AC Transmission Systems*. IEEE Press, 2000.
- [40] W. S. T. Force, “Generic Static Var System Models for the Western Electricity Coordinating Council,” WECC, Tech. Rep., 2011.
- [41] L. Bao, L. Fan, and Z. Miao, “Comparison of Synchronous Condenser and STATCOM for Wind Farms in Weak Grids,” in *2020 52nd North American Power Symposium (NAPS)*, 2021, pp. 1–6.
- [42] A. R. Nair, S. Patel, S. Kamalasan, M. Smith, and S. Siddiqui, “A state-space based analysis of synchronous condenser inter-parametric variations in wind integrated weak power grid,” in *2022 IEEE Global Conference on Computing, Power and Communication Technologies (GlobConPT)*, 2022, pp. 1–5.

- [43] R. Aljarrah, H. Marzooghi, and V. Terzija, "Mitigating the impact of fault level shortfall in future power systems with high penetration of converter-interfaced renewable energy sources," *International Journal of Electrical Power & Energy Systems*, vol. 149, p. 109058, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0142061523001151>
- [44] S. Hadavi, D. B. Rathnayake, G. Jayasinghe, A. Mehrizi-Sani, and B. Bahrani, "A robust exciter controller design for synchronous condensers in weak grids," *IEEE Transactions on Power Systems*, vol. 37, no. 3, pp. 1857–1867, 2022.
- [45] M. Z. Mohd Tumari, M. A. Ahmad, M. H. Suid, and M. R. Hao, "An Improved Marine Predators Algorithm-Tuned Fractional-Order PID Controller for Automatic Voltage Regulator System, journal = Fractal and Fractional," vol. 7, no. 7, 2023. [Online]. Available: <https://www.mdpi.com/2504-3110/7/7/561>
- [46] Y. C. Choo, K. Muttaqi, and M. Negnevitsky, "Assessment of small disturbance stability of a power system," *Australasian Universities Power Engineering Conference, Victoria, Australia*, 2006.