

DAFTAR PUSTAKA

- Abouelmajd, M., Bahlaoui, A., Arroub, I., Zemzami, M., Hmina, N., Lagache, M., & Belhouideg, S. (2021). Experimental analysis and optimization of mechanical properties of FDM-processed polylactic acid using Taguchi design of experiment. *International Journal for Simulation and Multidisciplinary Design Optimization*, 12. <https://doi.org/10.1051/smdo/2021031>
- Adhiatma, A. B. (2022). Rancang Bangun 3D Printer. In *Tugas Akhir*. Universitas Diponegoro Semarang.
- Agustini, I. D., Hasdiansah, & Anggry, A. (2022). Optimasi Akurasi Dimensi Hasil Cetakan Proses 3D Printing Yang Terbuat Dari Filamen Nylon Menggunakan Metode Taguchi. *Prosiding Seminar Nasional Inovasi Teknologi Terapan*, 2, 58–64. <https://snitt.polman-babel.ac.id/index.php/snitt/article/view/201>
- Alfadhila, H. (2022). Pengaru variasi ketebalan terhadap karakterisasi crashworthiness pada tabung berdinding tipis asam polilaktat (pla) dan nylon. *Jurnal UIN Syarif Hidayatullah Jakarta*.
- Ali, H. B., Oleiwi, J. K., & Othman, F. M. (2022). Revue des Composites et des Matériaux Avancés-Journal of Composite and Advanced Materials Compressive and Tensile Properties of ABS Material as a Function of 3D Printing Process Parameters. *International Information and Engineering Technology Association*, 32(3), 117–123.
- Ambade, V., Rajurkar, S., Awari, G., Yelamasetti, B., & Shelare, S. (2023). Influence of FDM process parameters on tensile strength of parts printed by PLA material. *International Journal on Interactive Design and Manufacturing*. <https://doi.org/10.1007/s12008-023-01490-7>
- Assi, P., Achiche, S., & Laberge Lebel, L. (2024). Horn gear and carrier design for braiding tailorable composite preforms. *CIRP Journal of Manufacturing Science and Technology*, 50(September 2023), 228–237. <https://doi.org/10.1016/j.cirpj.2024.03.004>

- Aumnate, C., Pongwisuthiruchte, A., Pattananuwat, P., & Potiyaraj, P. (2018). Fabrication of ABS / Graphene Oxide Composite Filament for Fused Filament Fabrication (FFF) 3D Printing. *Advance in Materials Science and Engineering*, 2018.
- Azhari Akbar, & Karmiadji, D. (2021). Analisis Getaran Pengaruh Variabel Misalignment. *Teknobiz: Jurnal Ilmiah Program Studi Magister Teknik Mesin*, 11(3), 141–150. <https://doi.org/10.35814/teknobiz.v11i3.2901>
- Buj-Corral, I., & Zayas-Figueras, E. E. (2023). Comparative study about dimensional accuracy and form errors of FFF printed spur gears using PLA and Nylon. *Polymer Testing*, 117(November 2022), 107862. <https://doi.org/10.1016/j.polymertesting.2022.107862>
- Chan, Y. H. (2004). Biostatistics 301. Repeated measurement analysis. *Singapore Medical Journal*, 45(8), 354–369.
- Credit Ocean. (2024). *An Introduction to Braiding Machines*. <https://www.creditocean.net/an-introduction-to-braiding-machines>
- Cut, R., Amin, A., Dini Meutia, P., Meliyana, M., Zardi, M., Syahputra, I., Sriana, T., Dwi Putri, L., & Khalis, M. (2022). Pengenalan dan Pemanfaatan Limbah Kaca Menjadi Produk Bernilai. *Dinamisia: Jurnal Pengabdian Kepada Masyarakat*, 6(Oktober), 1379–1386. <https://doi.org/10.31849/dinamisia.v6i5.11256>
- Dusanapudi, S., Krupakaran, R. L., Srinivas, A., & Sai, K. (2023). Compressive and Tensile Properties of ABS Material as a Function of 3D Printing Process Parameters. *Materials Today: Proceedings*, September. <https://doi.org/10.1016/j.matpr.2023.10.096>
- eSUN. (2021). *eSUN PLA+ Technical Data Sheet*. 6, 3–4. https://www.esun3d.com/uploads/eSUN_PLA+-Filament_TDS_V4.0.pdf
- Gunasekaran, K. N., Aravinth, V., Kumaran, C. B. M., Madhankumar, K., & Kumar, S. P. (2021). Investigation of mechanical properties of PLA printed

- materials under varying infill density. *Materials Today: Proceedings*, 45, 1849–1856. <https://doi.org/10.1016/j.matpr.2020.09.041>
- Gunawan, B. (2001). Metode Taguchi Sebagai Salah Satu Alternatif Pengendalian Biaya Mutu. *Jurnal Akuntansi Dan Investasi*, 2(1), 44–55.
- Haghsefat, kianoush. (2020). (PDF) *FDM 3D Printing Technology and Its Fundamental Properties*. November. https://www.researchgate.net/publication/344768624_FDM_3D_Printing_Technology_and_Its_Fundamental_Properties
- Huda, F., & Dovani, M. (2015). *Analisis Suara pada Rotordinamik akibat Unbalance , Misalignment , dan Looseness*. *Snttm Xiv*, 7–8.
- Hussain, Z. (2021a). *Design and Fabrication of Automatic Braiding Machine*. January. <https://doi.org/10.13140/RG.2.2.26233.08804>
- Hussain, Z. (2021b). *Design and Fabrication of Automatic Braiding Machine*. Ghulam Ishaq Khan Institute of Engineering Sciences and Technology, January. <https://doi.org/10.13140/RG.2.2.26233.08804>
- International Organization for Standardization (ISO). (2021). *International Standard ISO/ASTM 52900: Vol. E* (Second Edi). ISO/ASTM International 2021.
- ISO 10816-7. (2009). International Standard. *61010-1* © Iec:2001, 2009, 13.
- Junaidi. (2019). Metrologi dan Pengukuran UNHAR. *Universitas Harapan Medan*, July, 22.
- Kafshgar, A. R., Rostami, S., Aliha, M. R. M., & Berto, F. (2021). Optimization of Properties for 3D Printed PLA Material Using Taguchi, ANOVA and Multi-Objective Methodologies. *Procedia Structural Integrity*, 34, 71–77. <https://doi.org/10.1016/j.prostr.2021.12.011>
- Kalavadiya, R. (2018). *Optimization of Infill Patterns for Spur Gear in 3D Printing*

using PLA Optimization of Infill Patterns for Spur Gear in 3D Printing using PLA. December 2017, 1–7.

- Khan, M. S., Mishra, S. B., Kumar, M. A., & Banerjee, D. (2018). Optimizing Surface texture and coating thickness of nickel coated ABS-3D parts. *Materials Today: Proceedings*, 5(9), 19011–19018. <https://doi.org/10.1016/j.matpr.2018.06.252>
- Khosravani, M., Abedi, H. A., Lak, S., Rafiei, F., & Rahzani, K. (2017). The association between conscience understanding and clinical performance among nurses working at education hospital of Arak. *Annals of Tropical Medicine and Public Health*, 10(6), 1587–1590. <https://doi.org/10.4103/ATMPH.ATMPH>
- Kristiawan, R. B., Imaduddin, F., Ariawan, D., Ubaidillah, & Arifin, Z. (2021). A review on the fused deposition modeling (FDM) 3D printing: Filament processing, materials, and printing parameters. *Open Engineering*, 11(1), 639–649. <https://doi.org/10.1515/eng-2021-0063>
- Kyosev, Y. (Ed.). (2015). 3 - Structural design of flat and tubular braids. In *Braiding Technology for Textiles* (pp. 47–69). Woodhead Publishing. <https://doi.org/https://doi.org/10.1533/9780857099211.1.47>
- Kyosev, Y., & Gleßner, P. (2018). Extended horn gears in 3D maypole braiding. *Journal of Textiles and Fibrous Materials*, 1(July), 251522111878674. <https://doi.org/10.1177/2515221118786741>
- Montgomery, D. C. (2009). *Introduction to Statistical Quality Control*. Don Fowley.
- Mousavie, M. (2015). Pengaruh Perubahan Center of Distance dan Misalignments terhadap Kekuatan Symetric Involute Spur Gear. In *Tugas Akhir*. Institut Teknologi Sepuluh Nopember.
- Muminovic, A. J., Braut, S., Božić, Ž., Pervan, N., & Skoblar, A. (2023). Experimental failure analysis of polylactic acid gears made by additive

manufacturing. *Procedia Structural Integrity*, 46(2021), 125–130.
<https://doi.org/10.1016/j.prostr.2023.06.021>

Portoacă, A. I., Ripeanu, R. G., Diniță, A., & Tănase, M. (2023). Optimization of 3D Printing Parameters for Enhanced Surface Quality and Wear Resistance. *Polymers*, 15(16). <https://doi.org/10.3390/polym15163419>

Raut, N. P., Bhosale, S., & Kolekar, A. B. (2022). Application of Taguchi methodology in evaluating the IZOD impact strength of FDM 3D printed component. *Materials Today: Proceedings*, xxxx.
<https://doi.org/10.1016/j.matpr.2022.12.144>

Reddy, M. V., Hemasunder, B., Mahadevapa, P., Dish, N., & Paul, A. (2023). Materials Today : Proceedings Study on the significance of process parameters in improvising the tensile strength of FDM printed carbon fibre reinforced PLA. *Materials Today: Proceedings*, xxxx.
<https://doi.org/10.1016/j.matpr.2023.06.330>

Rishaug, A., & Sandberg, J. (2022). Braiding machine. *Journal of the Franklin Institute*, 149(3), 238–239. [https://doi.org/10.1016/s0016-0032\(00\)90162-5](https://doi.org/10.1016/s0016-0032(00)90162-5)

Ryan, J., Dizon, C., Espera, A. H., Chen, Q., & Advincula, R. C. (2018). Mechanical characterization of 3D-printed polymers. *Additive Manufacturing*, 20, 44–67. <https://doi.org/10.1016/j.addma.2017.12.002>

Said, M. S., Ghani, J. A., Kassim, M. S., Tomadi, S. H., Hassan, C., Haron, C., & Kedah, K. (2013). Comparison between Taguchi Method and Response Surface Methodology (RSM) In Optimizing Machining Condition Department of Mechanical & Materials Engineering , Faculty of Engineering and Built Environment ,. *International Conference on Robust Quality Engineering*, 60–64. <https://core.ac.uk/download/pdf/235641908.pdf>

Shahrjerdi, A., Karamimoghadam, M., & Bodaghi, M. (2023). Enhancing Mechanical Properties of 3D-Printed PLAs via Optimization Process and Statistical Modeling. *Journal of Composites Science*, 7(4), 1–13.

<https://doi.org/10.3390/jcs7040151>

Shamaas, M. (2022). *Introduction to 3D Printer*. August, 0–10.

<https://doi.org/10.13140/RG.2.2.36091.18729>

Sholichin. (2021). *Buku Petunjuk Buku Petunjuk*. 024, 1–35.

Tanjung, G. (2015). Perencanaan Elemen Mesin (Transmisi Roda Gigi). In *Katalog Buku Karya Dosen ITATS* (Vol. 8, Issue 2). FTI Teknik Mesin ITATS.

Wahid, A. (2022). Analisis Kekuatan Tarik Terhadap Gabungan Filamen Pla Dan Abs Hasil 3d Printing. In *Efektifitas Penyuluhan Gizi pada Kelompok 1000 HPK dalam Meningkatkan Pengetahuan dan Sikap Kesadaran Gizi* (Vol. 3, Issue 3).

Zhang, Y., Mao, K., Leigh, S., Shah, A., Chao, Z., & Ma, G. (2020). A parametric study of 3D printed polymer gears. *International Journal of Advanced Manufacturing Technology*, 107(11–12), 4481–4492.
<https://doi.org/10.1007/s00170-020-05270-5>