

REFERENCES

- Abaci, N., Senol Deniz, F. S., & Orhan, I. E. (2022). Kombucha – An ancient fermented beverage with desired bioactivities: A narrowed review. *Food Chemistry*: X, 14, 100302. <https://doi.org/10.1016/j.fochx.2022.100302>
- Abuduabiflu, A., & Tamer, C. E. (2019). Evaluation of physicochemical and bioaccessibility properties of goji berry kombucha. *Journal of Food Processing and Preservation*, 43(9). <https://doi.org/10.1111/jfpp.14077>
- Ahmed, R. F., Hikal, M. S., & Abou-Taleb, K. A. (2020). Biological, chemical and antioxidant activities of different types Kombucha. *Annals of Agricultural Sciences*, 65(1), 35–41. <https://doi.org/10.1016/j.aoas.2020.04.001>
- Aksornsri, T., Chaturapornchai, N., Jitsayen, N., Rojjanapaitoontip, P., & Peanparkdee, M. (2023). Development of kombucha-like beverage using butterfly pea flower extract with the addition of tender coconut water. *International Journal of Gastronomy and Food Science*, 34, 100825. <https://doi.org/10.1016/j.ijgfs.2023.100825>
- Akther, F., Alim, Md. A., Nasrin, N. A., Khan, M., Gomes, D. N., Suhan, Md., Islam, M., & Begum, R. (2023). Effects of different drying methods on the proximate composition, antioxidant activity, and phytochemical content of Hibiscus sabdariffa L. Calyx. *Food Chemistry Advances*, 3, 100553. <https://doi.org/10.1016/j.focha.2023.100553>
- Anantachoke, N., Duangrat, R., Sutthiphatkul, T., Ochaikul, D., & Mangmool, S. (2023). Kombucha Beverages Produced from Fruits, Vegetables, and Plants: A

Review on Their Pharmacological Activities and Health Benefits. *Foods*, 12(9),

1818. <https://doi.org/10.3390/foods12091818>

Ben Ahmed, Z., Yousfi, M., Viaene, J., Dejaegher, B., Demeyer, K., Mangelings, D., & Heyden, Y. V. (2016). Determination of optimal extraction conditions for phenolic compounds from Pistacia atlantica leaves using the response surface methodology. *Analytical Methods*, 8(31), 6107–6114.

<https://doi.org/10.1039/C6AY01739H>

Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022a). Chemical Composition of Kombucha. *Beverages*, 8(3), 45.

<https://doi.org/10.3390/beverages8030045>

Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022b). Kombucha:

Biochemical and microbiological impacts on the chemical and flavor profile. *Food Chemistry Advances*, 1, 100025.

<https://doi.org/10.1016/j.focha.2022.100025>

Borrás-Linares, I., Fernández-Arroyo, S., Arráez-Roman, D., Palmeros-Suárez, P. A., Del Val-Díaz, R., Andrade-González, I., Fernández-Gutiérrez, A., Gómez-Leyva, J. F., & Segura-Carretero, A. (2015). Characterization of phenolic compounds, anthocyanidin, antioxidant and antimicrobial activity of 25 varieties of Mexican Roselle (*Hibiscus sabdariffa*). *Industrial Crops and Products*, 69, 385–394. <https://doi.org/10.1016/j.indcrop.2015.02.053>

Bortolomedi, B. M., Paglarini, C. S., & Brod, F. C. A. (2022). Bioactive compounds in kombucha: A review of substrate effect and fermentation conditions. *Food Chemistry*, 385, 132719. <https://doi.org/10.1016/j.foodchem.2022.132719>

- Cardoso, R. R., Neto, R. O., Dos Santos D'Almeida, C. T., Do Nascimento, T. P., Pressete, C. G., Azevedo, L., Martino, H. S. D., Cameron, L. C., Ferreira, M. S. L., & Barros, F. A. R. D. (2020). Kombuchas from green and black teas have different phenolic profile, which impacts their antioxidant capacities, antibacterial and antiproliferative activities. *Food Research International*, 128, 108782. <https://doi.org/10.1016/j.foodres.2019.108782>
- Chang, M.-Y., Lin, Y.-Y., Chang, Y.-C., Huang, W.-Y., Lin, W.-S., Chen, C.-Y., Huang, S.-L., & Lin, Y.-S. (2020). Effects of Infusion and Storage on Antioxidant Activity and Total Phenolic Content of Black Tea. *Applied Sciences*, 10(8), 2685. <https://doi.org/10.3390/app10082685>
- Chen, G.-L., Chen, S.-G., Xiao, Y., & Fu, N.-L. (2018). Antioxidant capacities and total phenolic contents of 30 flowers. *Industrial Crops and Products*, 111, 430–445. <https://doi.org/10.1016/j.indcrop.2017.10.051>
- Cholidah, A. I., Danu, D., & Nurrosyidah, I. H. (2020). PENGARUH LAMA WAKTU FERMENTASI KOMBUCHA ROSELA (*Hibiscus sabdariffa* L.) TERHADAP AKTIVITAS ANTIBAKTERI *Escherichia coli*. *Jurnal Riset Kefarmasian Indonesia*, 2(3), 186–210. <https://doi.org/10.33759/jrki.v2i3.102>
- Chong, A. Q., Chin, N. L., Talib, R. A., & Basha, R. K. (2024). Modelling pH Dynamics, SCOPY Biomass Formation, and Acetic Acid Production of Kombucha Fermentation Using Black, Green, and Oolong Teas. *Processes*, 12(7), 1301. <https://doi.org/10.3390/pr12071301>
- Chotiko, A., Phakawan, J., Changpasert, W., Chokumnoporn, N., & Wannasawad, K. (2024). Optimization of fermented kombucha from black-aged garlic using

- response surface design and aroma-active compounds identification. *Applied Food Research*, 4(2), 100463. <https://doi.org/10.1016/j.afres.2024.100463>
- Chou, Y.-C., Lin, H.-W., Wang, C.-Y., Hsieh, C.-C., Santoso, S. P., Lin, S.-P., & Cheng, K.-C. (2024). Enhancing Antioxidant Benefits of Kombucha Through Optimized Glucuronic Acid by Selected Symbiotic Fermentation Culture. *Antioxidants*, 13(11), 1323. <https://doi.org/10.3390/antiox13111323>
- Cohen, G., Sela, D. A., & Nolden, A. A. (2023). Sucrose Concentration and Fermentation Temperature Impact the Sensory Characteristics and Liking of Kombucha. *Foods*, 12(16), 3116. <https://doi.org/10.3390/foods12163116>
- Dartora, B., Sant'Anna, V., Hickert, L. R., Fensterseifer, M., Ayub, M. A. Z., Flôres, S. H., & Perez, K. J. (2023). Factors influencing kombucha production: Effects of tea composition, sugar, and SCOBY. *Food Science and Technology*, 43. <https://doi.org/10.5327/fst.8123>
- De Filippis, F., Troise, A. D., Vitaglione, P., & Ercolini, D. (2018). Different temperatures select distinctive acetic acid bacteria species and promotes organic acids production during Kombucha tea fermentation. *Food Microbiology*, 73, 11–16. <https://doi.org/10.1016/j.fm.2018.01.008>
- Dewi, R., & Siregar, S. (2023). *The Effect of Green Tea on Blood Pressure Reduction among Hypertension Patients*. 6(1).
- Dong, C., Liang, G., Hu, B., Yuan, H., Jiang, Y., Zhu, H., & Qi, J. (2018). Prediction of Congou Black Tea Fermentation Quality Indices from Color Features Using Non-Linear Regression Methods. *Scientific Reports*, 8(1), 10535. <https://doi.org/10.1038/s41598-018-28767-2>

- Dwi Hidayanti, M., Astuti, S., & Erna Kustyawati, M. (2015). PENGARUH PEMBERIAN “KOMBUCHA” TEH ROSELLA TERHADAP PROFIL DARAH MENCIT (*Mus musculus L.*). *Jurnal Agritech*, 34(04), 382. <https://doi.org/10.22146/agritech.9432>
- Fathimah, R. N., Setyaningsih, W., Carrera, C., & Palma, M. (2020). Microwave-Assisted Extraction of Phenolics from Hibiscus sabdariffa Flowers: Method Development and Validation. *The 1st International Electronic Conference on Food Science and Functional Foods*, 51. https://doi.org/10.3390/foods_2020-07681
- Gaggia, F., Baffoni, L., Galiano, M., Nielsen, D. S., Jakobsen, R. R., Castro-Mejía, J. L., Bosi, S., Truzzi, F., Musumeci, F., Dinelli, G., & Di Gioia, D. (2018). Kombucha Beverage from Green, Black and Rooibos Teas: A Comparative Study Looking at Microbiology, Chemistry and Antioxidant Activity. *Nutrients*, 11(1), 1. <https://doi.org/10.3390/nu11010001>
- Goh, W. N., Rosma, A., Kaur, B., Fazilah, A., Karim, A. A., & Bhat, R. (2012). *Fermentation of black tea broth (Kombucha): I. Effects of sucrose concentration and fermentation time on the yield of microbial cellulose*. 19. <https://api.semanticscholar.org/CorpusID:31626571>
- Hapsari, B. W., Manikharda, & Setyaningsih, W. (2021). Methodologies in the Analysis of Phenolic Compounds in Roselle (*Hibiscus sabdariffa L.*): Composition, Biological Activity, and Beneficial Effects on Human Health. *Horticulturae*, 7(2), 35. <https://doi.org/10.3390/horticulturae7020035>

- Harrison, K., & Curtin, C. (2021). Microbial Composition of SCOBY Starter Cultures Used by Commercial Kombucha Brewers in North America. *Microorganisms*, 9(5), 1060. <https://doi.org/10.3390/microorganisms9051060>
- He, F., Liang, N.-N., Mu, L., Pan, Q.-H., Wang, J., Reeves, M. J., & Duan, C.-Q. (2012). Anthocyanins and Their Variation in Red Wines II. Anthocyanin Derived Pigments and Their Color Evolution. *Molecules*, 17(2), 1483–1519. <https://doi.org/10.3390/molecules17021483>
- Huynh, N., Van Camp, J., Smagghe, G., & Raes, K. (2014). Improved Release and Metabolism of Flavonoids by Steered Fermentation Processes: A Review. *International Journal of Molecular Sciences*, 15(11), 19369–19388. <https://doi.org/10.3390/ijms151119369>
- ICH. (1995). International Conference On Harmonisation Of Technical Requirements For Registration Of Pharmaceuticals For Human Use. In C. Tietje & A. Brouder (Eds.), *Handbook of Transnational Economic Governance Regimes* (pp. 1041–1053). Brill | Nijhoff. <https://doi.org/10.1163/ej.9789004163300.i-1081.897>
- Izquierdo-Vega, J., Arteaga-Badillo, D., Sánchez-Gutiérrez, M., Morales-González, J., Vargas-Mendoza, N., Gómez-Aldapa, C., Castro-Rosas, J., Delgado-Olivares, L., Madrigal-Bujaidar, E., & Madrigal-Santillán, E. (2020). Organic Acids from Roselle (*Hibiscus sabdariffa* L.)—A Brief Review of Its Pharmacological Effects. *Biomedicines*, 8(5), 100. <https://doi.org/10.3390/biomedicines8050100>
- Jakubczyk, K., Kałduńska, J., Kochman, J., & Janda, K. (2020). Chemical Profile and Antioxidant Activity of the Kombucha Beverage Derived from White, Green,

Black and Red Tea. *Antioxidants*, 9(5), 447.

<https://doi.org/10.3390/antiox9050447>

Jayabalan, R., Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Sathishkumar, M. (2014).

A Review on Kombucha Tea—Microbiology, Composition, Fermentation, Beneficial Effects, Toxicity, and Tea Fungus. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 538–550. <https://doi.org/10.1111/1541-4337.12073>

Kaewkod, T., Bovonsombut, S., & Tragooolpua, Y. (2019). Efficacy of Kombucha Obtained from Green, Oolong, and Black Teas on Inhibition of Pathogenic Bacteria, Antioxidation, and Toxicity on Colorectal Cancer Cell Line. *Microorganisms*, 7(12), 700. <https://doi.org/10.3390/microorganisms7120700>

Kao, E.-S., Yang, M.-Y., Hung, C.-H., Huang, C.-N., & Wang, C.-J. (2016). Polyphenolic extract from Hibiscus sabdariffa reduces body fat by inhibiting hepatic lipogenesis and preadipocyte adipogenesis. *Food & Function*, 7(1), 171–182. <https://doi.org/10.1039/C5FO00714C>

Karyantina, M., & Sumarni. (2019). *KOMBUCHA ROSELA SEBAGAI MINUMAN PROBIOTIK*. 3(1).

Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412–422. <https://doi.org/10.1007/s13197-011-0251-1>

Kim, H., Hur, S., Lim, J., Jin, K., Yang, T., Keehm, I., Kim, S. W., Kim, T., & Kim, D. (2023). Enhancement of the phenolic compounds and antioxidant activities

- of Kombucha prepared using specific bacterial and yeast. *Food Bioscience*, 56, 103431. <https://doi.org/10.1016/j.fbio.2023.103431>
- Kushargina, R., Rimbawan, R., Dewi, M., & Damayanthi, E. (2024). Metagenomic analysis, safety aspects, and antioxidant potential of kombucha beverage produced from telang flower (*Clitoria ternatea* L.) tea. *Food Bioscience*, 59, 104013. <https://doi.org/10.1016/j.fbio.2024.104013>
- Larasati, I. D., Oktaviani, N. M. D., Lioe, H. N., Estiasih, T., Palma, M., & Setyaningsih, W. (2023). Optimization of Ultrasound-Assisted Cold-Brew Method for Developing Roselle (*Hibiscus sabdariffa* L.)-Based Tisane with High Antioxidant Activity. *Beverages*, 9(3), 58. <https://doi.org/10.3390/beverages9030058>
- Laureys, D., Britton, S. J., & De Clippeleer, J. (2020). Kombucha Tea Fermentation: A Review. *Journal of the American Society of Brewing Chemists*, 78(3), 165–174. <https://doi.org/10.1080/03610470.2020.1734150>
- Lavefve, L., Howard, L. R., & Carbonero, F. (2020). Berry polyphenols metabolism and impact on human gut microbiota and health. *Food & Function*, 11(1), 45–65. <https://doi.org/10.1039/C9FO01634A>
- Liu, Y., Zheng, Y., Yang, T., Mac Regenstein, J., & Zhou, P. (2022). Functional properties and sensory characteristics of kombucha analogs prepared with alternative materials. *Trends in Food Science & Technology*, 129, 608–616. <https://doi.org/10.1016/j.tifs.2022.11.001>
- Lobo, R. O., Dias, F. O., & Shenoy, C. K. (2017). Kombucha for healthy living: Evaluation of antioxidant potential and bioactive compounds.

- Http://Www.Ifrj.Upm.Edu.My/.* @inproceedings{2017KombuchaFH, title={Kombucha for healthy living : evaluation of antioxidant potential and bioactive compounds}, author={}, year={2017}, url={https://api.semanticscholar.org/CorpusID:165157801} }
- Lyu, J. I., Kim, J. M., Kim, D.-G., Kim, J.-B., Kim, S. H., Ahn, J.-W., Kang, S.-Y., Ryu, J., & Kwon, S.-J. (2020). Phenolic Compound Content of Leaf Extracts from Different Roselle (*Hibiscus sabdariffa*) Accessions. *Plant Breeding and Biotechnology*, 8(1), 1–10. <https://doi.org/10.9787/PBB.2020.8.1.1>
- Maciel, L. G., Do Carmo, M. A. V., Azevedo, L., Daguer, H., Molognoni, L., De Almeida, M. M., Granato, D., & Rosso, N. D. (2018). Hibiscus sabdariffa anthocyanins-rich extract: Chemical stability, in vitro antioxidant and antiproliferative activities. *Food and Chemical Toxicology*, 113, 187–197. <https://doi.org/10.1016/j.fct.2018.01.053>
- Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Čanadanović-Brunet, J. M. (2011). Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chemistry*, 127(4), 1727–1731. <https://doi.org/10.1016/j.foodchem.2011.02.048>
- Markov, S., Jerinic, V., Cvetkovic, D., Loncar, E., & Malbasa, R. (2003). Kombucha - functional beverage: Composition, characteristics and process of biotransformation. *Hemisjska Industrija*, 57(10), 456–462. <https://doi.org/10.2298/HEMIND0310456S>
- Mendonça, G. R., Pinto, R. A., Praxedes, É. A., Abreu, V. K. G., Dutra, R. P., Pereira, A. F., Lemos, T. D. O., Dos Reis, A. S., & Pereira, A. L. F. (2023). Kombucha

based on unconventional parts of the *Hibiscus sabdariffa L.*: Microbiological, physico-chemical, antioxidant activity, cytotoxicity and sensorial characteristics. *International Journal of Gastronomy and Food Science*, 34, 100804. <https://doi.org/10.1016/j.ijgfs.2023.100804>

Mihai, R. A., Cubi-Insuaste, N. S., & Catana, R. D. (2024). Biological Activity and Phenolic Content of Kombucha Beverages under the Influence of Different Tea Extract Substrates. *Fermentation*, 10(7), 338. <https://doi.org/10.3390/fermentation10070338>

Mohd Ariff, R., Chai, X. Y., Chang, L. S., Fazry, S., Othman, B. A., Babji, A. S., & Lim, S. J. (2023). Recent trends in Kombucha: Conventional and alternative fermentation in development of novel beverage. *Food Bioscience*, 53, 102714. <https://doi.org/10.1016/j.fbio.2023.102714>

Montiel-González, C., Montiel, C., Ortega, A., Pacheco, A., & Bautista, F. (2021). Development and validation of climatic hazard indicators for roselle (*Hibiscus sabdariffa L.*) crop in dryland agriculture. *Ecological Indicators*, 121, 107140. <https://doi.org/10.1016/j.ecolind.2020.107140>

Morales, D., Gutiérrez-Pensado, R., Bravo, F. I., & Muguerza, B. (2023). Novel kombucha beverages with antioxidant activity based on fruits as alternative substrates. *LWT*, 189, 115482. <https://doi.org/10.1016/j.lwt.2023.115482>

Myo, H., Nantarat, N., & Khat-Udomkiri, N. (2021). Changes in Bioactive Compounds of Coffee Pulp through Fermentation-Based Biotransformation Using *Lactobacillus plantarum* TISTR 543 and Its Antioxidant Activities. *Fermentation*, 7(4), 292. <https://doi.org/10.3390/fermentation7040292>

- Olivas-Aguirre, F., Rodrigo-García, J., Martínez-Ruiz, N., Cárdenas-Robles, A., Mendoza-Díaz, S., Álvarez-Parrilla, E., González-Aguilar, G., De La Rosa, L., Ramos-Jiménez, A., & Wall-Medrano, A. (2016). Cyanidin-3-O-glucoside: Physical-Chemistry, Foodomics and Health Effects. *Molecules*, 21(9), 1264. <https://doi.org/10.3390/molecules21091264>
- Oliveira, C. M., Ferreira, A. C. S., De Freitas, V., & Silva, A. M. S. (2011). Oxidation mechanisms occurring in wines. *Food Research International*, 44(5), 1115–1126. <https://doi.org/10.1016/j.foodres.2011.03.050>
- Pattanittum, P., Ngamjarus, C., Buttramee, F., & Somboonporn, C. (2010). Roselle for hypertension in adults. *Cochrane Database of Systematic Reviews*, 2021(11). <https://doi.org/10.1002/14651858.CD007894.pub2>
- Pimentel-Moral, S., Borrás-Linares, I., Lozano-Sánchez, J., Arráez-Román, D., Martínez-Férez, A., & Segura-Carretero, A. (2018). Microwave-assisted extraction for Hibiscus sabdariffa bioactive compounds. *Journal of Pharmaceutical and Biomedical Analysis*, 156, 313–322. <https://doi.org/10.1016/j.jpba.2018.04.050>
- Polak, B., Traczuk, A., Kamińska, M., & Kozyra, M. (2019). Comparison of Phenolic Compound Separations by HPTLC and PPEC with SDS as the Mobile Phase Component. *Journal of Analytical Methods in Chemistry*, 2019, 1–15. <https://doi.org/10.1155/2019/6845340>
- Qu, X., & Jeff Wu, C. F. (2005). One-factor-at-a-time designs of resolution V. *Journal of Statistical Planning and Inference*, 131(2), 407–416. <https://doi.org/10.1016/j.jspi.2004.03.002>

Ramírez Tapias, Y. A., Di Monte, M. V., Peltzer, M. A., & Salvay, A. G. (2022).

Bacterial cellulose films production by Kombucha symbiotic community cultured on different herbal infusions. *Food Chemistry*, 372, 131346.
<https://doi.org/10.1016/j.foodchem.2021.131346>

Salehi, B., Martorell, M., Arbiser, J., Sureda, A., Martins, N., Maurya, P., Sharifi-Rad, M., Kumar, P., & Sharifi-Rad, J. (2018). Antioxidants: Positive or Negative Actors? *Biomolecules*, 8(4), 124. <https://doi.org/10.3390/biom8040124>

Sales, A. L., Iriondo-DeHond, A., DePaula, J., Ribeiro, M., Ferreira, I. M. P. L. V. O., Miguel, M. A. L., Del Castillo, M. D., & Farah, A. (2023). Intracellular Antioxidant and Anti-Inflammatory Effects and Bioactive Profiles of Coffee Cascara and Black Tea Kombucha Beverages. *Foods*, 12(9), 1905.
<https://doi.org/10.3390/foods12091905>

Šamec, D., Karalija, E., Šola, I., Vujičić Bok, V., & Salopek-Sondi, B. (2021). The Role of Polyphenols in Abiotic Stress Response: The Influence of Molecular Structure. *Plants*, 10(1), 118. <https://doi.org/10.3390/plants10010118>

Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2016). *Stability of 40 phenolic compounds during ultrasound-assisted extractions (UAE)*. 080009.
<https://doi.org/10.1063/1.4958517>

Shi, S., Wei, Y., Lin, X., Liang, H., Zhang, S., Chen, Y., Dong, L., & Ji, C. (2023). Microbial metabolic transformation and antioxidant activity evaluation of polyphenols in kombucha. *Food Bioscience*, 51, 102287.
<https://doi.org/10.1016/j.fbio.2022.102287>

Shruthi, V. H., & Ramachandra, C. T. (2020). *Food bioactives: Functionality and applications in human health* (S. C. Deka, D. Seth, & N. R. S. Hulle, Eds.).

Apple academic Press.

Suhartatik, N., & Karyantina, M. (2009). *SEBAGAI ANTIHIPERKOLESTEROLEMIA*. 29(1).

Sutthiphatkul, T., Mangmool, S., Rungjindamai, N., & Ochaikul, D. (2022). Characteristics and Antioxidant Activities of Kombucha from Black Tea and Roselle by a Mixed Starter Culture. *Current Applied Science and Technology*, 23(4). <https://doi.org/10.55003/cast.2022.04.23.002>

Tarhan Kuzu, K., Aykut, G., Tek, S., Yatmaz, E., Germec, M., Yavuz, I., & Turhan, I. (2023). Production and Characterization of Kombucha Tea from Different Sources of Tea and Its Kinetic Modeling. *Processes*, 11(7), 2100. <https://doi.org/10.3390/pr11072100>

Tran, T., Grandvalet, C., Verdier, F., Martin, A., Alexandre, H., & Tourdot-Maréchal, R. (2020). Microbial Dynamics between Yeasts and Acetic Acid Bacteria in Kombucha: Impacts on the Chemical Composition of the Beverage. *Foods*, 9(7), 963. <https://doi.org/10.3390/foods9070963>

Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines*, 5(3), 93. <https://doi.org/10.3390/medicines5030093>

Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J., & Taillandier, P. (2018).

Understanding Kombucha Tea Fermentation: A Review. *Journal of Food Science*, 83(3), 580–588. <https://doi.org/10.1111/1750-3841.14068>

Villarreal-Soto, S. A., Bouajila, J., Pace, M., Leech, J., Cotter, P. D., Souchard, J.-P.,

Taillandier, P., & Beaufort, S. (2020). Metabolome-microbiome signatures in the fermented beverage, Kombucha. *International Journal of Food Microbiology*, 333, 108778. <https://doi.org/10.1016/j.ijfoodmicro.2020.108778>

Visuthiwan, S., & Assatarakul, K. (2021). Kinetic modeling of microbial degradation and antioxidant reduction in lychee juice subjected to UV radiation and shelf life during cold storage. *Food Control*, 123, 107770. <https://doi.org/10.1016/j.foodcont.2020.107770>

Vohra, B. M., Fazry, S., Sairi, F., & Babul-Airianah, O. (2019). Effects of medium variation and fermentation time on the antioxidant and antimicrobial properties of Kombucha. *Malaysian Journal of Fundamental and Applied Sciences*, 15(2–1), 298–302. <https://doi.org/10.11113/mjfas.v15n2-1.1536>

Wang, B., Rutherford-Markwick, K., Zhang, X.-X., & Mutukumira, A. N. (2022). Kombucha: Production and Microbiological Research. *Foods*, 11(21), 3456. <https://doi.org/10.3390/foods11213456>

Wojtunik-Kulesza, K. A. (2020). Approach to Optimization of FRAP Methodology for Studies Based on Selected Monoterpenes. *Molecules*, 25(22), 5267. <https://doi.org/10.3390/molecules25225267>

Yang, F., Chen, C., Ni, D., Yang, Y., Tian, J., Li, Y., Chen, S., Ye, X., & Wang, L. (2023). Effects of Fermentation on Bioactivity and the Composition of

Polyphenols Contained in Polyphenol-Rich Foods: A Review. *Foods*, 12(17),

3315. <https://doi.org/10.3390/foods12173315>

Yuan, K., Wu, G., Li, X., Zeng, Y., Wen, X., Liu, R., Jiang, X., Tian, L., Sun, J., &

Bai, W. (2024). Anthocyanins degradation mediated by β -glycosidase contributes to the color loss during alcoholic fermentation in a structure-dependent manner. *Food Research International*, 175, 113732.

<https://doi.org/10.1016/j.foodres.2023.113732>

Yuliana, N., Nurainy, F., Sari, G. W., Sumardi, & Widiastuti, E. L. (2023). Total

microbe, physicochemical property, and antioxidative activity during fermentation of cocoa honey into kombucha functional drink. *Applied Food Research*, 3(1), 100297. <https://doi.org/10.1016/j.afres.2023.100297>

Zheng, J., Meenu, M., & Xu, B. (2019). A systematic investigation on free phenolic acids and flavonoids profiles of commonly consumed edible flowers in China.

Journal of Pharmaceutical and Biomedical Analysis, 172, 268–277.

<https://doi.org/10.1016/j.jpba.2019.05.007>

Zhou, D.-D., Saimaiti, A., Luo, M., Huang, S.-Y., Xiong, R.-G., Shang, A., Gan, R.-

Y., & Li, H.-B. (2022). Fermentation with Tea Residues Enhances Antioxidant

Activities and Polyphenol Contents in Kombucha Beverages. *Antioxidants*,

11(1), 155. <https://doi.org/10.3390/antiox11010155>