

DAFTAR PUSTAKA

- Abacilar, F., Dogan, O., Duman, U., Ucar, I., Demircin, M., Ersoy, U., Boke, E., *et al.* (2006). The changes and effects of the plasma levels of tumor necrosis factor after coronary artery bypass surgery with Cardiopulmonary Bypass. *The Heart Surgery Forum*, 9(4). doi:10.1532/hsf98.20061012
- Abou Elella, R., Najm, H. K., Balkhy, H., Bullard, L., & Kabbani, M. S. (2010). Impact of bloodstream infection on the outcome of children undergoing cardiac surgery. *Pediatric Cardiology*, 31(4), 483–489. doi:10.1007/s00246-009-9624-x
- Abraham, B. P., Prodhan, P., Jaquiss, R. D. B., Bhutta, A. T., Gossett, J. M., Imamura, M., *et al.* (2010). Cardiopulmonary bypass flow rate: A risk factor for hyperlactatemia after surgical repair of secundum atrial septal defect in children. *The Journal of Thoracic and Cardiovascular Surgery*, 139(1), 170–173. doi:10.1016/j.jtcvs.2009.04.060
- Arendsdorf, J., Pettitt, H., & Holt, D. (2018). Improving hemolysis levels associated with cardiectomy suction. *Perfusion*, 33(8), 612–617. doi:10.1177/0267659118772456
- Avcı, M., O'Rear, E. A., Foster, K. M., & Papavassiliou, D. V. (2022). Sublethal damage to erythrocytes during blood flow. *Fluids*, 7(2), 66. doi:10.3390/fluids7020066
- Barcellini, W., & Fattizzo, B. (2015). Clinical applications of hemolytic markers in the differential diagnosis and management of hemolytic anemia. *Disease Markers*, 2015, 1–7. doi:10.1155/2015/635670
- Bhirowo, Y.P., Sudadi, S., Setianto, B. Y., Novenanto, T. T., Raksawardana, Y. K., Rayhan, A., *et al.* (2024). Intraoperative goal-directed perfusion in cardiac surgery with cardiopulmonary bypass: The roles of Delivery Oxygen Index and cardiac index. *Annals of Thoracic and Cardiovascular Surgery*, 30(1). doi:10.5761/atcs.ra.23-00188

- Bhirowo, Y. P., Raksawardana, Y. K., Setianto, B. Y., Sudadi, S., Tandean, T. N., Zaharo, A. F., *et al.* (2023). Hemolysis and cardiopulmonary bypass: Meta-analysis and systematic review of contributing factors. *Journal of Cardiothoracic Surgery*, 18(1). doi:10.1186/s13019-023-02406-y
- Bianco, V., Kilic, A., Aranda-Michel, E., Dunn-Lewis, C., Serna-Gallegos, D., Chen, S., *et al.* (2021). Mild hypothermia versus normothermia in patients undergoing cardiac surgery. *JTCVS Open*, 7, 230–242. doi:10.1016/j.xjon.2021.05.020
- Birdi, I., Caputo, M., Underwood, M., Bryan, A. J., & Angelini, G. D. (1999). The effects of cardiopulmonary bypass temperature on inflammatory response following cardiopulmonary bypass. *European Journal of Cardio-Thoracic Surgery*, 16(5), 540–545. doi:10.1016/s1010-7940(99)00301-2
- Boehm, J., Hauner, K., Grammer, J., Dietrich, W., Wagenpfeil, S., Braun, S., *et al.* (2011). Tumor necrosis factor- α –863 C/A promoter polymorphism affects the inflammatory response after cardiac surgery. *European Journal of Cardio-Thoracic Surgery*, 40(1). doi:10.1016/j.ejcts.2011.01.084
- Bojar, R. M. (2009). *Manual of Perioperative Care in Adult Cardiac surgery*. Hoboken: John Wiley & Sons.
- Browne, R. H. (1995). On the use of a pilot sample for sample size determination. *Statistics in Medicine*, 14(17), 1933–1940. doi:10.1002/sim.4780141709
- Börgermann, J., Friedrich, I., Flohé, S., Spillner, J., Majetschak, M., Kuss, O., *et al.* (2002). Tumor necrosis factor- α production in whole blood after cardiopulmonary bypass: Downregulation caused by circulating cytokine-inhibitory activities. *The Journal of Thoracic and Cardiovascular Surgery*, 124(3), 608–617. doi:10.1067/mtc.2002.122300
- Boom, C. E. (2013). Pintasan jantung paru cardiopulmonary bypass. *Panduan Klinis Perioperatif Kardiovaskular Anestesia. In Komisi Pendidikan Spesialis Anestesi Kardiovaskular (KAKV) (pp. 9:124-141.)*.

- Buehler, P. W., Abraham, B., Vallelia, F., Linnemayr, C., Pereira, C. P., Cipollo, J. F., *et al.* (2009). Haptoglobin preserves the CD163 hemoglobin scavenger pathway by shielding hemoglobin from peroxidative modification. *Blood*, 113(11), 2578–2586. doi:10.1182/blood-2008-08-174466
- Campbell, J. A., Holt, D. W., Shostrom, V. K., & Durham, S. J. (2008). Influence of Intraoperative Fluid Volume on Cardiopulmonary Bypass Hematocrit and Blood Transfusions in Coronary Artery Bypass Surgery. *J Extra Corpor Technol*, 40(2), 99–108.
- Caputo, M., Bays, S., Rogers, C. A., Pawade, A., Parry, A. J., Suleiman, S., & Angelini, G. D. (2005). Randomized comparison between Normothermic and hypothermic cardiopulmonary bypass in pediatric open-heart surgery. *The Annals of Thoracic Surgery*, 80(3), 982–988. doi:10.1016/j.athoracsur.2005.03.062
- Cecconi, M., Hofer, C., Teboul, J.-L., Pettila, V., Wilkman, E., Molnar, Z., *et al.* (2015). Fluid challenges in intensive care: The Fenice study. *Intensive Care Medicine*, 41(9), 1529–1537. doi:10.1007/s00134-015-3850-x
- Chan, C., Ki, K., Zhang, M., Asnicar, C., Cho, H. J., Ainola, C., *et al.* (2021). Extracorporeal membrane oxygenation-induced hemolysis: An in vitro study to appraise causative factors. *Membranes*, 11(5), 313. doi:10.3390/membranes11050313
- Chen, G. Y., & Nuñez, G. (2010). Sterile inflammation: Sensing and reacting to damage. *Nature Reviews Immunology*, 10(12), 826–837. doi:10.1038/nri2873
- Cheng, X., Zhang, J., Wu, H., Zuo, Y., Tang, L., Zhao, Q., *et al.* (2020). Outcomes of individualized goal-directed therapy based on cerebral oxygen balance in high-risk patients undergoing cardiac surgery: A randomized controlled trial. *Journal of Clinical Anesthesia*, 67, 110032. doi:10.1016/j.jclinane.2020.110032

- Cheung, A. T., Cruz-Shiavone, G. E., Meng, Q. C., Pochettino, A., Augoustides, J. A., Bavaria, J. E., *et al.* (2007). Cardiopulmonary bypass, hemolysis, and nitroprusside-induced cyanide production. *Anesthesia & Analgesia*, 105(1), 29–33. doi:10.1213/01.ane.0000264078.34514.32
- Chhabra, R. P., & Richardson, J. F. (2011). *Non-newtonian flow and Applied Rheology: Engineering Applications*. Oxford: Butterworth-Heinemann.
- Condello, I., Santarpino, G., Nasso, G., Moscarelli, M., Fiore, F., & Speziale, G. (2020). Associations between oxygen delivery and cardiac index with hyperlactatemia during Cardiopulmonary Bypass. *JTCVS Techniques*, 2, 92–99. doi:10.1016/j.xjtc.2020.04.001
- Cook, D. J., Proper, J. A., Orszulak, T. A., Daly, R. C., & Oliver, W. C. (1997). Effect of pump flow rate on cerebral blood flow during hypothermic cardiopulmonary bypass in adults. *Journal of Cardiothoracic and Vascular Anesthesia*, 11(4), 415–419. doi:10.1016/s1053-0770(97)90047-1
- Cooper, J. R., & Giesecke, N. M. (2015). *Hemodilution and priming solutions* (4th ed., Vol. 1). Wolters Kluwer Health.
- Corbi, P., Rahmati, M., Delwail, A., Potreau, D., Menu, P., Wijdenes, J., *et al.* (2000). Circulating soluble gp130, soluble IL-6R, and IL-6 in patients undergoing cardiac surgery, with or without extracorporeal circulation. *European Journal of Cardio-Thoracic Surgery*, 18(1), 98–103. doi:10.1016/s1010-7940(00)00388-2
- Croughwell, N. D., Newman, M. F., Lowry, E., Davis, R. D., Landolfo, K. P., White, W. D., *et al.* (1997). Effect of temperature during cardiopulmonary bypass on gastric mucosal perfusion. *British Journal of Anaesthesia*, 78(1), 34–38. doi:10.1093/bja/78.1.34
- Dejam, A., Hunter, C. J., Tremonti, C., Pluta, R. M., Hon, Y. Y., Grimes, G., *et al.* (2007). Nitrite infusion in humans and nonhuman primates. *Circulation*, 116(16), 1821–1831. doi:10.1161/circulationaha.107.712133

- Demers, P., Elkouri, S., Martineau, R., Couturier, A., & Cartier, R. (2000). Outcome with high blood lactate levels during cardiopulmonary bypass in adult cardiac operation. *The Annals of Thoracic Surgery*, 70(6), 2082–2086. doi:10.1016/s0003-4975(00)02160-3
- Dijoy, L., Dean, J. C., Bistrick, C., & Sistino, J. J. (2015). The History of Goal-Directed Therapy and Relevance to Cardiopulmonary Bypass. *J Extra Corpor Technol*, 47(2), 90–94.
- Down, L. A., Papavassiliou, D. V., & O'Rear, E. A. (2011). Significance of extensional stresses to red blood cell lysis in a shearing flow. *Annals of Biomedical Engineering*, 39(6), 1632–1642. doi:10.1007/s10439-011-0262-0
- Eggum, R., Ueland, T., Mollnes, T. E., Videm, V., Aukrust, P., Fiane, A. E., *et al.* (2008). Effect of perfusion temperature on the inflammatory response during pediatric cardiac surgery. *The Annals of Thoracic Surgery*, 85(2), 611–617. doi:10.1016/j.athoracsur.2007.10.062
- Eisng, G. P., Schad, H., Heimisch, W., Gippner-Steppert, C., Jochum, M., Braun, S. *et al.* (2000). Effect of cardiopulmonary bypass and hemofiltration on plasma cytokines and protein leakage in PIGS1. *The Thoracic and Cardiovascular Surgeon*, 48(2), 86–92. doi:10.1055/s-2000-9874
- Elbaz-Greener, G., Rozen, G., Carasso, S., Kusniec, F., Yarkoni, M., Marai, I., *et al.* (2021). The relationship between body mass index and in-hospital mortality in patients following coronary artery bypass grafting surgery. *Frontiers in Cardiovascular Medicine*, 8. doi:10.3389/fcvm.2021.754934
- Elblbesy, M. A., & Hereba, A. T. (2016). Computation of the coefficients of the power law model for whole blood and their correlation with blood parameters. *Applied Physics Research*, 8(2), 1. doi:10.5539/apr.v8n2p1
- Eugene, A. (2019). Cardiopulmonary Bypass: Equipment, Circuits, and Pathophysiology. Dalam: *Gravlee GP, Shaw AD, Bartels K. Hensley's*

practical approach to cardiothoracic anesthesia. 6th edition. Wolters Kluwer: USA. Ch3.

Evora, P. R., Bottura, C., Arcêncio, L., Albuquerque, A. A., Évora, P. M., & Rodrigues, A. J. (2016). Key points for curbing cardiopulmonary bypass inflammation. *Acta Cirurgica Brasileira*, 31(suppl 1), 45–52. doi:10.1590/s0102-86502016001300010

Faghih, M. M., & Sharp, M. K. (2019). Modeling and prediction of flow-induced hemolysis: A Review. *Biomechanics and Modeling in Mechanobiology*, 18(4), 845–881. doi:10.1007/s10237-019-01137-1

Ferguson, B., & Manecke, G. (2013). Goal-Directed Therapy in Cardiac Surgery: Are We There Yet?. *Journal Of Cardiothoracic And Vascular Anesthesia*, 27(6), 1075-1078. <https://doi.org/10.1053/j.jvca.2013.08.004>.

Fernandez, F. G., Shahian, D. M., Kormos, R., Jacobs, J. P., D'Agostino, R. S., Mayer, J. E., *et al.* (2019). The Society of Thoracic Surgeons National database 2019 annual report. *The Annals of Thoracic Surgery*, 108(6), 1625–1632. doi:10.1016/j.athoracsur.2019.09.034

Fioranelli, M., Roccia, M. G., Flavin, D., & Cota, L. (2021). Regulation of inflammatory reaction in health and disease. *International Journal of Molecular Sciences*, 22(10), 5277. doi:10.3390/ijms22105277

Forstrom RJ (1969) 'A new measure of erythrocyte membrane strength - the jet fragility test'. PhD. thesis, University of Minnesota

Fortescue, E. B., Bates, D. W., & Chertow, G. M. (2000). Predicting acute renal failure after coronary bypass surgery: Cross-validation of two risk-stratification algorithms. *Kidney International*, 57(6), 2594–2602. doi:10.1046/j.1523-1755.2000.00119.x

- Fransen, E., Maessen, J., Dentener, M., Senden, N., Geskes, G., & Buurman, W. (1998) 'Systemic inflammation present in patients undergoing CABG without extracorporeal circulation', *Chest*, 113(5), pp. 1290–1295. doi:10.1378/chest.113.5.1290.
- Fraser, K. (2015). Mechanical Stress Induced Blood Trauma. In S. M. Becker & A. V. Kuznetsov (Eds.), *Heat Transfer and Fluid Flow in Biological Processes* (pp. 305–333). Elsevier Inc.
- Freeman, B., & Berger, J. (2014). *Anesthesiology core review*. McGraw-Hill Education.
- Freeman, B., & Berger, J. (2023). *Anesthesiology core review: Part one: BASIC exam, second edition (2nd ed.)*. McGraw-Hill Education.
- Fujii, Y., Shirai, M., Takewa, Y., & Tatsumi, E. (2016). Cardiopulmonary bypass with low- versus high-priming volume: Comparison of inflammatory responses in a rat model. *ASAIO Journal*, 62(3), 286–290. doi:10.1097/mat.0000000000000347
- Fujii, Y. (2020) 'Evaluation of inflammation caused by cardiopulmonary bypass in a small animal model', *Biology*, 9(4), p. 81. doi:10.3390/biology9040081.
- Galiñanes, M., James, M., Codd, V., Baxi, A., & Hadjinikolaou, L. (2008) 'TNF- α gene promoter polymorphism at nucleotide –308 and the inflammatory response and oxidative stress induced by cardiac surgery: Role of Heart Failure and Medical treatment', *European Journal of Cardio-Thoracic Surgery*, 34(2), pp. 332–337. doi:10.1016/j.ejcts.2008.03.015.
- Gao, M., Xie, B., Gu, C., Li, H., Zhang, F., & Yu, Y. (2014) 'Targeting the proinflammatory cytokine tumor necrosis factor- α to alleviate cardiopulmonary bypass-induced lung injury (review)', *Molecular Medicine Reports*, 11(4), pp. 2373–2378. doi:10.3892/mmr.2014.3050.

- Ghosh, S., Falter, F., Perrino, A. C. (2015). *Cardiopulmonary Bypass*. Cambridge Medicine.
- Gladwin, M. T., Kanas, T., & Kim-Shapiro, D. B. (2012). Hemolysis and cell-free hemoglobin drive an intrinsic mechanism for human disease. *Journal of Clinical Investigation*, 122(4), 1205–1208. doi:10.1172/jci62972
- Gleason, T. G., Argenziano, M., Bavaria, J. E., Kane, L. C., Coselli, J. S., Engelman, R. M., *et al.* (2019). Hemoadsorption to reduce plasma-free hemoglobin during cardiac surgery: Results of refresh I pilot study. *Seminars in Thoracic and Cardiovascular Surgery*, 31(4), 783–793. doi:10.1053/j.semtcvs.2019.05.006
- Govier, A. V., Reves, J. G., McKay, R. D., Karp, R. B., Zorn, G. L., Morawetz, R. B., *et al.* (1984). Factors and their influence on regional cerebral blood flow during nonpulsatile cardiopulmonary bypass. *The Annals of Thoracic Surgery*, 38(6), 592–600. doi:10.1016/s0003-4975(10)62316-8
- Gravlee, G., Davis, R., Stammers, A., & Ungerleider, R. (2008). *Cardiopulmonary bypass* (3rd ed.). Lippincott Williams & Wilkins.
- Gregoret, S. (1996) 'Suction-induced hemolysis at various vacuum pressures: Implications for intraoperative blood salvage', *Transfusion*, 36(1), pp. 57–60. doi:10.1046/j.1537-2995.1996.36196190516.x.
- Haeflner-Cavaillon, N., Roussel, N., Ponzio, O., Carreno, M.P., Laude, M., Carpentier, A., *et al.* (1989) 'Induction of interleukin-1 production in patients undergoing cardiopulmonary bypass', *The Journal of Thoracic and Cardiovascular Surgery*, 98(6), pp. 1100–1106. doi:10.1016/s0022-5223(19)34325-9.
- Hall E.J., Guyton C.A. (2011) Use of Extracorporeal circulation during cardiac surgery in *text book of medical physiology* 12th Ed. Saunders Elsevier pg 271-272.

- Halter, J., Steinberg, J., Fink, G., Lutz, C., Picone, A., Maybury, R., *et al.* (2005) 'Evidence of systemic cytokine release in patients undergoing cardiopulmonary bypass', *J Extra Corpor Technol*, 37(3), pp. 272–277.
- Hessel A.E., Murphy S. G., Groom C.R., & Ghansah N. J. (2013). Cardiopulmonary bypass: equipment, circuit and pathophysiology in *a practical approach to cardiac anesthesia* 5th Ed. Pg 587-630.
- Hessel A.E. & Shann G.K. (2015). Blood pump, circuitry, and cannulation techniques in cardiopulmonary bypass in *Cardiopulmonary bypass and mechanical support principal and practice* 4th Ed. Woter Kluwer pg 23-141.
- Hessel, E. A., & Groom, R. C. (2021). Guidelines for conduct of Cardiopulmonary Bypass. *Journal of Cardiothoracic and Vascular Anesthesia*, 35(1), 1–17. doi:10.1053/j.jvca.2020.04.058
- Hoffman, R., Benz, E., Silberstein, L., Heslop, H., Weitz, J., & Anastasi, J. (2018). *Hematology: Basic Principle* (7th ed.). Elsevier.
- Hokka, M., Egi, M., Kubota, K., & Mizobuchi, S. (2021) 'Perioperative serum free hemoglobin and haptoglobin levels in valvular and aortic surgery with cardiopulmonary bypass: Their associations with Postoperative Kidney Injury', *Journal of Cardiothoracic and Vascular Anesthesia*, 35(11), pp. 3207–3214. doi:10.1053/j.jvca.2021.04.029.
- Horobin, J., Sabapathy, S., & Simmonds, M. (2019). Red blood cell tolerance to shear stress above and below the subhemolytic threshold. *Biomechanics And Modeling In Mechanobiology*, 19(3), 851-860. <https://doi.org/10.1007/s10237-019-01252-z>.
- Huybregts, R. A., de Vroege, R., Jansen, E. K., van Schijndel, A. W., Christiaans, H. M., & van Oeveren, W. (2009). The Association of Hemodilution and transfusion of red blood cells with biochemical markers of splanchnic and renal injury during cardiopulmonary bypass. *Anesthesia & Analgesia*, 109(2), 331–339. doi:10.1213/ane.0b013e3181ac52b2

- In, J. (2017). Introduction of a pilot study. *Korean Journal of Anesthesiology*, 70(6), 601. doi:10.4097/kjae.2017.70.6.601
- Ivanovs, I., Mihelsons, M., & Boka, V. (2012). Stress response to surgery and possible ways of its correction. *Proceedings of the Latvian Academy of Sciences. Section B. Natural, Exact, and Applied Sciences*, 66(6), 225–233. doi:10.2478/v10046-012-0014-z
- Jensen, E., Andréasson, S., Bengtsson, A., Berggren, H., Ekroth, R., Lindholm, L., *et al.* (2003). Influence of two different perfusion systems on inflammatory response in pediatric heart surgery. *The Annals of Thoracic Surgery*, 75(3), 919–925. doi:10.1016/s0003-4975(02)04501-0
- Julious, S. A. (2005). Sample size of 12 per group rule of thumb for a pilot study. *Pharmaceutical Statistics*, 4(4), 287–291. doi:10.1002/pst.185
- Kapoor, P., Magoon, R., Rawat, R., & Mehta, Y. (2016). Perioperative utility of goal-directed therapy in high-risk cardiac patients undergoing coronary artery bypass grafting: “A clinical outcome and Biomarker-based study.” *Annals of Cardiac Anaesthesia*, 19(4), 638. doi:10.4103/0971-9784.191552
- Karkouti, K., Beattie, W. S., Wijesundera, D. N., Rao, V., Chan, C., Dattilo, K. M., *et al.* (2005). Hemodilution during cardiopulmonary bypass is an independent risk factor for acute renal failure in adult cardiac surgery. *The Journal of Thoracic and Cardiovascular Surgery*, 129(2), 391–400. doi:10.1016/j.jtcvs.2004.06.028
- Karu, I., Starkopf, J., Zilmer, K., & Zilmer, M. (2013) ‘Growth factors serum levels in coronary artery disease patients scheduled for bypass surgery: Perioperative Dynamics and comparisons with Healthy Volunteers’, *BioMed Research International*, 2013, pp. 1–5. doi:10.1155/2013/985404.
- Kay, P., & Munsch, C. (2004). *Techniques in Extracorporeal Circulation 4E*. Arnold.

- Ki, K. K., Passmore, M. R., Chan, C. H. H., Malfertheiner, M. V., Fanning, J. P., Bouquet, M., Millar, J. E., Fraser, J. F., & Suen, J. Y. (2019). Low flow rate alters haemostatic parameters in an ex-vivo extracorporeal membrane oxygenation circuit. *Intensive Care Medicine Experimental*, 7(1). <https://doi.org/10.1186/s40635-019-0264-z>
- Kirali, K., Coselli, J. S., & Kalangos, A. (Eds.). (2022). Cardiopulmonary bypass. Academic Press.
- Lannemyr, L., Bragadottir, G., Krumbholz, V., Redfors, B., Sellgren, J., & Ricksten, S.-E. (2017). Effects of cardiopulmonary bypass on renal perfusion, filtration, and oxygenation in patients undergoing cardiac surgery. *Anesthesiology*, 126(2), 205–213. doi:10.1097/aln.0000000000001461
- Lauterbach, G., Altmeyen Jürgen. (1996). *Handbuch der kardiotechnik*. G. Fischer.
- Lederman, H.M., Brill, C.R., & Murphy, P.A. (1987) ‘Interleukin 1-driven secretion of interleukin 2 is highly temperature-dependent.’, *The Journal of Immunology*, 138(11), pp. 3808–3811. doi:10.4049/jimmunol.138.11.3808.
- Liebold, A., Keyl, C., & Birnbaum, D.E. (1999) ‘The heart produces but the lungs consume proinflammatory cytokines following cardiopulmonary bypass¹’, *European Journal of Cardio-Thoracic Surgery*, 15(3), pp. 340–345. doi:10.1016/s1010-7940(99)00038-x.
- Liu, M.-H., Yu, H., & Zhou, R.-H. (2022) ‘Application of adsorptive blood purification techniques during cardiopulmonary bypass in cardiac surgery’, *Oxidative Medicine and Cellular Longevity*, 2022, pp. 1–14. doi:10.1155/2022/6584631.
- Luz, H. L., & Auler Junior, J. O. (2002). Temperature and acid-base balance in coronary bypass grafting with cardiopulmonary bypass, under hypothermia and normothermia. *Revista Brasileira de Anestesiologia*, 52(2), 197–208. doi:10.1590/s0034-70942002000200007

- Machin, D., & Allsager, C. (2006). Principles of cardiopulmonary bypass. *Continuing Education in Anaesthesia Critical Care & Pain*, 6(5), 176-181. <https://doi.org/10.1093/bjaceaccp/mkl043>
- Mackenzie, D. C., & Noble, V. E. (2014). Assessing volume status and fluid responsiveness in the emergency department. *Clinical and Experimental Emergency Medicine*, 1(2), 67-77. doi:10.15441/ceem.14.040
- Madhavan, S., Chan, S.-P., Tan, W.-C., Eng, J., Li, B., Luo, H.-D., *et al.* (2018). Cardiopulmonary bypass time: Every minute counts. *The Journal of Cardiovascular Surgery*, 59(2). doi:10.23736/s0021-9509.17.09864-0
- Magruder, J. T., Dungan, S. P., Grimm, J. C., Harness, H. L., Wierschke, C., Castillejo, S., *et al.* (2015). Nadir oxygen delivery on bypass and hypotension increase acute kidney injury risk after cardiac operations. *The Annals of Thoracic Surgery*, 100(5), 1697-1703. doi:10.1016/j.athoracsur.2015.05.059
- Magruder, J. T., Crawford, T. C., Harness, H. L., Grimm, J. C., Suarez-Pierre, A., Wierschke, C., *et al.* (2017). A pilot goal-directed perfusion initiative is associated with less acute kidney injury after cardiac surgery. *The Journal of Thoracic and Cardiovascular Surgery*, 153(1). doi:10.1016/j.jtcvs.2016.09.016
- Magruder, J. T., Fraser, C. D., Grimm, J. C., Crawford, T. C., Beaty, C. A., Suarez-Pierre, A., *et al.* (2018). Correlating oxygen delivery during cardiopulmonary bypass with the neurologic injury biomarker ubiquitin C-terminal hydrolase L1 (UCH-L1). *Journal of Cardiothoracic and Vascular Anesthesia*, 32(6), 2485-2492. doi:10.1053/j.jvca.2018.05.021
- Mamikonian, L. S., Mamo, L. B., Smith, P. B., Koo, J., Lodge, A. J., & Turi, J. L. (2014). Cardiopulmonary bypass is associated with hemolysis and acute kidney injury in neonates, infants, and children. *Pediatric Critical Care Medicine*, 15(3). doi:10.1097/pcc.0000000000000047

- Mao, H., Katz, N., Ariyanon, W., Blanca-Martos, L., Adýbelli, Z., Giuliani, A., *et al.* (2013). Cardiac surgery-associated acute kidney injury. *Cardiorenal Medicine*, 3(3), 178–199. doi:10.1159/000353134
- Martínez-Comendador, J.M., Alvarez, J.R., Mosquera, I., Sierra, J., Adrio, B., Carro, J. G., *et al.* (2009) ‘Preoperative statin treatment reduces systemic inflammatory response and myocardial damage in cardiac surgery’, *European Journal of Cardio-Thoracic Surgery*, 36(6), pp. 998–1005. doi:10.1016/j.ejcts.2009.05.022.
- Mazzeffi, M., Marotta, M., Lin, H.-M., & Fischer, G. (2012). Duration of deep hypothermia during aortic surgery and the risk of perioperative blood transfusion. *Annals of Cardiac Anaesthesia*, 15(4), 266. doi:10.4103/0971-9784.101855
- Menasché, P., Haydar, S., Peynet, J., Buit, C.D., Merval, R., Bloch, G., *et al.* (1994) ‘A potential mechanism of vasodilation after warm heart surgery: The temperature-dependent release of cytokines’, *The Journal of Thoracic and Cardiovascular Surgery*, 107(1), pp. 293–299. doi:10.1016/s0022-5223(94)70484-8.
- Miao, Q., Wu, D. J., Chen, X., Xu, M., Sun, L., Guo, Z., *et al.* (2021). Target blood pressure management during cardiopulmonary bypass improves lactate levels after cardiac surgery: A randomized controlled trial. *BMC Anesthesiology*, 21(1). doi:10.1186/s12871-021-01537-w
- Miller, B.E. & Levy, J.H. (1997) ‘The inflammatory response to cardiopulmonary bypass’, *Journal of Cardiothoracic and Vascular Anesthesia*, 11(3), pp. 355–366. doi:10.1016/s1053-0770(97)90106-3.
- Minxin Wei, Pekka Kuukasjärvi, & Jari (2001) ‘Cytokine responses in patients undergoing coronary artery bypass surgery after ischemic preconditioning’, *Scandinavian Cardiovascular Journal*, 35(2), pp. 142–146. doi:10.1080/140174301750164899.

- Misgeld J. E., B. (2006). *Automatic Control of the Heart-Lung Machine* (Doktor-Ingenieur). Ruhr-Universität Bochum.
- Misoph, M. & Babin-Ebell, J. (1997) 'Interindividual variations in cytokine levels following cardiopulmonary bypass', *Heart and Vessels*, 12(3), pp. 119–127. doi:10.1007/bf02767129.
- Morariu, A., Gu, Y., Huet, R., Siemons, W., Rakhorst, G., & Oeveren, W. (2004). Red blood cell aggregation during cardiopulmonary bypass: A pathogenic cofactor in endothelial cell activation? *European Journal of Cardio-Thoracic Surgery*, 26(5), 939–946. doi:10.1016/j.ejcts.2004.06.010
- Morris, C. R., & Kato, G. J. (2017). The defective arginine-nitric oxide pathway in sickle cell disease. In *Nitric Oxide* (pp. 355–371). Elsevier.
- Murakami, F., Usui, A., Hiroura, M., Kawamura, M., Koyama, T., & Murase, M. (1997). Clinical study of totally roller pumpless cardiopulmonary bypass system. *Artificial Organs*, 21(7), 803–807. doi:10.1111/j.1525-1594.1997.tb03747.x
- Murphy, G.S., Hessel, E.A. and Groom, R.C. (2009) 'Optimal perfusion during cardiopulmonary bypass: An evidence-based approach', *Anesthesia & Analgesia*, 108(5), pp. 1394–1417. doi:10.1213/ane.0b013e3181875e2e.
- Nader, E., Skinner, S., Romana, M., Fort, R., Lemonne, N., Guillot, N., *et al.* (2019). Blood rheology: Key parameters, impact on blood flow, role in sickle cell disease and effects of exercise. *Frontiers in Physiology*, 10. doi:10.3389/fphys.2019.01329
- Nesher, N., Frolkis, I., Vardi, M., Sheinberg, N., Bakir, I., Caselman, F., *et al.* (2006) 'Higher levels of serum cytokines and myocardial tissue penandas during on-pump versus off-pump coronary artery bypass surgery', *Journal of Cardiac Surgery*, 21(4), pp. 395–402. doi:10.1111/j.1540-8191.2006.00272.x.

- O'Connor, E., & Fraser, J. F. (2012). The interpretation of perioperative lactate abnormalities in patients undergoing cardiac surgery. *Anaesthesia and Intensive Care*, 40(4), 598–603. doi:10.1177/0310057x1204000404
- Olia, S. E., Maul, T. M., Antaki, J. F., & Kameneva, M. V. (2016). Mechanical blood trauma in assisted circulation: Sublethal RBC damage preceding hemolysis. *The International Journal of Artificial Organs*, 39(4), 150–159. doi:10.5301/ijao.5000478
- Papadopoulos, N., Bakhtiary, F., Grün, V., Weber, C., Strasser, C., & Moritz, A. (2013). The effect of normovolemic modified ultrafiltration on inflammatory mediators, endotoxins, terminal complement complexes and clinical outcome in high-risk cardiac surgery patients. *Perfusion*, 28(4), 306–314. doi:10.1177/0267659113478450
- Pickup, J. C., Mattock, M. B., Chusney, G. D., & Burt, D. (1997) 'NIDDM as a disease of the innate immune system: Association of acute-phase reactants and interleukin-6 with metabolic syndrome X', *Diabetologia*, 40(11), pp. 1286–1292. doi:10.1007/s001250050822.
- Polaschegg HD (2009) 'Red blood cell damage from extracorporeal circulation in hemodialysis'. *Semin Dial* 22:524–531. <https://doi.org/10.1111/j.1525-139X.2009.00616.x>.
- Qing, M., Vazquez-Jimenez, J. F., Klosterhalfen, B., Sigler, M., Schumacher, K., Duchateau, J., *et al.* (2001) 'Influence of temperature during cardiopulmonary bypass on leukocyte activation, cytokine balance, and post-operative organ damage', *Shock*, 15(5), pp. 372–377. doi:10.1097/00024382-200115050-00007.
- Ramsingh, D., Hu, H., Yan, M., Lauer, R., Rabkin, D., Gatling, J., *et al.* (2021). Perioperative individualized goal directed therapy for cardiac surgery: A

historical-prospective, comparative effectiveness study. *Journal of Clinical Medicine*, 10(3), 400. doi:10.3390/jcm10030400

Ranucci, M., Biagioli, B., Scolletta, S., Grillone, G., Cazzaniga, A., Cattabriga, I., *et al.* (2006). Lowest hematocrit on cardiopulmonary bypass impairs the outcome in coronary surgery: An Italian Multicenter Study from the National Cardioanesthesia Database. *Tex Heart Inst J*, 33(3), 300–305.

Ranucci, Marco, Carboni, G., Cotza, M., Bianchi, P., Di Dedda, U., *et al.* (2015). Hemodilution on cardiopulmonary bypass as a determinant of early postoperative hyperlactatemia. *PLOS ONE*, 10(5). doi:10.1371/journal.pone.0126939

Ranucci, M., Aloisio, T., Carboni, G., Ballotta, A., Pistuddi, V., Menicanti, L., *et al.* (2015). Acute kidney injury and hemodilution during cardiopulmonary bypass: A changing scenario. *The Annals of Thoracic Surgery*, 100(1), 95–100. doi:10.1016/j.athoracsur.2015.02.034

Ranucci, Marco, Johnson, I., Willcox, T., Baker, R. A., Boer, C., Baumann, A., *et al.* (2018). Goal-directed perfusion to reduce acute kidney injury: A randomized trial. *The Journal of Thoracic and Cardiovascular Surgery*, 156(5). doi:10.1016/j.jtcvs.2018.04.045

Ricci, Z., Pezzella, C., Romagnoli, S., Iodice, F., Haiberger, R., Carotti, A., & Cogo, P. (2014) ‘High levels of free haemoglobin in neonates and infants undergoing surgery on Cardiopulmonary Bypass’, *Interactive CardioVascular and Thoracic Surgery*, 19(2), pp. 183–187. doi:10.1093/icvts/ivu129.

Rebeyka, I. M., Coles, J. G., Wilson, G. J., Watanabe, T., Taylor, M. J., Adler, S. F., *et al.* (1987). The effect of low-flow cardiopulmonary bypass on cerebral function: An experimental and clinical study. *The Annals of Thoracic Surgery*, 43(4), 391–396. doi:10.1016/s0003-4975(10)62812-3

- Reiter, C. D., Wang, X., Tanus-Santos, J. E., Hogg, N., Cannon, R. O., Schechter, A. N., *et al.* (2002). Cell-free hemoglobin limits nitric oxide bioavailability in sickle-cell disease. *Nature Medicine*, 8(12), 1383–1389. doi:10.1038/nm1202-799
- Ricci, Z., Pezzella, C., Romagnoli, S., Iodice, F., Haiberger, R., Carotti, A., *et al.* (2014). High levels of free haemoglobin in neonates and infants undergoing surgery on Cardiopulmonary Bypass. *Interactive CardioVascular and Thoracic Surgery*, 19(2), 183–187. doi:10.1093/icvts/ivu129
- Roth-Isigkeit, Borstel, Seyfarth, & Schmucker.. (1999) ‘Perioperative serum levels of tumour-necrosis-factor alpha (TNF- α), il-1 β , IL-6, IL-10 and soluble IL-2 receptor in patients undergoing cardiac surgery with cardiopulmonary bypass without and with correction for haemodilution’, *Clinical and Experimental Immunology*, 118(2), pp. 242–246. doi:10.1046/j.1365-2249.1999.01050.x.
- Rother, R. P., Bell, L., Hillmen, P., & Gladwin, M. T. (2005). The clinical sequelae of intravascular hemolysis and extracellular plasma hemoglobin. *JAMA*, 293(13), 1653. doi:10.1001/jama.293.13.1653
- Royston, D. (1997). The inflammatory response and extracorporeal circulation. *Journal of Cardiothoracic and Vascular Anesthesia*, 11(3), 341–354. doi:10.1016/s1053-0770(97)90105-1
- RSJPDHK. (2021). Laporan Tahunan RSJPD Harapan Kita Tahun Anggaran 2021. Jakarta 2021.
- RSUP dr. Sardjito (2021). Laporan Kinerja (LKj) RSUP Dr. Sardjito Tahun 2020. Yogyakarta 2021.
- Saini, H.K., Xu, Y., Zhang, M., Liu, P. P., Kirshenbaum, L.A., & Dhalla, N.S. (2005) ‘Role of tumour necrosis factor-alpha and other cytokines in ischemia-reperfusion-induced injury in the heart’, *Exp Clin Cardio*, 10(4), pp. 213-222.

- Samyn, M.M. & LaDisa, J.F. (2016) 'Novel applications of Cardiovascular Magnetic Resonance Imaging-based computational fluid dynamics modeling in pediatric cardiovascular and congenital heart disease', *Assessment of Cellular and Organ Function and Dysfunction using Direct and Derived MRI Methodologies* [Preprint]. doi:10.5772/64814.
- Satoh, T., Xu, Q., Wang, L., & Gladwin, M. T. (2018) 'Hemolysis-mediated toxicity during cardiopulmonary bypass ameliorated by inhaled nitric oxide gas', *American Journal of Respiratory and Critical Care Medicine*, 198(10), pp. 1244–1246. doi:10.1164/rccm.201806-1165ed.
- Schaer, C. A., Deuel, J. W., Bittermann, A. G., Rubio, I. G., Schoedon, G., Spahn, D. R., *et al.* (2013). Mechanisms of haptoglobin protection against hemoglobin peroxidation triggered endothelial damage. *Cell Death & Differentiation*, 20(11), 1569–1579. doi:10.1038/cdd.2013.113
- Schöps, M., Groß-Hardt, S. H., Schmitz-Rode, T., Steinseifer, U., Brodie, D., Clauser, J. C., *et al.* (2021). Hemolysis at low blood flow rates: In-vitro and in-silico evaluation of a centrifugal blood pump. *Journal of Translational Medicine*, 19(1). doi:10.1186/s12967-020-02599-z
- Schwann, T. A., Habib, R. H., Zacharias, A., Parenteau, G. L., Riordan, C. J., Durham, S. J., & Engoren, M. (2001) 'Effects of body size on operative, intermediate, and long-term outcomes after coronary artery bypass operation', *The Annals of Thoracic Surgery*, 71(2), pp. 521–530. doi:10.1016/s0003-4975(00)02038-5.
- Seghaye, M.-C., Qing, M., & von Bernuth, G. (2001) 'Systemic inflammatory response to cardiac surgery: does female sex really protect?', *Critical Care*, 5(6), p. 280. doi:10.1186/cc1047.
- Semler, M. W., & Singer, M. (2019). Deconstructing hyperlactatemia in sepsis using central venous oxygen saturation and base deficit. *American Journal of*

Respiratory and Critical Care Medicine, 200(5), 526–527.
doi:10.1164/rccm.201904-0899ed

Shi, C., Zhu, L., Chen, X., Gu, N., Chen, L., Zhu, L., *et al.* (2014) ‘IL-6 and TNF- α induced obesity-related inflammatory response through transcriptional regulation of mir-146b’, *Journal of Interferon & Cytokine Research*, 34(5), pp. 342–348. doi:10.1089/jir.2013.0078.

Shoemaker, W. C., Appel, P. L., Kram, H. B., Waxman, K., & Lee, T.-S. (1988). Prospective trial of supranormal values of survivors as therapeutic goals in high-risk surgical patients. *Chest*, 94(6), 1176–1186.
doi:10.1378/chest.94.6.1176

Siswanto, Meilinda, Amalia, L., Aryanto, Djunaedi, & Mulyana, N. (2019). *Metadata Penelitian Badan Penelitian dan Pengembangan Kesehatan, Tahun 2018* (1st ed., Vol. 1). Jakarta: Lembaga Penerbit Balitbangkes.

Society of Thoracic Surgeons. Adult Cardiac Surgery Database: executive summary: 10 years: STS period ending 09/30/2018.

Steidl, S. (2011). *Effects of Cardiopulmonary Bypass: The Adverse Effects of the Cardiopulmonary Bypass Machine* (Honors Program). Liberty University.

Stephenson L.W., Baciewicz Jr. F.A. (2015). Development of Cardiopulmonary Bypass in *Cardiopulmonary bypass and mechanical support principal and practice 4th* Ed. Woter Kluwer pg 710-731.

Sucipto, C. (2020). *Metodologi Penelitian Kesehatan*. Gosyen Publishing.

Supomo, Aryandono, T., Soesatyo, M., & Sudiharto, P. (2017). The effect of combination of hemofilter, pre- and intraoperative methylprednisolone administration on systemic inflammatory response syndrome (SIRS) post open heart surgery. *Journal of Thee Medical Sciences (Berkala Ilmu Kedokteran)*, 49(01), 8–15.
doi:10.19106/jmedsci004901201702

- Svitek, V., Lonsky, V., & Anjum, F. (2010). Pathophysiological aspects of cardiotomy suction usage. *Perfusion*, 25(3), 147–152. doi:10.1177/0267659110371858
- Tassani, P., Richter, J. A., Eising, G. P., Barankay, A., Braun, S. L., Haehnel, C. H., *et al.* (1999). Influence of combined zero-balanced and modified ultrafiltration on the systemic inflammatory response during coronary artery bypass grafting. *Journal of Cardiothoracic and Vascular Anesthesia*, 13(3), 285–291. doi:10.1016/s1053-0770(99)90265-3
- Teixeira, F. de, Fernandes, T. E., Leal, K. C., Ribeiro, K. R., Dantas, D. V., & Dantas, R. A. (2024). Factors associated with increased lactate levels in cardiac surgeries: Scoping review. *Revista Brasileira de Enfermagem*, 77(1). doi:10.1590/0034-7167-2023-0117
- Tian, M., Yuan, Y.-C., Li, J.-Y., Gionfriddo, M. R., & Huang, R.-C. (2015) ‘Tumor necrosis factor- α and its role as a mediator in myocardial infarction: A brief review’, *Chronic Diseases and Translational Medicine*, 1(1), pp. 18–26. doi:10.1016/j.cdtm.2015.02.002.
- Tribuddharat, S., Sathitkarnmanee, T., Ngamsangsirisup, K., & Nongnuang, K. (2021). *Efficacy of Intraoperative Hemodynamic Optimization Using FLOTRAC/EV1000 Platform for Early Goal-Directed Therapy to Improve Postoperative Outcomes in Patients Undergoing Coronary Artery Bypass Graft with Cardiopulmonary Bypass: A Randomized Controlled Trial*. doi:10.21203/rs.3.rs-257557/v1
- Trotter, A., Mück, K., Grill, H.-J., Schirmer, U., Hannekum, A., & Lang, D. (2001). Gender-related plasma levels of progesterone, interleukin-8 and interleukin-10 during and after cardiopulmonary bypass in infants and children. *Critical Care*, 5(6). doi:10.1186/cc1067
- Tu, L. N., Hsieh, L., Kajimoto, M., Charette, K., Kibiryeve, N., Forero, A., *et al.* (2021). Shear stress associated with cardiopulmonary bypass induces

expression of inflammatory cytokines and necroptosis in monocytes. *JCI Insight*, 6(1). doi:10.1172/jci.insight.141341

Valentine, S., Barrowcliffe, M., & Peacock, J. (1993). A comparison of effects of fixed and tailored cardiopulmonary bypass flowrates on renal function. *Anaesthesia and Intensive Care*, 21(3), 304–308. doi:10.1177/0310057x9302100308

Vercaemst, L. (2008). Hemolysis in cardiac surgery patients undergoing cardiopulmonary bypass: A review in search of a treatment algorithm. *The Journal of ExtraCorporeal Technology*, 40(4), 257–267. doi:10.1051/ject/200840257

Vermeulen Windsant, I. C., de Wit, N. C., Sertorio, J. T., van Bijnen, A. A., Ganushchak, Y. M., Heijmans, J. H., *et al.* (2014). Hemolysis during cardiac surgery is associated with increased intravascular nitric oxide consumption and perioperative kidney and intestinal tissue damage. *Frontiers in Physiology*, 5. doi:10.3389/fphys.2014.00340

Verma, S., Fedak, P. W. M., Weisel, R. D., Butany, J., Rao, V., Maitland, A., Li, R.-K., Dhillon, B., & Yau, T. M. (2002). Fundamentals of reperfusion injury for the clinical cardiologist. *Circulation*, 105(20), 2332–2336.

Vermeulen Windsant, I.C. *et al.* (2011) ‘Cardiovascular surgery and organ damage: Time to reconsider the role of hemolysis’, *The Journal of Thoracic and Cardiovascular Surgery*, 142(1), pp. 1–11. doi:10.1016/j.jtcvs.2011.02.012.

Wang, L., Chen, Q., Qiu, Y. Q., Ye, J. X., Du, J. Z., Lv, X. C., *et al.* (2020). Effects of cardiopulmonary bypass with low-priming volume on clinical outcomes in children undergoing congenital heart disease surgery. *Journal of Cardiothoracic Surgery*, 15(1). doi:10.1186/s13019-020-01151-w

- Wartier, D. C., Laffey, J. G., Boylan, J. F., & Cheng, D. C. H. (2002) 'The systemic inflammatory response to cardiac surgery', *Anesthesiology*, 97(1), pp. 215–252. doi:10.1097/00000542-200207000-00030.
- Warner, C.D., Weintraub, W.S., Craver, J.M., Jones, E.L., Gott, J.P., & Guyton, R.A. (1997) 'Effect of cardiac surgery patient characteristics on patient outcomes from 1981 through 1995', *Circulation*, 96(5), pp. 1575–1579. doi:10.1161/01.cir.96.5.1575.
- Weerasinghe, A., & Taylor, K. M. (1998). The platelet in Cardiopulmonary Bypass. *The Annals of Thoracic Surgery*, 66(6), 2145–2152. doi:10.1016/s0003-4975(98)00749-8
- Wilopo, S. A. (2024). *Sampling dan Estimasi Besar Sampel Aplikasi di Bidang Kedokteran dan Kesehatan Masyarakat* (1st ed., Vol. 1). Yogyakarta, Indonesia: Pusat Kesehatan Reproduksi FKMK UGM.
- Windsant, I. C., de Wit, N. C., Sertorio, J. T., van Bijnen, A. A., Ganushchak, Y. M., Heijmans, J. H., *et al.* (2014). Hemolysis during cardiac surgery is associated with increased intravascular nitric oxide consumption and perioperative kidney and intestinal tissue damage. *Frontiers in Physiology*, 5. doi:10.3389/fphys.2014.00340
- Xu, Z.W. (2000) 'Deep hypothermia with circulatory arrest or low flow perfusion', in *Pediatric Cardiac Surgery*. Shandong, China: Shandong Science and Technology Publisher, pp. 199–205.
- Yoon, S. Z., Jang, I.-J., Choi, Y. J., Kang, M. H., Lim, H. J., Lim, Y. J., *et al.* (2009) 'Association between tumor necrosis factor α 308G/a polymorphism and increased proinflammatory cytokine release after cardiac surgery with cardiopulmonary bypass in the Korean population', *Journal of Cardiothoracic and Vascular Anesthesia*, 23(5), pp. 646–650. doi:10.1053/j.jvca.2009.03.004.

Zante, B., Reichenspurner, H., Kubik, M., Kluge, S., Schefold, J. C., & Pfortmueller, C. A. (2018). Base excess is superior to lactate-levels in prediction of ICU mortality after Cardiac Surgery. *PLOS ONE*, 13(10). doi:10.1371/journal.pone.0205309

Zhang, P., Wu, X., Li, G., He, Q., Dai, H., Ai, C., & Shi, J. (2017) ‘Tumor necrosis factor-alpha gene polymorphisms and susceptibility to ischemic heart disease’, *Medicine*, 96(14). doi:10.1097/md.00000000000006569