

DAFTAR PUSTAKA

- Acharya, U., Daigh, A. L. M., & Oduor, P. G. (2022). Soil Moisture Mapping with Moisture-Related Indices, OPTRAM, and an Integrated Random Forest-OPTRAM Algorithm from Landsat 8 Images. *Remote Sensing*, *14*(15). <https://doi.org/10.3390/rs14153801>
- Acreman, M., & Holden, J. (2013). How wetlands affect floods. *Wetlands*, *33*(5), 773–786. <https://doi.org/10.1007/s13157-013-0473-2>
- Aliabad, A. F., Zare, M., & Ghafarian Malamiri, H. (2020). A comparative assessment of the accuracies of split-window algorithms for retrieving of land surface temperature using Landsat 8 data. *Modeling Earth Systems and Environment*, *7*(4), 2267–2281. <https://doi.org/10.1007/s40808-020-01007-1>
- Allen, W. A., & Richardson, A. J. (1968). Interaction of Light with a Plant Canopy. *J. Opt. Soc. Am.*, *58*(8), 1023–1028. <https://doi.org/10.1364/JOSA.58.001023>
- Amazirh, A., Merlin, O., Er-Raki, S., Gao, Q., Rivalland, V., Malbeteau, Y., Khabba, S., & Escorihuela, M. J. (2018). Retrieving surface soil moisture at high spatio-temporal resolution from a synergy between Sentinel-1 radar and Landsat thermal data: A study case over bare soil. *Remote Sensing of Environment*, *211*(November 2017), 321–337. <https://doi.org/10.1016/j.rse.2018.04.013>
- Amjad, M., Ahmad, I., Ahmad, M., Wróblewski, P., Kamiński, P., & Amjad, U. (2022). Prediction of Pile Bearing Capacity Using XGBoost Algorithm: Modeling and Performance Evaluation. *Applied Sciences (Switzerland)*, *12*(4). <https://doi.org/10.3390/app12042126>
- Apers, S., De Lannoy, G. J. M., Baird, A. J., Cobb, A. R., Dargie, G. C., del Aguila Pasquel, J., Gruber, A., Hastie, A., Hidayat, H., Hirano, T., Hoyt, A. M., Jovani-Sancho, A. J., Katimon, A., Kurnain, A., Koster, R. D., Lampela, M., Mahanama, S. P. P., Melling, L., Page, S. E., ... Bechtold, M. (2022). Tropical Peatland Hydrology Simulated With a Global Land Surface Model. *Journal of Advances in Modeling Earth Systems*, *14*(3), 1–39. <https://doi.org/10.1029/2021MS002784>
- Asmuß, T., Bechtold, M., & Tiemeyer, B. (2019). On the potential of Sentinel-1 for high resolution monitoring of water table dynamics in grasslands on organic soils. *Remote Sensing*, *11*(14). <https://doi.org/10.3390/rs11141659>
- Bechtold, M., Schlaffer, S., Tiemeyer, B., & De Lannoy, G. (2018). Inferring water table depth dynamics from ENVISAT-ASAR C-band backscatter over a range of peatlands from deeply-drained to natural conditions. *Remote Sensing*, *10*(4), 1–21. <https://doi.org/10.3390/rs10040536>
- Berrar, D. (2018). Cross-validation. *Encyclopedia of Bioinformatics and Computational Biology: ABC of Bioinformatics*, *1*(January 2018), 542–545. <https://doi.org/10.1016/B978-0-12-809633-8.20349-X>
- Bhogapurapu, N., Dey, S., Mandal, D., Bhattacharya, A., Karthikeyan, L., McNairn, H., & Rao, Y. S. (2022). Soil moisture retrieval over croplands using dual-pol L-band GRD SAR data. *Remote Sensing of Environment*, *271*(January), 112900.

<https://doi.org/10.1016/j.rse.2022.112900>

- Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. *In Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD '16)*, 785–794. <https://doi.org/10.1145/2939672.2939785>
- Chen, X., & Jeong, J. C. (2007). Enhanced Recursive Feature Elimination. *Proceedings - 6th International Conference on Machine Learning and Applications*, 330–335. <https://doi.org/10.1109/ICMLA.2007.35>
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation. *PeerJ Computer Science*, 7, 1–24. <https://doi.org/10.7717/PEERJ-CS.623>
- Chung, J., Lee, Y., Kim, J., Jung, C., & Kim, S. (2022). Soil Moisture Content Estimation Based on Sentinel-1 SAR Imagery Using an Artificial Neural Network and Hydrological Components. *Remote Sensing*, 14(3), 465. <https://doi.org/10.3390/rs14030465>
- Czapiewski, S., & Szumińska, D. (2022). An overview of remote sensing data applications in peatland research based on works from the period 2010–2021. *Land*, 11(1). <https://doi.org/10.3390/land11010024>
- Dariah, A., & Nurzakiah, S. (2014). Karakteristik Lahan Gambut. In *Panduan Pengelolaan Berkelanjutan Lahan Gambut Terdegradasi* (pp. 16–29). Badan Penelitian dan Pengembangan Pertanian. <https://balittanah.litbang.pertanian.go.id/>
- Delbari, M. (2014). Accounting for exhaustive secondary data into the mapping of water table elevation. *Arabian Journal of Geosciences*, 7(10), 4221–4233. <https://doi.org/10.1007/s12517-013-0986-2>
- Dettmann, U., & Bechtold, M. (2016). Deriving Effective Soil Water Retention Characteristics from Shallow Water Table Fluctuations in Peatlands. *Vadose Zone Journal*, 15(10), 1–13. <https://doi.org/10.2136/vzj2016.04.0029>
- Di Tullio, M., Nocchi, F., Camplani, A., Emanuelli, N., Nascetti, A., & Crespi, M. (2018). Copernicus big data and google earth engine for glacier surface velocity field monitoring: Feasibility demonstration on san rafael and san quintin glaciers. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(3), 289–294. <https://doi.org/10.5194/isprs-archives-XLII-3-289-2018>
- dos Santos, E. P., Da Silva, D. D., & do Amaral, C. H. (2021). Vegetation cover monitoring in tropical regions using SAR-C dual-polarization index : seasonal and spatial influences. *International Journal of Remote Sensing*, 42(19), 7581–7609. <https://doi.org/10.1080/01431161.2021.1959955>
- El Hajj, M., Baghdadi, N., & Zribi, M. (2019). Comparative analysis of the accuracy of surface soil moisture estimation from the C- and L-bands. *International*

- Journal of Applied Earth Observation and Geoinformation*, 82(June), 101888.
<https://doi.org/10.1016/j.jag.2019.05.021>
- Endrawati, Purwanto, J., Nugroho, S., & S, R. A. (2016). Identifikasi Areal Bekas Kebakaran Hutan Dan Lahan Menggunakan Analisis Semi Otomatis Citra Satelit. *Seminar Nasional Geomatika 2017: Inovasi Teknologi Penyediaan Informasi Geospasial Untuk Pembangunan Berkelanjutan*, 273–282.
- ESA. (2013). *Sentinel-1 User Handbook*. European Space Agency.
<https://sentinel.esa.int/>
- Febrianti, N., Murti Laksono, K., & Barus, B. (2018). Model Estimasi Tinggi Muka Air Tanah Lahan Gambut Menggunakan Indeks Kekeringan. *Jurnal Penginderaan Jauh*, 15(1), 25–36.
- Filipponi, F. (2019). *Sentinel-1 GRD Preprocessing Workflow*. 11.
<https://doi.org/10.3390/ecrs-3-06201>
- Flores-Anderson, A. I., Herndon, K. E., Thapa, R. B., & Cherrington, E. (2019). *SAR Handbook: Comprehensive Methodologies for Forest Monitoring and Biomass Estimation*. <https://doi.org/10.25966/nr2c-s697>
- Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. *Annals of Statistics*, 29(5), 1189–1232. <https://doi.org/10.1214/aos/1013203451>
- Fujiwara, A., Masuzawa, T., & Fujiwara, H. (1995). An optimal parallel algorithm for the Euclidean distance maps of 2-D binary images. *Information Processing Letters*, 54(5), 295–300. [https://doi.org/10.1016/0020-0190\(95\)00041-A](https://doi.org/10.1016/0020-0190(95)00041-A)
- Funk, C., Peterson, P., Landsfeld, M., Pedreros, D., Verdin, J., Shukla, S., Husak, G., Rowland, J., Harrison, L., Hoell, A., & Michaelsen, J. (2015). The climate hazards infrared precipitation with stations - A new environmental record for monitoring extremes. *Scientific Data*, 2, 1–21.
<https://doi.org/10.1038/sdata.2015.66>
- Geron, A. (2019). End-to-End Machine Learning Project. In *Hands-on Machine Learning with Scikit-Learn, Keras & TensorFlow* (pp. 35–84). O'Reilly Media.
- Ghahremanloo, M., Mobasheri, M. R., & Amani, M. (2019). Soil moisture estimation using land surface temperature and soil temperature at 5 cm depth. *International Journal of Remote Sensing*, 40(1), 104–117.
<https://doi.org/10.1080/01431161.2018.1501167>
- Ghajarnia, N., Destouni, G., Thorslund, J., Kalantari, Z., Ahlén, I., Anaya-Acevedo, J. A., Blanco-Libreros, J. F., Borja, S., Chalov, S., Chalova, A., Chun, K. P., Clerici, N., Desormeaux, A., Garfield, B. B., Girard, P., Gorelits, O., Hansen, A., Jaramillo, F., Jarsjö, J., ... Zamora, D. (2020). Data for wetlandscapes and their changes around the world. *Earth System Science Data*, 12(2), 1083–1100.
<https://doi.org/10.5194/essd-12-1083-2020>
- Ghazaryan, G., Krupp, L., Seyfried, S., Landgraf, N., & Nendel, C. (2024). Enhancing peatland monitoring through multisource remote sensing: optical and radar data

- applications. *International Journal of Remote Sensing*, 45(18), 6372–6394. <https://doi.org/10.1080/01431161.2024.2387133>
- Ghilani, C. D. (2010). *Adjustment Computations Spatial Data Analysis Fifth Edition*.
- Goldberg, D. E., & Holland, J. H. (1988). Genetic Algorithms and Machine Learning. *Machine Learning*, 3, 95–99.
- Gonnelli, A., Carlà, R., Baronti, S., & Raimondi, V. (2023). Near-Infrared and Short-Wavelength Infrared-Based Indices to Monitor Soil Moisture from a Satellite: A Comparative Analysis. *Engineering Proceedings*, 51(1). <https://doi.org/10.3390/engproc2023051029>
- Greenpeace. (2024). *INDONESIA'S CHRONIC FOREST FIRES 2023*.
- Guo, X., Wang, X. sheng, Li, J., Wang, T., Zhao, Z., Hao, H., Zhan, H., Wang, Q., & Hao, Y. (2021). An approximate analytical solution of depth to water table driven by periodical precipitation and evapotranspiration in shallow groundwater zones. *Advances in Water Resources*, 155(January), 104012. <https://doi.org/10.1016/j.advwatres.2021.104012>
- Han, L., Wang, C., Liu, Q., Wang, G., Yu, T., Gu, X., & Zhang, Y. (2020). Soil moisture mapping based on multi-source fusion of optical, near-infrared, thermal infrared, and digital elevation model data via the bayesian maximum entropy framework. *Remote Sensing*, 12(23), 1–25. <https://doi.org/10.3390/rs12233916>
- Hegazi, E. H., Yang, L., & Huang, J. (2021). A convolutional neural network algorithm for soil moisture prediction from sentinel-1 SAR images. *Remote Sensing*, 13(24). <https://doi.org/10.3390/rs13244964>
- Hoffhine, E., & Sader, S. A. (2002). Detection of forest harvest type using multiple dates of Landsat TM imagery. *Remote Sensing of Environment*, 80, 385–396.
- Hrysiewicz, A., Holohan, E. P., Donohue, S., & Cushnan, H. (2023). SAR and InSAR data linked to soil moisture changes on a temperate raised peatland subjected to a wildfire. *Remote Sensing of Environment*, 291(February), 113516. <https://doi.org/10.1016/j.rse.2023.113516>
- Huang, X., Yu, Z., Wei, X., Shi, J., Wang, Y., Wang, Z., Chen, J., Bu, S., Li, L., Gao, F., Zhang, J., & Xu, A. (2021). Prediction of vancomycin dose on high-dimensional data using machine learning techniques. *Expert Review of Clinical Pharmacology*, 14(6), 761–771. <https://doi.org/10.1080/17512433.2021.1911642>
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Envi*, 83, 195–213.
- Ibrahim, G. R. F., Rasul, A., & Abdullah, H. (2023). Assessing how irrigation practices and soil moisture affect crop growth through monitoring Sentinel-1 and Sentinel-2 data. *Environmental Monitoring and Assessment*, 195(11). <https://doi.org/10.1007/s10661-023-11871-w>

- Imran, Y., Melling, L., Wong, G. X., Hatano, R., Inoue, T., Aeries, E. B., Goh, K. J., & Mah, D. Y. S. (2022). Long term dynamics of surface fluctuation in a peat swamp forest in Sarawak, Malaysia. *Environmental Research Communications*, 4(4). <https://doi.org/10.1088/2515-7620/ac6295>
- Isoaho, A., Ikkala, L., Pääkkilä, L., Marttila, H., Kareksela, S., & Räsänen, A. (2024). Multi-sensor satellite imagery reveals spatiotemporal changes in peatland water table after restoration. *Remote Sensing of Environment*, 306(October 2023). <https://doi.org/10.1016/j.rse.2024.114144>
- Jaenicke, J. (2010). *3D modelling and monitoring of Indonesian peatlands aiming at global climate change mitigation*. 1–105. [papers2://publication/uuid/44575B69-7E50-443D-A5DF-1A05D6D783BD](https://doi.org/10.1016/j.rse.2024.114144)
- Jamasy, O., & Suwendar, A. (2019). Pemulihan Ekosistem Gambut. In *Pemulihan Ekosistem Gambut Berbasis Pemandirian Masyarakat* (pp. 14–42). Direktorat Pengendalian Kerusakan Gambut Kementerian Lingkungan Hidup dan Kehutanan.
- James, P., Berrigan, D., Hart, J. E., Hipp, J. A., Hoehner, C. M., Kerr, J., Major, J. M., Oka, M., & Laden, F. (2014). Effects of Buffer Size and Shape on Associations between the Built Environment and Energy Balance Peter. *Health Place*, 27, 162–170. <https://doi.org/10.1016/j.healthplace.2014.02.003.Effects>
- Jatmiko, R. H. (2016). *Penggunaan Citra Saluran Inframerah Termal Untuk Studi Perubahan Liputan Lahan dan Suhu Sebagai Indikator Perubahan Iklim Perkotaan di Yogyakarta*.
- Jimenez-Munoz, J. C., Sobrino, J. A., Skokovic, D., Mattar, C., & Cristobal, J. (2014). Land surface temperature retrieval methods from landsat-8 thermal infrared sensor data. *IEEE Geoscience and Remote Sensing Letters*, 11(10), 1840–1843. <https://doi.org/10.1109/LGRS.2014.2312032>
- Jin, M., & Liang, S. (2006). An improved land surface emissivity parameter for land surface models using global remote sensing observations. *Journal of Climate*, 19(12), 2867–2881. <https://doi.org/10.1175/JCLI3720.1>
- Kalacska, M., Arroyo-Mora, J. P., Soffer, R. J., Roulet, N. T., Moore, T. R., Humphreys, E., Leblanc, G., Lucanus, O., & Inamdar, D. (2018). Estimating Peatland water table depth and net ecosystem exchange: A comparison between satellite and airborne imagery. *Remote Sensing*, 10(5). <https://doi.org/10.3390/rs10050687>
- Kazemi, M. M. K., Nabavi, Z., & Armaghani, D. J. (2024). A novel Hybrid XGBoost Methodology in Predicting Penetration Rate of Rotary Based on Rock-Mass and Material Properties. *Arabian Journal for Science and Engineering*, 49(4), 5225–5241. <https://doi.org/10.1007/s13369-023-08360-0>
- Klinke, R., Kuechly, H., Frick, A., Förster, M., Schmidt, T., Holtgrave, A. K., Kleinschmit, B., Spengler, D., & Neumann, C. (2018). Indicator-Based Soil Moisture Monitoring of Wetlands by Utilizing Sentinel and Landsat Remote

Sensing Data. *PFG - Journal of Photogrammetry, Remote Sensing and Geoinformation Science*, 86(2), 71–84. <https://doi.org/10.1007/s41064-018-0044-5>

Kornelsen, K. C., & Coulibaly, P. (2013). Advances in soil moisture retrieval from synthetic aperture radar and hydrological applications. *Journal of Hydrology*, 476, 460–489. <https://doi.org/10.1016/j.jhydrol.2012.10.044>

Krishnan, S., & Indu, J. (2023). Assessing the potential of temperature/vegetation index space to infer soil moisture over Ganga Basin. *Journal of Hydrology*, 621(May), 129611. <https://doi.org/10.1016/j.jhydrol.2023.129611>

Krzepek, K., Schmidt, J., & Iwaszczuk, D. (2022). Fusion of SAR and Multi-spectral Time Series for Determination of Water Table Depth and Lake Area in Peatlands. *PFG - Journal of Photogrammetry, Remote Sensing and Geoinformation Science*, 90(6), 561–575. <https://doi.org/10.1007/s41064-022-00216-w>

Kumar, L., & Mutanga, O. (2018). Google Earth Engine applications since inception: Usage, trends, and potential. *Remote Sensing*, 10(10), 1–15. <https://doi.org/10.3390/rs10101509>

Li, Z. L., Wu, H., Wang, N., Qiu, S., Sobrino, J. A., Wan, Z., Tang, B. H., & Yan, G. (2013). Land surface emissivity retrieval from satellite data. *International Journal of Remote Sensing*, 34(9–10), 3084–3127. <https://doi.org/10.1080/01431161.2012.716540>

Li, Z., Zhu, Q., & Gold, C. (2006). Digital Terrain Modeling: Principles and Methodology. In *Distributed Hydrologic Modeling Using GIS*. https://doi.org/10.1007/1-4020-2460-6_7

Limin, S. H., Jentha, & Ermiasi, Y. (2007). History of the Development of Tropical Peatland in Central Kalimantan, Indonesia. *Tropics*, 16(3), 291–301. <https://doi.org/10.3759/tropics.16.291>

Liu, Y., Qian, J., & Yue, H. (2021). Comprehensive Evaluation of Sentinel-2 Red Edge and Shortwave-Infrared Bands to Estimate Soil Moisture. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14, 7448–7465. <https://doi.org/10.1109/JSTARS.2021.3098513>

Lohberger, S., Stängel, M., Atwood, E. C., & Siegert, F. (2018). Spatial evaluation of Indonesia's 2015 fire-affected area and estimated carbon emissions using Sentinel-1. *Global Change Biology*, 24(2), 644–654. <https://doi.org/10.1111/gcb.13841>

Luo, D., Wen, X., & Li, S. (2023). An improved method for estimating soil moisture over cropland using SAR and optical data. *Earth Science Informatics*, 16(2), 1909–1916. <https://doi.org/10.1007/s12145-023-00996-8>

Ma, S., Zhou, Y., Gowda, P. H., Dong, J., Zhang, G., Kakani, V. G., Wagle, P., Chen, L., Flynn, K. C., & Jiang, W. (2019). Application of the water-related spectral reflectance indices: A review. *Ecological Indicators*, 98(August 2018), 68–79. <https://doi.org/10.1016/j.ecolind.2018.10.049>

- Maas, A., Prayitno, M. B., Aditya, T., Soekarno, I., Triadi, L. B., Anshari, G. Z., Suryadiputra, I. N., Jalil, A., Jamhari, Adiati, H., Sirait, M. T., & Subagiyo, H. (2020). Restorasi Gambut di Indonesia. In *Badan Restorasi Gambut*. Badan Restorasi Gambut.
- Mao, Z. Y., & Li, L. (2002). The strategies of integrating spatial data analysis and GIS. *Chinese Geographical Science*, *12*(3), 233–237. <https://doi.org/10.1007/s11769-002-0007-y>
- Masganti, Wahyunto, Dariah, A., Nurhayati, & Yusuf, R. (2014). Karakteristik Dan Potensi Pemanfaatan Lahan Gambut Terdegradasi Di Provinsi Riau. *Jurnal Sumberdaya Lahan*, *8*(1), 59–66.
- Mishra, S., Page, S. E., Cobb, A. R., Lee, J. S. H., Jovani-Sancho, A. J., Sjögersten, S., Jaya, A., Aswandi, & Wardle, D. A. (2021). Degradation of Southeast Asian tropical peatlands and integrated strategies for their better management and restoration. *Journal of Applied Ecology*, *58*(7), 1370–1387. <https://doi.org/10.1111/1365-2664.13905>
- Monteiro, A. T., Arenas-Castro, S., Punalekar, S. M., Cunha, M., Mendes, I., Giamberini, M., Marques da Costa, E., Fava, F., & Lucas, R. (2024). Remote sensing of vegetation and soil moisture content in Atlantic humid mountains with Sentinel-1 and 2 satellite sensor data. *Ecological Indicators*, *163*(July 2023). <https://doi.org/10.1016/j.ecolind.2024.112123>
- Muhamad, N. Z., & Rieley, J. O. (2001). Management of tropical peatlands Indonesia: mega reclamation project in Central Kalimantan. *Proceedings of the International Symposium on Tropical Peatland*, 155–167.
- Musthofa, F., Widyatmanti, W., Arjasakusuma, S., Umarhadi, D. A., Putri, D. A., Raharja, F. F., & Arrasyid, M. K. (2022). Machine Learning for Mapping Spatial Distribution of Thickness and Carbon Stock of Tropical Peatland Based on Remote Sensing Data : A Case Study in Lake Sentarum National Park, Indonesia. *Geographia Technica*, *17*(1), 46–57. <https://doi.org/10.21163/GT>
- Nasirzadehdizaji, R., Sanli, F. B., Abdikan, S., Cakir, Z., Sekertekin, A., & Ustuner, M. (2019). Sensitivity analysis of multi-temporal Sentinel-1 SAR parameters to crop height and canopy coverage. *Applied Sciences (Switzerland)*, *9*(4). <https://doi.org/10.3390/app9040655>
- NOAA. (2016). *Cold and Warm Episodes by Season*. https://origin.cpc.ncep.noaa.gov/products/analysis_monitoring/ensostuff/ONI_v5.php
- Ogundare, J. O. (2018). Understanding least squares estimation and geomatics data analysis. In *Understanding Least Squares Estimation and Geomatics Data Analysis*. <https://doi.org/10.1002/9781119501459>
- Osaki, M., & Tsuji, N. (2015). Tropical Peatland Ecosystems. In *Tropical Peatland Ecosystems*. https://doi.org/10.1007/978-4-431-55681-7_32
- Page, S. E., Hoscilo, A., Wösten, H., Jauhainen, J., Silvius, M., Rieley, J., Ritzema,

- H., Tansey, K., Graham, L., Vasander, H., & Limin, S. (2009). Restoration ecology of lowland tropical peatlands in Southeast Asia: Current knowledge and future research directions. *Ecosystems*, 12(6), 888–905. <https://doi.org/10.1007/s10021-008-9216-2>
- Page, S. E., Siegert, F., Rieley, J. O., Boehm, H. D. V., Jaya, A., & Limin, S. (2002). The amount of carbon released from peat and forest fires in Indonesia during 1997. *Nature*, 420(6911), 61–65. <https://doi.org/10.1038/nature01131>
- Pérez-Cutillas, P., Pérez-Navarro, A., Conesa-García, C., Zema, D. A., & Amado-Álvarez, J. P. (2023). What is going on within google earth engine? A systematic review and meta-analysis. *Remote Sensing Applications: Society and Environment*, 29(December 2022). <https://doi.org/10.1016/j.rsase.2022.100907>
- Putra, E. I., Syakbandani, M. U. El, Pramono, S., & Saad, A. (2024). Estimating Groundwater Level in Peatlands by Using Submersible Sensor. *Journal of Tropical Silviculture*, 15(01), 65–69. <https://doi.org/10.29244/j-siltrop.15.01.65-69>
- Rahimzadeh-Bajgiran, P., Berg, A. A., Champagne, C., & Omasa, K. (2013). Estimation of soil moisture using optical/thermal infrared remote sensing in the Canadian Prairies. *ISPRS Journal of Photogrammetry and Remote Sensing*, 83, 94–103. <https://doi.org/10.1016/j.isprsjprs.2013.06.004>
- Räsänen, A., Tolvanen, A., & Kareksela, S. (2022). Monitoring peatland water table depth with optical and radar satellite imagery. *International Journal of Applied Earth Observation and Geoinformation*, 112(June). <https://doi.org/10.1016/j.jag.2022.102866>
- Rieley, J. O., Page, S. E., & Jauhiainen, J. (2005). *Wise use of tropical peatlands: focus on Southeast Asia : Synthesis of results and conclusions of the UK Darwin Initiative and the EU INCO EUTROP, STRAPEAT AND RESTORPEAT Partnerships together with proposals for implementing wise use of tropical peatlands*. <https://api.semanticscholar.org/CorpusID:221226657>
- Riley, S. J., DeGloria, S. D., & Elliot, R. (1999). A Terrain Ruggedness Index that Quantifies Topographic Heterogeneity. *Intermountain Journal of Sciences*, 5(1–4), 23–27.
- Rydin, H., & Jeglum, J. K. (2006). *The Biology of Peatlands*. Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780198528722.001.0001>
- Schnur, M. T., Xie, H., & Wang, X. (2010). Estimating root zone soil moisture at distant sites using MODIS NDVI and EVI in a semi-arid region of southwestern USA. *Ecological Informatics*, 5(5), 400–409. <https://doi.org/10.1016/j.ecoinf.2010.05.001>
- Sekretariat Negara. (2014). *Peraturan Pemerintah No 71 Tahun 2014 tentang Perlindungan dan Pengelolaan Ekosistem Gambut* (p. 15). Kementerian Sekretariat Negara, Republik Indonesia. <https://bphn.go.id/data/documents/14pp071.pdf>

- Sekretariat Negara. (2016). *Peraturan Pemerintah No. 57 Tahun 2016 tentang Perubahan atas Peraturan Pemerintah No. 71 Tahun 2014 tentang Perlindungan dan Pengelolaan Ekosistem Gambut* (p. 2). Kementrian Sekretariat Negara, Republik Indonesia. <https://bphn.go.id/data/documents/16pp057.pdf>
- Shamsuddin, S. A., Faidi, M. A., Husin, H. I. M., Ishak, M. F., Parlan, I., & Marjuni, H. (2021). The Conservation of Ground Water Levels in the Peat Swamp Forest at Ayer Hitam North Forest Reserve, Muar in Johor, Malaysia. *Journal of Water Resource and Protection*, 13(12), 957–975. <https://doi.org/10.4236/jwarp.2021.1312052>
- Shashikant, V., Shariff, A. R. M., Wayayok, A., Kamal, M. R., Lee, Y. P., & Takeuchi, W. (2021). Comparison of field and sar-derived descriptors in the retrieval of soil moisture from oil palm crops using palsar-2. *Remote Sensing*, 13(23). <https://doi.org/10.3390/rs13234729>
- Shofiana, D. A., & Sitanggang, I. S. (2021). Confidence Analysis of Hotspot as Peat Forest Fire Indicator. *Journal of Physics: Conference Series*, 1751(1). <https://doi.org/10.1088/1742-6596/1751/1/012035>
- Singh, A., & Gaurav, K. (2023). Deep learning and data fusion to estimate surface soil moisture from multi-sensor satellite images. *Scientific Reports*, 13(1), 1–20. <https://doi.org/10.1038/s41598-023-28939-9>
- Sobrino, J. A., Jiménez-Muñoz, J. C., Sòria, G., Romaguera, M., Guanter, L., Moreno, J., Plaza, A., & Martínez, P. (2008). Land surface emissivity retrieval from different VNIR and TIR sensors. *IEEE Transactions on Geoscience and Remote Sensing*, 46(2), 316–327. <https://doi.org/10.1109/TGRS.2007.904834>
- Soewandita, H. (2008). Studi Muka Air Tanah Gambut dan Implikasinya Terhadap. *Jurnal Air Indonesia*, 4(2), 103–108. <https://doi.org/https://doi.org/10.29122/jai.v4i2.2407>
- Subagio, & Driessen, P. (1972). *The ombrogenous peat soils of Indonesia*. Soil Research Institute.
- Sudiana, N. (2019). STUDY ON GROUND WATER LEVEL AND THE IMPLICATION TO PEATLAND FIRE AT KESATUAN HIDROLOGI GAMBUT (KHG) KAHAYAN- SEBANGAU IN CENTRAL KALIMANTAN. *Jurnal Sains Dan Teknologi Mitigasi Bencana*, 14(1), 1–7.
- Sulaiman, A., Sari, E. N. N., & Saad, A. (2017). *Panduan Teknis Pemantauan Tinggi Muka Air Lahan Gambut Sistem Telemetry*.
- Susetyo, K. E., Kusin, K., Nina, Y., Jagau, Y., Kawasaki, M., & Naito, D. (2020). 2019 Peatland and Forest Fires in Central Kalimantan, Indonesia. *Newsletter of Tropical Peatland Society Project, Research Institute for Humanity and Nature*, 08, 1–4.
- Sutikno, S., Nasrul, B., Hendri, A., Silviana, S. H., Saputra, E., Ningrum, D. S., Afriyanti, D., & Rahiem, M. M. A. (2020). Neraca Air Kesatuan Hidrologis Gambut. In *Neraca Air Kesatuan Hidrologis Gambut*. Kedepuitan Penelitian dan

Pengembangan, Badan Restorasi Gambut Republik Indonesia.

- Takahashi, H., & Yonetani, Y. (1997). Studies on microclimate and hydrology of peat swamp forest in Central Kalimantan, Indonesia. *Biodiversity and Sustainability of Tropical Peatlands*, 179–187. <https://cir.nii.ac.jp/crid/1571698600403683328>
- Takahashi, Hidenori, Usup, A., Hayasaka, H., & Limin, S. H. (2003). Estimation of ground water level in a peat swamp forest as an index of peat/forest fire. *Proceedings of the International Symposium on Land Management and Biodiversity in Southeast Asia*, 311–314.
- Takahashi, Hidenori, Yamamoto, K., & Inoue, T. (2021). Principles of Hydrological Management of Tropical Peatland. In *Tropical Peatland Eco-management* (pp. 537–566). https://doi.org/10.1007/978-981-33-4654-3_19
- Taloor, A. K., Drinder Singh Manhas, & Chandra Kothiyari, G. (2021). Retrieval of land surface temperature, normalized difference moisture index, normalized difference water index of the Ravi basin using Landsat data. *Applied Computing and Geosciences*, 9(August 2020), 100051. <https://doi.org/10.1016/j.acags.2020.100051>
- Tamiminia, H., Salehi, B., Mahdianpari, M., Quackenbush, L., Adeli, S., & Brisco, B. (2020). Google Earth Engine for geo-big data applications: A meta-analysis and systematic review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 164(January), 152–170. <https://doi.org/10.1016/j.isprsjprs.2020.04.001>
- Theng, D., & Bhoyar, K. K. (2024). Feature selection techniques for machine learning: a survey of more than two decades of research. In *Knowledge and Information Systems* (Vol. 66, Issue 3). Springer London. <https://doi.org/10.1007/s10115-023-02010-5>
- Toca, L., Morrison, K., Artz, R. R. E., Gimona, A., & Quaife, T. (2022). High resolution C-band SAR backscatter response to peatland water table depth and soil moisture: a laboratory experiment. *International Journal of Remote Sensing*, 43(14), 5231–5251. <https://doi.org/10.1080/01431161.2022.2131478>
- Uddin, I., Awan, H. H., Khalid, M., Khan, S., Akbar, S., Sarker, M. R., Abdolrasol, M. G. M., & Alghamdi, T. A. H. (2024). A hybrid residue based sequential encoding mechanism with XGBoost improved ensemble model for identifying 5-hydroxymethylcytosine modifications. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-71568-z>
- USGS. (2015). Landsat 8 Data Users Handbook. In *Nasa* (Vol. 8, Issue June). <https://landsat.usgs.gov/documents/Landsat8DataUsersHandbook.pdf>
- USGS. (2022). Landsat 9 Data Users Handbook Version 1.0. In *Nasa* (Issue February). <https://www.usgs.gov/media/files/landsat-9-data-users-handbook>
- Usup, A., Hashimoto, Y., Takahashi, H., & Hayasaka, H. (2004). Combustion and thermal characteristics of peat fire in tropical peatland in Central Kalimantan, Indonesia. *Tropics*, 14(1), 1–19. https://www.jstage.jst.go.jp/article/tropics/14/1/14_1_1/_pdf

- Wahyunto, & Suryadiputra, I. N. N. (2008). *Peatland Distribution in Sumatra and Kalimantan: explanation of its data sets including source of information, data constraints and gaps*. Wetlands International Indonesia Programme.
- Wang, L., & Qu, J. J. (2007). NMDI: A normalized multi-band drought index for monitoring soil and vegetation moisture with satellite remote sensing. *Geophysical Research Letters*, 34(October). <https://doi.org/10.1029/2007GL031021>
- Wang, Y., Peng, J., Song, X., Leng, P., Ludwig, R., & Loew, A. (2018). Surface soil moisture retrieval using optical/thermal infrared remote sensing data. *IEEE Transactions on Geoscience and Remote Sensing*, 56(9), 5433–5442. <https://doi.org/10.1109/TGRS.2018.2817370>
- Widiarso, B., Minardi, S., Komariah, Chandra, T. O., Elmahdi, M. A., & Senge, M. (2020). Predicting peatland groundwater table and soil moisture dynamics affected by drainage level. *Sains Tanah*, 17(1), 42–49. <https://doi.org/10.20961/stjssa.v17i1.38459>
- Widyatmanti, W., Minasny, B., Awanda, D., Umarhadi, D. A., Fatma, Z. S. N., Mahendra, W. K., & Field, D. J. (2022). Codification to secure Indonesian peatlands: From policy to practices as revealed by remote sensing analysis. *Soil Security*, 9(December 2021), 100080. <https://doi.org/10.1016/j.soisec.2022.100080>
- Wösten, J. H. M., Clymans, E., Page, S. E., Rieley, J. O., & Limin, S. H. (2008). Peat-water interrelationships in a tropical peatland ecosystem in Southeast Asia. *Catena*, 73(2), 212–224. <https://doi.org/10.1016/j.catena.2007.07.010>
- Xu, H. (2006). Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery. *International Journal of Remote Sensing*, 27(14), 3025–3033. <https://doi.org/10.1080/01431160600589179>
- Yallop, A., Thacker, J. I., & Clutterbuck, B. (2024). *Remote Sensing of Peatlands : A Technical Review*.
- Yananto, A., Sartohadi, J., Marhaento, H., & Awaluddin, . (2022). Groundwater Level Estimation Model on SAR Sentinel-1 Data in Part of Riau, Indonesia. *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 18(2), 203–216. <http://jurnal.lapan.go.id/index.php/ijreses/article/view/3618>
- Yin, Z., Lei, T., Yan, Q., Chen, Z., & Dong, Y. (2013). A near-infrared reflectance sensor for soil surface moisture measurement. *Computers and Electronics in Agriculture*, 99, 101–107. <https://doi.org/10.1016/j.compag.2013.08.029>
- You, W., Yang, Z., & Ji, G. (2014). PLS-based recursive feature elimination for high-dimensional small sample. *Knowledge-Based Systems*, 55, 15–28. <https://doi.org/10.1016/j.knosys.2013.10.004>
- Yulianti, N., Kusin, K., Jagau, Y., Naito, D., Naito, D., & Susetyo, K. E. (2020). A proposal of community-based firefighting in peat hydrological unit of Kahayan - Sebangau River: Methods and approaches. *IOP Conference Series: Earth and*

Environmental Science, 504(1). <https://doi.org/10.1088/1755-1315/504/1/012025>

Zhang, D., & Zhou, G. (2016). Estimation of soil moisture from optical and thermal remote sensing: A review. *Sensors (Switzerland)*, 16(8). <https://doi.org/10.3390/s16081308>

Zhang, N., Hong, Y., Qin, Q., & Liu, L. (2013). VSDI: A visible and shortwave infrared drought index for monitoring soil and vegetation moisture based on optical remote sensing. *International Journal of Remote Sensing*, 34(13), 4585–4609. <https://doi.org/10.1080/01431161.2013.779046>