

DAFTAR PUSTAKA

- Abd Almonaem, E. R., Rashad, M. M., Emam, H. M., & El-shimi, O. S. (2021). Tracheal aspirate presepsin: a promising biomarker in early onset neonatal pneumonia. *Scandinavian Journal of Clinical and Laboratory Investigation*, 81(5), 406–412. <https://doi.org/10.1080/00365513.2021.1931709>
- Alanazi, A., Almuhaya, R., Almohaimeed, M., Alahmari, N., Abdulrahim, N., Basyouni, M., Althikrallah, F., Al Badwyi, J., Khallaf, A., Albalawi, K., Almalki, A., Alsaedi, K., Bakarman, F., Alotaibi, F., & Kanan, M. (2023). Impact of Antibiotik De-Escalation on Antibiotik Consumption, Length of Hospitalization, Mortality, and Cost: A Systematic Review and Meta-Analysis. *Pharmacoeepidemiology*, 2(4), 289–306. <https://doi.org/10.3390/pharma2040025>
- Anne, R. P., Kumar, J., Kumar, P., Priyadarshi, M., Ray, S., & Sahoo, T. (2021). *Antibiotik Stewardship in Neonatal care Guideline*. www.nnfi.org/cpg
- Briassoulis, G., Natsi, L., Tsorva, A., & Hatzis, T. (2004). Prior antimicrobial therapy in the hospital and other predisposing factors influencing the usage of antibiotics in a pediatric critical care unit. *Annals of Clinical Microbiology and Antimicrobials*, 3(4), 1–14. <http://www.ann-clinmicrob.com/content/3/1/4>
- Cao, L., Ji, Z., Zhang, P., & Wang, J. (2023). Epidemiology and mortality predictors for severe childhood community-acquired pneumonia in ICUs: A retrospective observational study. *Frontiers in Pediatrics*, 11. <https://doi.org/10.3389/fped.2023.1031423>
- Carugati, M., Franzetti, F., Wiemken, T., Kelly, R., Peyrani, P., Blasi, F., Ramirez, J., & Aliberti, S. (2015). De-escalation therapy among bacteraemic patients with community-acquired pneumonia. *Clinical Microbiology and Infection*, 21(10), 936.e11–936.e18. <https://doi.org/10.1016/j.cmi.2015.06.015>
- Cremers, A. J. H., Sprong, T., Schouten, J. A., Walraven, G., Hermans, P. W. M., Meis, J. F., & Ferwerda, G. (2014). Effect of antibiotik streamlining on patient outcome in pneumococcal bacteraemia. *Journal of Antimicrobial Chemotherapy*, 69(8), 2258–2264. <https://doi.org/10.1093/jac/dku109>
- Deshpande, A., Richter, S. S., Haessler, S., Lindenauer, P. K., Yu, P. C., Zilberberg, M. D., Imrey, P. B., Higgins, T., & Rothberg, M. B. (2021). De-escalation of Empiric Antibiotics Following Negative Cultures in Hospitalized Patients With Pneumonia: Rates and Outcomes. *Clinical Infectious Diseases*, 72(8), 1314–1322. <https://doi.org/10.1093/cid/ciaa212>
- Er, İ., Cetin, C., Baydemir, C., & Günlemez, A. (2020). Can immature platelet fraction be an early predictor for congenital pneumonia? *Turkish Archives of Pediatrics*, 55(4), 409–417. <https://doi.org/10.14744/TurkPediatriArs.2020.98965>

- Fadlinda, H., Utomo, A., & Djuhaeni, H. (2016). Cyanosis as Mortality Risk among Children with Severe Pneumonia. *Althea Medical Journal*, 3(2), 186–189.
- Goodman, D., Crocker, M. E., Pervaiz, F., McCollum, E. D., Steenland, K., Simkovich, S. M., Miele, C. H., Hammitt, L. L., Herrera, P., Zar, H. J., Campbell, H., Lanata, C. F., McCracken, J. P., Thompson, L. M., Rosa, G., Kirby, M. A., Garg, S., Thangavel, G., Thanasekaraan, V., Sakas, Z. (2019). Challenges in the diagnosis of paediatric pneumonia in intervention field trials: recommendations from a pneumonia field trial working group. *The Lancet Respiratory Medicine*, 7(12), 1068–1083. [https://doi.org/10.1016/S2213-2600\(19\)30249-8](https://doi.org/10.1016/S2213-2600(19)30249-8)
- Ibrahim, N. A., Bakry, M. M., Ching, S. E., Tahir, N. M., & Shah, N. N. (2019). Early Empiric Antibiotik De-escalation in Suspected Early Onset Neonatal Sepsis. *Indian Journal of Pharmaceutical Sciences*, 81(5), 913–921. www.ijpsonline.com
- Kobal, M. R., Gadgi, P. S., Dhanwadkar, S. S., & N. B., A. K. (2019). A clinical, radiological and etiological study of neonatal pneumonia. *International Journal of Contemporary Pediatrics*, 6(6), 2309. <https://doi.org/10.18203/2349-3291.ijcp20194614>
- Mathur, S., Fuchs, A., Bielicki, J., Van Den Anker, J., & Sharland, M. (2018). Antibiotik use for community-acquired pneumonia in neonates and children: WHO evidence review. In *Paediatrics and International Child Health* (Vol. 38, pp. S66–S75). Taylor and Francis Ltd. <https://doi.org/10.1080/20469047.2017.1409455>
- Mir, Z., Ali, I., Qureshi, O., & Wani, G. (2015). Risk factors, pathogen profile and outcome of ventilator associated pneumonia in a Neonatal intensive care unit. *International Journal of Contemporary Pediatrics*, 2(1), 17. <https://doi.org/10.5455/2349-3291.ijcp20150204>
- Mizgerd, J. P. (2017). Pathogenesis of severe pneumonia: Advances and knowledge gaps. *Current Opinion in Pulmonary Medicine*, 23(3), 193–197. <https://doi.org/10.1097/MCP.0000000000000365>
- Mukhopadhyay, S., Sengupta, S., & Puopolo, K. M. (2019). Challenges and opportunities for antibiotik stewardship among preterm infants. In *Archives of Disease in Childhood: Fetal and Neonatal Edition* (Vol. 104, Issue 3, pp. F327–F332). BMJ Publishing Group. <https://doi.org/10.1136/archdischild-2018-315412>
- National Institute for Health and Care Excellence. (2021). *Neonatal infection: antibiotics for prevention and treatment NICE guideline*. www.nice.org.uk/guidance/ng195
- Octi Setyarini, I Made Kardana, Dyah Kanya Wati, Ketut Dewi Kumara Wati, Dewi Sutriani Mahalini, & I Wayan Gustawan. (2022). Risk Factors of Neonatal Pneumonia in Tertiary Hospital in Bali. *GSC Advanced Research and Reviews*, 10(2), 009–013. <https://doi.org/10.30574/gscarr.2022.10.2.0044>
- Pahwa, S., Sethi, A., Kaur, G., Dhira, S. K., Jindal, N., Rai, S., & Jindal, S. (2024). Early Predictors of Ventilator Associated Pneumonia in Preterm Neonates Admitted in a Special Newborn Care Unit. *Indian Pediatrics*, 61, 45–48.

- Putri, N. D. (2018). Advances In Neonatal Infection: Investigation and Antibiotics Management Choice of Neonatal Late Onset Sepsis. In *Liverpool School of Tropical Medicine*.
- Sanchez, P., Lewald, Z., Prusakov, P., Magers, J., Kielt, M., Romero, C. de A., White, N., Miller, R., Moraille, R., & Thiele, A. (2023). Short-Course Antibiotik Therapy for Pneumonia in the Neonatal Intensive Care Unit. *Journal of Perinatology*, 1–15. <https://doi.org/10.21203/rs.3.rs-2849289/v1>
- Shah, S. I., Zemichael, O., & Meng, H. D. (2012). Predictors of Mortality, Length of Stay and Co-Morbid Hypothermia in Hospitalized Neonates with Pneumonia in Eritrea, Africa. *Journal of Tropical Pediatrics*, 58(3), 238–241. <https://doi.org/10.1093/tropej/fmr066>
- Suresh Kumar. (2021). Predictor of Mortality in Neonatal Pneumonia An INCLIN Childhood Pneumonia Study. *Indian Pediatrics*, 58, 1040–1045.
- Ting, J. Y., & Shah, P. S. (2020). Antibiotik stewardship in neonates: Challenges and opportunities. In *Translational Pediatrics* (Vol. 9, Issue 3, pp. 198–201). AME Publishing Company. <https://doi.org/10.21037/TP-20-134>
- Tramper-Stranders, G. A. (2018). Childhood community-acquired pneumonia: A review of etiology- and antimicrobial treatment studies. *Paediatric Respiratory Reviews*, 26, 41–48. <https://doi.org/10.1016/j.prrv.2017.06.013>
- Vishnu Bhat, B., & Adhisivam, B. (2018). Can We Reduce the Duration of Antibiotik Therapy for Neonatal Pneumonia? In *Indian Journal of Pediatrics* (Vol. 85, Issue 11, pp. 952–953). Springer. <https://doi.org/10.1007/s12098-018-2750->



UNIVERSITAS
GADJAH MADA

Faktor Prediktor Kematian Pneumonia pada Neonatus

Friska Faradina, Prof. dr. Mei Neni Sitaresmi, Ph.D, Sp.A(K); dr. Setya Wandita, M.Kes, Sp.A(K) 4

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>