

DAFTAR PUSTAKA

- [1] B. El Mahrad, A. Newton, and N. Murray, “Coastal Lagoons: Important Ecosystems,” *Front. Young Minds*, vol. 10, p. 637578, Jun. 2022, doi: 10.3389/frym.2022.637578.
- [2] N. Rahmawati, “Struktur Komunitas Fitoplankton di Laguna Pengklik, Kabupaten Bantul, Daerah Istimewa Yogyakarta,” *J. Prodi Pendidik. Biol.*, vol. 7, no. 6, 2018, [Online]. Available: <https://journal.student.uny.ac.id/index.php/jeb/article/download/13913/13437>
- [3] A. S. Najeha, “Analisis Persepsi Potensi Pengembangan Objek Wisata Pantai Samas Bantul Yogyakarta,” *IKONIK J. Seni Dan Desain*, vol. 5, no. 2, pp. 121–126, Aug. 2023, doi: 10.51804/ijsd.v5i2.14329.
- [4] I. I. Suliman and K. Alsafi, “Radiological Risk to Human and Non-Human Biota Due to Radioactivity in Coastal Sand and Marine Sediments, Gulf of Oman,” *Life*, vol. 11, no. 6, p. 549, Jun. 2021, doi: 10.3390/life11060549.
- [5] S. Nurayni and R. N. Nofitasari, “Characterization of Mineral Content of Iron Sand at Depok Beach, Sigandu Beach and Muara Beach in Batang Regency,” *J. Nat. Sci. Math. Res.*, vol. 4, no. 1, pp. 23–26, Jun. 2018, doi: 10.21580/jnsmr.2018.4.1.10961.
- [6] P. R. S. Baabu, H. K. Kumar, M. B. Gumpu, J. Babu K, A. J. Kulandaisamy, and J. B. B. Rayappan, “Iron Oxide Nanoparticles: A Review on the Province of Its Compounds, Properties and Biological Applications,” *Materials*, vol. 16, no. 1, p. 59, Dec. 2022, doi: 10.3390/ma16010059.
- [7] A. N. Yuwanda, R. Rahmayuni, D. A. Visgun, A. Rahmi, H. Rifai, and L. Dwiridal, “Characterization of Magnetic Minerals of Iron Sand Pasia Nan Tigo Padang Beach Using X-Ray Diffraction (XRD),” *Indones. J. Appl. Phys.*, vol. 12, no. 1, p. 35, Apr. 2022, doi: 10.13057/ijap.v12i1.51531.
- [8] H. Kurnio, “Coastal Characteristics of Iron Sand Deposits in Indonesia,” vol. 10, no. 09, 2007.
- [9] R. B. Tricahyo, “Survei Sebaran Sedimentasi Sungai Opak dari Hulu Merapi hingga ke Muara di Selatan Yogyakarta,” *Parangtritis Geomaritime Science*



- Park. [Online]. Available: <https://pgsp.big.go.id/survei-sebaran-sedimentasi-sungai-opak-hulu/>
- [10] J. Mrdakovic Popic *et al.*, “Tools for harmonized data collection at exposure situations with naturally occurring radioactive materials (NORM),” *Environ. Int.*, vol. 175, p. 107954, May 2023, doi: 10.1016/j.envint.2023.107954.
 - [11] K. N. Myaing, K. H. Naing, and P. O. Lwin, “Measurement of Naturally Occurring Radioactive Materials (NORM) in Black Sand and Soil Samples” *Proceedings of International Conference on Management of Naturally Occurring Radioactive Material (NORM) in Industry*, IAEA, 2022, p. 6 p.
 - [12] A. Abbasi, H. M. H. Zakaly, and B. M. Alotaibi, “Radioactivity concentration and radiological risk assessment of beach sand along the coastline in the Mediterranean Sea,” *Mar. Pollut. Bull.*, vol. 195, p. 115527, Oct. 2023, doi: 10.1016/j.marpolbul.2023.115527.
 - [13] W. R. Prihatiningsih and M. Makmur, “Radioactivity monitoring and radiological assessment of radionuclides at western coastal of South Sulawesi,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 860, no. 1, p. 012012, Oct. 2021, doi: 10.1088/1755-1315/860/1/012012.
 - [14] J. Petrović, M. Đorđević, R. Dragović, B. Gajić, and S. Dragović, “Assessment of radiation exposure to human and non-human biota due to natural radionuclides in terrestrial environment of Belgrade, the capital of Serbia,” *Environ. Earth Sci.*, vol. 77, no. 7, p. 290, Apr. 2018, doi: 10.1007/s12665-018-7470-y.
 - [15] D. I. P. Putra, W. R. Prihatiningsih, M. Makmur, M. N. Yahya, Y. Priasetyono, and Untara, “Distribution of some natural and anthropogenic radionuclides in the sediments and seawater along the coastal areas of North Sulawesi,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 890, no. 1, p. 012005, Oct. 2021, doi: 10.1088/1755-1315/890/1/012005.
 - [16] Z. Wang and Y. Ye, “Assessment of soil radioactivity levels and radiation hazards in Guangyao Village, South China,” *J. Radioanal. Nucl. Chem.*, vol. 329, no. 2, pp. 679–693, Aug. 2021, doi: 10.1007/s10967-021-07818-5.



- [17] M. Al Shaaibi, J. Ali, B. Tsikouras, and Z. Masri, “Environmental radioactivity assessment of the Brunei Darussalam coastline of the South China Sea,” *Environ. Pollut.*, vol. 323, p. 121288, Apr. 2023, doi: 10.1016/j.envpol.2023.121288.
- [18] J. M. Smail, H. H. Mansour, and S. T. Ahmad, “Evaluation of radiological hazards in lower zab river sediments,” *Radiat. Eff. Defects Solids*, vol. 178, no. 9–10, pp. 1252–1268, Sep. 2023, doi: 10.1080/10420150.2023.2243638.
- [19] S. Kolovi *et al.*, “Radiation exposure of microorganisms living in radioactive mineral springs,” *EPJ Web Conf.*, vol. 261, p. 04001, 2022, doi: 10.1051/epjconf/202226104001.
- [20] A. Shelley, M. H. Ovi, and M. S. Alam, “Assessment of radioactivity level and associated radiological hazard in riverbed samples within industrial areas,” *Isotopes Environ. Health Stud.*, vol. 60, no. 2, pp. 213–225, Mar. 2024, doi: 10.1080/10256016.2024.2317391.
- [21] Google, “Laguna Pengklik di Google Maps.” [Online]. Available: https://www.google.com/maps/@-8.006382,110.2801092,4489m/data=!3m1!1e3?entry=ttu&g_ep=EgoyMDI1MDIxMi4wIKXMDSOASAFQAw%3D%3D
- [22] R. Saputra, P. Subardjo, and A. Anugroho DS, “Kajian Perubahan Luas Laguna di Pantai Samas, Kabupaten Bantul dengan Menggunakan Citra Satelit Landsat Multi-temporal,” vol. 2, no. 3, pp. 36–40, 2013.
- [23] D. K. Ainia and J. Jiarzanah, “Analisis Deep Ecology Arne Naess terhadap Aktivitas Penambangan Pasir (Studi Kasus: Penambangan Pasir Merapi di Sekitar Sungai Gendol Cangkringan Sleman Yogyakarta),” *J. Ilmu Lingkung.*, vol. 19, no. 1, pp. 98–106, Apr. 2021, doi: 10.14710/jil.19.1.98-106.
- [24] E. Priyambodo and L. Yogantari, “Mineral Content Analysis of Merapi Volcanic Sand and Its Potential Application,” 2015.
- [25] R. M. Kusuma, “Kajian Sedimen Transpor dan Perubahan Morfologi Sungai Opak Pasca Erupsi Gunungapi Merapi Tahun 2010”.
- [26] A. S. Ulyantsev, S. I. Ivannikov, S. Yu. Bratskaya, and A. N. Charkin, “Radioactivity of Surface Marine Sediments of The Chaun Bay. Analysis of



- Natural and Anthropogenic Environmental Factors,” *Mosc. Univ. Bull. Ser. 4 Geol.*, no. №6_2023, pp. 67–76, Feb. 2024, doi: 10.55959/MSU0579-9406-4-2023-63-6-67-76.
- [27] P. A. Nugraha, S. P. Sari, W. N. Hidayati, C. R. Dewi, and D. Y. Kusuma, “The origin and composition of iron sand deposit in the southern coast of Yogyakarta,” *Proceeding of ConFAST 2016 Conference Series: International Conference on Physics and Applied Physics Research (ICPR 2016)*, Yogyakarta, Indonesia, 2016, p. 020028. doi: 10.1063/1.4953953.
- [28] M. T. D. Wingate, “SHRIMP baddeleyite and zircon ages for an Umkondo dolerite sill, Nyanga Mountains, Eastern Zimbabwe,” *South Afr. J. Geol.*, vol. 104, no. 1, pp. 13–22, Mar. 2001, doi: 10.2113/104.1.13.
- [29] C. A. Hazin, M. H. P. Gazineu, H. J. Khoury, S. V. Silveira, A. S. Paschoa, and F. Steinhäusler, “Natural Radionuclides In Mineral Sand Products From A Processing Plant In Northeastern Brazil,” in *AIP Conference Proceedings*, Buzios, Rio de Janeiro (Brazil): AIP, 2008, pp. 303–306. doi: 10.1063/1.2991233.
- [30] M. A. Guazzelli, N. H. Medina, and V. A. P. Aguiar, “Natural radioactivity and external hazard index in Brazilian sands,” *J. Radioanal. Nucl. Chem.*, vol. 328, no. 3, pp. 903–910, Jun. 2021, doi: 10.1007/s10967-021-07707-x.
- [31] A. K. Mohanty, D. Sengupta, S. K. Das, V. Vijayan, and S. K. Saha, “Natural radioactivity in the newly discovered high background radiation area on the eastern coast of Orissa, India,” *Radiat. Meas.*, vol. 38, no. 2, pp. 153–165, Apr. 2004, doi: 10.1016/j.radmeas.2003.08.003.
- [32] F. Caridi *et al.*, “Natural radioactivity and mineralogical composition of different particle size fractions of a river sediment from Calabria, southern Italy: a case study,” *J. Phys. Conf. Ser.*, vol. 2162, no. 1, p. 012001, Jan. 2022, doi: 10.1088/1742-6596/2162/1/012001.
- [33] M. García-Talavera, J. L. M. Matarranz, R. Salas, and L. Ramos, “A regulatory perspective on the radiological impact of NORM industries: the case of the Spanish phosphate industry,” *J. Environ. Radioact.*, vol. 102, no. 1, pp. 1–7, Jan. 2011, doi: 10.1016/j.jenvrad.2010.08.007.



- [34] J. E. Turner, *Atoms, radiation, and radiation protection*, 3., Completely revised and enl. Ed., 2. repr. in Physics textbook. Weinheim: Wiley-VCH, 2010.
- [35] A. T. Purwanto and E. Nuraeni, “Optimasi Parameter Spektroskopi Gamma dengan Detektor HPGe.” BATAN, Yogyakarta, 2013.
- [36] N. Tsoulfanidis and S. Landsberger, *Measurement and Detection Radiation (4th Edition)*, 4th ed. Boca Raton: CRC Press, 2015.
- [37] S. Aközcan, F. Külahcı, O. Günay, and S. Özden, “Radiological risk from activity concentrations of natural radionuclides: Cumulative Hazard Index,” *J. Radioanal. Nucl. Chem.*, vol. 327, no. 1, pp. 105–122, Jan. 2021, doi: 10.1007/s10967-020-07474-1.
- [38] I. Kaissas, C. J. Hourdakis, and D. Mitrakos, “Radiological risk assessment method for the interim storage of radioactive materials,” *Eur. Phys. J. Spec. Top.*, vol. 232, no. 10, pp. 1523–1530, Aug. 2023, doi: 10.1140/epjs/s11734-023-00897-3.
- [39] United Nations, Ed., *Sources and effects of ionizing radiation: United Nations Scientific Committee on the Effects of Atomic Radiation: UNSCEAR 2000 report to the General Assembly, with scientific annexes*. New York: United Nations, 2000.
- [40] M. Tufail, “Radium equivalent activity in the light of UNSCEAR report,” *Environ. Monit. Assess.*, vol. 184, no. 9, pp. 5663–5667, Sep. 2012, doi: 10.1007/s10661-011-2370-6.
- [41] M. U. Khandaker, K. Asaduzzaman, A. F. B. Sulaiman, D. A. Bradley, and M. O. Isinkaye, “Elevated concentrations of naturally occurring radionuclides in heavy mineral-rich beach sands of Langkawi Island, Malaysia,” *Mar. Pollut. Bull.*, vol. 127, pp. 654–663, Feb. 2018, doi: 10.1016/j.marpolbul.2017.12.055.
- [42] IAEA, “IAEA Technical Report Series No. 486: Guidelines on Soil and Vegetation Sampling for Radiological Monitoring.” International Atomic Energy Agency, 2019.



- [43] J. E. Brown, B. Alfonso, R. Avila, N. A. Beresford, D. Copplestone, and A. Hosseini, "A new version of the ERICA tool to facilitate impact assessments of radioactivity on wild plants and animals," *J. Environ. Radioact.*, vol. 153, pp. 141–148, Mar. 2016, doi: 10.1016/j.jenvrad.2015.12.011.
- [44] D. Mukanthi, A. Jayuska, M. Makmur, and N. Idiawati, "Kajian Kualitas Air Laut dan Dosis Cesium 137 Pada Biota di Pantai Gosong, Kalimantan Barat Sebagai Calon Tapak PLTN," *J. Pengemb. Energi Nukl.*, vol. 23, no. 2, Dec. 2021, doi: 10.17146/jpen.2021.23.2.6539.
- [45] J. E. Brown *et al.*, "The ERICA Tool," *J. Environ. Radioact.*, vol. 99, no. 9, pp. 1371–1383, Sep. 2008, doi: 10.1016/j.jenvrad.2008.01.008.
- [46] J. Marwoto, M. Muslim, Z. D. Aprilia, P. Purwanto, and M. Makmur, "Sebaran Aktivitas Radionuklida Alam dalam Sedimen di Perairan Sluke Rembang, Jawa Tengah," *J. Kelaut. Trop.*, vol. 22, no. 2, p. 141, Nov. 2019, doi: 10.14710/jkt.v22i2.4881.
- [47] S. Unal, M. G. Yalcin, and S. Bilge Ocak, "Natural Radioactivity Levels of the Beach Sands of Cleopatra Beach and Damlatas Beach (Türkiye) and Their Impact on Human Health," *ACS Omega*, vol. 9, no. 1, pp. 351–360, Jan. 2024, doi: 10.1021/acsomega.3c05555.
- [48] H. Simon, S. Kelemen, and R.-C. Begy, "Anthropic influences on the sedimentation rates of lakes situated in different geographic areas," *J. Environ. Radioact.*, vol. 173, pp. 11–17, Jul. 2017, doi: 10.1016/j.jenvrad.2016.09.001.
- [49] O. J.-C. Brigui *et al.*, "Measurement of Natural Radioactivity in Lagoon Sands Used in Construction in the District of Abidjan, Côte d'Ivoire," *World J. Nucl. Sci. Technol.*, vol. 12, no. 1, Art. no. 1, Jan. 2022, doi: 10.4236/wjnst.2022.121005.
- [50] N. N. Jibiri, A. Ugbechie, A. A. Sowunmi, and I. R. Akomolafe, "Radionuclide contents in sediment and seafood from Makoko Lagoon, Lagos State, Nigeria," *Mar. Pollut. Bull.*, vol. 192, p. 114992, Jul. 2023, doi: 10.1016/j.marpolbul.2023.114992.
- [51] D. H. Nhon *et al.*, "Assessment of radioactivity and radiological risk indices in the sediments of the Tam Giang-Cau Hai, Thi Nai, and Nai lagoons in the



- Center of Vietnam,” *Radiochim. Acta*, vol. 112, no. 9, pp. 679–689, Sep. 2024, doi: 10.1515/ract-2024-0271.
- [52] M. Shabib, A. El-Taher, N. M. A. Mohamed, H. A. Madkour, and H. A. Ashry, “Assessment of radioactivity concentration of natural radionuclides and radiological hazard indices in coral reefs in the Egyptian Red Sea,” *J. Radioanal. Nucl. Chem.*, vol. 329, no. 3, pp. 1199–1212, Sep. 2021, doi: 10.1007/s10967-021-07896-5.
- [53] R. Khan *et al.*, “Spatial Distribution and Radiological Risk Quantification of Natural Radioisotopes in the St. Martin’s Island, Bangladesh,” in *Soil Health and Environmental Sustainability: Application of Geospatial Technology*, P. K. Shit, P. P. Adhikary, G. S. Bhunia, and D. Sengupta, Eds., Cham: Springer International Publishing, 2022, pp. 369–388. doi: 10.1007/978-3-031-09270-1_15.
- [54] I. Afzal, M. Z. Chaudhary, E. U. Khan, T. Nasir, and N. Yaqoob, “Radiological risk assessment in sediment of Namal Lake, Mianwali, Pakistan,” *Environ. Monit. Assess.*, vol. 194, no. 3, p. 223, Mar. 2022, doi: 10.1007/s10661-022-09881-1.
- [55] P. Kessaratikoon, R. Boonkrongcheepa, and S. Polthum, “Measurement of radionuclides in surface soil and beach sand samples from Rayong Province (Thailand) and the evaluation of excess lifetime cancer risk,” *ScienceAsia*, vol. 47S, no. 1, p. 120, 2021, doi: 10.2306/scienceasia1513-1874.2021.S016.
- [56] F. A. AS-Subaihi, T. A. A. Salem, and M. I. Ahmed, “Assessment of Natural Radioactivity Level and Associated Radiological Hazards in Marine Sediment Samples Collected from Abyan Beach, Gulf of Aden, Yemen,” *Electron. J. Univ. Aden Basic Appl. Sci.*, vol. 4, no. 1, pp. 18–30, Mar. 2023, doi: 10.47372/ejua-ba.2023.1.217.
- [57] E. Kristanto, A. Daerobi, and B. R. Samudro, “Indonesian Life Expectancy: Role of Health Infrastructure and Socio-Economic Status,” *Signifikan J. Ilmu Ekon.*, vol. 8, no. 2, Jul. 2019, doi: 10.15408/sjie.v8i1.9579.

