UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Adifaiz, A.F., Maiden, N.A., Nusaibah, S.A., Sulaiman, Z., Rafii, M.Y., 2021. Genetic variability and association of characters in the 1995 RRIM Hevea germplasm core collection for yield improvement. J. Rubber Res. 24, 415–422. https://doi.org/10.1007/s42464-021-00110-x

Amerik, A.Y., Martirosyan, Y.T., Gachok, I. V., 2018. Regulation of Natural Rubber Biosynthesis by Proteins Associated with Rubber Particles. Russ. J. Bioorganic Chem. https://doi.org/10.1134/S106816201801003X

An, Z., Zhao, Y., Zhang, X., Huang, X., Hu, Y., Cheng, H., Li, X., Huang, H., 2019. A high-density genetic map and QTL mapping on growth and latex yield-related traits in Hevea brasiliensis Müll.Arg. Ind. Crops Prod. 132, 440–448. https://doi.org/10.1016/J.INDCROP.2019.03.002

Archer, B., Audley, B., Cockbain, E., McSweeney, G., 1963. The biosynthesis of rubber. Incorporation of mevalonate and isopentenyl pyrophosphate into rubber by Hevea brasiliensis-latex fractions. Biochem. J. 89. https://doi.org/10.1042/bj0890565

Archer, B.L., Audley, B.G., 1987. New aspects of rubber biosynthesis. Bot. J. Linn. Soc. 94. https://doi.org/10.1111/j.1095-8339.1987.tb01045.x

Attanayake, A.P., Karunanayake, L., Nilmini, A.H.R.L., 2005. EFFECT OF ETHEPHON CONCENTRATION ON RUBBER YIELD THROUGH MAGNESIUM ION AND SUCROSE REGULATION IN Hevea brasiliensis 1–4.

Badan Pusat Statistik, 2023. STATISTIK INDONESIA 2023. Badan Pusat Statistik/BPS-Statistics Indonesia.

Balai Penelitian Sembawa, 2009. Pengelolaan Bahan Tanam Karet. Balai Penelitian Sembawa, Pusat Penelitian Karet, Palembang.

Bates, D., Mächler, M., Bolker, B.M., Walker, S.C., 2015. Fitting Linear Mixed-Effects Models Using lme4. J. Stat. Softw. 67, 1–48. https://doi.org/10.18637/JSS.V067.I01

Besse, P., Lebrun, P., Seguin, M., Lanaud, C., 1993. DNA fingerprints in Hevea brasiliensis (rubber tree) using human minisatellite probes. Heredity (Edinb). 70. https://doi.org/10.1038/hdy.1993.35

Botstein, D., White, R.L., Skolnick, M., Davis, R.W., 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. Am. J. Hum. Genet. https://doi.org/10.17348/era.9.0.151-162

Cahyo, A.N., Murti, R.H., Putra, E.T.S., Oktavia, F., Ismawanto, S., Mournet, P., Fabre, D., Montoro, P., 2022. Screening and QTLs detection for drought factor index trait in rubber (Hevea brasiliensis Müll. Arg.). Ind. Crops Prod. 190, 115894. https://doi.org/10.1016/J.INDCROP.2022.115894

Chantuma, P., Thanisawanyangkura, S., Kasemsap, P., Gohet, E., Thaler, P., 2006. Distribution patterns of latex sucrose content and concurrent metabolic activity at the trunk level with different tapping systems and in latex production bark of Hevea brasiliensis. Kasetsart J. - Nat. Sci. 40, 634–642.

Chevallier, M.-H., 1988. Genetic variability of Hevea brasiliensis germplasm using isozyme markers. J. Nat. Rubber Res.

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Chiang, C.C.K., Barkakaty, B., Puskas, J.E., Xie, W., Cornish, K., Peruch, F., Deffieux, A., 2014. Unraveling the mystery of natural rubber biosynthesis. Part II: Composition and growth of in vitro natural rubber using high-resolution size exclusion chromatography. Rubber Chem. Technol. 87. https://doi.org/10.5254/rct.14.87913

Clément-Demange, A., Priyadarshan, P.M., Thuy Hoa, T.T., Venkatachalam, P., 2007. Hevea Rubber Breeding and Genetics , in: Plant Breeding Reviews. https://doi.org/10.1002/9780470168035.ch4

Cobb, J.N., DeClerck, G., Greenberg, A., Clark, R., McCouch, S., 2013. Nextgeneration phenotyping: requirements and strategies for enhancing our understanding of genotype–phenotype relationships and its relevance to crop improvement. Theor Appl Genet 126, 867–887.

Cormier, F., Lawac, F., Maledon, E., Gravillon, M.C., Nudol, E., Mournet, P., Vignes, H., Chaïr, H., Arnau, G., 2019. A reference high-density genetic map of greater yam (Dioscorea alata L.). Theor. Appl. Genet. 132, 1733–1744. https://doi.org/10.1007/S00122-019-03311-6/FIGURES/3

Cornish, K., 2001. Similarities and differences in rubber biochemistry among plant species. Phytochemistry. https://doi.org/10.1016/S0031-9422(01)00097-8

Cornish, K., Siler, D.J., 1995. Effect of Different Allylic Diphosphates on the Initiation of New Rubber Molecules and on Cis-1,4-polyisoprene Biosynthesis in Guayule (Parthenium argentatum Gray). J. Plant Physiol. 147. https://doi.org/10.1016/S0176-1617(11)82157-7

Cornish, K., Siler, D.J., Grosjean, O., Goodman, N., 1993. Fundamental similarities in rubber particle architecture and function in three evolutionarily divergent plant species. J. Nat. Rubb. Res. 8, 275–285.

Cornish, K., Wood, D.F., Windle, J.J., 1999. Rubber particles from four different species, examined by transmission electron microscopy and electron-paramagnetic-resonance spin labeling, are found to consist of a homogeneous rubber core enclosed by a contiguous, monolayer biomembrane. Planta 210. https://doi.org/10.1007/s004250050657

Cubry, P., Pujade-Renaud, V., Garcia, D., Espeout, S., Le Guen, V., Granet, F., Seguin, M., 2014. Development and characterization of a new set of 164 polymorphic EST-SSR markers for diversity and breeding studies in rubber tree (Hevea brasiliensis Müll. Arg.). Plant Breed. 133, 419–426. https://doi.org/10.1111/PBR.12158

D'Auzac, J., Jacob, J.-L., Chrestin, H., 1989. Physiology of rubber tree latex : the laticiferous cell and latex : a model of cytoplasm. CRC Press.

D'Auzac, J., Jacob, J.L., Prevot, J.C., Clement, A., Gallois, R., Chrestin, H., Lacote, R., Pujade-Renaud., V., 1997. The regulation of cispolyisoprène production (natural rubber) from Hevea brasiliensis, in: Pandalai, S.G. (Ed.), Recent Res. Devel. in Plant Physiol. pp. 273-332.

Danecek, P., Auton, A., Abecasis, G., Albers, C.A., Banks, E., DePristo, M.A., Handsaker, R.E., Lunter, G., Marth, G.T., Sherry, S.T., McVean, G., Durbin, R., 2011. The variant call format and VCFtools. Bioinformatics 27, 2156. https://doi.org/10.1093/BIOINFORMATICS/BTR330

Dijkman, M.J., 1951. Hevea -Thirty Years of Research in the Far East. Univ. Miami Press., Coral Gables, Florida, USA.

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Dinka, S.J., Campbell, M.A., Demers, T., Raizada, M.N., 2007. Predicting the size of the progeny mapping population required to positionally clone a gene. Genetics 176. https://doi.org/10.1534/genetics.107.074377

Direktorat Jenderal Perkebunan, 2023. STATISTIK PERKEBUNAN JILID I 2022-2024. Sekretariat Direktorat Jenderal Perkebunan, Direktorat Jenderal Perkebunan, Kementerian Pertanian, Jakarta.

Eliathe, E.A.A., Edmond, K.K., Mathurin, O.K., Justin, L.Y., Pierre, Ng.A.S., Kouadio, D., Abdourahamane, S., 2012. Detection of Hevea brasilensis clones yield potential and susceptibility to tapping panel dryness in Côte d'Ivoire using the 32 and 35 KDa lutoidic proteins. AFRICAN J. Biotechnol. 11. https://doi.org/10.5897/ajb11.409

Eschbach, J.M., Roussel, D., Van de Sype, H., Jacob, J.L., D'Auzac, J., 1984. Relationships between yield and clonal physiological characteristics of latex from Hevea brasiliensis. Physiol. Veg. 22, 295-304.

Fang, W., Qiao, L.S., Ming, W., Jian, Q., Feng, Y.W., Hua, G.H., Zhou, X.X., 2016. Cloning and expression analysis of one gamma-glutamylcysteine synthetase gene (Hbγ-ECS1) in latex production in hevea brasiliensis. Biomed Res. Int. 2016. https://doi.org/10.1155/2016/5657491

GAPKINDO, 2023. Natural Rubber Industry Expected to Support Earthquake-Resistant Infrastructure Industry Development [WWW Document]. URL https://gapkindo.org/2023/02/24/ministry-of-industry-rubber-commodity-contributes-idr-110-trillion-in-foreign-exchange-and-absorbs-60000-workers-2/

Garsmeur, O., Droc, G., Antonise, R., Grimwood, J., Potier, B., Aitken, K., Jenkins, J., Martin, G., Charron, C., Hervouet, C., Costet, L., Yahiaoui, N., Healey, A., Sims, D., Cherukuri, Y., Sreedasyam, A., Kilian, A., Chan, A., Van Sluys, M.A., Swaminathan, K., Town, C., Bergès, H., Simmons, B., Glaszmann, J.C., Van Der Vossen, E., Henry, R., Schmutz, J., D'Hont, A., 2018. A mosaic monoploid reference sequence for the highly complex genome of sugarcane. Nat. Commun. 2018 91 9, 1–10. https://doi.org/10.1038/s41467-018-05051-5

Gohet, E., Cauchy, T., Soumahoro, M., Kotochi, C., Chegbene, P., Njoku, A., Lesturgez, G., 2019. Meta-analysis of a large industrial latex diagnosis database provides insight on *Hevea brasiliensis* clonal adaptation and site-specific yield potential in Western Africa. Proceeding IRRDB Rubber Conf. 1–19.

Gohet, E., Cavaloc, E., Cardoso, S., Cairo, I., Garcia, D., Rivano, F., Lacote, R., Lesturgez, G., 2015. A first physiological assessment of latex clonal metabolic typology and rubber yield potential of "CMS" rubber tree clones. Proceeding Int. Rubber Conf. Ho chi Minh 2 - 3 Novemb. 2015 287–294. https://doi.org/10.13140/RG.2.1.3007.4328

Gohet, E., Chantuma, P., Lacote, R., Obouayeba, S., Dian, K., Clément Demange, A., Dadang, K., Eschbach, J.-M., 2003. Latex clonal typology of Hevea brasiliensis: Physiological modelling of yield potential and clonal response to ethephon stimulation. IRRDB Work. Exploit. Technol.

Gohet, E., Scomparin, C., Cavaloc, E., Balerin, Y., Benites, G., Dumortier, F., Williams, H.O., Permadi, H.P., Ginting, E., De Rostolan, E., Uche, E., Chegbene, P., Hocepied, E., Echimane, P., Soumahoro, M., Sargeant, H.J., Suyatno, Najera, C.A., Soumahoro, B., Lacote, R., Eschbach, J.-M., 2008. Influence of ethephon stimulation on latex physiological parameters and

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

consequences on latex diagnosis implementation in rubber agro-industry. Present. IRRDB Work. Latex Harvest. Technol.

Hao, B.Z., Wu, J.L., 2000. Laticifer differentiation in Hevea brasiliensis: induction by exogenous jasmonic acid and linolenic acid. Ann. Bot. 85, 37–43.

Hao, X., Yang, T., Wang, Y., Liu, R., Dong, X., Zhao, J., Han, J., Zong, X., Chang, J., Liu, H., 2022. Construction of A GBS-Based High-Density Genetic Map and Flower Color-Related Loci Mapping in Grasspea (Lathyrus sativus L.). Plants 11, 2172. https://doi.org/10.3390/PLANTS11162172/S1

Hardjowigeno, S., 2003. The Development of Peatlands for Agriculture an Opportunity and a Challenge. Scientific Oration Professors of Soil Science Faculty of Agriculture.

He, J., Zhao, X., Laroche, A., Lu, Z.X., Liu, H.K., Li, Z., 2014. Genotyping-by-sequencing (GBS), an ultimate marker-assisted selection (MAS) tool to accelerate plant breeding. Front. Plant Sci. 5. https://doi.org/10.3389/FPLS.2014.00484

Hepper, C.M., Audley, B.G., 1969. The biosynthesis of rubber from β-hydroxy-β-methylglutaryl-coenzyme A in Hevea brasiliensis latex. Biochem. J. 144, 370-386.

Herlinawati, E., Montoro, P., Ismawanto, S., Syafaah, A., Aji, M., Giner, M., Flori, A., Gohet, E., Oktavia, F., 2022. Dynamic analysis of Tapping Panel Dryness in Hevea brasiliensis reveals new insights on this physiological syndrome affecting latex production. Heliyon 8. https://doi.org/10.1016/j.heliyon.2022.e10920

IRRDB, 1996. Manual of Biochemical and Physiological Tests for Hevea brasiliensis.

Jacob, J.L., d'Auzac, J., Prevôt, J.C., 1993. The composition of natural latex from Hevea brasiliensis. Clin. Rev. Allergy 11. https://doi.org/10.1007/BF02914415

Jacob, J.L., Eschbach, J.M., Prevot, J.L., Roussel, D., Lacrotte, R., Chrestin, H., D'Auzac, J., 1986. Physiological basis for latex diagnosis of the functioning of the laticiferous system in rubber trees, in: Rajarao, J.C., Amin, L.L. (Eds.), Proceedings of International Rubber Conference, Kuala Lumpur, Malaysia, 21-25 October 1985. Rubber Research Institute of Malaysia.

Jacob, J.L., Prevot, J.C., Kekwick, R.G.O., 1989a. General Metabolism of Hevea Brasiliensis Latex (with the Exception of Isoprenic Anabolism), in: D'Auzac, J., Jacob, J.-L., Chrestin, H. (Eds.), Physiology of Rubber Tree Latex. CRC Press Inc, Florida, pp. 101–144.

Jacob, J.L., Prevot, J.C., Lacrotte, R., Clement, A., Serres, E., Gohet, E., 1995. Clonal typology of laticifer functioning in Hevea brasiliensis. Plant. Rech. Dev. 43–49.

Jacob, J.L., Prévôt, J.C., Roussel, D., Lacrotte, R., Serres, E., D'Auzac, J., Eschbach, J.M., Omont, H., 1989b. Yield-limiting factors, latex physiological parameters, latex diagnosis, and clonal typology, in: d'Auzac, J.L., Jacob, .L., Chrestin, H. (Eds.), Physiology of Rubber Tree Latex. CRC Press Inc, Boca Raton, Florida., pp. 345-403.

Jacob, J.L., Serres, E., Prévôt, J.C., Lacrotte, R., Vidal, A., Eschbach, J.M., D'Auzac, J., 1987. Development of the Hevea latex diagnosis. Agritrop, 12, 97–

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

118.

Jaganathan, D., Bohra, A., Thudi, M., Varshney, R.K., 2020. Fine mapping and gene cloning in the post-NGS era: advances and prospects. Theor. Appl. Genet. https://doi.org/10.1007/s00122-020-03560-w

Johnson, H.W., Robinson, H.F., Comstock, R.E., 1955. Estimates of Genetic and Environmental Variability in Soybeans. Agron. J. 47, 314–318. https://doi.org/https://doi.org/10.2134/agronj1955.00021962004700070009x

Junaidi, Nuringtyas, T.R., Clément-Vidal, A., Flori, A., Syafaah, A., Oktavia, F., Ismawanto, S., Aji, M., Subandiyah, S., Montoro, P., 2022. Analysis of reduced and oxidized antioxidants in Hevea brasiliensis latex reveals new insights into the regulation of antioxidants in response to harvesting stress and tapping panel dryness. Heliyon 8, e09840. https://doi.org/10.1016/J.HELIYON.2022.E09840

Kagale, S., Koh, C., Clarke, W.E., Bollina, V., Parkin, I.A.P., Sharpe, A.G., 2016. Analysis of Genotyping-by-Sequencing (GBS) Data. Methods Mol. Biol. 1374, 269–284. https://doi.org/10.1007/978-1-4939-3167-5_15

Kaur, G., Pathak, M., Singla, D., Sharma, A., Chhuneja, P., Sarao, N.K., 2021. High-Density GBS-Based Genetic Linkage Map Construction and QTL Identification Associated With Yellow Mosaic Disease Resistance in Bitter Gourd (Momordica charantia L.). Front. Plant Sci. 12, 986. https://doi.org/10.3389/FPLS.2021.671620/BIBTEX

Kekwick, R.G.O., 1989. The formation of isoprenoids in Hevea latex., in: D'Auzac, J., Jacob, J.L., Chrestin, L. (Eds.), Physiology of Rubber Tree Latex. CRC Press, Boca Raton, FL., pp. 145-164.

Ko, J.H., Chow, K.S., Han, K.H., 2003. Transcriptome analysis reveals novel features of the molecular events occurring in the laticifers of Hevea brasiliensis (para rubber tree). Plant Mol. Biol. 53. https://doi.org/10.1023/B:PLAN.0000019119.66643.5d

Lacote, R., Doumbia, A., Obouayeba, S., Gohet, E., 2013. Sustainable rubber production through good latex harvesting practices: stimulation based on clonal latex functional typology and tapping panel management, in: IRRDB Workshop on Latex Harvesting Technology, Binh Duong, Vietnam, November 19th-22nd, 2013. IRRDB, Binh Duong, Viet Nam.

Lacote, R., Gabla, O., Obouayeba, S., Eschbach, J.M., Rivano, F., Dian, K., Gohet, E., 2010. Long-term effect of ethylene stimulation on the yield of rubber trees is linked to latex cell biochemistry. F. Crop. Res. 115, 94–98. https://doi.org/10.1016/J.FCR.2009.10.007

Le Guen, V., Garcia, D., Doaré, F., Mattos, C.R.R., Condina, V., Couturier, C., Chambon, A., Weber, C., Espéout, S., Seguin, M., 2011. A rubber tree's durable resistance to Microcyclus ulei is conferred by a qualitative gene and a major quantitative resistance factor. Tree Genet. Genomes 7. https://doi.org/10.1007/s11295-011-0381-7

Le Guen, V., Lespinasse, D., Oliver, G., Rodier-Goud, M., Pinard, F., Seguin, M., 2003. Molecular mapping of genes conferring field resistance to South American Leaf Blight (Microcyclus ulei) in rubber tree. Theor. Appl. Genet. 108. https://doi.org/10.1007/s00122-003-1407-9

Leclercq, J., Wu, S., Farinas, B., Pointet, S., Favreau, B., Vignes, H., Kuswanhadi,

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

K., Ortega-Abboud, E., Dufayard, J.F., Gao, S., Droc, G., Hu, S., Tang, C., Montoro, P., 2020. Post-transcriptional regulation of several biological processes involved in latex production in Hevea brasiliensis. PeerJ 8. https://doi.org/10.7717/PEERJ.8932

Lee, D., 2018. Thailand Natural Rubber Economics [WWW Document]. URL https://www.halcyonagri.com/en/thailand-natural-rubber-economics/

Lekawipat, N., Teerawatanasuk, K., Rodier-Goud, M., Seguin, M., Vanavichit, A., Toojinda, T., Tragoonrung, S., 2003. Genetic Diversity Analysis of Wild Germplasm and Cultivated Clones of Hevea brasiliensis Muell.Arg. by Using Microsatellite Markers. J. Rubber Res. 6.

Lespinasse, D., Grivet, L., Troispoux, V., Rodier-Goud, M., Pinard, F., Seguin, M., 2000. Identification of QTLs involved in the resistance to South American leaf blight (Microcyclus ulei) in the rubber tree. Theor. Appl. Genet. 100. https://doi.org/10.1007/s001220051379

LGM, 2024. Transfer of Technology [WWW Document]. URL https://www.lgm.gov.my/webv2/coreActivities/tot/(tot:about) (accessed 12.1.24).

Li, H., 2018. Minimap2: pairwise alignment for nucleotide sequences. Bioinformatics 34, 3094–3100. https://doi.org/10.1093/BIOINFORMATICS/BTY191

Li, H., Vikram, P., Singh, R.P., Kilian, A., Carling, J., Song, J., Burgueno-Ferreira, J.A., Bhavani, S., Huerta-Espino, J., Payne, T., Sehgal, D., Wenzl, P., Singh, S., 2015. A high density GBS map of bread wheat and its application for dissecting complex disease resistance traits. BMC Genomics 16, 1–15. https://doi.org/10.1186/S12864-015-1424-5/FIGURES/6

Lichtenthaler, H.K., 1999. The 1-deoxy-D-xylulose-5-phosphate pathway of isoprenoid biosynthesis in plants. Annu. Rev. Plant Biol. 50. https://doi.org/10.1146/annurev.arplant.50.1.47

Long, X., Li, H., Yang, J., Xin, L., Fang, Y., He, B., Huang, D., Tang, C., 2019. Characterization of a vacuolar sucrose transporter, HbSUT5, from Hevea brasiliensis: Involvement in latex production through regulation of intracellular sucrose transport in the bark and laticifers. BMC Plant Biol. 19, 1–11. https://doi.org/10.1186/S12870-019-2209-9/FIGURES/5

Lopez, D., 2023. PB260 draft assembly [Data set]. Zenodo. [WWW Document]. URL https://doi.org/10.5281/zenodo.10281549

Martin, G., Baurens, F.C., Droc, G., Rouard, M., Cenci, A., Kilian, A., Hastie, A., Doležel, J., Aury, J.M., Alberti, A., Carreel, F., D'Hont, A., 2016. Improvement of the banana "Musa acuminata" reference sequence using NGS data and semi-automated bioinformatics methods. BMC Genomics 17, 1–12. https://doi.org/10.1186/S12864-016-2579-4/TABLES/4

Martin, M., 2011. Cutadapt removes adapter sequences from high-throughput sequencing reads. EMBnet.journal 17, 10–12. https://doi.org/10.14806/EJ.17.1.200

McMullen, A., McSweeney, G., 1966. The biosynthesis of rubber: Incorporation of isopentenyl pyrophosphate into purified rubber particles by a soluble latex-serum enzyme. Biochem. J. 101. https://doi.org/10.1042/bj1010042

Mooibroek, H., Cornish, K., 2000. Alternative sources of natural rubber. Appl. Microbiol. Biotechnol. https://doi.org/10.1007/s002530051627

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mournet, P., de Albuquerque, P.S.B., Alves, R.M., Silva-Werneck, J.O., Rivallan, R., Marcellino, L.H., Clément, D., 2020. A reference high-density genetic map of Theobroma grandiflorum (Willd. ex Spreng) and QTL detection for resistance to witches' broom disease (Moniliophthora perniciosa). Tree Genet. Genomes 16, 89. https://doi.org/10.1007/s11295-020-01479-3

Munyengwa, N., Le Guen, V., Bille, H.N., Souza, L.M., Clément-Demange, A., Mournet, P., Masson, A., Soumahoro, M., Kouassi, D., Cros, D., 2021. Optimizing imputation of marker data from genotyping-by-sequencing (GBS) for genomic selection in non-model species: Rubber tree (Hevea brasiliensis) as a case study. Genomics 113, 655–668. https://doi.org/10.1016/J.YGENO.2021.01.012

Narayanan, C., Mydin, K.K., 2011. Heritability of yield and secondary traits in two populations of para rubber tree (Hevea brasiliensis). Silvae Genet. 60, 132–139. https://doi.org/10.1515/sg-2011-0018

Piyatrakul, P., Yang, M., Putranto, R.A., Pirrello, J., Dessailly, F., Hu, S., Summo, M., Theeravatanasuk, K., Leclercq, J., Kuswanhadi, Montoro, P., 2014. Sequence and expression analyses of ethylene response factors highly expressed in latex cells from Hevea brasiliensis. PLoS One 9. https://doi.org/10.1371/journal.pone.0099367

Poland, J.A., Brown, P.J., Sorrells, M.E., Jannink, J.L., 2012. Development of High-Density Genetic Maps for Barley and Wheat Using a Novel Two-Enzyme Genotyping-by-Sequencing Approach. PLoS One 7, e32253. https://doi.org/10.1371/JOURNAL.PONE.0032253

Pootakham, W., Ruang-Areerate, P., Jomchai, N., Sonthirod, C., Sangsrakru, D., Yoocha, T., Theerawattanasuk, K., Nirapathpongporn, K., Romruensukharom, P., Tragoonrung, S., Tangphatsornruang, S., 2015. Construction of a high-density integrated genetic linkage map of rubber tree (Hevea brasiliensis) using genotyping-by-sequencing (GBS). Front. Plant Sci. 6, 1–12. https://doi.org/10.3389/FPLS.2015.00367/ABSTRACT

Price, A.H., Cairns, J.E., Horton, P., Jones, H.G., Griffiths, H., 2002. Linking drought-resistance mechanisms to drought avoidance in upland rice using a QTL approach: Progress and new opportunities to integrate stomatal and mesophyll responses. J. Exp. Bot. https://doi.org/10.1093/jexbot/53.371.989

Puskas, J.E., Gautriaud, E., Deffieux, A., Kennedy, J.P., 2006. Natural rubber biosynthesis-A living carbocationic polymerization? Prog. Polym. Sci. https://doi.org/10.1016/j.progpolymsci.2006.05.002

Putranto, R.A., Herlinawati, E., Rio, M., Leclercq, J., Piyatrakul, P., Gohet, E., Sanier, C., Oktavia, F., Pirrello, J., Kuswanhadi, Montoro, P., 2015. Involvement of ethylene in the latex metabolism and tapping panel dryness of Hevea brasiliensis. Int. J. Mol. Sci. 16. https://doi.org/10.3390/ijms160817885

Pütter, K.M., van Deenen, N., Unland, K., Prüfer, D., Schulze Gronover, C., 2017. Isoprenoid biosynthesis in dandelion latex is enhanced by the overexpression of three key enzymes involved in the mevalonate pathway. BMC Plant Biol. 17. https://doi.org/10.1186/s12870-017-1036-0

Qin, Y., Wang, J., Fang, Y., Lu, J., Shi, X., Yang, J., Xiao, X., Luo, X., Long, X., 2022. Anaerobic metabolism in Hevea brasiliensis laticifers is relevant to rubber synthesis when tapping is initiated. Ind. Crops Prod. 178, 114663. https://doi.org/10.1016/j.indcrop.2022.114663

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Quinlan, A.R., Hall, I.M., 2010. BEDTools: a flexible suite of utilities for comparing genomic features. Bioinformatics 26, 841–842. https://doi.org/10.1093/BIOINFORMATICS/BTQ033

Rao, P.S., Saraswathyamma, C.K., Sethuraj, M.R., 1998. Studies on the relationship between yield and meteorological parameters of para rubber tree (Hevea brasiliensis). Agric. For. Meteorol. 90, 235–245.

Rastas, P., 2017. Lep-MAP3: robust linkage mapping even for low-coverage whole genome sequencing data. Bioinformatics 33, 3726–3732. https://doi.org/10.1093/BIOINFORMATICS/BTX494

Rattanawong, R., 2012. QTL mapping in Hevea brasiliensis for analysing the genetic determinism of growth, latex production, and the macromolecular structure of natural rubber. Kasetsart University.

Sando, T., Takaoka, C., Mukai, Y., Yamashita, A., Hattori, M., Ogasawara, N., Fukusaki, E., Kobayashi, A., 2008. Cloning and characterization of mevalonate pathway genes in a natural rubber producing plant, hevea brasiliensis. Biosci. Biotechnol. Biochem. 72. https://doi.org/10.1271/bbb.80165

Sayurandi, S., Wirnas, D., Woelan, S., 2016. Analisis Daya Hasil Lateks Dan Heritabilitas Karakter Kuantitatif Dari Beberapa Genotipe Karet Pp/07/04. J. Penelit. Karet 7, 1–12. https://doi.org/10.22302/ppk.jpk.v34i1.226

Seguin, M., Rodier-Goud, M., Lespinasse, D., 1997. Mapping SSR markers in rubber tree (Hevea brasiliensis) facilitated and enhanced by heteroduplex formation and template mixing, in: Plant and Animal Genomes V Conference. San Diego, USA, p. 66.

Sethuraj, M.R., 1981. Yield components in Hevea brasiliensis– theoretical considerations. Plant. Cell Environ. 4, 81–83. https://doi.org/10.1111/j.1365-3040.1981.tb00838.x

Shearman, J.R., Sangsrakru, D., Jomchai, N., Ruangareerate, P., Sonthirod, C., Naktang, C., Theerawattanasuk, K., Tragoonrung, S., Tangphatsornruang, S., 2015. SNP Identification from RNA Sequencing and Linkage Map Construction of Rubber Tree for Anchoring the Draft Genome. PLoS One 10, e0121961. https://doi.org/10.1371/JOURNAL.PONE.0121961

Solichin, M., Suwardin, D., Raswil, R., Santosa, A.M., Anwar, A., 2006. Pengolahan Bahan Olah Karet Rakyat, in: Wijaya, T., Boerhendhy, I., Suryaningtyas, H., Suwardin, D., Nancy, C. (Eds.), Sapta Bina Usahatani Karet Rakyat. Balai Penelitian Sembawa, Palembang, pp. 111–124.

Souza, L.M., Gazaffi, R., Mantello, C.C., Silva, C.C., Garcia, D., Le Guen, V., Cardoso, S.E.A., Garcia, A.A.F., Souza, A.P., 2013. QTL Mapping of Growth-Related Traits in a Full-Sib Family of Rubber Tree (Hevea brasiliensis) Evaluated in a Sub-Tropical Climate. PLoS One 8. https://doi.org/10.1371/journal.pone.0061238

Statista, 2024. Average yield of natural rubber in India from financial year 2006 to 2019, with an estimate for 2020 [WWW Document]. URL https://www.statista.com/statistics/1056259/india-natural-rubber-average-yield/ (accessed 12.1.24).

Tang, C., Yang, M., Fang, Y., Luo, Y., Gao, S., Xiao, X., An, Z., Zhou, B., Zhang, B., Tan, X., Yeang, H.Y., Qin, Y., Yang, Jianghua, Lin, Q., Mei, H., Montoro, P., Long, X., Qi, J., Hua, Y., He, Z., Sun, M., Li, W., Zeng, X., Cheng, H., Liu, Y.,

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, Jin, Tian, W., Zhuang, N., Zeng, R., Li, D., He, P., Li, Z., Zou, Z., Li, S., Li, C., Wang, J., Wei, D., Lai, C.Q., Luo, W., Yu, J., Hu, S., Huang, H., 2016. The rubber tree genome reveals new insights into rubber production and species adaptation. Nat. Plants 2, 1–10. https://doi.org/10.1038/nplants.2016.73

Tang, C.R., Huang, D.B., Yang, J.H., Liu, S.J., Sakr, S., Li, H.P., Zhou, Y.H., Qin, Y.X., 2010. The sucrose transporter HbSUT3 plays an active role in sucrose loading to laticifer and rubber productivity in exploited trees of Hevea brasiliensis (para rubber tree). Plant, Cell Environ. 33, 1708–1720. https://doi.org/10.1111/j.1365-3040.2010.02175.x

Taussky, H.H., Shorr, E., 1953. A Microcolorimetric Method for the Determination of Inorganic Phosphorus. J. Biol. Chem. 202, 675–685. https://doi.org/10.1016/s0021-9258(18)66180-0

Tupy, J., 1989. Sucrose supply and utilization for latex production., in: D'Auzac, J., Jacob, J.L., Chrestin, H. (Eds.), Physiology of Rubber Tree Latex. CRC Press Inc., Boca Raton, FL, USA, pp. 179–218.

Van Ooijen, J.W., 2009. MapQTL 6. Software for the mapping of quantitative trait loci in experimental populations of diploid species. Kyazma B. V., Wageningen, Netherlands.

Varghese, Y.A., 1992. Germplasm resources and genetic improvement, in: Sethuraj, Mathew (Eds.), Natural Rubber: Biology, Cultivation and Technology". Elsevier, pp. 88-115.

Varghese, Y.A., Mydin, K.K., 2000. Genetic Improvement, in: George, P.J., Jacob, C.K. (Eds.), Natural Rubber : Agromanagement and Crop Processing. Rubber Research Institute of India, Rubber Board, Kottayam, India, pp. 36–46.

Venkatachalam, P., Geetha, N., Sangeetha, P., And, Thulaseedharan, A., 2013. Natural rubber producing plants: An overview. African J. Biotechnol. 12. https://doi.org/10.4314/ajb.v12i12.

Verma, S., Gupta, S., Bandhiwal, N., Kumar, T., Bharadwaj, C., Bhatia, S., 2015. High-density linkage map construction and mapping of seed trait QTLs in chickpea (Cicer arietinum L.) using Genotyping-by-Sequencing (GBS). Sci. Reports 2015 51 5, 1–14. https://doi.org/10.1038/srep17512

Vijayakumar, K.R., Gohet, E., Thomas, K.U., Xiaodi, W., Sumarmadji, Rodrigo, L., Thanh, D.K., Sopchoke, P., Karunaichamy, K., Said, M.A.M., 2009. Special communication: Revised international notation for latex harvest technologytle. J. Rubber Res. 12, 103–115.

Wickland, D.P., Battu, G., Hudson, K.A., Diers, B.W., Hudson, M.E., 2017. A comparison of genotyping-by-sequencing analysis methods on low-coverage crop datasets shows advantages of a new workflow, GB-eaSy. BMC Bioinformatics 18, 1–12. https://doi.org/10.1186/S12859-017-2000-6/TABLES/5

Wu, W., Zhang, X., Deng, Z., An, Z., Huang, H., Li, W., Cheng, H., 2022. Ultrahigh-density genetic map construction and identification of quantitative trait loci for growth in rubber tree (Hevea brasiliensis). Ind. Crops Prod. 178, 114560. https://doi.org/10.1016/J.INDCROP.2022.114560

Xia, Z., Liu, K., Zhang, S., Yu, W., Zou, M., He, L., Wang, W., 2018. An ultra-high density map allowed for mapping QTL and candidate genes controlling dry latex yield in rubber tree. Ind. Crops Prod. 120, 351–356.

UNIVERSITAS
GADJAH MADA
Genetic Analysis of Agronomic and Physiological Traits Related to Latex Yield in Rubber (Hevea brasiliensis Mull. Arg.)
Sigit Ismawanto, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Siti Subandiyah, M.Agr.Sc.; Dr. Pascal Montoro
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/J.INDCROP.2018.04.057

Yao, X., Chen, X., Wang, J., Zhou, J., Cai, M., Lin, W., 2017. Effect of clonal rootstocks on the growth and yield of hevea rubber. J. Rubber Res. 20, 203–212. https://doi.org/10.1007/BF03449152/METRICS

Zhang, L., Guo, D., Guo, L., Guo, Q., Wang, H., Hou, X., 2019. Construction of a high-density genetic map and QTLs mapping with GBS from the interspecific F1 population of P. ostii 'Fengdan Bai' and P. suffruticosa 'Xin Riyuejin.' Sci. Hortic. (Amsterdam). 246, 190–200. https://doi.org/10.1016/J.SCIENTA.2018.10.039

Zuraina, W.K., Pudjianto, E., Udin, A., Kurniawati, N., Magdalena, E., Damarjati, S.N., 2022. Statistical of national leading estate crops commodity 2021-2023. Secretariate of Directorate General of Estates, Directorate General of Estates, Ministry of Agriculture, Jakarta.