

DAFTAR PUSTAKA

- Anugrahati, N.A., Pranoto, Y., Marsono, Y., Marseno, D.W., 2015. In Vitro Digestibility of Indonesian Cooked Rice Treated with Cooling- Reheating Process and Coconut Milk Addition 4.
- Bresciani, A., Vaglia, V., Saitta, F., Fessas, D., Casiraghi, M.C., Erba, D., Pagani, M.A., Lee, J.Y., Kang, J.W., Ko, J.-M., Bocchi, S., Cho, J.H., Marti, A., 2022. High-amylose and Tongil type Korean rice varieties: physical properties, cooking behaviour and starch digestibility. *Food Sci Biotechnol* 31, 681–690. <https://doi.org/10.1007/s10068-022-01075-2>
- Budidaya padi pada lahan marjinal : kiat meningkatkan produksi padi / M. Zulman Harja Utama ; editor, Erang Risanto ; korektor, Monica Bendatu | OPAC Perpustakaan Nasional RI., n.d.
- Cervantes-Ramírez, J.E., Cabrera-Ramirez, A.H., Morales-Sánchez, E., Rodríguez-García, M.E., Reyes-Vega, M. de la L., Ramírez-Jiménez, A.K., Contreras-Jiménez, B.L., Gaytán-Martínez, M., 2020. Amylose-lipid complex formation from extruded maize starch mixed with fatty acids. *Carbohydrate Polymers* 246, 116555. <https://doi.org/10.1016/j.carbpol.2020.116555>
- Chen, B., Zeng, S., Zeng, H., Guo, Z., Zhang, Y., Zheng, B., 2017. Properties of lotus seed starch–glycerin monostearin complexes formed by high pressure homogenization. *Food Chemistry* 226, 119–127. <https://doi.org/10.1016/j.foodchem.2017.01.018>
- Cheng, Z., Li, J., Qiao, D., Wang, L., Zhao, S., Zhang, B., 2022. Microwave reheating enriches resistant starch in cold-chain cooked rice: A view of structural alterations during digestion. *International Journal of Biological Macromolecules* 208, 80–87. <https://doi.org/10.1016/j.ijbiomac.2022.03.034>
- Faridah, D.N., Andriani, I., Talitha, Z.A., Budi, F.S., 2021. Physicochemical characterization of resistant starch type V (RS5) from manggu cassava starch (*Manihot esculenta*). *Food Res.* 5, 228–234. [https://doi.org/10.26656/fr.2017.5\(2\).496](https://doi.org/10.26656/fr.2017.5(2).496)
- Flores-Morales, A., Jiménez-Estrada, M., Mora-Escobedo, R., 2012. Determination of the structural changes by FT-IR, Raman, and CP/MAS 13C NMR spectroscopy on retrograded starch of maize tortillas. *Carbohydrate Polymers* 87, 61–68. <https://doi.org/10.1016/j.carbpol.2011.07.011>
- Goñi, I., García-Diz, L., Mañas, E., Saura-Calixto, F., 1996. Analysis of resistant starch: a method for foods and food products. *Food Chemistry* 56, 445–449. [https://doi.org/10.1016/0308-8146\(95\)00222-7](https://doi.org/10.1016/0308-8146(95)00222-7)
- Gopalsamy, G., Mortimer, E., Greenfield, P., Bird, A.R., Young, G.P., Christophersen, C.T., 2019. Resistant Starch Is Actively Fermented by Infant Faecal Microbiota and Increases Microbial Diversity. *Nutrients* 11, 1345. <https://doi.org/10.3390/nu11061345>
- Gutiérrez, T.J., Tovar, J., 2021. Update of the concept of type 5 resistant starch (RS5): Self-assembled starch V-type complexes. *Trends in Food Science & Technology* 109, 711–724. <https://doi.org/10.1016/j.tifs.2021.01.078>

- Han, J., Wu, J., Liu, X., Shi, J., Xu, J., 2023. Physiological effects of resistant starch and its applications in food: a review. *Food Production, Processing and Nutrition* 5, 48. <https://doi.org/10.1186/s43014-023-00156-x>
- Helmyati, S., Amalia, A.W., Sholihah, H., Kurnia, M., Kiasaty, S., Wigati, M., Rohana, A.J., Ishak, W.R.W., Hamid, N.A., Malik, V., Hu, F., 2021. The Pattern of Carbohydrate Intake among University Students from Eastern Indonesia Tends to be Diverse. *CNF* 17, 867–875. <https://doi.org/10.2174/1573401317666210224123425>
- Huang, H.-K., Sheu, H.-S., Chuang, W.-T., Jeng, U.-S., Su, A.-C., Wu, W.-R., Liao, K.-F., Chen, C.-Y., Chang, S.-Y., Lai, H.-M., 2014. Correlated changes in structure and viscosity during gelatinization and gelation of tapioca starch granules. *IUCrJ* 1, 418–428. <https://doi.org/10.1107/S2052252514019137>
- Isiosio, U.E., Isiosio, I.O., Emudianughe, P.T., 2015. Resistant starch and in vitro starch digestibility of five Nigerian foods.
- Juliano, B.O., Tuaño, A.P.P., Monteroso, D.N., Aoki, N., Mestres, C., Duldulao, J.B.A., Bergonio, K.B., 2012. Replacement of acetate with ammonium buffer to determine apparent amylose content of milled rice. *Cereal Foods World* 57, 14–19. <https://doi.org/10.1094/CFW-57-1-0014>
- Kang, X., Liu, P., Gao, W., Wu, Z., Yu, B., Wang, R., Cui, B., Qiu, L., Sun, C., 2020. Preparation of starch-lipid complex by ultrasonication and its film forming capacity. *Food Hydrocolloids* 99, 105340. <https://doi.org/10.1016/j.foodhyd.2019.105340>
- Karpińska, M., Czauderna, M., 2022. Pancreas—Its Functions, Disorders, and Physiological Impact on the Mammals' Organism. *Front Physiol* 13, 807632. <https://doi.org/10.3389/fphys.2022.807632>
- Kaur, M., Sandhu, K.S., Ahlawat, R., Sharma, S., 2015. In vitro starch digestibility, pasting and textural properties of mung bean: effect of different processing methods. *J Food Sci Technol* 52, 1642–1648. <https://doi.org/10.1007/s13197-013-1136-2>
- Le, T.Q., Songsermpong, S., Rumpagaporn, P., Suwanagul, A., n.d. Microwave heating for accelerated aging of paddy and white rice.
- Li, C., Ji, Y., Zhang, S., Yang, X., Gilbert, R.G., Li, S., Li, E., 2022. Amylose Inter-Chain Entanglement and Inter-Chain Overlap Impact Rice Quality. *Foods* 11, 1516. <https://doi.org/10.3390/foods11101516>
- Li, H., 2017. Understanding the texture of cooked rice from the molecular, instrumental and sensory levels (PhD Thesis). The University of Queensland. <https://doi.org/10.14264/uql.2017.868>
- Li, N., Cai, Z., Guo, Y., Xu, T., Qiao, D., Zhang, B., Zhao, S., Huang, Q., Niu, M., Jia, C., Lin, L., Lin, Q., 2019. Hierarchical structure and slowly digestible features of rice starch following microwave cooking with storage. *Food Chemistry* 295, 475–483. <https://doi.org/10.1016/j.foodchem.2019.05.151>
- Liu, T., Zhang, B., Wang, L., Zhao, S., Qiao, D., Zhang, L., Xie, F., 2021. Microwave reheating increases the resistant starch content in cooked rice with high water contents. *International Journal of Biological Macromolecules* 184, 804–811. <https://doi.org/10.1016/j.ijbiomac.2021.06.136>

- Martens, B.M.J., Gerrits, W.J.J., Bruininx, E.M.A.M., Schols, H.A., 2018. Amylopectin structure and crystallinity explains variation in digestion kinetics of starches across botanic sources in an in vitro pig model. *Journal of Animal Science and Biotechnology* 9, 91. <https://doi.org/10.1186/s40104-018-0303-8>
- Mohamed, I.O., 2021. Effects of processing and additives on starch physicochemical and digestibility properties. *Carbohydrate Polymer Technologies and Applications* 2, 100039. <https://doi.org/10.1016/j.carpta.2021.100039>
- Moran, E.T., 2021. Dietary free fatty acids complex with amylose creating another form of resistant starch: Gastrointestinal formation with fowl and swine. *Animal Nutrition* 7, 1124–1132. <https://doi.org/10.1016/j.aninu.2021.04.009>
- Mustafa, Y.F., 2024. Effects of heat variables on the starch content of cooked white rice: Searching for diabetes-friendly food. *Bioactive Carbohydrates and Dietary Fibre* 31, 100395. <https://doi.org/10.1016/j.bcdf.2023.100395>
- Obadi, M., Li, C., Li, Q., Li, X., Qi, Y., Xu, B., 2020. Relationship between starch fine molecular structures and cooked wheat starch digestibility. *Journal of Cereal Science* 95, 103047. <https://doi.org/10.1016/j.jcs.2020.103047>
- Pangastuti, H.A., Permana, L., 2021. PENGUKURAN PATI RESISTEN TIPE 5 SECARA IN VITRO PADA NASI UDUK. *pangan* 6, 42–48. <https://doi.org/10.31970/pangan.v6i2.56>
- Schahl, A., Lemassu, A., Jolibois, F., Réat, V., 2022. Evidence for amylose inclusion complexes with multiple acyl chain lipids using solid-state NMR and theoretical approaches. *Carbohydrate Polymers* 276, 118749. <https://doi.org/10.1016/j.carbpol.2021.118749>
- Shen, L., Li, J., Li, Y., 2022. Resistant starch formation in rice: Genetic regulation and beyond. *Plant Communications, Special Issue on Rice Functional Genomics* 3, 100329. <https://doi.org/10.1016/j.xplc.2022.100329>
- Sonia, S., Witjaksono, F., Ridwan, R., 2015. Effect of cooling of cooked white rice on resistant starch content and glycemic response. *Asia Pac J Clin Nutr* 24, 620–625. <https://doi.org/10.6133/apjcn.2015.24.4.13>
- Wang, J., Ma, Q., Cai, P., Sun, X., Sun, Q., Li, M., Wang, Y., Zhong, L., Xie, F., 2024. On the investigation of composite cooling/heating set gel systems based on rice starch and curdlan. *Food Chemistry* 438, 137960. <https://doi.org/10.1016/j.foodchem.2023.137960>
- Yan, X., Kou, L., Wei, H., Ren, L., Zhou, J., 2020. Effect of fatty acid addition on properties of amylose nanoparticles prepared via complexing and precipitation. *Industrial Crops and Products* 145, 112097. <https://doi.org/10.1016/j.indcrop.2020.112097>
- Yan, X., McClements, D.J., Luo, S., Liu, C., Ye, J., 2024. Recent advances in the impact of gelatinization degree on starch: Structure, properties and applications. *Carbohydrate Polymers* 340, 122273. <https://doi.org/10.1016/j.carbpol.2024.122273>
- Yang, Z., Hao, H., Wu, Y., Liu, Y., Ouyang, J., 2021. Influence of moisture and amylose on the physicochemical properties of rice starch during heat



- treatment. *International Journal of Biological Macromolecules* 168, 656–662. <https://doi.org/10.1016/j.ijbiomac.2020.11.122>
- Zhai, Y., Zhang, H., Sang, S., Ren, B., Yuan, Y., Xing, J., Luo, X., 2024. Structural Features, Physicochemical Properties, and In Vitro Digestibility of the Starch-Lipid Complexes Formed between High Amylose Starch and Stearic Acid or Potassium Stearate. *Foods* 13, 859. <https://doi.org/10.3390/foods13060859>
- Zheng, B., Wang, T., Wang, H., Chen, L., Zhou, Z., 2020. Studies on nutritional intervention of rice starch- oleic acid complex (resistant starch type V) in rats fed by high-fat diet. *Carbohydrate Polymers* 246, 116637. <https://doi.org/10.1016/j.carbpol.2020.116637>
- Zhou, X., He, S., Jin, Z., 2024. Impact of amylose content on the formation of V-type granular starch. *Food Hydrocolloids* 146, 109257. <https://doi.org/10.1016/j.foodhyd.2023.109257>
- Zhu, B., Zhan, J., Chen, L., Tian, Y., 2020. Amylose crystal seeds: Preparation and their effect on starch retrogradation. *Food Hydrocolloids* 105, 105805. <https://doi.org/10.1016/j.foodhyd.2020.105805>