

## DAFTAR PUSTAKA

- Abraham, E., Deepa, B., Pothan, L. A., Jacob, M., Thomas, S., Cvelbar, U., & Anandjiwala, R. (2011). Extraction of nanocellulose fibrils from lignocellulosic fibres: A novel approach. *Carbohydrate Polymers*, 86(4), 1468–1475. <https://doi.org/10.1016/j.carbpol.2011.06.034>.
- Afifah, D. N., Mufarij, A., Sudarsono, T. A., & Wiranata, A. (2024). OPTIMASI DELIGNIFIKASI KULIT SINGKONG (*Manihot esculenta*) DENGAN PELARUT BASA NaOH MENGGUNAKAN METODE RESPONSE SURFACE METHODOLOGY (RSM). *Techno*, 25(1), 63–72. <http://jurnalnasional.ump.ac.id/index.php/Techno>.
- Ahmadi, A., Halim, A., & Oktarin, K. (2019). Mikroenkapsulasi Ekstrak Etanol Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.) dengan Penyalut Natrium Alginat Menggunakan Metode Penyemprotan Kering. *Jurnal Farmasi Higea*, 11(2), 91–99.
- Ameram, N., Muhammad, S., Auli, A., Yusof, N., Ishak, S., Ali, A., Shoparwe, F., & Pao Ter, T. (2019). Chemical composition in sugarcane bagasse: Delignification with sodium hydroxide. In / *Malaysian Journal of Fundamental and Applied Sciences* (Vol. 15, Issue 2).
- Amrillah, N. A., Hanum, F. F., & Rahayu, A. (2022). Seminar Nasional Penelitian LPPM UMJ Website: <http://jurnal.umj.ac.id/index.php/semnaslit> E-ISSN:2745-6080 Studi Efektivitas Metode Ekstraksi Selulosa dari Agricultural Waste. *Seminar Nasional Penelitian LPPM UMJ*. <http://jurnal.umj.ac.id/index.php/semnaslit>.
- Andari, I., Arnata, I., & Anggreni, A. (2022). Pengaruh Konsentrasi Hidrogen Peroksida Dan Waktu Proses Bleaching Terhadap Karakteristik Selulosa Serat Sabut Kelapa (*Cocos nucifera* L.). *Jurnal Rekayasa Dan Manajemen Agroindustri*, 10(3), 237–247.
- Anggoro, D. D., Purwanto, P., & Rispiandi, R. (2014). Hidrolisis Selulosa Menjadi Glukosa dengan Katalis Heterogen Arang Aktif Tersulfonasi. *Reaktor*, 15(2), 126. <https://doi.org/10.14710/reaktor.15.2.126-131>.
- Anggraini, D., Susant, E., & Nurizky, S. (2022). Preparasi dan Karakterisasi Mikrokrystalin Selulosa Daun Nenas (*Ananas comusus* L. Merr). *Jurnal Katalisator*, 7(2), 257–268. <https://doi.org/10.22216/jk.v5i2.5717>.
- Apriyanti, I. R. (2018). Studi Potensi Pemanfaatan Limbah Serat Batok Siwalan (*Borassus Flabellifer* L) Sebagai Bahan Baku Kerajinan Lokal (Benang) Gresik. In *Jurnal Teknologi Aliansi Perguruan Tinggi (APERTI) BUMN* (Vol. 1, Issue 1).
- Asl, S. A., Mousavi, M., & Labbafi, M. (2017). Synthesis and Characterization of Carboxymethyl Cellulose from Sugarcane Bagasse. *Journal of Food Processing & Technology*, 08(08). <https://doi.org/10.4172/2157-7110.1000687>.
- Azeh, Y., Umar, T., & D, M. S. (2011). Chemical modification of microcrystalline cellulose: Improvement of barrier surface properties to enhance surface interactions with some synthetic polymers for biodegradable packag.

- Advances in Applied Science Research*, 2(6), 532–540.  
[www.pelagiaresearchlibrary.com](http://www.pelagiaresearchlibrary.com).
- Badan Pusat Statistik. (2024). *Statistik Perdagangan Luar Negeri Impor 2024*.
- Badan Standarisasi Nasional (BSN). (2005). *Standar Nasional Indonesia (SNI) Nomor 08-7070 tentang “Cara Uji Kadar Air Pulp dan Kayu dengan Metode Pemanasan Dalam Oven.”* Badan Standarisasi Nasional.
- Bahri, S. (2014). Optimasi Sintesis Karboksimetil Selulosa Dari Tongkol Jagung Manis (*Zea Mays* L. *Saccharata*) Optimization Synthesis Corboxymethyl Cellulose Of Sweet Corn Cob (*Zea Mays* L. *Saccharata*). *Online Jurnal of Natural Science*, 3(2), 70–78.
- Bajpai, P. (2016). *Pretreatment of Lignocellulosic Biomass for Biofuel Production* (1st ed.). Springer. <http://www.springer.com/series/10045>.
- Batu, M. S., Adu, R. E. Y., & Soares, L. P. (2023). Sintesis Selulosa Asetat dari Sabut Buah Lontar (*Borassus flabellifer* Linn) dengan Variasi Volume Anhidrida Asetat. *Hydrogen: Jurnal Kependidikan Kimia*, 11(5), 751. <https://doi.org/10.33394/hjkk.v11i5.9049>.
- Bernhard, M. R. (2007). Teknik Budidaya dan Rehabilitasi Tanaman Aren The Rehabilitation and Cultivation Technique of Sugar Palm. *Buletin Palma*, 33, 67–77.
- Cahyani, I. M., Adhyatmika, Lukitaningsih, E., & Sulaiman, T. N. S. (2023). Optimal Conditions for Alkaline Delignification Process in Cellulose Isolation from Sengon Wood Sawdust. *Science and Technology Indonesia*, 8(4), 666–674. <https://doi.org/10.26554/sti.2023.8.4.666-674>.
- Chaerunisaa, A. Y., Sriwidodo, S., & Abdassah, M. (2019). *Microcrystalline Cellulose as Pharmaceutical Excipient*. <https://doi.org/doi:10.5772/intechopen.88092>.
- Chattopadhyay, D., & Patel, B. (2016). Synthesis, Characterization and Application of Nano Cellulose for Enhanced Performance of Textiles. *Journal of Textile Science & Engineering*, 06(02), 1–8. <https://doi.org/10.4172/2165-8064.1000248>.
- Cheng, F., Zhao, X., & Hu, Y. (2018). Lignocellulosic biomass delignification using aqueous alcohol solutions with the catalysis of acidic ionic liquids: A comparison study of solvents. *Bioresource Technology*, 249, 969–975. <https://doi.org/10.1016/j.biortech.2017.10.089>.
- Chesson, A. (1981). Effects of Sodium Hydroxide on Cereal Straws in Relation to the Enhanced Degradation of Structural Polysaccharides by Rumen Microorganisms. In *J. Sci. Food Agric* (Vol. 32).
- Coniwati, P., Anka, M., & Sanders, C. (2015). Pengaruh Konsentrasi, Waktu dan Temperatur terhadap Kandungan lignin pada Proses Pemutihan Bubur Kertas Bekas. *Jurnal Teknik Kimia*, 21(3), 47–55. <http://en.wikipedia.org/wiki/Lignin>.
- Davis, T. A., & Johnson, D. v. (1987). Current utilization and further development of the palmyra palm (*Borassus flabellifer* L., *Arecaceae*) in Tamil Nadu state, India. *Economic Botany*, 41(2), 247–266. <https://doi.org/10.1007/BF02858972>.
- Dewati, R. (2010). Kinetika Reaksi Pembuatan Asam Oksalat Dari Sabut Siwalan Dengan Oksidator H<sub>2</sub>O<sub>2</sub>. (*Retno De*, 10(1), 29–37.

- Doncea, S. M., Ion, R. M., Fierascui, R. C., Bacalum, E., Bunaciu, A. A., & Aboul-Enein, H. Y. (2010). Spectral methods for historical paper analysis: Composition and age approximation. *Instrumentation Science and Technology*, 38(1), 96–106. <https://doi.org/10.1080/10739140903430271>.
- Dwi Veptiyan, E., Apriani, M., & Eka Mayangsari, N. (2019). Pengaruh Waktu Delignifikasi terhadap Karakteristik Selulosa dari Daun Nanas dan Jerami. *National Conference Proceeding on Waste Treatment Technology*.
- Edison, Diharmi, A., & Sari, D. E. (2019). KARAKTERISTIK SELULOSA MIKROKRISTALIN DARI RUMPUT LAUT MERAH *Eucheuma cottonii*. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3), 483–489.
- Elvin, M. (2021). *The effect of humidity and temperature on paper properties*.
- Fariha, C. N., Setiawan, A., & Ramadani, T. A. (2020). Karakterisasi Sabut Siwalan (*Borassus flabellifer*) dan Kulit Pisang Raja (*Musa paradisiaca* var. Raja) dalam Proses Produksi Bioetanol. *Prosiding Seminar Nasional Teknologi Indusutri, Lingkungan, Dan Infrastruktur*, 3, A2.1-32.7. <https://pro.unitri.ac.id/index.php/sentikuin>.
- Fatriasari, W., Masruchin, N., & Hermiati, E. (2019). *Selulosa Karakteristik dan Pemanfaatannya*. LIPI Press.
- Fengel, D., & Wegener, G. (1995). *Kayu: Kimia, Ultrastruktur, Reaksi-reaksi* (Hardjono Sastromidjojo, Ed.). Gadjah Mada University Press.
- Firdausa, F. K., Santoso, A. B., & Handayani, W. (2017). Ekstraksi Xilan dari Limbah Ampas Singkong dan Pemanfaatannya sebagai Substrat Endo-B-1,4-D-Xilanase. *Berkala Sainstek*, V(1), 50–54.
- Fitriyano, G., & Abdullah, S. (2016). SINTESIS SELULOSA ASETAT DARI PEMANFAATAN LIMBAH KULIT PISANG DIAPLIKASIKAN SEBAGAI MASKER ASAP ROKOK. *Jurnal Universitas Muhammadiyah Jakarta*.
- Gong, J., Li, J., Xu, J., Xiang, Z., & Mo, L. (2017). Research on cellulose nanocrystals produced from cellulose sources with various polymorphs. *RSC Advances*, 7(53), 33486–33493. <https://doi.org/10.1039/c7ra06222b>.
- Gummadi, V. P., Rao Battu, G., Diyya, K., & Manda, K. (2016). A Review On Palmyra Palm (*Borassus Flabellifer*). *International Journal of Current Pharmaceutical Research*, 8(2), 17–20. [http://eol.org/pages/1123573/names/common\\_names](http://eol.org/pages/1123573/names/common_names).
- Haque, S. M., Chowdhury, A. A., Rana, A. A., Masum, S. M., Ferdous, T., Rashid, M. A., Sarker, M., & Karim, M. M. (2015). Synthesis of microcrystalline cellulose from pretreated cotton obtained from *Bombax ceiba* L. and its characterization. *Bangladesh J. Sci. Ind. Res*, 50(3), 199–4. [www.banglajol.info](http://www.banglajol.info).
- Heinze, T., Seoud, O. A. el, & Koschella, A. (2018). *Cellulose Derivatives Synthesis, Structure, and Properties*. Springer International Publishing. <http://www.springer.com/series/13173>.
- Husni, A., & Budhiyanti, S. A. (2022). Effect of Isolation Method on Characterization of Microcrystalline Cellulose from Brown Seaweed *Sargassum vulgare*. *Indonesian Journal of Pharmacy*, 33(1), 42–51.
- Jufrinaldi. (2018). Isolasi Selulosa Dari Bagas Tebu Melalui Pemanasan Iradiasi Gelombang Mikro. *Jurnal Ilmiah Teknik Kimia UNPAM*, 2(2), 83–93.

- Jung, W., Savithri, D., Sharma-Shivappa, R., & Kolar, P. (2018). Changes in lignin chemistry of switchgrass due to delignification by sodium hydroxide pretreatment. *Energies*, 11(2). <https://doi.org/10.3390/en11020376>.
- K M, M., E S, M., M M Mathenyu, P G Kareru, A N Gachanja, P K Njenga, G, N., P N, G., & Githua, M. (2014). Comparison of Physicochemical Characteristics of Microcrystalline Cellulose from Four Abundant Kenyan Biomasses. *IOSR Journal of Polymer and Textile Engineering*, 1(2), 53–63. [www.iosrjournals.org](http://www.iosrjournals.org).
- Kaewprachu, P., Jaisan, C., Rawdkuen, S., Tongdeesoonorn, W., & Klunklin, W. (2022). Carboxymethyl cellulose from Young Palmyra palm fruit husk: Synthesis, characterization, and film properties. *Food Hydrocolloids*, 124. <https://doi.org/10.1016/j.foodhyd.2021.107277>.
- Kundu, C., Samudrala, S. P., Kibria, M. A., & Bhattacharya, S. (2021). One-step peracetic acid pretreatment of hardwood and softwood biomass for platform chemicals production. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-90667-9>.
- Larasati, I. A., Argo, D., Hawa, L. C., Keteknikan, J., Teknologi, P.-F., Brawijaya, P.-U., Veteran, J., & Korespondensi, P. (2019). Proses Delignifikasi Kandungan Lignoselulosa Serbuk Bambu Betung dengan Variasi NaOH dan Tekanan. In *Jurnal Keteknikan Pertanian Tropis dan Biosistem* (Vol. 7, Issue 3).
- Lestari, Y. P. I. (2024). Farmasains: Jurnal Ilmiah Ilmu Kefarmasian Review: Isolasi  $\alpha$ -Selulosa dari Bahan Alam dengan Berbagai Metode (Kimia, Fisika, Biologi). *Farmasains: Jurnal Ilmu Kefarmasian*, 11(2), 76–89. <https://doi.org/10.22236/farmasains>.
- Li, M., Pattathil, S., Hahn, M. G., & Hodge, D. B. (2014). Identification of features associated with plant cell wall recalcitrance to pretreatment by alkaline hydrogen peroxide in diverse bioenergy feedstocks using glycome profiling. *RSC Advances*, 4(33), 17282–17292. <https://doi.org/10.1039/c4ra00824c>.
- Lidya, A., Azhari, A., Mulyawan, R., ZA, N., & Zulnazri, Z. (2023). Pengaruh Konsentrasi Larutan Pemasak (Naoh) Pada Proses Delignifikasi dalam Pembuatan Pulp dari Limbah Bonggol Jagung (*Zea Mays*). *Chemical Engineering Journal Storage (CEJS)*, 3(6), 810. <https://doi.org/10.29103/cejs.v3i6.11926>.
- Lismeri, L., Agustina, E., Darni, Y., Agustin, N., & Damara, N. (2020). Preparasi dan karakterisasi mikrokrystalin selulosa dari limbah batang ubi kayu. *Jurnal Teknologi Dan Inovasi Industri*, 01(01), 28–036.
- Lismeri, L., Darni, Y., Sanjaya, M. D., & Immadudin, M. I. (2019). Pengaruh Suhu Dan Waktu Pretreatment Alkali Pada Isolasi Selulosa Limbah Batang Pisang. *Journal of Chemical Process Engineering*, 4(1), 18–22.
- Mida, S., Harahap, A., Dalimunthe, G. I., Lubis, M. S., & Yuniarti, R. (2023). Preparation of microcrystalline cellulose from sweet potatoes (*Ipomoea batatas* (L.) Lamk.) with Avicel PH 102 as a comparison and evaluation of physical quality. *JOURNAL OF PHARMACEUTICAL AND SCIENCES*, 6(4), 1759–1768.



- Mondal, M. I. H., Yeasmin, M. S., & Rahman, M. S. (2015). Preparation of food grade carboxymethyl cellulose from corn husk agrowaste. *International Journal of Biological Macromolecules*, 79, 144–150. <https://doi.org/10.1016/j.ijbiomac.2015.04.061>.
- Mukherjee, A., Banerjee, S., & Halder, G. (2018). Parametric optimization of delignification of rice straw through central composite design approach towards application in grafting. *Journal of Advanced Research*, 14, 11–23. <https://doi.org/10.1016/j.jare.2018.05.004>.
- Mulyadi, E., Wibisono, A., & Herli, M. (2021). Penerapan Metode SEM (Structural Equation Model) dalam Aplikasi Bidang Pendidikan, Sosial, dan Kesehatan. *Jurnal Pengabdian Masyarakat*, 2(2), 35–39.
- Mulyadi, I. (2019). Isolasi dan Karakterisasi Selulosa: Review. *Jurnal Saintika UNPAM*, 1(2), 177–182.
- Munasir, M., Triwikantoro, T., Zainuri, M., & Darminto, D. (2012). Uji XRD dan XRF Pada Bahan Meneral (Batuan Dan Pasir) Sebagai Sumber Material Cerdas (CaCO<sub>3</sub> Dan SiO<sub>2</sub>). *Jurnal Penelitian Fisika Dan Aplikasinya (JPFA)*, 2(1), 20. <https://doi.org/10.26740/jpfa.v2n1.p20-29>.
- Muttaqin, R., Sakti, W., Prayitno, W., Nurbaiti, U., Semarang, K., 50229, K. :, Fisika, K. J., D7, G., Sekaran, K. U., & Gunungpati, K. (n.d.). Pengembangan Buku Panduan Teknik Karakterisasi Material : X-ray Diffractometer (XRD) Panalytical Xpert3 Powder. In *JOURNAL OF LABORATORY ISSN* (Vol. 6, Issue 1). Online.
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>.
- Nawangsari, D., Chaerunisaa, A. Y., Abdassah, M., Sriwidodo, S., Rusdiana, T., & Apriyanti, L. (2018). Isolation and Physicochemical Characterization of Microcrystalline Cellulose from Ramie (*Boehmeria nivea* L. Gaud) Based on Pharmaceutical Grade Quality. In *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage* (Issue 2). <http://jurnal.unpad.ac.id/ijpst/UNPAD55>.
- Nechyporchuk, O., Belgacem, M. N., & Bras, J. (2016). Production of cellulose nanofibrils: A review of recent advances. In *Industrial Crops and Products* (Vol. 93, pp. 2–25). Elsevier B.V. <https://doi.org/10.1016/j.indcrop.2016.02.016>.
- Ngozi, U. O., Chiizoba, N. A., & Ifeanyichukwu, O. S. (2014). Physico-Chemical Properties of Microcrystalline Cellulose Derived from Indian Bamboo (*Bambusa vulgaris*). *International Journal of Pharmaceutical Sciences Review and Research*, 29(2), 5–9.
- Nikmatin, S., Aris Purwanto, Y., Mandang, T., Maddu, A., & Purwanto, S. (2020). Charracterization of Cellulose Rotan-Bark as Fiber Glass Substitution in Composite Filler. *J Agrotek*, 5(1), 40–47.
- Nitsae, M., Lano, L. A., & Ledo, M. E. (2020). Pembuatan Arang Aktif dari Tempurung Siwalan (*Borassus flabellifer* L.) yang Diaktivasi dengan Kalium Hidroksida (KOH). *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati*, 5, 8–15. <https://doi.org/10.24002/biota.v5i1.2948>.

- Nuraini, E. (2017). *Production of Microcrystalline Cellulose (MCC) from Sawdust of Albazi Chinesis Waste by Using Sonication and Hydrothermal Process*.
- Nuringtyas, T. R. (2010). *Karbohidrat*. Gadjah Mada University Press.
- Palmweb. (2017). *Palmweb: Palms of the World Online*. <https://www.palmweb.org/>.
- Poletto, M., Ornaghi Júnior, H. L., & Zattera, A. J. (2014). Native cellulose: Structure, characterization and thermal properties. *Materials*, 7(9), 6105–6119. <https://doi.org/10.3390/ma7096105>.
- Pratama, J. H., Rohmah, R. L., Amalia, A., & Saraswati, T. E. (2019). Isolasi Mikrokelulosa dari Limbah Eceng Gondok (*Eichornia crassipes*) dengan Metode Bleaching-Alkalinasi. *ALCHEMY Jurnal Penelitian Kimia*, 15(2), 239. <https://doi.org/10.20961/alchemy.15.2.30862.239-250>.
- Purwita, C. A., Sugesty, S., Balai, H. R., Pulp, B., Kertas, D., & Raya, J. (n.d.). *Characteristics of Commercial Acid Sulfite and Prehydrolysis Kraft Rayon Pulp Based on SNI 938:2017*.
- Putri, J. W., Parfati, N., Citra, K., & Farmasi, R. (2019). Pengaruh Konsentrasi Sodium Starch Glycolate Sebagai Superdisintegrant (0% dan 20%) Terhadap Karakteristik Fisik Orally Disintegrating Tablet Atenolol. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 7(2), 1555–1570.
- Rambo, M. K. D., Schmidt, F. L., & Ferreira, M. M. C. (2015). Analysis of the lignocellulosic components of biomass residues for biorefinery opportunities. *Talanta*, 144, 696–703. <https://doi.org/10.1016/j.talanta.2015.06.045>.
- Rohmawati, U., Rimasani, A., Pamungkas, A., & Fillaeli, A. (2020). Optimalisasi Filtrasi Masker Kain Dengan Filter Cartridge Dari Limbah Sabut Kelapa Untuk Mewujudkan Sustainable Development Goals 2030. *Prosiding Seminar Nasional Biologi Di Era Pandemi COVID-19*, 441–448. <http://journal.uin-alauddin.ac.id/index.php/psb/>.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (Sixth). Pharmaceutical Press and American Pharmacists Association.
- Rusdin, A., Baharuddin, M., & . S. (2023). Synthesis and Characterization of Carboxymethyl Cellulose (CMC) from Palm Leaf Fronds (*Borassus Flabellifer*). *International Journal of Science and Healthcare Research*, 8(4), 242–247. <https://doi.org/10.52403/ijshr.20230434>
- Safaria, S., Idiawati, N., Anita Zaharah, T., & Hadari Nawawi, J. H. (2013). *Efektivitas Campuran Enzim Selulase dari Aspergillus Niger dan Trichoderma Reesei Dalam Menghidrolisis Substrat Sabut Kelapa*. 2(1), 46–51.
- Sena, P. W., Putra, G., & Suhendra, L. (2021). Characterization of Cellulose from Cocoa Pod Husk (*Theobroma cacao* L.) on various concentration of Hydrogen Peroxide and Bleaching Temperature. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 9(3), 288–299.
- Shatkin, J. A., Wegner, T. H., Bilek, E. M., & Cowie, J. (2014). Market Projections of Cellulose Nanomaterial-enabled Products. *TAPPI Journal*, 5, 9–16.

- Siswati, N. D., Wachidah, A. N., & Ariyani, A. E. P. (2021). SELULOSA ASETAT DARI AMPAS SAGO CELLULOSE ACETATE FROM SAGO WASTE. *Jurnal Teknik Kimia*, 15(2), 90–95.
- Solo, A. M., & Rumhayati, B. (2018). Characteristic of Cellulose Isolated From Papyrus Fibers (*Borassus flabellifer* L) And Its Citrate Ester. *The Journal of Pure and Applied Chemistry Research*, 7(3), 239–246. <https://doi.org/10.21776/ub.jpacr.2018.007.03.410>.
- Sriana, T., Dianpalupidewi, T., Ukhrawi, S. M. P., & Nata, I. F. (2021). Pengaruh Konsentrasi Sodium Hydroxide (NaOH) pada Proses Delignifikasi Kandungan Lignoselulosa Serat (Fiber) Siwalan (*borassus flabellifer*) sebagai Bahan Dasar Pembuatan Bioethanol. *Buletin Profesi Insinyur*, 4(2), 49–52. <https://doi.org/10.20527/bpi.v4i2.105>.
- Sudarso, Y. A., Setiyono, A. A., Susilowati, T., Studi, P., Kimia, T., Pembangunan, U., Veteran, N. ", Timur, J., Raya, J., & Madya, R. (2022). Sintesis Nitroselulosa dari Limbah Sabut Siwalan (*Borassus Flabellifer*) Sebagai Bahan Baku Propelan. In *Journal of Chemical and Process Engineering ChemPro* (Vol. 3, Issue 1). [www.chempro.upnjatim.ac.id](http://www.chempro.upnjatim.ac.id).
- Sudrajat, A., & Agustina, F. (2015). Sudrajat, A. (2015). Analisa Kadar Kalsium Pada Legen (Nira) Sebelum dan Sesudah Penyimpanan Secara Kompleksometri. *Jurnal Sains*, 5(10), 1–6.
- Suryadi, H., Sutriyo, Sari, H. R., & Rosikhoh, D. (2017). Preparation of microcrystalline cellulose from water hyacinth powder by enzymatic hydrolysis using cellulase of local isolate. *Journal of Young Pharmacists*, 9(1), S19–S23. <https://doi.org/10.5530/jyp.2017.1s.6>.
- Tambunan, P. (2010). Potensi dan Kebijakan Pengembangan Lontar Untuk Menambah Pendapatan Penduduk (The Potential and Policy for Lontar Development to Increase the People Income). *Jurnal Analisis Kebijakan Kehutanan*, 7(1), 27–45. [www.detikfinance.com](http://www.detikfinance.com).
- Tarja, S., & John, S. (2011). *Effect of Moisture on Paper Color*. <http://www.filmetrics.com/refractive-index->.
- Thoorens, G., Krier, F., Leclercq, B., Carlin, B., & Evrard, B. (2014). Microcrystalline cellulose, a direct compression binder in a quality by design environment - A review. In *International Journal of Pharmaceutics* (Vol. 473, Issues 1–2, pp. 64–72). Elsevier B.V. <https://doi.org/10.1016/j.ijpharm.2014.06.055>.
- Tjitrosoepomo, G. (2005). *Morfologi Tumbuhan*. Gadjah Mada University Press.
- Trache, D., Hussin, M. H., Hui Chuin, C. T., Sabar, S., Fazita, M. R. N., Taiwo, O. F. A., Hassan, T. M., & Haafiz, M. K. M. (2016). Microcrystalline cellulose: Isolation, characterization and bio-composites application—A review. In *International Journal of Biological Macromolecules* (Vol. 93, pp. 789–804). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2016.09.056>.
- Tsalagkas, D., Börcsök, Z., Pásztor, Z., Gogate, P., & Csóka, L. (2021). Assessment of the papermaking potential of processed *Miscanthus × giganteus* stalks using alkaline pre-treatment and hydrodynamic cavitation for delignification. *Ultrasonics Sonochemistry*, 72. <https://doi.org/10.1016/j.ultsonch.2021.105462>.

- United States Pharmacopeia. (2019). *Microcrystalline Cellulose*. USA.
- Visca, R. (2020). Kajian Karakterisasi Mikrokrystalin Selulosa Berbasis Kulit Sukun (*Artocarpus astilis*) Melalui Proses Hidrolisa. *Jurnal Teknologi*, 8(1), 11–21. <https://doi.org/10.31479/jtek.v1i1.56>.
- Wang, J., Li, Y., Wang, Z., Li, Y., & Liu, N. (2016). Influence of pretreatment on properties of cotton fiber in aqueous NaOH/urea solution. *Cellulose*, 23(3), 2173–2183. <https://doi.org/10.1007/s10570-016-0938-6>.
- Widiastuti, T., Afrizal, & Zulmanelis. (2016). Sintesis dan Karakterisasi Kertas Berbahan Dasar Selulosa Kulit Durian (*Durio Zibethinus*). *Jurnal RISENOLOGI KPM UNJ*, 1(2), 57–64.
- Zhang, M. F., Qin, Y. H., Ma, J. Y., Yang, L., Wu, Z. K., Wang, T. L., Wang, W. G., & Wang, C. W. (2016). Depolymerization of microcrystalline cellulose by the combination of ultrasound and Fenton reagent. *Ultrasonics Sonochemistry*, 31, 404–408. <https://doi.org/10.1016/j.ultsonch.2016.01.027>.
- Zhao, T., Chen, Z., Lin, X., Ren, Z., Li, B., & Zhang, Y. (2018). Preparation and characterization of microcrystalline cellulose (MCC) from tea waste. *Carbohydrate Polymers*, 184, 164–170. <https://doi.org/10.1016/j.carbpol.2017.12.024>.
- Zulharmitta, Viora, L., & Harrizul, R. (2011). Pembuatan Mikrokrystalin Selulosa Dari Batang Rumpun Gajah (*Pennisetum purpureum* Schumach). *Jurnal Farmasi Higea*, 3(2), 102–111.