

## DAFTAR PUSTAKA

- AHA. 2017. Old World Screw-Worm Fly: A Diagnostic Manual, Third Edition. Animal Health Australia, Canberra.
- Ahmed, A. B., & Ayuba, G. I. 2023. Estimating minimum post-mortem interval in a Nigerian murder case using *Chrysomya megacephala* (Fabricius, 1794)(Diptera: Calliphoridae): the first use of forensic entomology. *J Forensic Sci Res*, 7, 011-016.
- Akbarzadeh K, Wallman JF, Sulakova H, et al. 2015. Species identification of Middle Eastern blowflies (Diptera: Calliphoridae) of forensic importance. *Parasitol Res*.114:1463–1472.
- Alam, M., Abbas, K., Raza, M. T., & Husain, A. 2024. FORENSIC ENTOMOLOGY: A COMPREHENSIVE REVIEW ON INSECT-BASED APPROACHES IN CRIMINAL FORENSICS.
- Algalil, F. M. A., & Zambare, S. P. 2015. Effects of temperature on the development of Calliphorid fly of forensic importance *Chrysomya megacephala* (Fabricius, 1794). *Indian Journal of Applied Research*, 5(2), 767-769.
- Ali M. 2011. Rembesan Air Lindi ( Leachate ) Dampak Pada Tanaman Pangan dan Kesehatan. 1st ed. Surabaya: UPN Press.
- Anastasia, M., Terzidou., D., S., Koveos., Nickolas, Papadopoulos., James, R., Carey., Nikos, A., Kouloussis. 2023. Artificial diet alters activity and rest patterns in the olive fruit fly. *PLOS ONE*, doi: 10.1371/journal.pone.0274586
- Badenhorst R, Villet MH. 2018. The uses of *Chrysomya megacephala* (Fabricius, 1794) (Diptera: Calliphoridae) in forensic entomology. *Forensic Sci Res*. 3(1):2-15. doi: 10.1080/20961790.2018.1426136. PMID: 30483647; PMCID: PMC6197084.
- Bakri, Ikhlas. 2019. ORAL MYIASIS FULLPAPER.
- Bala, M. & Sharma, A. 2016. Postmortem interval estimation of mummified body using accumulated degree hours (ADH) method: a case study from Punjab (India). *J. Forensic. Sci. & Criminal Inves*, 1: 1-5.
- Bala, M., & Singh, D. 2015. Development of two forensically important blowfly species (*C hrysomya megacephala* and *Chrysomya rufifacies*)(Diptera: Calliphoridae) at four temperatures in India. *Entomological Research*, 45(4), 176-183.
- Bambaradeniya, Y.T.B.; Karunaratne, W.A.I.P.; Rakinawasam, S.V.; Tomberlin, J.K.; Goonerathne, I.; Kotakadeniya, R.B. 2019. Myiasis incidences reported in and around central province of Sri Lanka. *Int. J. Dermatol*, 58, 336–342.
- Bambaradeniya, Y. T. B., Karunaratne, W. I. P., Tomberlin, J. K., Goonerathne, I., Kotakadeniya, R. B., & Magni, P. A. 2019. Effect of temperature and tissue

- type on the development of the forensic fly *Chrysomya megacephala* (Diptera: Calliphoridae). *Journal of Medical Entomology*, 56(6), 1571-1581.
- Bansal, A. 2022. "On the Biology of *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae)". *THE SCIENTIFIC TEMPER*, doi: 10.58414/scientifictemper.13.2.2022.174-180
- Bansode, S. A., More, V. R., Zambare, S. P., & Fahd, M. 2016. Effect of constant temperature (20 oC, 25 oC, 30 oC, 35 oC, 40oC) on the development of the Calliphorid fly of forensic importance, *Chrysomya megacephala* (Fabricius, 1794). *Journal of Entomology and Zoology Studies*, 4(3), 193-197.
- Barlaz, M. A. 2020. Microbiology of solid waste landfills. In *Microbiology of solid waste* (pp. 31-72). CRC press.
- Barros-Cordeiro KB, Pujol-Luz JS. 2010. Morfologia e duração do desenvolvimento pós-embriônico de *Chrysomya megacephala* (Diptera: Calliphoridae) em condições de laboratório. *Pap Avulsos Zool* 50(47):709–717. <https://doi.org/10.1590/S0031-10492010004700001>
- Borror, D, J., C, A., Triplehom, & N, F. 1992. An introduction to the insect terjemahan Partosoedjono, S dan Mukayat, D.B. Yogyakarta: Universitas Gajah Mada.
- BPS Kabupaten Banyuwangi. 2024. Banyuwangi Dalam Angka.
- Campbell, D. T & Stanley, J. C. 1966. *Experimental and quasi-experimental designs for research*. Chicago: Rand McNally & Co.
- Cardoso GA, Marinho MA, Monfardini RD, Espin AM, Torres TT. 2016. Evolution of genes involved in feeding preference and metabolic processes in Calliphoridae (Diptera: Calyptratae). *PeerJ*. Oct 27;4:e2598. doi: 10.7717/peerj.2598. PMID: 27812410; PMCID: PMC5088637.
- Carmo FR, Vasconcelos SD. 2014. First record of the blow fly *Chrysomya megacephala* (Diptera: Calliphoridae) on a southern Atlantic island: implications for disease transmission in a protected environment. *J Vector Ecol*.39:228–230.
- Catts, E.P., & Goff, M.L. 1992. Forensic entomology in criminal investigations. *Annual review of entomology*, 37, 253-72 .
- Chaiwong T, Sukontason K, Olson JK, et al. 2008. Fine structure of the reproductive system of *Chrysomya megacephala* (Diptera: Calliphoridae): the external sexual organ. *Parasitol Res*.102:973–980
- Charity, G, Owings., Hayden, Mckee-Zech., Dawnie, Wolfe, Steadman. 2021. First record of the oriental latrine fly, *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae), in Tennessee, USA. *Acta Parasitologica*, doi: 10.1007/S11686-021-00346-Y
- Chatterjee N, Perrimon N. 2021. What fuels the fly: Energy metabolism in *Drosophila* and its application to the study of obesity and diabetes. *Sci Adv*. Jun 9;7(24):eabg4336. doi: 10.1126/sciadv.abg4336. PMID: 34108216; PMCID: PMC8189582.

- Coyne, C., Romero, M., & Storr, V. 2022. The Market as a Space for Building a Peaceful Society. *Peace Review*. 34. 1-10. [10.1080/10402659.2022.2092395](https://doi.org/10.1080/10402659.2022.2092395).
- Damulewicz, M., Tyszka, A., & Pyza, E. 2022. Light exposure during development affects physiology of adults in *Drosophila melanogaster*. *Frontiers in physiology*, 13, 1008154. <https://doi.org/10.3389/fphys.2022.1008154>
- de Carvalho C. F. 2023. Epigenetic effects of climate change on insects. *Current opinion in insect science*, 57, 101029. <https://doi.org/10.1016/j.cois.2023.101029>
- Dinas Lingkungan hidup 2024
- Encyclopaedia Britannica. Housefly life cycle. Available online: <https://www.britannica.com/animal/fly-insect#/media/1/211574/110904> (Accessed 30 January 2024)
- Garjito, T.A., Riyani, S., dan Ristiyanto 2018. Taksonomi dan Biologi Lalat In: Hidayat, M.C., Riyani, S., Yusnita, M.A., dan Tjandra, A. (Ed): Lalat (Diptera): Peran dan Pengendalian Lalat di Bidang Kesehatan. UGM Press, Yogyakarta.
- Gruner SV, Slone DH, Capinera JL, et al.. 2017. Development of the oriental latrine fly, *Chrysomya megacephala* (Diptera: Calliphoridae), at five constant temperatures. *J Med Entomol*. 54:290–298.
- Hadi, U. K., & Sigit, S. H. 2006. HAMA PEMUKIMAN INDONESIA Pengenalan, Biologi, dan Pengendalian. Bogor: Institut Pertanian Bogor.
- Harvey, ML., Gasz, NE., Voss, SC. 2016. Entomology-based methods for estimation of postmortem interval, *Research and Reports in Forensic Medical Science*, 1-9, DOI: 10.2147/RRFMS.S68867
- Hasanah, R. 2018. EPIDEMIOLOGI KELAS INSECTA : LALAT SEBAGAI VEKTOR PENYEBAB PENYAKIT YAWS (PATEK). Akademi Kesehatan Borneo Lestari.
- Ivorra T, Khorri SM, Rahimi R, Hoe CC. 2023. New developmental data of *Chrysomya megacephala* (Diptera: Calliphoridae) in tropical temperatures and its implications in forensic entomology. *Trop Biomed*. 40(1):1-6. doi: 10.47665/tb.40.1.003. PMID: 37355997.
- Jafari, A., Hosseini, S.V., Hemmat, H.J. et al. 2022. *Lucillia Sericata* larval therapy in the treatment of diabetic chronic wounds. *J Diabetes Metab Disord* 21, 305–312.
- Jallow, B. J., Gassara, G., Bajinka, O., Luo, Y., Liu, M., Cai, J., ... & Meng, F. 2024. Human myiasis in Sub-Saharan Africa: A systematic review. *PLOS Neglected Tropical Diseases*, 18(3), e0012027.
- Johnson, D. M., & Haynes, K. J. 2023. Spatiotemporal dynamics of forest insect populations under climate change. *Current opinion in insect science*, 56, 101020. <https://doi.org/10.1016/j.cois.2023.101020>.
- Juliani, H., Hafiz, F., & Agus, S. 2017. Jenis dan Populasi Hama Lalat Buah (*Bactrocera* spp.) Pada Tanaman Jeruk (*Citrus nobilis* Lour.) di Desa Kuok

- Kecamatan Kuok Kabupaten Kampar. *Jurnal Online Mahasiswa Fakultas Pertanian*, 4(1), 132-233.
- Khairiyati, L., Marlinae, L., Waskito, A., Rahmat, A., Ridha, M., Andiarsa, D. 2021. *Buku Ajar Pengendalian Vektor Dan Binatang Pengganggu*. Yogyakarta: CV Mine.
- Khoirunnisa, A., Wesnawa, I. G. A., Citra, I. P. A., & Dwipayana, M. (2024). Deteksi Kerapatan Vegetasi Dan Suhu Permukaan Lahan Kabupaten Banyuwangi Menggunakan Citra Landsat 8-Oli (Studi Kasus Tahun 2024). *Innovative: Journal Of Social Science Research*, 4(5), 1446-1460.
- Klong-klaew T, Sontigun N, Sanit S, Samerjai C, Sukontason K, Kurahashi H, et al. 2017. Field evaluation of a semi-automatic funnel trap targeted the medically important non-biting flies. *Acta Trop.*176:68–77.
- Kosasih, D., Nasihin, I., & Zulkarnain, E. R. 2020. Deteksi Kerapatan Vegetasi dan Suhu Permukaan Tanah Menggunakan Citra Landsat 8 (Studi Kasus: Stasiun Penelitian Pasir Batang Taman Nasional Gunung Ciremai). *Prosiding Fahutan*, 1(01).
- Kristanto E, Wangko S, Kalangi S, Mallo, Johannis. 2013. PERAN ENTOMOLOGI FORENSIK DALAM PERKIRAAN SAAT KEMATIAN DAN OLAH TEMPAT KEJADIAN PERKARA SISI MEDIS (INTRODUKSI ENTOMOLOGI MEDIK). *JURNAL BIOMEDIK (JBM)*. 1. 10.35790/jbm.1.1.2009.809.
- Li XB, Luy Z, Wan LH, et al.. 2012. Effect of feeding on different tissues on larval development of *Chrysomya megacephala*. *Acta Parasitol Med Entomol Sin.*;30:191–195.
- Lucinda Gibson 2006. *Chrysomya megacephala* (Fabricius) Updated on 18/07/2016, Available online: PaDIL - <http://www.padil.gov.au> (Accessed 29 January 2024).
- Malik A, Singh N, Satya S., 2007, House fly (*Musca domestica*): A review of control strategies for a challenging pest. *Journal of Environmental Science and Health, Part B: Pesticides, Food Contaminants, and Agricultural Wastes*. 42(4):453-469. doi:10.1080/03601230701316481.
- Marlina, I., Khairiyati, L., Wakito, A., Rahmat, A. N., Ridha, R., & Andiarsa, D. 2021. *BUKU AJAR PENGENDALIAN VEKTOR DAN BINATANG PENGANGGU*. Yogyakarta: CV. Mine.
- Maryantuti, S. 2018. Spesies lalat di TPA/TPS dan Berbagai Jenis Sampah Kota Baturaja Dalam Variasi Musim Serta Pemeriksaan Parasit Usus Pada Spesies Lalat. . Tesis. Pascasarjana Universitas Sriwijaya
- Masyhuda, M., R. Hestningsih, and R. Rahadian. 2017. Survey kepadatan lalat di tempat pembuangan akhir (TPA) sampah Jatibarang tahun 2017. *Jurnal Kesehatan Masyarakat*, 5(4): 560-569
- Matuszewski, S. 2021. Post-mortem interval estimation based on insect evidence: Current challenges. *Insects*. 12, 314.

- Moophayak K, Klong-Klaew T, Sukontason K, et al. 2014. Species composition of carrion blow flies in northern Thailand: altitude appraisal. *Rev Inst Med Trop Sao Paulo*.56:179–182
- Mustika, AA., Hadi, U. K., Wardhana, A. H., Rahminiwati, M., & Wientarsih, I. 2016. Aktivitas Larvasida Biji Bengkuang Sebagai Insektisida Nabati terhadap Larva Lalat *Chrysomya Bezziana*. *Acta Veterinaria Indonesiana*, 4(2), 68-73.
- Ngando FJ, Zhang X, Qu H, Xiao J, Ren L, Yang F, Feng Y, Shang Y, Chen S, Zhang C, Guo Y. 2024. Age determination of *Chrysomya megacephala* (Diptera: Calliphoridae) using lifespan patterns, gene expression, and pteridine concentration under constant and variable temperatures. *Forensic Sci Int*. doi: 10.1016/j.forsciint.2023.111916. Epub 2023 Dec 20. PMID: 38141350.
- Ngoen-klan R, Moophayak K, Klong-klaew T, Irvine KN, Sukontason KL, Prangki C, et al. 2012. Do climatic and physical factors affect populations of the blow fly *Chrysomya megacephala* and house fly *Musca domestica*? *Parasitol Res*.109:1279–92.
- Nugraha, A. 2012. Deteksi Bakteri *Salmonella* spp dan Pengujian Kualitas Telur Ayam Buras. *Indonesia Medicus Veterinus*.
- Nurwidayati, A. 2009. Penerapan Entomologi dalam Bidang Kedokteran Forensik. *J Vektor Penyakit*;3(2):55–65.
- Olea MS, Juri MJD, Centeno N. 2011. First report of *Chrysomya megacephala* (Diptera: Calliphoridae) in northwestern Argentina. *Fla Ent*.94:345–346.
- Oliveira, H. G., Gomes, G., Morlin Jr, J. J., Von Zuben, C. J., & Linhares, A. X. 2009. The effect of Buscopan® on the development of the blow fly *Chrysomya megacephala* (F.)(Diptera: Calliphoridae). *Journal of forensic sciences*, 54(1), 202-206.
- Pereira, A.J., Centeno, N.D. & Nuñez-Vázquez, C. 2024. Effects of population variations and temperature on *Chrysomya megacephala* (Diptera: Calliphoridae) development: implications for estimating the postmortem interval. *Int J Legal Med* 138, 165–175 . <https://doi.org/10.1007/s00414-023-03020-2>
- Peraturan Menteri Kesehatan Republik Indonesia No 2 Tahun 2023. Peraturan Pelaksanaan Peraturan Pemerintah Nomor 66 Tahun 2014 Tentang Kesehatan Lingkungan. Menkes RI.
- Peraturan Menteri Pekerjaan Umum Republik Indonesia No.3 Tahun 2013 tentang Penyelenggaraan Prasarana Dan Sarana Persampahan Dalam Penanganan Sampah Rumah Tangga Dan Sampah Sejenis Sampah Rumah Tangga
- Picard CJ. 2013. First record of *Chrysomya megacephala* Fabricius. (Diptera: Calliphoridae) in Indiana, U.S.A. *Proc Ent Soc Wash*.115:265–267.
- Putri, Y. P. 2015. Keanekaragaman Spesies Lalat (Diptera) Dan Bakteri Pada Tubuh Lalat Di Tempat Pembuangan Akhir Sampah (Tpa) Dan Pasar. *J. Teknik Lingkungan* .

- Rabêlo, K.C., Thyssen, P.J., Salgado, R.L., Araujo, M.C., & Vasconcelos, S.D. 2011. Bionomics of two forensically important blowfly species *Chrysomya megacephala* and *Chrysomya putoria* (Diptera: Calliphoridae) reared on four types of diet. *Forensic science international*, 210 1-3, 257-62 .
- Rahmah CN., Nurjani. E. 2023. Study of urban heat island in yogyakarta city using local climate zone approach. doi: 10.20319/mijst.2023.91.4965
- Rahim, M. 2020. Strategi pengelolaan sampah berkelanjutan. *Jurnal Sipil Sains*, 10(1).
- Rana, A., Sharma, R., Sharma, V., Mehrotra, A., & Singh, R. 2020. Otorhinolaryngological myiasis: the problem and its presentations in the weak and forgotten. *Ghana Medical Journal*, 54(3), 173-178.
- Ramadan, R., Hussien, S., & Bakr, R. 2018. The Effect of Temperature Regimes and Tissue Types on The Development of *Chrysomya megacephala* Larvae (Diptera: Callophoridae).. *Egyptian Academic Journal of Biological Sciences. A, Entomology*, 11(6), 95-103. doi: 10.21608/eajbsa.2018.65704
- Richards CS, Villet MH. 2009. Data quality in thermal summation development models for forensically important blowflies. *Med Vet Entomol.*23:269–276.
- Saputra, A. I., Isramilda, I., & Tsaury, S. A. 2022. Pengaruh Beda Suhu Peletakan Bangkai terhadap Pertumbuhan Larva Lalat *Chrysomya Megacephala* Pada Tikus Wistar (*Rattus norvegicus*). *Zona Kedokteran: Program Studi Pendidikan Dokter Universitas Batam*, 12(2), 79-86.
- Saputra, L.I.A., Jumadi, Sari, D.N. 2023. Analysis of Environmental Criticality Index (ECI) and Distribution of Slums in Yogyakarta and Surrounding Areas Using Multitemporal Landsat Imagery. Presented at the International Conference of Geography and Disaster Management (ICGDM 2022), Atlantis Press, pp. 407–420. doi :10.2991/978-2-38476-066-4\_26
- Sangmala S, Aiempanakit K, Khantee P, Pengsakul T. 2020. Cutaneous Myiasis Caused by *Chrysomya megacephala* in an Infant with Psoriasis Vulgaris. *Case Rep Dermatol.* ;12(3):249-254. doi: 10.1159/000512709. PMID: 33362512; PMCID: PMC7747082.
- Santi DN. Manajemen Pengendalian Lalat [Internet]. Medan; 2001 Available from: <http://library.usu.ac.id/download/fk/fk-Devi.pdf> Accessed 9 Oct 2024).
- Sari D.I, 2023. Identifikasi Mikroorganisme Patogen Pada Lalat Yang Terdistribusi Di Beberapa Pasar Tradisional Sleman Daerah Istimewa Yogyakarta. Tesis. Magister Kedokteran Tropis. Universitas Gadjah Mada.
- Sherman RA, Hall MJ, Thomas S. 2000. Medicinal maggots: an ancient remedy for some contemporary afictions. *Annu Rev Entomol.* 45:55–81. <https://doi.org/10.1146/annurev.ento.45.1.55>.
- Shiao SF, Yeh TC. 2008. Larval competition of *Chrysomya megacephala* and *Chrysomya rufifacies* (Diptera: Calliphoridae): behavior and ecological studies of two blow fly species of forensic significance. *J Med Entomol.* 45:785–799.

- Sim, LX., Zuha, R.M. 2019. *Chrysomya megacephala* (Fabricius, 1794) (Diptera: Calliphoridae) development by landmark-based geometric morphometrics of cephalopharyngeal skeleton: a preliminary assessment for forensic entomology application. *Egypt J Forensic Sci* 9, 55. <https://doi.org/10.1186/s41935-019-0158-y>
- Sontigun, N., Sukontason, K. L., Klong-Klaew, T., Sanit, S., Samerjai, C., Somboon, P., Thanapornpoonpong, S. N., Amendt, J., & Sukontason, K. 2018. Bionomics of the oriental latrine fly *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae): temporal fluctuation and reproductive potential. *Parasites & vectors*, 11(1), 415. <https://doi.org/10.1186/s13071-018-2986-2>
- Sucipto, C. D. 2011. *Vektor Penyakit Tropis*. Yogyakarta: Gosyeng Publishing.
- Sukarsih, Sutijono Partoutomo, Robert Tozer, Edy Satria, Gene Wijffels, Dan George Riding. 2000. Pembangunan dan pemeliharaan koloni lalat the Old World Screwworm *Chrysomya bezziana* di Balitvet, Bogor, Jawa Barat, Indonesia. *Jurnal Ilmu Ternak dan Veteriner (Edisi Khusus)*. 5 (3): 144-149
- Sukontason, K. L., Narongchai, P., Sripakdee, D., Boonchu, N., Chaiwong, T., Ngern-Klun, R., ... & Sukontason, K. 2005. First report of human myiasis caused by *Chrysomya megacephala* and *Chrysomya rufifacies* (Diptera: Calliphoridae) in Thailand, and its implication in forensic entomology. *Journal of Medical Entomology*, 42(4), 702-704.
- Sukontason K, Narongchai P, Kanchai C, Vichairat K, Sribanditmongkol P, Bhoopat T, Kurahashi H, Chockjamsai M, Piangjai S, Bunchu N, Vongvivach S, Samai W, Chaiwong T, Methanitikorn R, Ngern-Klun R, Sripakdee D, Boonsriwong W, Siriwananarungsee S, Srimuangwong C, Hanterdsith B, Chaiwan K, Srisuwan C, Upakut S, Moopayak K, Vogtsberger RC, Olson JK, Sukontason KL. 2007. Forensic entomology cases in Thailand: a review of cases from 2000 to 2006. *Parasitol Res*. 101(5):1417-23. doi: 10.1007/s00436-007-0659-8. Epub 2007 Jul 24. PMID: 17647017.
- Sukontason K, Piangjai S, Siriwananarungsee S, Sukontason KL. 2008. Morphology and developmental rate of blowflies *Chrysomya megacephala* and *Chrysomya rufifacies* in Thailand: application in forensic entomology. *Parasitol Res* 102:1207–1216
- Trianto, M., Marisa, F., & Siswandari, N.P. 2020. Kelimpahan Nisbi, Frekuensi Dan Dominansi Jenis Lalat Di Beberapa Pasar Tradisional Di Kecamatan Martapura. *Journal of Biological Sciences* 7(2): 163-171
- Urban, M. C. 2015. Accelerating extinction risk from climate change. *Science*, 348(6234), 571-573.
- Villet, M. H. 2011. African carrion ecosystems and their insect communities in relation to forensic entomology. *Pest Technol.*, 5 (1): 1-15.
- Wahyuningrum, M. R., & Probosari, E. 2012. Pengaruh pemberian buah pepaya (*Carica papaya* L.) terhadap kadar trigliserida pada tikus Sprague Dawley

- dengan hiperkolesterolemia (Doctoral dissertation, Diponegoro University).
- Wardani, N. 2017. Perubahan iklim dan pengaruhnya terhadap serangga hama. Prosiding Seminar Nasional Agroinovasi Spesifik Lokasi Untuk Ketahanan Pangan Pada Era Masyarakat Ekonomi ASEAN.
- Wardhana, A. H., Cameron, M. M., Muharsini, S., & Hall, M. J. R. 2013. Evaluation of mating behaviour and mating compatibility methods for the Old World screwworm fly, *Chrysomya bezziana*.
- Wardhana, A.H., Muharsini, S., 2004. Studi Pupa Lalat Penyebab Myiasis Di Indonesia, *Chrysomya bezziana* (Study on Pupation of Myiasis Fly, *Chrysomya bezziana*, in Indonesia). Seminar Nasional Teknologi Peternakan dan Veteriner 2004.
- Whitworth T. 2006. Keys to the genera and species of blow flies (Diptera: Calliphoridae) of America, North of Mexico. *Proc Entomol Soc Wash* 108:689–725
- Yang YQ, Li XB, Shao RY, Lyu Z, Li HW, Li GP, et al. 2016. Developmental times of *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae) at constant temperatures and applications in forensic entomology. *J Forensic Sci.* 61:1278–84.
- Zhang Y, Wang Y, Yang L, Tao L, Wang J. 2018. Development of *Chrysomya megacephala* at constant temperatures within its colony range in Yangtze River Delta region of China. *Forensic Sci Res.*3(1):74-82. doi: 10.1080/20961790.2017.1403007. PMID: 30483654; PMCID: PMC6197094.