

DAFTAR PUSTAKA

- AAK. 2004. Pedoman Bertanam Bawang Merah. Kanisius, Yogyakarta.
- Adisarwanto, T. 2004. Meningkatkan Produksi Kacang Tanah di Lahan Sawah dan Lahan Kering. PT. Penebar Swadaya, Cetakan Keempat, Jakarta.
- Animasaun, D.A., S.Y.K. Oyedeji, O.T. Azeez, Mustapha, M.A. Azeez. 2015. Genetic variability study among ten cultivars of cowpea (*Vigna unguiculata* L. Walp) using morpho-agronomic traits and nutritional composition. *Journal of Agricultural Sciences* 10:119-130.
- Anna A. S., dan M. A. Supriyatna. 2020. Komoditas Pertanian Subsektor Hortikultura Bawang Merah. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian, Jakarta.
- Ashwini, S. B. J., Ashoka.,M. Bhimanna.,S.G. Hanchina.,and J. R. Diwan. 2016. Biology and morphometry of *Spodoptera litura* (Fabricius) on Cabbage. *Environment and Ecology* 33: 1764-1767.
- Awmack, C. S., and S. R. Leather. 2002. Host plant quality and fecundity in herbivorous insects. *Annual Review of Entomology*. 2002. 47:817–844.
- Banun, S. 2021. Manfaat Feromon seks pada ordo lepidoptera untuk pengendalian hama lepidoptera. *Biocientiae* 18(1): 46-66.
- Basundar, F. R. A., dan A. Y. Krisdianto. 2020. Pengaruh dosis pupuk dan jarak tanam pada budidaya bawang merah di luar musim tanam di Desa Klaitig Kabupaten Sorong. *Pangan* 29(1): 13 – 24.
- Breeschoten, T., V. I. D. Ros., M. E. Schranz., and S. Simon. 2019. An influential meal: host plant dependent transcriptional variation in the beet armyworm, *Spodoptera exigua* (Lepidoptera: Noctuidae). *BMC Genomics* 20(845): 1-15.
- CABI. 2019. *Spodoptera exigua*. <https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.29808>. Diakses pada 5 Juni 2024.
- Cahyono, B. 2007. Kacang Tanah. Rineka Cipta, Semarang.
- Caldwell, E., J. Read., and G. D. Sanson. 2016. Which leaf mechanical traits correlate with insect herbivory among feeding guilds? . *Annals of Botany* 117(2): 349–361.
- Carvalho, M., I. Castro., J. Moutinho-Pereira., C. Correia., M. Egea-Cortines., M. Matos., and T. Lino-Neto. 2019. Evaluating stress responses in cowpea under drought stress. *Journal of Plant Physiology*, 241(8): 1-13.
- Chakraborty, S., and S. Schuster. 2024. How plant toxins cause early larval mortality in herbivorous insects: an explanation by modeling the net energy curve. *Toxins MDPI* 16(72): 1-17.
- Chandra, P, B, Y., D. R. Laksmiawati, dan D. Rahmat. 2022. Skrining fitokimia dan penetapan kadar flavonoid total ekstrak buah okra (*Abelmoschus esculentus* L.). *Akfrarindo* 7(2): 80-87.
- Dankwa, R., H. Aisala., E. Kayitesi., and H. L. de Kock. 2021. The sensory profiles of flatbreads made from sorghum, cassava, and cowpea flour used as wheat flour alternatives. *Foods*, 10(12): 3095.
- Darmapatni, K. A. G., A. Basori., dan N. M. Suaniti. 2016. Pengembangan metode GC-MS untuk penetapan kadar Acetaminophen pada spesimen rambut manusia. *Jurnal Biosains Pascasarjana* 3(18): 62-69.
- Du, X., S. Cao., H Xiao., C. Yang., A. Zeng., G. Chen., and H. Yu. 2023. Feeding *Spodoptera exigua* larvae with gut-derived *Escherichia* sp. increases larval juvenile hormone levels inhibiting cannibalism. *Communications biology* 6(1):1-18.

- Dwiyanti, R., dan D. Salbiah. 2022. Penggunaan filtrat rimpang jahe merah (*Zingiber officinale* var. *Rubrum*) terhadap hama ulat bawang merah (*Spodoptera exigua* H.). *Jurnal Dinamika Pertanian* 37(3): 293-298.
- Eilers, S., L.B. Pettersson., and E. Öckinger. 2013. Micro-climate determines oviposition site selection and abundance in the butterfly *Pyrgus armoricanus* at its northern range margin. *Ecology Entomology* 38(2):183–192.
- Ekawanti, A., N. R. D. Kurnia., F. A. M. Arifin., L. A. Mahdalena., I. Mujahidin., dan I. L. Novenda. 2023. Sistem pengendalian hama ulat grayak (*Spodoptera Exigua*) di lahan bawang merah berbasis pertanian berkelanjutan pada Kelompok Tani Desa Karanggeger Probolinggo. *Jurnal Abdidas* 4(6): 465-472.
- Ekholm, A., A. J. M. Tack., P. Pulkkinen., and T. Roslin. 2019. Host plant phenology, insect outbreaks and herbivore communities – The importance of timing. *Journal Animal Ecology* 89:829–841.
- Elmore, J. S., and M. H. Baumann. 2018. Repeated exposure to the “Spice” Cannabinoid JWH-018 induces tolerance and enhances responsiveness to 5-HT 1A receptor stimulation in male rats. *Frontiers Psychiatry* 9(55): 1-8.
- Enyiukwu, D.N., A.C. Amadioha, C.C. Ononuju. 2018. Nutritional significance of cowpea leaves for human consumption. *Greener Trends in Food Science and Nutrition* 1:1-10.
- Fahroji., V. Zulfia., dan Syuryati. 2017. *Pascapanen Bawang Merah dan Cabai*. UR Press, Riau.
- Georghious, G. and T. Saito. 2012. *Pest Resistance to pesticides*. Plenum Press. New York.
- Geuss, D., T. Lortzing., J. Schwachtje., J. Kopka., and A. Steppuhn. 2018. Oviposition by *Spodoptera exigua* on *Solanum dulcamara* alters the plant’s response to herbivory and impairs larval performance. *International Journal Molecular Sciences* 19: 2-28.
- Gols, R., L. Croijmans., M. Dicke., J. J. A. van Loon., and J. A. Harvey. 2021. Plant quantity affects development and reproduction of agregarious butterfly more than plant quality. *Entomologia Experimentalis et Applicata* 170:646–655.
- Jadhav, V., S. Deshmukh, and S. Mahadkar. 2013. Evaluation of antioxidant potential of *Clitoria ternatea* L. *International Journal of Pharmacy and Pharmaceutical Sciences.*, 5(2): 595–599.
- Kritzinger, Q., N. Lall, T.A.S. Aveling. 2015. Antimicrobial activity of cowpea (*Vigna unguiculata*) leaf extracts. *South African Journal of Botany* 71:45-48.
- Kustyawati, M. E. 2020. *Mikrobiologi Hasil Pertanian*. Pusaka Media, Lampung.
- Liu, G., Y. Wang., L. Hu., and H. He. 2022. Characterization of the volatile compounds of onion with different fresh-cut styles and storage temperatures. *Foods MDPI* 11(3829): 1-12.
- Ma, H., B. Zhang., J. Li., F. Qiao., Q. Ma., X. Wan., Z. Jiang., and C. Li. 2023. Development of *Spodoptera exigua* population: does the nutritional status matter?. *Insect* 14(13): 1-10.
- Machadol, R. A. R., V. Theepan., C. A. M. Robert., T. Zu ., L. Hul., .Q. Su., B. C. J. Schimmell., and M. Erb. 2021. The plant metabolome guides fitness-relevant foraging decisions of a specialist herbivore. *PLoS Biology* 19(2): 1-29.
- Major, N., S. G. Ban., B. Urlic., D. Ban., G. Dumici., and J. Perkovic. 2018. Morphological and biochemical diversity of shallot landraces preserved along the croatian coast. *Frontiers in Plant Science* 9: 1-14.
- Makinde, F. M., and O.O. Abolarin. 2020. Effect of post-Dehulling treatments on anti-nutritional and functional properties of cowpea (*Vigna Unguiculata*) flour. *Journal of Applied Sciences and Environmental Management*, 24(9): 1641-1647.

- Marcinkowska, M. A., and H. H. Jeleń. 2022. Role of sulfur compounds in vegetable and mushroom aroma. *Molecules* 27: 1-28.
- Martinez, D. A., A. Gathorne-Hardy., and B. M. Smith. 2024. Impacts of polycultural cropping on crop yields and biodiversity: A systematic map protocol. *Ecological Solution and Evidence* 5: 1-11.
- Marzuki, 2007. Bertanam Kacang Tanah. Edisi Revisi. Penebar Swadaya, Jakarta.
- Mayer-Pinto, M., A. Caley., A. M. Knights., L. Airoidi., M. J. Bishop., P. Brooks., R. Coutinho., T. Crowe., P. Mancuso., L. P. D. Naval-Xavier., L. B. Firth., R. Menezes., L. V.R. de Messano., R. Morrisi., D. J. Rossj., J. X.W. Wong., P. Steinberg., and E. M. A. Strain. 2024. Complexity-functioning relationships differ across different environmental conditions. *Journal of Environmental Management* 354: 1-13.
- Mierza, V., N. Aenah, Nurlaela, A. N. Fransiska, L. H. Malik, dan P. Wulanbirru. 2023. Analisis kadar kafein menggunakan metode spektrofotometri UV-VIS. *Jurnal Farmasetis* 12 No 1: 21-26.
- Monti, M., A. Pellicanò., A. Pristeri., G. Badagliacca., G. Preiti., and A. Gelsomino. 2019. Cereal/grain legume intercropping in rotation with durum wheat in crop/livestock production systems for Mediterranean farming system. *Field Crops Research* (240) : 23-33.
- Mulu, M., R. Ngalu., dan F. L. Lazar. 2020. Pola tanam tumpang sari di Desa Satar Punda Barat, Kabupaten Manggarai Timur, Provinsi Nusa Tenggara Timur. *Jurnal Ilmiah Pengabdian kepada Masyarakat* 6 (1): 72-78.
- Nanda, A., I. Sari., dan E. Y. Yusuf. 2022. Pertumbuhan dan produksi bawang merah (*Allium cepa* L) dengan pemberian mikroorganisme lokal (Mol) feses wallet pada media gambut. *Jurnal Agro Indragiri* 9(1): 22-34.
- Ngawit, I. K., Jayaputra., dan F. J. P. Nangur. 2023. Pengaruh kerapatan tanaman tefugia kacang tanah terhadap intensitas serangan hama ulat daun (*Spodoptera exigua* Hubner) pada bawang merah. *Jurnal Ilmiah Mahasiswa Agrokomplek* 2(3): 303-312.
- Osipitan, O.A., J. S. Fields., S. Lo., and I. Cuvaca. 2021. Production systems and prospects of cowpea (*Vigna unguiculata* (L.) Walp.) in the United States. *Agronomy*, 11(11): 2312.
- Pangaribuan, S. H., C. Hanum., dan N. Rahmawati. 2018. Pertumbuhan dan hasil produksi jagung manis terhadap pola tumpangsari serta pemupukan NPK. *Jurnal Agroekoteknologi* 6(4): 787-793.
- Paparang M., V.V Memah., dan J.B. Kaligis. 2016. Populasi dan persentase serangan larva *Spodoptera exigua* Hubner pada tanaman bawang daun dan bawang merah Di Desa Ampreng Kecamatan Langowan Bara. *Jurnal Faperta UNSRAT*. 3 (1): 344-351. Press, Yogyakarta.
- Pubchem. 2025. Pentacosane. <https://pubchem.ncbi.nlm.nih.gov/compound/Pentacosane>. Diakses pada 2 Februari 2025.
- Purwaningtyas, D. W., dan Y. Nuraini. 2022. Pengaruh mikroorganisme lokal rebung dan *plant growth promoting rhizobacteria* terhadap nitrogen tanah total, populasi bakteri dan produksi kacang tanah (*Arachis hypogaea* L). *Jurnal Tanah dan Sumberdaya Lahan* 9(2): 365-373.
- Reddy, G. V. P., and A. Guerrero. 2004. Interactions of insect pheromones and plant semiochemicals. *Trends in Plant Science* 9(5): 254-261.
- Revanthi, P., T. Jeyaseelansenthinath., and P. Thirumalaikolundhusubramaian. 2015. Preliminary phytochemical screening and GC-MS analysis of ethanolic extract of mangrove plant *Brugueira Cylindria* (Rhizo) L. *International Journal of Pharmacognosy and Phytochemical Research*, 6 (4): 729-740.

- Rismunandar. 2010. *Membudidayakan 5 Jenis Bawang*. Sinar Baru, Bandung.
- Rochmah, H. F., Suwanto., dan A. A. Muliastuti. 2020. Optimalisasi lahan replantingkelapa sawit dengan sistem tumpang sari jagung (*Zea mays* L.) dan kacang tanah (*Arachis hypogaea*). *Jurnal Simetrik*. 10(1): 256-262.
- Samosir, O. M., R. G. Marpaung., dan T. Laia. 2019. Respon kacang tanah (*Arachis hypogaea* L) terhadap pemberian unsur mikro. *Jurnal Agrotekda* 3(2): 74-83.
- Sari, L. A. 2019. Pertumbuhan hasil jagung dan kacang tunggak dalam system tumpangsari. *Jurnal Pertanian*, 10(2): 93-116.
- Senewe, R. E. 2019. Preferensi serangga herbivora *Henosepilachna* sp (Coleoptera: Coccinellidae) terhadap beberapa jenis tanaman budidaya. *Jurnal Budidaya Pertanian* 15(1): 61-67.
- Shakya, P. K., M. Haseeb.,and U. Manzoor. 2015. Biology of tobacco cutworm, *Spodoptera litura*. *Biotic Environmental* 21: 30-32.
- Shibula, K., & S. Velavan. 2015. Determination of phytochemicals in methanolic extract of *Annona muricata* leaf using GC-MS technique. *International Journal of Pharmacognosy and Phytochemical Research*, 7(6): 1251-1255.
- Siantar, P. L., E. Pramono., M. S. Hadi., dan Agustiansyah. 2019. Pengaruh kombinasi varietas dalam tumpangsari sorgum-kedelai pada pertumbuhan dan produktivitas benih sorgum dan kedelai, dan vigor daya simpan benih sorgum. *Jurnal Siliwangi* 5(1): 32-39.
- Simons, J., A. Oxbrough., R. Menéndez., and P. Ashton. 2023. Micro-habitat features determine oviposition site selection in high brown and dark green Fritillarie. *Journal of Insect Conservation* 27:841–853.
- Sitorus, R. H., & Wilyus. 2023. Pengelolaan hama terpadu (PHT) kutu kebul, kutu daun (Aphids) dan Thrips pada tanaman cabai keriting (*Capsicum annum* Linn.). *Jurnal Media Pertanian*, 8(1): 26-33.
- Snyder, L.D., M.I. Gómez., and A. G. Power. 2020. Crop Varietal Mixtures as a Strategy to Support Insect Pest Control, Yield, Economic, and Nutritional Services. *Frontiers Sustain. Food Syst.* 4(60): 1-14.
- Soumia, P. S., V. Karuppaiah., V. Mahajan., and M. Singh. 2020. Beet armyworm *Spodoptera exigua*: emerging threat to onion production. *National Academy Science Letters* 43(5):473–476.
- Sunaryono, H. dan P. Soedomo. 2010. *Agribisnis Bawang Merah*. Sinar Baru Algensindo, Bandung
- Surani., C. Pujiasmoro., dan A. Kadarohman. 2023. Penentuan suhu terprogram optimum pada analisis asam lemak hasil ekstrak mikroalga *Chlorella* menggunakan instrument GCMS. *UNESA Journal of Chemistry* 12(1): 20-25.
- Tahir dan Hadmadi. 1984. *Tumpang Gilir*. Tasaguna, Jakarta.
- Telleng, M., K.G. Wiryawan., P.D.M.H. Kartib., I.G. Permana., and L. Abdullah. 2016. Forage production and nutrient composition of different sorghum varieties cultivated with indigofera in intercropping system. *Media Peternakan* 39(3): 203-209.
- Tooker, J. F., and Steven D. Frank. 2012. Genotypically diverse cultivar mixtures for insect pest management and increased crop yields. *Journal of Applied Ecology* 2012 49: 974–985.
- Triwidodo, H., dan M. H. Tanjung. 2020. Hama penyakit utama tanaman bawang merah (*Allium Ascalonicum*) dan tindakan pengendalian di Brebes, Jawa Tengah. *Agrovigor: Jurnal Agroekoteknologi*, 13(2):149–154.
- Untung, K. 2016. *Pengantar Pengelolaan Hama Terpadu*. Gadjah Mada University
- Utamia, I. N., Y. Nurhayatia dan E. D. Hastutia. 2019. Produksi dan profil metabolit bunga krisan (*Chrysanthemum* sp.) pada intensitas cahaya lampu LED dengan durasi yang berbeda. *Bioma* 21(2): 154-164.

- War, A. R., M. G. Paulraj., M. Y. War., and S. Ignacimuthu. 2011. Jasmonic acid-mediated-induced resistance in groundnut (*Arachis hypogaea* L.) against *Helicoverpa armigera* (Hubner) (Lepidoptera: Noctuidae). *Journal of Plant Growth Regulation* 30:512–523.
- War, A. R., M. G. Paulraj., T. Ahmad., A. A. Buhroo., B. Hussain., S. Ignacimuthu., and H. C. Sharma. 2012. Mechanisms of plant defense against insect herbivores. *Plant Signaling & Behavior* 7(10): 1306-1320.
- Witzgall, P., L. Ansebo., Z. Yang., G. Angeli, B. Sauphanor, and M. Bengtsson. 2005. Plant volatiles affect oviposition by codling moths. *Chemoecology* 15:77–83.
- Wulandari, Y. 2013. Sukses Bertanam Bawang Merah dari Nol Sampai Panen. ARC Media, Jakarta
- Yamindago, A., D. Yona, dan A. I. Farhaninur. 2024. Analisis senyawa organik volatil di Perairan Sedati, Sidoarjo, Jawa Timur. *Buletin Oseanografi Marina* 13(2):141-152.
- Zheng X.L., X.P. Cong., X.P. Wang., and C.L. Lei. 2011. A Review of geographic distribution, overwintering and migration in *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae). *Journal Entomology Research Society* 13(3): 39-48.
- Zhou, S., J. Zhang., Y. Lin., X. Li., M. Liu., M. Hafeez., J. Huang., Z. Zhang., L. Chen., X. Ren., W. Dong., and Y. Lu. 2023. *Spodoptera exigua* multiple nucleopolyhedrovirus increases the susceptibility to insecticides: A Promising efficient way for pest resistance management. *Biology* 12(260): 1-13.