

DAFTAR PUSTAKA

- Aini, N., Dewi, S., Asyifa, S. N., & Sofyan, A. (2020). *Review The Utilization of Resistant Starch in Aking Rice Flour as Anti-Diabetic Food Ingredients*.
- Alyaqoubi, S., Abdullah, A., Samudi, M., Abdullah, N., Addai, Z. R., & Musa, K. H. (2015). *Study of antioxidant activity and physicochemical properties of coconut milk (Pati santan) in Malaysia*.
- Anugrahati, N. A. Perubahan Struktur Pati dan Pembentukan RS5 akibat Pendinginan-Pemanasan Berulang dan Penambahan Lipida pada Penanakan Nasi. Disertasi: Universitas Gadjah Mada.
- Anugrahati, N. A., Pranoto, Y., Marsono, Y., & Marseno, D. W. (2015). *In Vitro Digestibility of Indonesian Cooked Rice Treated with Cooling- Reheating Process and Coconut Milk Addition*. 4.
- Ariningsih, S., Hasrini, R. F., & Khoiriyah, A. (2021). Analisis Produk Santan Untuk Pengembangan Standar Nasional Produk Santan Indonesia. *Pertemuan dan Presentasi Ilmiah Standardisasi, 2020*, 231–238. <https://doi.org/10.31153/ppis.2020.86>
- Cervantes-Ramírez, J. E., Cabrera-Ramírez, A. H., Morales-Sánchez, E., Rodríguez-García, M. E., Reyes-Vega, M. D. L. L., Ramírez-Jiménez, A. K., Contreras-Jiménez, B. L., & Gaytán-Martínez, M. (2020). Amylose-lipid complex formation from extruded maize starch mixed with fatty acids. *Carbohydrate Polymers*, 246, 116555. <https://doi.org/10.1016/j.carbpol.2020.116555>
- Chakraborty, I., Govindaraju, I., Kunnel, S., Managuli, V., & Mazumder, N. (2023). Effect of Storage Time and Temperature on Digestibility, Thermal, and Rheological Properties of Retrograded Rice. *Gels*, 9(2), 142. <https://doi.org/10.3390/gels9020142>
- Chao, C., Huang, S., Yu, J., Copeland, L., Wang, S., & Wang, S. (2020). Molecular mechanisms underlying the formation of starch-lipid complexes during simulated food processing: A dynamic structural analysis. *Carbohydrate Polymers*, 244, 116464. <https://doi.org/10.1016/j.carbpol.2020.116464>
- Chen, Y., Zhang, Z., Chen, Y., Li, T., & Zhang, W. (2024). The role of fat content in coconut milk: Stability and digestive properties. *Food Chemistry*, 446, 138900. <https://doi.org/10.1016/j.foodchem.2024.138900>
- Chumsri, P., Panpipat, W., Cheong, L.-Z., & Chaijan, M. (2022). Formation of Intermediate Amylose Rice Starch–Lipid Complex Assisted by Ultrasonication. *Foods*, 11(16), 2430. <https://doi.org/10.3390/foods11162430>
- Cornejo-Ramírez, Y. I., Martínez-Cruz, O., Del Toro-Sánchez, C. L., Wong-Corral, F. J., Borboa-Flores, J., & Cinco-Moroyoqui, F. J. (2018). The structural characteristics of starches and their functional properties. *CyTA - Journal of Food*, 16(1), 1003–1017. <https://doi.org/10.1080/19476337.2018.1518343>
- Dorantes-Campuzano, M. F., Cabrera-Ramírez, A. H., Rodríguez-García, M. E., Palacios-Rojas, N., Preciado-Ortíz, R. E., Luzardo-Ocampo, I., & Gaytán Martínez, M. (2022). Effect of maize processing on amylose-lipid complex

- in pozole, a traditional Mexican dish. *Applied Food Research*, 2(1), 100078. <https://doi.org/10.1016/j.afres.2022.100078>
- Faridah, D. N., Andriani, I., Talitha, Z. A., & Budi, F. S. (2021). Physicochemical characterization of resistant starch type V (RS5) from manggu cassava starch (*Manihot esculenta*). *Food Research*, 5(2), 228–234. [https://doi.org/10.26656/fr.2017.5\(2\).496](https://doi.org/10.26656/fr.2017.5(2).496)
- Gofi, I., García-Diz, L., Mañas, E., & Saura-Calixto, F. (1996). Analysis of resistant starch: A method for foods and food products. *Food Chemistry*, 56(4), 445–449. [https://doi.org/10.1016/0308-8146\(95\)00222-7](https://doi.org/10.1016/0308-8146(95)00222-7)
- Guo, J., Tan, L., & Kong, L. (2021). Impact of dietary intake of resistant starch on obesity and associated metabolic profiles in human: A systematic review of the literature. *Critical Reviews in Food Science and Nutrition*, 61(6), 889–905. <https://doi.org/10.1080/10408398.2020.1747391>
- Gutiérrez, T. J., & Tovar, J. (2021). Update of the concept of type 5 resistant starch (RS5): Self-assembled starch V-type complexes. *Trends in Food Science & Technology*, 109, 711–724. <https://doi.org/10.1016/j.tifs.2021.01.078>
- Hasjim, J., Lee, S., Hendrich, S., Setiawan, S., Ai, Y., & Jane, J. (2010). Characterization of a Novel Resistant-Starch and Its Effects on Postprandial Plasma-Glucose and Insulin Responses. *Cereal Chemistry*, 87(4), 257–262. <https://doi.org/10.1094/CCHEM-87-4-0257>
- Hayati, R. (2009). Perbandingan Susunan dan Kandungan Asam Lemak Kelapa Muda dan Kelapa Tua (*Cocos nucifera* L.) dengan Metode Gas Kromatografi.
- Helmyati, S., Amalia, A. W., Sholihah, H., Kurnia, M., Kiasaty, S., Wigati, M., Rohana, A. J., Ishak, W. R. W., Hamid, N. A., Malik, V., & Hu, F. (2021). The Pattern of Carbohydrate Intake among University Students from Eastern Indonesia Tends to be Diverse. *Current Nutrition & Food Science*, 17(8), 867–875. <https://doi.org/10.2174/1573401317666210224123425>
- Ijaz, Uddin, M., Khan, N. M., Ali, F., Khan, Z. U., Muhammad, N., Iqbal, J., Rehman, N., Jan, A. K., & Ahmad, S. (2020). Green Production and Structural Evaluation of Maize Starch–Fatty Acid Complexes Through High Speed Homogenization. *Journal of Polymers and the Environment*, 28(12), 3110–3115. <https://doi.org/10.1007/s10924-020-01837-1>
- Inan, E. E., & Buyuktuncer, Z. (2017). The effect of various cooking methods on resistant starch content of foods. *Nutrition & Food Science*, 47(4), 522–533. <https://doi.org/10.1108/NFS-10-2016-0154>
- Isra, M., Andrianto, D., & Setiarto, R. H. B. (2023). Effect heat moisture treatment for resistant starch levels and prebiotic properties of high carbohydrate food: Meta-analysis study. *Food Research*, 7(1), 144–150. [https://doi.org/10.26656/fr.2017.7\(1\).928](https://doi.org/10.26656/fr.2017.7(1).928)
- Kalab, M. (2018). A Bowl of Rice and SEM. *Infocus Magazine*. <https://doi.org/10.22443/rms.inf.1.164>
- Karunasiri, A. N., Gunawardane, M., Senanayake, C. M., Jayathilaka, N., & Seneviratne, K. N. (2020). Antioxidant and Nutritional Properties of Domestic and Commercial Coconut Milk Preparations. *International Journal of Food Science*, 2020, 1–9. <https://doi.org/10.1155/2020/3489605>

- Kawai, K., Takato, S., Sasaki, T., & Kajiwaru, K. (2012). Complex formation, thermal properties, and in-vitro digestibility of gelatinized potato starch–fatty acid mixtures. *Food Hydrocolloids*, 27(1), 228–234. <https://doi.org/10.1016/j.foodhyd.2011.07.003>
- Khatun, A., Waters, D. L. E., & Liu, L. (2022). The Impact of Rice Lipid on In Vitro Rice Starch Digestibility. *Foods*, 11(10), 1528. <https://doi.org/10.3390/foods11101528>
- Kim, T.-K., Lee, J.-H., Yong, H. I., Kang, M.-C., Cha, J. Y., Chun, J. Y., & Choi, Y.-S. (2022). Effects of Defatting Methods on the Physicochemical Properties of Proteins Extracted from *Hermetia illucens* Larvae. *Foods*, 11(10), 1400. <https://doi.org/10.3390/foods11101400>
- Li, L., Liu, Z., Zhang, W., Xue, B., & Luo, Z. (2021). Production and Applications of Amylose-Lipid Complexes as Resistant Starch: Recent Approaches. *Starch - Stärke*, 73(5–6), 2000249. <https://doi.org/10.1002/star.202000249>
- Lian, X., Cheng, K., Wang, D., Zhu, W., & Wang, X. (2017). Analysis of crystals of retrograded starch with sharp X-ray diffraction peaks made by recrystallization of amylose and amylopectin. *International Journal of Food Properties*, 20(sup3), S3224–S3236. <https://doi.org/10.1080/10942912.2017.1362433>
- Liu, Q., Guan, H., Guo, Y., Wang, D., Yang, Y., Ji, H., Jiao, A., & Jin, Z. (2024). Structure and in vitro digestibility of amylose–lipid complexes formed by an extrusion-debranching-complexing strategy. *Food Chemistry*, 437, 137950. <https://doi.org/10.1016/j.foodchem.2023.137950>
- Luo, S., Zeng, Z., Mei, Y., Huang, K., Wu, J., Liu, C., & Hu, X. (2020). Improving ordered arrangement of the short-chain amylose-lipid complex by narrowing molecular weight distribution of short-chain amylose. *Carbohydrate Polymers*, 240, 116359. <https://doi.org/10.1016/j.carbpol.2020.116359>
- Ogbo, F. C., & Nwozor, N. C. (2020). Effect of Pullulanase Debranching and Retrogradation on Resistant Starch Yield and Glycemic Index of Garri. *Journal of Advances in Microbiology*, 67–75. <https://doi.org/10.9734/jamb/2020/v20i1130301>
- Okumus, B. N., Tacer-Caba, Z., Kahraman, K., & Nilufer-Erdil, D. (2018). Resistant starch type V formation in brown lentil (*Lens culinaris* Medikus) starch with different lipids/fatty acids. *Food Chemistry*, 240, 550–558. <https://doi.org/10.1016/j.foodchem.2017.07.157>
- Oyeyinka, S. A., Singh, S., & Amonsou, E. O. (2021). A review on structural, digestibility and physicochemical properties of legume starch-lipid complexes. *Food Chemistry*, 349, 129165. <https://doi.org/10.1016/j.foodchem.2021.129165>
- Pangastuti, H. A., & Permana, L. (2021). Pengukuran Pati Resisten Tipe 5 Secara *In Vitro* pada Nasi Uduk. *Jurnal Pengolahan Pangan*, 6(2), 42–48. <https://doi.org/10.31970/pangan.v6i2.56>
- Park, J., Oh, S.-K., Chung, H.-J., & Park, H.-J. (2020). Structural and physicochemical properties of native starches and non-digestible starch residues from Korean rice cultivars with different amylose contents. *Food*

- Hydrocolloids*, 102, 105544.
<https://doi.org/10.1016/j.foodhyd.2019.105544>
- Pourfarzad, A., Najafi, M. B. H., Khodaparast, M. H. H., & Khayyat, M. H. (2015). Serish inulin and wheat biopolymers interactions in model systems as a basis for understanding the impact of inulin on bread properties: A FTIR investigation. *J Food Sci Technol*.
- Rahmadi, I. (2019). *Teknologi Pengolahan Ketupat: Perubahan Karakteristik Fisikokimia dan Mikrobiologi selama Pengolahan dan Penyimpanan*. 28(2).
- Rahmadi, I. (2021). *Perubahan Profil Tekstur Ketupat selama Penyimpanan*. 01(02).
- Ratnaningsih, N., Suparmo, Harmayani, E., & Marsono, Y. (2020). Physicochemical properties, in vitro starch digestibility, and estimated glycemic index of resistant starch from cowpea (*Vigna unguiculata*) starch by autoclaving-cooling cycles. *International Journal of Biological Macromolecules*, 142, 191–200.
<https://doi.org/10.1016/j.ijbiomac.2019.09.092>
- Reddy, C. K., Lee, D.-J., Lim, S.-T., & Park, E. Y. (2019). Enzymatic debranching of starches from different botanical sources for complex formation with stearic acid. *Food Hydrocolloids*, 89, 856–863.
<https://doi.org/10.1016/j.foodhyd.2018.11.059>
- Ribeiro, N. C. B. V., Ramer-Tait, A. E., & Cazarin, C. B. B. (2022). Resistant starch: A promising ingredient and health promoter. *PharmaNutrition*, 21, 100304.
<https://doi.org/10.1016/j.phanu.2022.100304>
- Sangwongchai, W., Sa-ingthong, N., Phothiset, S., Saenubon, C., & Thitisaksakul, M. (2024). Resistant starch formation and changes in physicochemical properties of waxy and non-waxy rice starches by autoclaving-cooling treatment. *International Journal of Food Properties*, 27(1), 532–548.
<https://doi.org/10.1080/10942912.2024.2332357>
- Shah, A. (2016). In-vitro digestibility, rheology, structure, and functionality of RS3 from oat starch. *Food Chemistry*.
- Shi, S., Dong, Y., Li, Q., Liu, T., & Yu, X. (2020). Morphology, structural, thermal and rheological properties of wheat starch–palmitic acid complexes prepared during steam cooking. *RSC Advances*, 10(50), 30087–30093.
<https://doi.org/10.1039/D0RA05954D>
- Shi, X.-D., Yin, J.-Y., Cui, S. W., Wang, Q., Wang, S.-Y., & Nie, S.-P. (2020). Plant-derived glucomannans: Sources, preparation methods, structural features, and biological properties. *Trends in Food Science & Technology*, 99, 101–116. <https://doi.org/10.1016/j.tifs.2020.02.016>
- Steffi Sonia, Fiastuti Witjaksono, & Rahmawati Ridwan. (2015). Effect of Cooling of Cooked White Rice on Resistant Starch Content and Glycemic Response. *Asia Pacific Journal of Clinical Nutrition*, 24(4).
<https://doi.org/10.6133/apjcn.2015.24.4.13>
- Strozyk, S., Rogowicz-Frontczak, A., Pilacinski, S., LeThanh-Blicharz, J., Koperska, A., & Zozulinska-Ziolkiewicz, D. (2022). Influence of resistant starch resulting from the cooling of rice on postprandial glycemia in type 1

- diabetes. *Nutrition & Diabetes*, 12(1), 21. <https://doi.org/10.1038/s41387-022-00196-1>
- Sun, Y., Chen, H., Chen, W., Zhong, Q., Zhang, M., & Shen, Y. (2022). Effects of Ultrasound Combined with Preheating Treatment to Improve the Thermal Stability of Coconut Milk by Modifying the Physicochemical Properties of Coconut Protein. *Foods*, 11(7), 1042. <https://doi.org/10.3390/foods11071042>
- Tamura, M., Hoshi, K., Saito, T., & Sasahara, Y. (2022). *In Vitro* Starch Digestion of Cooked Rice Grain Following the Addition of Various Vegetable Oils. *Japan Agricultural Research Quarterly: JARQ*, 56(3), 261–267. <https://doi.org/10.6090/jarq.56.261>
- Tansman, G. F., Kindstedt, P. S., & Hughes, J. M. (2014). Powder X-ray diffraction can differentiate between enantiomeric variants of calcium lactate pentahydrate crystal in cheese. *Journal of Dairy Science*, 97(12), 7354–7362. <https://doi.org/10.3168/jds.2014-8277>
- Thakur, M., Rai, A. K., & Singh, S. P. (2023). Structural Characteristics, Physicochemical Properties, and Digestibility Analysis of Resistant Starch Type-V Prepared from Debranched Corn Starch and Fatty Acid Complexation. *ACS Omega*, 8(29), 25799–25807. <https://doi.org/10.1021/acsomega.3c01093>
- Thakur, R., Pristijono, P., Golding, J. B., Stathopoulos, C. E., Scarlett, C. J., Bowyer, M., Singh, S. P., & Vuong, Q. V. (2017). Amylose-lipid complex as a measure of variations in physical, mechanical and barrier attributes of rice starch- κ -carrageenan biodegradable edible film. *Food Packaging and Shelf Life*, 14, 108–115. <https://doi.org/10.1016/j.fpsl.2017.10.002>
- Toutounji, M. R., Butardo, V. M., Zou, W., Farahnaky, A., Pallas, L., Oli, P., & Blanchard, C. L. (2019). A High-Throughput In Vitro Assay for Screening Rice Starch Digestibility. *Foods*, 8(12), 601. <https://doi.org/10.3390/foods8120601>
- Tulashie, S. K., Amenakpor, J., Atisey, S., Odai, R., & Akpari, E. E. A. (2022). Production of coconut milk: A sustainable alternative plant-based milk. *Case Studies in Chemical and Environmental Engineering*, 6, 100206. <https://doi.org/10.1016/j.cscee.2022.100206>
- Vaitkeviciene, R., Bendoraitiene, J., Degutyte, R., Svazas, M., & Zadeike, D. (2022). Optimization of the Sustainable Production of Resistant Starch in Rice Bran and Evaluation of Its Physicochemical and Technological Properties. *Polymers*, 14(17), 3662. <https://doi.org/10.3390/polym14173662>
- Wang, H., Wu, Y., Wang, N., Yang, L., & Zhou, Y. (2019). Effect of water content of high-amylose corn starch and glutinous rice starch combined with lipids on formation of starch–lipid complexes during deep-fat frying. *Food Chemistry*, 278, 515–522. <https://doi.org/10.1016/j.foodchem.2018.11.092>
- Wariyah, C., Riyanto, & Kanetro, B. (2019). Effect of Cooling Methods and Drying Temperatures on the Resistant Starch Content and Acceptability of Dried-Growol. *Pakistan Journal of Nutrition*, 18(12), 1139–1144. <https://doi.org/10.3923/pjn.2019.1139.1144>

- Wen, J.-J., Li, M.-Z., Hu, J.-L., Tan, H.-Z., & Nie, S.-P. (2022). Resistant starches and gut microbiota. *Food Chemistry*, 387, 132895. <https://doi.org/10.1016/j.foodchem.2022.132895>
- Wiruch, P., Naruenartwongsakul, S., & Chalermchart, Y. (2019). Textural Properties, Resistant Starch, and in Vitro Starch Digestibility as Affected by Parboiling of Brown Glutinous Rice in a Retort Pouch. *Current Research in Nutrition and Food Science Journal*, 7(2), 555–567. <https://doi.org/10.12944/CRNFSJ.7.2.24>
- Xia, W., Lin, Y., Wang, F., Liu, Y., & Liu, R. H. (2024). Preparation and physicochemical properties: A new extruded rice using cassava starch and broken rice flour. *Frontiers in Sustainable Food Systems*, 8, 1383012. <https://doi.org/10.3389/fsufs.2024.1383012>