



DAFTAR PUSTAKA

- Acquaticci, L., Angeloni, S., Cela, N., Galgano, F., Vittori, S., Caprioli, G., & Condelli, N. (2023). Impact of coffee species, post-harvesting treatments and roasting conditions on coffee quality and safety related compounds. *Food Control*, 149, 109714
- Al Tamimi, K., Hidayat, C., Utami, T., & Witasari, L. D. (2023). Flavor precursor formation of non-fermented forastero cocoa beans after flavourzyme and glucose treatment. *LWT*, 184, 114910
- Alves, L. C., De Magalhaes, D. M., Labate, M. T. V., Guidetti-Gonzalez, S., Labate, C. A., Domingues, D. S. (2016). Differentially accumulated proteins in *Coffea arabica* seeds during perisperm tissue development and their relationship to coffee grain size. *Journal of Agricultural and Food Chemistry*, 64(7), 1635–1647
- Angeloni, S., Mustafa, A. M., Abouelenein, D., Alessandroni, L., Acquaticci, L., Nzekoue, Caprioli, G. (2021). Characterization of the Aroma Profile and Main Key Odorants of Espresso Coffee. *Molecules*, 26, 3856
- Anggraeni, A. A., Triwitono, P., Lestari, L. A., & Harmayani, E. (2024). Physicochemical and sensory properties of reduced-fat cookies made from gluten-free flour incorporated with glucomannan. *Journal of the Science of Food and Agriculture*
- Aris, K., Ningrum, A., & Supriyadi, S., (2023). Contribution of Additional Glutamic Acid and Fructose in The Formation of Flavor Compounds in Green Tea. *Indonesian Food and Nutrition Progress*, 20(1), 41-51
- ATFIS. (2019). Food Trade Corporation Food Information Statistics System. <https://www.atfis.or.kr/home/company>. Accessed on October 20, 2024
- Awwad, S., Issa, R., Alnsour, L., Albals, D., & Al-Momani, I. (2021). Quantification of Caffeine and Chlorogenic Acid in Green and Roasted Coffee Samples Using HPLC-DAD and Evaluation of the Effect of Degree of Roasting on Their Levels. *Molecules*, 26(24), 7502. <https://doi.org/10.3390/molecules26247502>



- Badan Standardisasi Nasional. (2004). SNI 2983:2014. Kopi Instan
- Badmos, S., Lee, S.-H., & Kuhnert, N. (2019). Comparison and quantification of chlorogenic acids for differentiation of green Robusta and Arabica coffee beans. *Food Research International*, 126, 108544
- Badan Pusat Statistik. (2023). Indonesia coffee statistics 2022: Badan Pusat Statistik. Acceced on July 30, 2024
- Budiman, I., Wahyudi, F., Yunardi, Y., & Meilina, H. (2021). Studi Fermentasi Biji Kopi Menggunakan Enzim Proteolitik. *Jurnal Serambi Engineering*, 6(4)
- Cao, X., Wu, H., Viejo, C.G., Dunshea, F.R., Suleria, H.A.R. (2023). Effects of postharvest processing on aroma formation in roasted coffee – a review. *International Journal of Food Science and Technology* 58, 1007–1027
- Chindapan, N., Puangngoen, C., & Devahastin, S. (2025). Caffeine removal and compositions losses from whole Robusta coffee beans during conventional and ultrasound-assisted aqueous decaffeination. *Journal of Food Engineering*, 387, 112349
- Clarke, R. J., & Macrae, R. (Eds.). (1985). *Coffee*. Springer Netherlands. <https://doi.org/10.1007/978-94-009-4948>
- Cordoba, N., Moreno, F. L., Osorio, C., Velásquez, S., Fernandez-Alduenda, M., & Ruiz-Pardo, Y. (2021). Specialty and regular coffee bean quality for cold and hot brewing: Evaluation of sensory profile and physicochemical characteristics. *LWT*, 145, 111363
- Daisa, J., Rossi, E., & Dini, R. 2017. Pemanfaatan Ekstrak Kasar Enzim Papain pada Proses Dekafeinasi Kopi Robusta. *Jurnal Online Mahasiswa (JOM) Bidang Pertanian*, 4(1), 1-14
- Dawidowicz, A. L., & Typek, R. (2017). Transformation of chlorogenic acids during the coffee *European Food Research and Technology*, 243(3), 379-390
- Diaz-Cervantes, E., Robles, J., Solà, M., & Swart, M. (2023). The peptide bond rupture mechanism in the serine proteases: an in silico study based on sequential scale models. *Physical Chemistry Chemical Physics*, 25(11), 8043-8049
- Distelberg, B.J., Staack, A., Elsen, K.D., Sabat'e, J. (2017). The effect of coffee and



caffeine on mood, sleep, and health-related quality of life. *J. Caffeine Res.* 7, 59–70

Etienne, H., Breton, D., Breitler, J. C., Bertrand, B., Dechamp, E., Awada, R., & Ducos, J. P. (2018). Coffee somatic embryogenesis: experience gained and innovations promote the commercial propagation of elite clones from the two cultivated species. *Frontiers in Plant Science*, 9, 1630

Farah, A. (2012). Coffee Constituents. In Y. Chu (Ed.), *Coffee* (1st ed., pp. 21–58). Wiley. <https://doi.org/10.1002/9781119949893.ch2>

Farah, A. (2019). Front Matter. In *Coffee* (pp. P001–P004). Royal Society of Chemistry

Fardenan, D., Suroto, D. A., & Supriyadi, S. (2024). Effect of acetic acid immersion on the taste and aroma quality of immature Robusta coffee beans. *Czech Journal of Food Sciences*

Fitri, Laga, A., Dwyan, Z., & Tawali, A.B. (2021). Composition of amino acids and fatty acids on luwak coffee processing. *Food Research*, 5(3), 60-64

Freitas, V. V., Rodrigues Borges, L. L., Dias Castro, G. A., Dos Santos, M. H., Vidigal, M. C. T. R., Fernandes, S. A., & Stringheta, P. C. (2023). Impact of Different Roasting Conditions on the Chemical Composition, Antioxidant Activities, and Color of Coffea Canephora and Coffea Arabica L. Samples. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.4325910>

Gabriel, H., Leonor, M., Josu, Z., Cano-sarmiento, C., Yuritzi, C., and Gonz, O. (2022). Yeasts as Producers of Flavor Precursors during Cocoa Bean Fermentation and Their Relevance as Starter Cultures: A review

Ganju, E., Chawla, K., Yang, S., & Chawla, N. (2024). Time-resolved roasting-induced microstructural evolution of Arabica coffee beans from Brazil, Colombia, and Ethiopia captured using x-ray computed micro- tomography. *Journal of Food Engineering*, 361, 111733. <https://doi.org/10.1016/j.jfoodeng.2023.111733>

Gloess, A. N., Vietri, A., Wieland, F., Smrke, S., Schönbächler, B., Lopez, J. A. S. & Yeretzian, C. (2014). Evidence of different flavour formation dynamics by roasting coffee from different origins: analysis with PTR-ToF-MS.



International Journal of Mass Spectrometry, 365, 324-337

Ghosh, P., Venkatachalam, N. (2014). Processing and Drying of Coffee-A.

<https://www.researchgate.net/publication/26996518>

Giulia, S., Eloisa, B., Giulia, R., Gloria, P., Carlo, B., & Erica, L. (2023). Evaluation of the behaviour of phenols and alkaloids in samples of roasted and ground coffee stored in different types of packaging: Implications for quality and shelf life. *Food Research International*, 174, 113548

Groth, D., Hartmann, S., Klie, S., & Selbig, J. (2013). Principal Components Analysis. In B. Reisfeld & A. N. Mayeno (Eds.), *Computational Toxicology* (Vol. 930, pp. 527–547)

Gutierrez-Ríos, H.G., Suárez-Quiroz, M.L., Hernández-Estrada, Z.J., Castellanos-Onorio, O.P., Alonso-Villegas, R., Rayas-Duarte, P., Cano-Sarmiento, C., Figueroa-Hernández, C.Y., González-Rios, O., 2022. Yeasts as Producers of Flavor Precursors during Cocoa Bean Fermentation and Their Relevance as Starter Cultures: A Review. *Fermentation* 8, 331. <https://doi.org/10.3390/fermentation8070331>

Haile, M., & Hee Kang, W. (2020). The Harvest and Post-Harvest Management Practices. Impact on Coffee Quality. *Coffee-Production and Research*

Hariyadi, T., Paramitha, T., Irmawati, D., & Salsabila, S. A. (2024). The Effect of Pineapple Crude Enzymes and Fermentation Time on The Decaffeination Process of Robusta Coffee. *Current Journal: International Journal Applied Technology Research*, 5(1), 63–70. <https://doi.org/10.35313/ijatr.v5i1.128>

Handayani, R., & Muchlis, F. (2021). Review: Manfaat Asam Klorogenat dari Biji Kopi (*Coffea*) Sebagai Bahan Baku Kosmetik. *Jurnal Ilmiah Farmasi FITOFARMAKA*, 11(1), 43–50. <https://doi.org/10.33751/jf.v11i1.2357>

Hustiany, R. (2016). Reaksi Maillard pembentuk citarasa dan warna pada produk pangan

Hoyle, N. T., & MERRITT, J. H. (1994). Quality of fish protein hydrolysates from herring (*Clupea harengus*). *Journal of food Science*, 59(1), 76-79

Internasional Coffee Organization (ICO). (2016). The current state of the global



coffee trade: International Coffee Organization. Acceced on July 30, 2024

Internasional Coffee Organization (ICO). (2023). Domestic Consumption Data.

England: International Coffee Organization. Acceced on July 30, 2024

Jeszka-Skowron, M., Frankowski, R., & Zgoła-Grześkowiak, A. (2020).

Comparison of methylxantines, trigonelline, nicotinic acid and nicotinamide contents in brews of green and processed Arabica and Robusta coffee beans—Influence of steaming, decaffeination and roasting processes on coffee beans.

Lwt, 125, 109344

Kathuria, D., Hamid, Gautam, S., Thakur, A., 2023. Maillard reaction in different food products affects product quality, human health, and mitigation strategies.

Food Control 153, 109911. <https://doi.org/10.1016/j.foodcont.2023.109911>

Kennedy, O. J., Roderick, P., Buchanan, R., Fallowfield, J. A., Hayes, P. C., & Parkes, J. (2017). Coffee, including caffeinated and decaffeinated coffee, and the risk of hepatocellular carcinoma: A systematic review and dose–response meta-analysis. BMJ Open, 7(5), e013739

Khongdetch, J., Laohakunjit, N., and Kaprasob, R. 2022. King Boletus mushroom-derived bioactive protein hydrolysate: characterisation, antioxidant, ACE inhibitory and cytotoxic activities. International Journal of Food Science and Technology 57 (3): 1399–1410

Kongor, J.E., Hinneh, M., de Walle, D. Van, Afoakwa, E.O., Boeckx, P., and Dewettinck, K. 2016. Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile - A reviLee, L. W., Cheong, M. W., Curran, P., Yu, B., & Liu, S. Q. (2015). Coffee fermentation and flavor – An intricate and delicate relationship. *Food Chemistry*, 185, 182–191. <https://doi.org/10.1016/j.foodchem.2015.03.124>

Lee, L. W., Cheong, M. W., Curran, P., Yu, B., & Liu, S. Q. (2015). Coffee fermentation and flavor – An intricate and delicate relationship. *Food Chemistry*, 185, 182–191

Lingle, T. R., & Menon, S. N. (2017). Cupping and grading—Discovering character and quality. In *The craft and science of coffee* (pp. 181-203). Academic Press.

Liu, C., Yang, N., Yang, Q., Ayed, C., Linforth, R., & Fisk, I. D. (2019). Enhancing



Robusta coffee aroma by modifying flavour precursors in the green coffee bean. *Food chemistry*, 281, 8-17

Liu, S., Sun, H., Ma, G., Zhang, T., Wang, L., Pei, H., & Gao, L. (2022). Insights into flavor and key influencing factors of Maillard reaction products: A recent update. *Frontiers in Nutrition*, 9, 973677

Marseglia, A., Palla, G., & Caligiani, A. (2014). Presence and variation of γ -aminobutyric acid and other free amino acids in cocoa beans from different geographical origins. *Food Research International*, 63, 360-366

Menzio, J., Binello, A., Barge, A., Cravotto, G. (2020). Highly-efficient caffeine recovery from green coffee beans under ultrasound-assisted SC-CO₂ extraction. *Processes* 8, 1062

Narvaez, E., Zapata, E., Dereix, J. D., Lopez, C., Torijano-Gutiérrez, S., & Zapata, J. (2024). A Comparative Analysis of Cold Brew Coffee Aroma Using the Gas Chromatography–Olfactometry–Mass Spectrometry Technique: Headspace–Solid-Phase Extraction and Headspace Solid-Phase Microextraction Methods for the Extraction of Sensory-Active Compounds. *Molecules*, 29(16), 3791

Oktadina, F. D. (2013). Pemanfaatan Nanas (*Ananas Comosus* L. Merr) Untuk Penurunan Kadar Kafein dan Perbaikan Citarasa Kopi (*Coffea* Sp) Dalam Pembuatan Kopi Bubuk [Skripsi]. Brawijaya University

Park, H., Noh, E., Kim, M., & Lee, K. G. (2024). Analysis of volatile and nonvolatile compounds in decaffeinated and regular coffee prepared under various roasting conditions. *Food Chemistry*, 435, 137543

Pramadika, R. P., Kusnadi, J., & Wijayanti, S.D. (2016). Dekafeinasi Kopi Robusta Enzimatis (*Coffee canephora* L.) Dengan Enzim Bromelin Kasar dari Ekstrak Buah Nanas (*Annanas Comosus* Var *Comosus*) [Skripsi]. *Jurnal Pangan Dan Agroindustri*, 4(4)

Pietsch, A. Decaffeination-Process and Quality. (2017). In *The Craft and Science of Coffee*; Elsevier: Amsterdam, The Netherlands; pp. 225–243, ISBN 9780128035580

Pickard, S.; Becker, I.; Merz, K.H.; Richling, E. (2013). Determination of the Alkylpyrazine Composition of Coffee Using Stable Isotope Dilution-Gas



Chromatography-Mass Spectrometry (SIDA-GC-MS). *J. Agric. Food Chem.* 61, 6274–6281

Poisson, L., Blank, I., Dunkel, A., Hofmann, T. (2017). The chemistry of roasting decoding flavor formation. In: Folmer, B. (Ed.), *The Craft and Science of Coffee*. Academic Press, London, pp. 273–309

Pramadika, R. P. (2015). Dekafeinasi Kopi Robusta (*Cofeea canephoral*) Dengan Enzim Bromelin Kasar Dari Ekstrak Buah Nanas (*Ananas comosus var comosus*). (Kajian Konsentrasi Enzim Dan Lama ProsesEnzimatis): *Doctoral dissertation*, Universitas Brawijaya

Purbaningrum, K., Hidayat, C., Witasari, L. D., & Utami, T. (2023). Flavor Precursors and Volatile Compounds Improvement of Unfermented Cocoa Beans by Hydrolysis Using Bromelain. *Foods*, 12(4), 820

Ratih, D. A., Sritamin, M. A. D. E., & WIRAWAN, I. G. P. (2022). Pengaruh Variasi Waktu Inkubasi dengan Penambahan Paya Meat Tenderizer pada Proses Dekafeinasi Kopi Arabika (*Coffea arabica* L.). *Jurnal Agroekoteknologi Tropika ISSN*, 2301, 6515

Rendon, M. Y., Salva, T. D. J. G., & Bragagnolo, N. (2014). Impact of chemical changes on the sensory characteristics of coffee beans during storage. *Food chemistry*, 147, 279-286

Rohan, T. A., & Stewart, T. (1967). The Precursors of Chocolate Aroma: Production of Reducing Sugars during Fermentation of Cocoa Beans. *Journal of Food Science*, 32(4), 399–402

Santosa, K. M., Supriyadi, S., Anggrahini, S., & Rahmadian, Y. (2020). Sensory analysis, caffeine, chlorogenic acid and non-volatile taste compounds of arabica coffee (*Coffea arabica*) fermented with sugar addition for brew taste. *Indonesian Food and Nutrition Progress*, 17(2), 37-44

Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., & Ratanakhanokchai, K. (2016). A novel multi-biofunctional protein from brown rice hydrolysed by endo/endo-exoproteases. *Food and Function*, 7(6), 2635–2644. <https://doi.org/10.1039/c5fo01344e>

Seninde D.R., & Chambers E. (2020): Coffee flavor. *Beverages*, 6: 1–25.



Specialty Coffee Association of America. 2015. Beyond *Coffea arabica*: Opportunities for Specialty Coffee with *Coffea canephora*. Retrieved August 30, 2022

Sunarharum, W. B., Williams, D. J., & Smyth, H. E. (2014). Complexity of coffee flavor: A compositional and sensory perspective. *Food Research International*, 62, 315–325. Kraujalyte, V.; Pelvan, E.; Alasalvar, C. (2016). Volatile Compounds and Sensory Characteristics of Various Instant Teas Produced from Black Tea. *Food Chem.* 2016, 194, 864–872

Sonklin, C., Laohakunjit, N., Kerdchoechuen, O., and Ratanakhanokchai, K. 2018. Volatile flavour compounds sensory characteristics and antioxidant activities of mungbean meal protein hydrolysed by bromelain. *Journal of Food Science and Technology* 55 (1): 265–277

Taylor, A. J., & Roozen, J. P. (1996). Volatile flavor release from foods during eating. *Critical Reviews in Food Science and Nutrition*, 36(8), 765–784.

Teixeira, A. A. (2014). Thermal Food Preservation Techniques (Pasteurization, Sterilization, Canning and Blanching). In S. Bhattacharya (Ed.), *Conventional and Advanced Food Processing Technologies*. Wiley.
<https://doi.org/10.1002/9781118406281.ch6>

Toci, A. T., Azevedo, D. A., & Farah, A. (2020). Effect of roasting speed on the volatile composition of coffees with different cup quality. *Food Research International*, 137, 109546

Wale, K., Tolessa, K., Atlabachew, M., Mehari, B., Alemayehu, M., Mengistu, D. A., & Kerisew, B. (2024). Level of caffeine, trigonelline and chlorogenic acids in green coffee (*Coffea Arabica L.*) beans from Amhara region, Ethiopia. *Journal of Agriculture and Food Research*, 16, 101082

Yang, N., Liu, C., Liu, X., Degn, T. K., Munchow, M., & Fisk, I. (2016). Determination of volatile marker compounds of common coffee roast defects. *Food Chemistry*, 211, 206–214

Yeretzian, C., Jordan, A., Badoud, R., & Lindinger, W. (2002). From the green bean to the cup of coffee: investigating coffee roasting by on-line monitoring of volatiles. *European Food Research and Technology*, 214, 92–104.



UNIVERSITAS
GADJAH MADA

Perbaikan Sensoris Dan Senyawa Volatil Kopi Robusta (*Coffea canephora*) Hasil Dekafeinasi Menggunakan

Bromelin Dan Penambahan Fruktosa Selama Penyangraian

Cindi Ferika Putri, Prof. Dr. Ir. Chusnul Hidayat; Prof. Dr. Ir. Supriyadi, M.Sc

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zarwinda, I., & Sartika, D. (2018). Pengaruh suhu dan waktu ekstraksi terhadap kafein dalam kopi. *Lantanida Journal*, 6(2), 103-202

Zou, Y., Gaida, M., Franchina, F. A., Stefanuto, P. H., & Focant, J. F. (2022). Distinguishing between decaffeinated and regular coffee by HS-SPME-GC×GC-TOFMS, chemometrics, and machine learning. *Molecules*, 27(6), 1806



UNIVERSITAS
GADJAH MADA

Perbaikan Sensoris Dan Senyawa Volatil Kopi Robusta (*Coffea canephora*) Hasil Dekafeinasi

Menggunakan

Bromelin Dan Penambahan Fruktosa Selama Penyangraian

Cindi Ferika Putri, Prof. Dr. Ir. Chusnul Hidayat; Prof. Dr. Ir. Supriyadi, M.Sc

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>