

## Daftar Pustaka

- Adachi, N., S. Tsukamoto., Y. Inoue., K. Azegami. 2012. Control of bacterial seedling rot and seedling blight of rice by bacteriophage. *Plant Disease*, 96(7), 1033–1036. DOI: [10.1094/PDIS-03-11-0232-RE](https://doi.org/10.1094/PDIS-03-11-0232-RE)
- Almalki, M.A. 2020. Isolation and characterization of polyketide drug molecule from *Streptomyces* species with antimicrobial activity against clinical pathogens. *Journal of Infection and Public Health* 13: 125-130
- Anne, G. & D.E. Waturangi. 2023. Supernatant of actinomycetes isolates with antiquorum sensing and antibiofilm activity against food spoilage bacteria. *Biodiversitas*, 24(9), 5189–5197. <https://doi.org/10.13057/biodiv/d240963>
- Ayusma A.N., A. Widiastuti & T. Arwiyanto. 2024. Potency of eucalyptus oil and citronella oil in suppressing virulence factors of *Xanthomonas oryzae* pv. *oryzae*. *Jurnal Fitopatologi Indonesia*, 20(4), 195–203. <https://doi.org/10.14692/jfi.20.4.195-203>
- Azman, A. S., C.I. Mawang., J.E. Khairat & AbuBakar, S. 2019. Actinobacteria—a promising natural source of anti-biofilm agents. *International Microbiology* 22(4): 403-409. DOI: <https://doi.org/10.1007/s10123-019-00066-4>
- Badan Pusat Statistik (BPS). 2023. Luas panen dan produksi padi di Indonesia 2023 (Angka sementara). <https://www.bps.go.id/id/pressrelease/2023/10/16/2037/luas-panen-dan-produksi-padi-di-indonesia-2023--angka-sementara-.html> diakses pada 9 januari 2024, pukul 08.55 WIB
- Badan Pusat Statistik (BPS). 2024. Rata-rata konsumsi per kapita seminggu beberapa macam bahan makanan penting, 2007-2023. <https://www.bps.go.id/id/statistics-table/1/OTUwIzE=/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting--2007-2023.html>. Diakses pada 18 juli 2024, pukul 12.50 WIB
- Bai, X., Y. Zhou., X. Feng., M. Tao., J. Zhang., S. Deng., B. Lou., G. Yang., Q. Wu., L. Yu., Y. Yang., Y. He. 2022. Evaluation of rice bacterial blight severity from lab to field with hyperspectral imaging technique. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.1037774>
- Balai Besar Pengkajian dan Pengembangan Teknologi Pertanian (BBPPTP). 2008. *Teknologi Budidaya Padi*. Agro Inovasi. Bogor.
- Balai Pengkajian Teknologi Pertanian (BPTP) Jawa Barat. 2015. Deskripsi varietas unggul baru padi. <https://repository.pertanian.go.id/server/api/core/bitstreams/781a75a3-6e17-4052-b085-bc42104dace4/content> diakses pada 5 Februari 2024 pukul 2026 WIB.
- Barka, E.A., P. Vatsa., L. Sanchez., N.G. Vaillant., C. Jacquard., H.P. Klenk., C. Clement., Y. Ouhdouch., and G.P.V. Wezel. 2016. Taxonomy, physiology, and natural products of actinobacteria. *Microbiology and Molecular Biology Reviews*, 80(1), 1–43. <https://doi.org/10.1128/membr.00019-15>
- Baugh, S., A.S. Ekanayaka., L.J.V. Piddock, and M.A. Webber. 2012. Loss of or inhibition of all multidrug resistance efflux pumps of *Salmonella enterica* serovar Typhimurium result in impaired ability to form a biofilm. *Journal of Antimicrobial Chemotherapy* 67: 2409-2417
- Bjarnsholt, A., M. Alhede., P.O. Jensen., A.K. Nielsen., H.K. Johansen., P. Homoe., N. Hoiby., M. Givskov, and K.K. Moller. 2015. Antibiofilm properties of acetic acid. *Advance in Wound Care* 4(7): 363-371
- Boles, B.R., M. Thoendel, and P.K. Singh. 2004. Self-generated diversity produces “insurance effect” in biofilm communities. *Proceedings of the National Academy of Sciences of the United States of America* 101(47): 16630-16635.

- Bourigault Y., S. Rodrigues., A. Crépin., A. Chane., L. Taupin., M. Bouteiller., C. Dupont., A. Merieau., Y. Konto-Ghiorgi., A.M. Boukerb., M. Turner., C. Hamon., A. Dufour., C. Barbey., X. Latour. 2021. Biocontrol of biofilm formation: jamming of sessile-associated rhizobial communication by rhodococcal quorum-quenching. *Int J Mol Sci.* 22(15):8241. DOI: 10.3390/ijms22158241
- Büttner, D., & U. Bonas. 2010. Regulation and secretion of *Xanthomonas* virulence factors. *FEMS Microbiology Reviews* 34(2): 107–133. DOI: 10.1111/j.1574-6976.2009.00192.x
- Carsono, N., A. Dewi. N. Wicaksana., and S. Sari. 2021. Periode inkubasi, tingkat keparahan, dan ketahanan sepuluh genotipe padi harapan terhadap penyakit hawar daun bakteri strain III,IV, dan VIII. *Jurnal Kultivasi* 20(3): 175-181
- Colin, R., B. Ni., L. Laganenka, & V. Sourjik. 2021. Multiple functions of flagellar motility and chemotaxis in bacterial physiology. *FEMS Microbiology Reviews* 45(6): 1-19. DOI: <https://doi.org/10.1093/femsre/fuab038>
- De Simeis, D. & S. Serra. 2021. Actinomycetes: A never-ending source of bioactive compounds-an overview on antibiotics production. *Antibiotics (Basel)*, 22, 10(5):483. <https://doi.org/10.3390/antibiotics10050483>
- Direktorat Perlindungan Tanaman Pangan. 2018. Petunjuk Teknis dan Pelaporan Organisme Pengganggu Tumbuhan dan Dampak Perubahan Iklim (OPT-DPI). Kementerian Pertanian.
- Djarmiko, H.A., B. Prakoso., and N. Prihatiningsih. 2011. Penentuan patotipe dan keragaman genetic *Xanthomonas oryzae* pv. *oryzae* pada tanaman padi di wilayah karesidenen Banyumas. *Jurnal HPT Tropika* 11(1): 35-46
- Dubois, M., K.A. Gilles., J.K. Hamilton., P.A. Rebers & F. Smith. 1956. Colorimetric method for determination of sugars and related substances. 28(3): 350-356
- EPPO (European and Mediterranean Plant Protection Organization). 2007. *Xanthomonas oryzae*: diagnostics. *Bulletin OEPP/EPPO.* (37): 543–553.
- Fadil, M., Y. Yanti & U. Khairul. 2023. Penapisan aktinobakteria rhizosfer padi sebagai agens pengendali hayati *Xanthomonas oryzae* pv. *oryzae* pathogen penyebab penyakit hawar daun bakteri. *Jurnal AGRO*, 10(1), 1–15. DOI: <https://doi.org/10.15575/19798>
- Hadianto, W., Hakim, L, & Bakhtiar. 2015. Ketahanan beberapa genotipe padi terhadap penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*). *Jurnal Hama dan Penyakit Tumbuhan Tropika* 15(2): 152-163. DOI: [10.23960/j.hptt.215152-163](https://doi.org/10.23960/j.hptt.215152-163)
- Ham, Y., & T.J. Kim. 2018. Anthranilamide from *Streptomyces* spp. inhibited *Xanthomonas oryzae* biofilm formation without affecting cell growth. *Applied Biological Chemistry*, 61(6), 673–680.
- Hastuti, R.D., Y. Lestari., A. Suwanto, and R. Saraswati. 2012. Endophytic *Streptomyces* spp. as biocontrol agents of rice bacterial leaf blight pathogen (*Xanthomonas oryzae* pv. *oryzae*). *Hayati Journal of Bioscience* 19(4): 155-162
- Hastuti, R.D., Y. Lestari., R. Saraswati., A. Suwanto., and Chaerani. 2012. Capability of *Streptomyces* spp. in controlling bacterial leaf blight disease in rice plants. *American Journal of Agricultural and Biological Science* 7(2): 217-223
- Hazarika, S. N., & D. Thakur. 2020. Actinobacteria. Beneficial microbes in agroecology: bacteria and fungi: 443–476. DOI: <https://doi.org/10.1016/B978-0-12-823414-3.00021-6>
- He, Y.W., and L.H. Zhang. 2008. Quorum sensing and virulence regulation in *Xanthomonas campestris*. *FEMS Microbiology Reviews* 32(5): 842-857

- Hop, D.V., P.T.P. Hoa., N.D. Quang., P.H. Ton., T.H. Ha., N.V. Hung., N.T. Van., T.V. Hai., N.T.K. Quy., N.T.A. Dao, and V.T. Thom. 2014. Biological control of *Xanthomonas oryzae* pv. *oryzae* causing rice bacterial blight disease by *Streptomyces toxytricini* VN08-A-12, isolated from soil and leaf-litter samples in Vietnam. *Biocontrol Science* 19(3): 103-111
- Hu, G.A., Y. Song., S.Y. Liu., W.C. Yu., Y.L. Yu., J.W. Chen., H. Wang & B. Wei. 2024. Exploring the diversity and specificity of secondary biosynthetic potential in *Rhodococcus*. *Marine Drugs*, 22(9), 409. <https://doi.org/10.3390/md22090409>
- Integrated Taxonomic Information System (ITIS). 2022. *Oryza sativa* L. [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=41976](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976) . Diakses tanggal 10 Oktober 2022.
- Irpawa, D.M.I., T. Arwiyanto., S. Sulandari. 2024. The characterization, pathotype distribution and genetic diversity of *Xanthomonas oryzae* pv. *oryzae* in rice production centers of the Special Region of Yogyakarta, Indonesia. *J. Trop. Plant Pests Dis.*, 24(2): 262–273. DOI: [10.23960/j.hptt.224262-273](https://doi.org/10.23960/j.hptt.224262-273)
- IRRI. 2013. Standard Evaluation System for Rice (SES) 5th Edition. International Rice Research Institute (IRRI). IRRI, Manila, Philippines. <https://ricepedia.blogspot.com/2018/04/2013-irri-ses-standard-evaluation.html> diakses pada 15 januari 2024 pukul 13.46 WIB.
- Istiqomah, D.E. Kusumawati dan A.D. Serdani. 2022. Inovasi aplikasi asap cair dan agens hayati sebagai upaya pengendalian serangan hama dan penyakit pada padi (*Oryza sativa* L.) *Jurnal Buana Sains* 22(1): 1-10
- Ivshina, I. B., M.S. Kuyukina., A.V. Krivoruchko., E.A Tyumina. 2021. Responses to ecopollutants and pathogenization risks of saprotrophic rhodococcus species. *Pathogens* 10(8). <https://doi.org/10.3390/pathogens10080974>
- Joko, T., H. Hirata, and S. Tsuyumu. 2007. Sugar transporter (MfsX) of the major facilitator superfamily is required for flagella mediated pathogenesis in *Dickeya dadantii* 3937. *Journal of General Plant Pathology* 73: 266-273
- Joko, T., S. Ava., I.N.S. Putri., S. Subandiyah., M.S. Rohman., N. Ogawa. 2024. Manuka honey inhibits biofilm formation and reduces the expression of the associated genes in *Pectobacterium brasiliense*. *Scientifica*, 2024, 8837149. DOI: [10.1155/2024/8837149](https://doi.org/10.1155/2024/8837149)
- Kaari, M., J. Joseph., R. Manikkham., A. Sreenivasan., G. Venugopal., B. Alexander., and S. Krishnan. 2021. Anti-biofilm activity and biocontrol potential of *Streptomyces* culture against *Ralstonia solanacearum* on Tomato plant. *Indian Journal of Microbiology* 62(1):32-39. DOI: [10.1007/s12088-021-00963-1](https://doi.org/10.1007/s12088-021-00963-1)
- Kapadia C., R. Kachhda., S. Singh., K. Gandhi, P. Poczai., S. Alfarraj., M.J. Ansari., A. Gafur & R.Z. Sayyed. 2022. *Pseudomonas aeruginosa* inhibits quorum-sensing mechanisms of soft rot pathogen *Lelliottia amnigena* RCE to regulate its virulence factors and biofilm formation. *Front. Microbiol.* 13:977669. DOI: [10.3389/fmicb.2022.977669](https://doi.org/10.3389/fmicb.2022.977669)
- Li, H., C. Yu., H. Chen., F. Tia., C. He. 2015. PXO\_00987, a putative acetyltransferase, is required for flagellin glycosylation, and regulates flagellar motility, exopolysaccharide production, and biofilm formation in *Xanthomonas oryzae* pv. *oryzae*. *Microbial Pathogenesis* 85: 50-57.
- Liang, X., X. Yu., W. Dong., S. Guo., S. Xu. J. Wang., and M. Zhou. 2015. Two thiadiazole compounds promote rice defence against *Xanthomonas oryzae* pv. *oryzae* by suppressing the bacterium's production of extracellular polysaccharides. *Molecular Plant Pathology* 16(8): 882-892
- Liang, X., X. Yu., X. Pan., J. Wu., Y. Duan., J. Wang., and M. Zhou. 2018. A thiadiazole reduce the virulence of *Xanthomonas oryzae* pv. *oryzae* by inhibiting the

- histidine utilization pathway and quorum sensing. *Mol Plant Pathol* 19(1): 116-128
- Lim, S. H., B.H. So., J. C. Wang., E.S. Song., Y.J. Park., B.M. Lee & H.W. Kang. 2008. Functional analysis of pilQ gene in *Xanthomonas oryzae* pv. *oryzae*, bacterial blight pathogen of rice. *Journal of Microbiology*, 46(2), 214–220. DOI: <https://doi.org/10.1007/s12275-007-0173-9>
- Limoli D.H., C.J. Jones., D.J. Wozniak. 2015. Bacterial Extracellular Polysaccharides in Biofilm Formation and Function. *Microbiol Spectr* 3:10.1128/microbiolspec.mb-0011-2014. DOI: <https://doi.org/10.1128/microbiolspec.mb-0011-2014>
- Liu, D. N. O., P. C. Ronald., and A. J. Bogdanove. 2006. *Xanthomonas oryzae* pathovars: model pathogens of model crop. Blackwell Publishing LTD.
- Lu, L., Hu, W., Tian, Z., Yuan, D., Yi, G., Zhou, Y., Cheng, Q., Zhu, J., & Li, M. 2019. Developing natural products as potential anti-biofilm agents. In *Chinese Medicine (United Kingdom)* (Vol. 14, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13020-019-0232-2>
- Mew, T. W., A.M. Alvarez., J.E. Leach & J. Swings. 1993. Focus on bacterial blight of rice. *Plant disease*. 77(1): 5-12.
- Miao, V., & J. Davies. 2010. Actinobacteria: The good, the bad, and the ugly. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 98(2), 143–150. DOI: <https://doi.org/10.1007/s10482-010-9440-6>
- Monareh, J, and T.B. Ogie. 2020. Disease control using biopesticide on rice plant (*Oryza sativa* L.). *Jurnal Agroekoteknologi Terapan* 1(1): 11-13
- Nafisah., C. Roza., N. Yunani., A. Hairmansis., T. Rostiati., and A. Jamil. 2019. Genetic variabilities of agronomy traits and bacterial leaf blight resistance of high rice varieties. *Indonesian Journal of Agricultural Science* 20(2): 43-54
- Newitt, J. T., S.M.M. Prudence., M.I. Hutchings & S.F. Worsley. 2019. Biocontrol of cereal crop diseases using *Streptomyces*. *Pathogens* 8(2): 1-25. DOI: 10.3390/pathogens8020078
- Prabawati,A., A. Susilowati, dan Sugiyarto. 2019. Bakteri filofiler padi sebagai kandidat agen biokontrol terhadap *Xanthomonas oryzae* pv. *oryzae* (*Xoo*) penyebab penyakit hawar daun bakteri. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* 5(2): 256-262
- Pratiwi, S.U.T., E.L. Lagemdijk., S. Weert., R. Idroes., T. Hertiani., C.V. Hondel. 2015. Effect of *Cinnamum burmannii* Nees ex Bl. and *Massoia aromatic* Becc. essential oil on planctonic growth and biofilm formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus* in vitro. *International Journal of Applied Research in Natural Product.*, 8 (2). 1-13
- Rahma,H., Martinius., U. Khairul., and F. Rahmi. 2023. The potential of beneficial microbes to suppress the development of bacterial leaf blight in rice plants cause by *Xanthomonas oryzae* pv. *oryzae*. *Biodiversitas* 24(8): 4209-4217. DOI: 10.1088/1755-1315/1160/1/012040.
- Rembang, J.H.W., A.W. Rauf, and O.M. Sondach. Karakter morfologi padi sawah local di lahan petani Sulawesi Utara. *Buletin Plasma Nutfah* 24(1): 1-8
- Roy, R., M. Tiwari., G. Donelli & V. Tiwari. 2018. Strategies for combating bacterial biofilms: A focus on anti-biofilm agents and their mechanisms of action. *Virulence* 9(1): 522-554 DOI: <https://doi.org/10.1080/21505594.2017.1313372>
- Roy, S., P. Mittal., L. Tayi., S. Bondada., M.K. Ray., H.K. Patel & R. Sonti. 2022. *Xanthomonas oryzae* pv. *oryzae* exoribonuclease R is required for complete

- virulence in rice, optimal motility, and growth under stress. *Phytopathology*, 112(3), 501–510. <https://doi.org/10.1094/PHYTO-07-21-0310-R>
- Saha, S., R. Garg., A. Biswas & A.B. Rai. 2015. Bacterial diseases of rice: An overview. *Journal of Pure and Applied Microbiology*, 9(1), 725–736.
- Sausa, C.D.S., A.C.F. Soares and M.D.S. Garrido. 2008. Characterization of *Streptomyces* with potential to promote plant growth and biocontrol. *Sci. Agric.* 65(1): 50-55
- Sayuthi, M., A. Hanan., Muklis., P. Satriyo. 2020. Distribusi hama tanaman padi (*Oryza sativa* L.) pada fase vegetatif dan generatif di Provinsi Aceh. *J. Agroecotenia* 3(1): 1-10
- Shafiei, S.N., K. Ahmad., N.F.M. Ikhsan., S.I. Ismail, and K. Sijam. 2021. Suppression of *Xanthomonas oryzae* pv. *oryzae* biofilm formation by acacia mangium mathaol leaf extract. *Brazilian Journal of Biology* 81(1): 11-17
- Shi, T., X. Guo., J. Zhu., L. Hu., Z. He., and D. Jiang. 2021. Inhibitory effects of carbazomycin B produced by *Streptomyces roseovercillatus* 63 against *Xanthomonas oryzae* pv. *oryzae*. *Front. Microbiol* 12: 1-13. <https://doi.org/10.3389/fmicb.2021.616937>
- Simko, I., and H.P. Piepho. 2012. The area under the disease progress stairs: calculation, advantage, and application. *Phytopathol* 102(4): 381-389. DOI: 10.1094/PHYTO-07-11-0216.
- Singh, A., R. Gupta., S. Tandon & R. Pandey. 2017. Thyme oil reduces biofilm formation and impairs virulence of *Xanthomonas oryzae*. *Frontiers in Microbiology*, 8: 1074. DOI: <https://doi.org/10.3389/fmicb.2017.01074>
- Sopialena., Suryadi., R. Jannah., and D. Tantiani. 2021. Control of bacterial leaf blight disease in several varieties of rice plants (*Oryza sativa* L.) by using bacteria of *Paenibacillus polymyxa* Mace. *IOP Conf. Series: Earth and Environmental Science* 800.
- Stach, J. E. M., L.A. Maldonado., A.C. Ward., M. Goodfellow & A. T. Bull. 2003. New primers for the class Actinobacteria: Application to marine and terrestrial environments. *Environmental Microbiology*, 5(10), 828–841. DOI: <https://doi.org/10.1046/j.1462-2920.2003.00483.x>
- Sudir., B. Nuryanto, dan T.S. Kadir. 2012. Epidemiologi, patotipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. *lptek Tanaman Pangan* 7(2): 79-87
- Sudir., Suprihanto & T.S. Kadir. 2009. Pathotype identification of *Xanthomonas oryzae* pv. *oryzae*, causing bacterial leaf blight in rice production centers in Java (in Indonesian). *Jurnal Penelitian Pertanian Tanaman Pangan* 28 (3): 131-138
- Sudir., Y.A. Yogi., Syahri. 2013. Komposisi dan sebaran patotipe *Xanthomonas oryzae* pv. *oryzae* di sentra produksi padi di Sumatera Selatan. *Penelitian Pertanian Tanaman Pangan* 32(2): 98-108
- Suryaningsih, A. S., H. Triwidodo & S. Wiyono. 2023. Resistance of six lines from farmers against bacterial leaf blight (*Xanthomonas oryzae* pv. *oryzae*). *Jurnal Fitopatologi Indonesia*, 19(4), 176–181. DOI: <https://doi.org/10.14692/jfi.19.4.176-181>
- Táncsics, A., I. Máthé., T. Benedek., E.M. Tóth., E. Atasayar., C. Spröer., K. Márialigeti., T. Felföldi & B. Kriszt. 2017. *Rhodococcus sovatus* sp. Nov., an actinomycete isolated from the hypersaline and heliothermal Lake Ursu. *International Journal of Systematic and Evolutionary Microbiology*, 67(2), 190–196. DOI: <https://doi.org/10.1099/ijsem.0.001514>
- Thepbandit, W., N. Buensanteai., K. Thumanu., S. Siriwong., T.L. Than., and D. Athinuwat. 2021. Salicylic acid elicitor inhibiting *Xanthomonas oryzae* pv. *oryzae* growth, motility, biofilm, polysaccharides production, and biochemical components during pathogenesis on rice. *Chiang Mai J. Sci* 48(2): 341-353

- Trianom, B., T. Arwiyanto., T. Joko. 2019. Morphological and molecular characterization of sumatra disease of clove in Central Java, Indonesia. *Tropical Life Science Research*, 30(2), 107–118. DOI: [10.21315/tlsr2019.30.2.8](https://doi.org/10.21315/tlsr2019.30.2.8)
- Uroz, S., P.M. Oger., E. Chapelle., M.T. Adeline., D. Faure., Y. Dessaux. 2008. A *Rhodococcus* qsdA-encoded enzyme defines a novel class of large-spectrum quorum-quenching lactonases. *Applied and Environmental Microbiology*, 74(5), 1357–1366. <https://doi.org/10.1128/AEM.02014-07>
- Urvoy, M., R. Lami., C. Dreanno., D. Delmas., S. L'Helguen., and C. Labry. 2021. Quorum sensing regulated the hydrolytic enzyme production and community composition of heterotrophic bacteria in coastal waters. *Front. Microbiol.* 12:7808759. DOI: <https://doi.org/10.3389/fmicb.2021.780759>
- Van der Plank, J.E. 1963. *Plant Disease, Epidemic and Control*. New York, London: Acad Press. [https://www.google.co.id/books/edition/Plant\\_Diseases/HqzSBAAAQBAJ?hl=en&gbpv=1](https://www.google.co.id/books/edition/Plant_Diseases/HqzSBAAAQBAJ?hl=en&gbpv=1)
- Ventura, M., C. Canchaya., A. Tauch., G. Chandra., G.F. Fitzgerald., K.F. Chater., & D. van Sinderen. 2007. Genomics of actinobacteria : tracing the evolutionary history of an ancient phylum. *Microbiology and Molecular Biology Reviews*, 71(3), 495–548. <https://doi.org/10.1128/mnbr.00005-07>
- Wahyudi, A.R., J.A. Priyanto., H.N. Fijrina., H.D. Mariastuti., dan A.A. Nawangsih. 2019. *Streptomyces* spp. from rhizosphere soil of maize with potential as plant growth promoter. *Biodiversitas* 20(9): 2547-2553
- Xue, D., F. Tian., F. Yang., H. Chen., X. Yuan., C.H. Yang., Y. Chen., Q. Wang, and C. He. 2018. Phosphodiesterase EdpX1 promotes *Xanthomonas oryzae* pv. *oryzae* virulence, exopolysaccharide production and biofilm formation. *Applied and Environmental Microbiology* 84(22)
- Yang, F., Zhang, J., Zhang, H., Ji, G., Zeng, L., Li, Y., Yu, C., Fernando, W. G. D., & Chen, W. 2020. Bacterial blight induced shifts in endophytic microbiome of rice leaves and the enrichment of specific bacterial strains with pathogen antagonism. *Frontiers in Plant Science*, 11. DOI: <https://doi.org/10.3389/fpls.2020.00963>
- Yanuar, A., S. Dwi Nurcahyanti., D. Hardian & S. Addy. 2016. Potensi agens hayati dalam menekan perkembangan penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*) pada padi. *J. Agrotek. Trop* 5(2): 70-76.
- Yu, C., H. Chen., F. Tian., F. Yang., X. Yuan., C.H. Yang., and C. He. 2017. A ten gene-containing genome island determines flagellin glycosylation: implication for its regulatory role in motility and virulence of *Xanthomonas oryzae* pv. *oryzae*. *Molecular Plant Pathology* 19(3): 579-592
- Yuriyah, S., D.W. Utami., and I. Hanarida. 2013. Uji ketahanan galur-galur harapan padi terhadap penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*) ras III, IV, dan VIII. *Buletin Plasma Nutfah* 19(2): 53-60
- Zegadlo, K., M. Gieron., P. Zarnowiec., K.D. Popinska., B. Krecisz., W. Kaca., and G. Czerwonka. 2023. Bacterial motility and its role in skin and wound infection. *Int. J. Mol. Sci.* 24(2):1-12. <https://dx.doi.org/10.3390/ijms24021707>
- Zhang, Y. Q., W.J. Li., R.M. Kroppenstedt., C.J. Kim., G.Z. Chen., D.J. Park., L.H. Xu., & C.L. Jiang. 2005. *Rhodococcus yunnanensis* sp. nov., a mesophilic actinobacterium isolated from forest soil. *International Journal of Systematic and Evolutionary Microbiology*, 55(3), 1133–1137. DOI: <https://doi.org/10.1099/ijms.0.63390-0>
- Zheng, D., X. Yaou., M. Duan., Y. Luo., B. Liu., P. Qi., M. Sun., and L. Ruan. 2016. Two overlapping two-component systems in *Xanthomonas oryzae* pv. *oryzae*

contribute to full fitness in rice by regulating virulence factors expression. Scientific Report 6: 22768

- Zhou, Z., X. Wu., J. Li., Y. Zhang., Y. Huang., W. Zhang., Y. Shi., J. Wang., S. Chen. 2022. A novel quorum quencher, *Rhodococcus pyridinivorans* XN-36, is a powerful agent for the biocontrol of soft rot disease in various host plants. *Biological Control*, 169. <https://doi.org/10.1016/j.biocontrol.2022.104889>
- Zhu, S., X. Sun., Y. Li., X. Feng & B. Gao. 2023. The common origin and degenerative evolution of flagella in Actinobacteria. *MBio*, 14(6). DOI: <https://doi.org/10.1128/mbio.02526-23>